

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 10 - Latorre, Florian (R)

Lap	T/S	SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T				18.4929	15.2694	22.5429	8.2271	5.7905			227.9011	119.1314	111.5722	
	S				66.328	80.464	47.092	89.753	121.398			38.527	11.924	72.247	
2	T	6.4792	4.6095	9.9504	12.5281	9.4672	11.8710	7.9025	5.7665	7.6355	8.7269	84.9368			
	S	141.221	128.391	91.476	97.907	129.778	89.427	93.440	121.903	71.883	98.129	103.376			
3	T	6.4717	4.6138	9.9079	12.4314	9.4369	11.7040	7.8411	5.7033	7.5024	8.7880	84.4005			
	S	141.385	128.271	91.869	98.669	130.195	90.703	94.172	123.254	73.158	97.447	104.033			
4	T	6.4509	4.5944	9.9025	12.4240	9.4362	11.7235	7.8189	5.6393	7.5687	8.6646	84.2230			
	S	141.841	128.813	91.919	98.728	130.205	90.552	94.439	124.653	72.518	98.835	104.252			
5	T	6.4173	4.5835	9.8795	12.6172	9.4171	11.7624	7.8526	5.6502	7.5075	8.6783	84.3656			
	S	142.583	129.119	92.133	97.216	130.469	90.253	94.034	124.412	73.109	98.679	104.076			
6	T	6.3889	4.5980	10.0638	12.6414	9.4353	11.8948	7.7289	5.8640	8.0306	8.6489	85.2946			
	S	143.217	128.712	90.446	97.030	130.217	89.248	95.539	119.876	68.347	99.014	102.942			
7	T	6.4338	4.5868	9.8750	12.5042	9.4001	11.6914	7.8715	5.6043	7.5013	8.6573	84.1257			
	S	142.218	129.026	92.175	98.094	130.705	90.801	93.808	125.431	73.169	98.918	104.372			
8	T	6.4339	4.5888	9.8732	12.9633	12.7287	13.8243	7.8340	5.6172	7.5664	8.6895	90.1193			
	S	142.215	128.970	92.192	94.620	96.525	76.792	94.257	125.143	72.540	98.552	97.431			
9	T	6.4280	4.5776	9.8838	12.5177	9.4377	11.8017	7.8255	5.6353	7.5815	8.6009	84.2897			
	S	142.346	129.286	92.093	97.989	130.184	89.952	94.359	124.741	72.395	99.567	104.169			
10	T	6.4411	4.5865	9.8202	12.4948	9.3869	11.8595	7.9294	5.6460	7.5921	8.7365	84.4930			81.3125
	S	142.056	129.035	92.689	98.168	130.888	89.514	93.123	124.505	72.294	98.021	103.919			98.425
11	T				13.0891	9.4840	12.4224	7.9212	5.9193			206.5778	124.8089	85.0576	
	S				93.711	129.548	85.458	93.219	118.756			42.504	11.382	94.769	
12	T	6.4321	4.5773	10.0903	12.4744	9.3866	11.8168	7.8601	5.7519	7.7381	8.6020	84.7296			
	S	142.255	129.294	90.208	98.329	130.893	89.837	93.944	122.213	70.930	99.554	103.628			
13	T	6.4422	4.5806	9.9277	12.4974	9.3652	12.6010	9.7466	5.6424	7.5324	8.6054	86.9409			91.2873
	S	142.032	129.201	91.686	98.148	131.192	84.247	75.701	124.584	72.867	99.515	100.993			87.670
14	T				12.4409	9.3668	11.9597	7.7770	7.8101			242.7704	156.1031	82.3776	
	S				98.593	131.169	88.764	94.948	90.006			36.168	9.100	97.852	
15	T	6.4252	4.5753	9.9225	12.4350	9.3752	11.7545	7.7633	5.6238	7.6166	8.6018	84.0932			
	S	142.408	129.351	91.734	98.640	131.052	90.314	95.115	124.996	72.062	99.556	104.413			
16	T	6.4031	4.5720	9.8846	12.6603	9.3737	11.7099	7.9192	5.6288	7.5217	8.6141	84.2874			84.1051
	S	142.900	129.444	92.085	96.885	131.073	90.658	93.243	124.885	72.971	99.414	104.172			95.157
17	T								5.6185				34.6653		
	S								125.114				40.980		

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 13 - Eberle(E), Bobby

Lap	T/SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T	6.6638	4.7365	10.5328	13.2809	9.7386	12.4546	8.1360	5.9474	8.2983	8.8961	88.6850		100.9304
	S	137.309	124.948	86.418	92.358	126.161	85.237	90.758	118.195	66.142	96.263	99.007		79.865
2	T	6.6133	4.7072	10.4741	13.4217	9.7870	12.3349	8.1183	5.9158	7.9281	8.8250	88.1254		
	S	138.358	125.726	86.903	91.389	125.538	86.064	90.956	118.827	69.230	97.038	99.635		
3	T	6.6442	4.7203	10.1787	12.9250	9.7245	12.1226	8.2290	5.8356	7.8979	8.8045	87.0823		
	S	137.714	125.377	89.425	94.901	126.344	87.571	89.733	120.460	69.495	97.264	100.829		
4	T	6.6885	4.8219	10.2167	13.1226	9.7053	12.1887	8.0118	5.9968	7.9061	9.7196	88.3780		
	S	136.802	122.735	89.092	93.472	126.594	87.096	92.165	117.222	69.423	88.107	99.351		
5	T	6.6020	4.6970	10.1486	13.1795	9.7222	12.2394	8.1573	5.8197	7.7903	8.6923	87.0483		
	S	138.594	125.999	89.690	93.068	126.374	86.736	90.521	120.789	70.455	98.520	100.868		
6	T	6.6025	4.7137	10.2721	13.1102	9.7032	12.2195	7.9952	5.7937	7.8049	8.9928	87.2078		
	S	138.584	125.553	88.612	93.560	126.622	86.877	92.357	121.331	70.323	95.228	100.684		
7	T	6.6086	4.6949	10.1509	12.9206	9.7218	12.1537	8.0997	5.8365	7.9141	8.7101	86.8109		
	S	138.456	126.056	89.670	94.933	126.380	87.347	91.165	120.441	69.353	98.318	101.144		
8	T	6.6275	4.7105	10.1236	13.0583	9.7065	12.2209	8.2150	5.8558	7.9231	8.8242	87.2654		
	S	138.061	125.638	89.911	93.932	126.579	86.867	89.885	120.044	69.274	97.047	100.617		
9	T	6.6253	4.7120	10.1770	12.9770	9.6796	12.1488	8.0698	5.7940	7.8582	8.7405	86.7822		
	S	138.107	125.598	89.440	94.520	126.930	87.382	91.503	121.325	69.846	97.977	101.177		
10	T	6.6180	4.6990	10.0970	12.9478	9.7048	12.1821	8.1441	5.8226	7.9106	8.6963	86.8223		88.4796
	S	138.259	125.946	90.148	94.734	126.601	87.144	90.668	120.729	69.383	98.474	101.131		90.452
11	T				12.9887	9.6994	12.2500	8.0593	5.9510			270.1336	181.7716	86.7395
	S				94.435	126.671	86.660	91.622	118.124			32.504	7.815	92.931
12	T	6.6240	4.7071	10.1075	12.8951	9.6376	12.1570	8.1070	5.7898	7.7659	8.9005	86.6915		
	S	138.134	125.729	90.055	95.121	127.484	87.323	91.083	121.413	70.676	96.215	101.283		
13	T	6.6200	4.7025	11.6168	13.1203	9.6452	12.1557	7.9841	5.8093	7.7768	8.7963	88.2270		90.5306
	S	138.218	125.852	78.354	93.488	127.383	87.333	92.485	121.005	70.577	97.355	99.521		88.403
14	T				13.2333	10.8927	12.8896	8.1662	5.7931			293.8796	203.0486	88.5330
	S				92.690	112.794	82.360	90.423	121.343			29.878	6.996	91.048
15	T	6.5598	4.6790	10.1464	12.9394	9.6317	12.1312	8.0142	5.7873	7.8437	8.7805	86.5132		
	S	139.486	126.484	89.709	94.795	127.562	87.509	92.138	121.465	69.975	97.530	101.492		
16	T	6.6085	4.7284	10.2059	12.9525	9.6934	12.2273	8.2727	5.7973	8.9073	9.1402	88.5335		90.2784
	S	138.458	125.162	89.186	94.699	126.750	86.821	89.259	121.256	61.620	93.692	99.176		88.650
17	T								7.1564				53.6009	
	S								98.227				26.503	

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 14 - Latif, Alessandro (R)

Lap	T/S	SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T	7.1817	5.9439	10.5138	12.9284	10.1405	12.5362	7.9611	8.2325	9.2796	11.7168	96.4345		133.6387	
	S	127.407	99.567	86.575	94.876	121.161	84.682	92.752	85.388	59.147	73.089	91.050		60.318	
2	T	6.5257	4.6436	10.8324	13.0362	9.8577	12.4547	8.0478	5.7770	7.9616	8.6604	87.7971			
	S	140.215	127.448	84.028	94.091	124.637	85.236	91.753	121.682	68.939	98.883	100.008			
3	T	6.5151	4.6590	10.0692	12.8738	9.5842	12.0224	7.9163	5.7481	7.8595	8.7412	85.9888			
	S	140.443	127.027	90.397	95.278	128.194	88.301	93.277	122.293	69.834	97.969	102.111			
4	T	6.4724	4.6279	10.0177	12.9026	9.5676	12.0563	7.9556	5.8890	7.7537	8.6834	85.9262			
	S	141.370	127.881	90.862	95.065	128.416	88.053	92.816	119.367	70.787	98.621	102.185			
5	T	6.4607	4.6329	10.3831	13.3162	9.6436	12.0446	7.9240	5.7398	7.6957	8.6867	86.5273			
	S	141.626	127.742	87.664	92.113	127.404	88.138	93.186	122.470	71.321	98.583	101.475			
6	T	6.4912	4.6328	10.0084	12.7895	9.5785	12.0212	7.9505	5.7442	7.7274	8.6932	85.6369			
	S	140.960	127.745	90.946	95.906	128.270	88.310	92.876	122.376	71.028	98.510	102.531			
7	T	6.4800	4.6288	10.0393	12.8642	9.6288	12.6575	7.9172	5.7994	8.2729	8.6710	86.9591			
	S	141.204	127.856	90.666	95.349	127.600	83.871	93.266	121.212	66.345	98.762	100.972			
8	T	6.4795	4.6380	10.0528	12.7282	9.5200	11.9868	7.9111	5.7208	7.7774	8.7758	85.5904			
	S	141.215	127.602	90.545	96.368	129.058	88.563	93.338	122.877	70.572	97.582	102.586			
9	T	6.5224	4.6510	10.0342	12.8438	9.5664	12.1427	16.8359	5.7012	7.8670	8.7220	94.8866			94.5602
	S	140.286	127.245	90.712	95.501	128.432	87.426	43.859	123.299	69.768	98.184	92.536			84.636
10	T				13.6594	9.9167	12.7923	8.0404	7.0867			284.4921	198.3684	86.6133	
	S				89.798	123.896	82.987	91.837	99.193			30.863	7.161	93.066	
11	T	6.5560	4.6559	10.2037	13.0487	9.6064	12.9251		5.7418	7.9179	8.7888				
	S	139.567	127.111	89.206	94.001	127.898	82.134		122.428	69.319	97.438				

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 19 - Hargrove, Scott

Lap	T/S	SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T	6.5777	4.6688	10.0696	12.7751	9.5796	12.1588	8.0477	5.8475	7.9018	8.7903	86.4169		88.3112	85.7639
	S	139.106	126.760	90.394	96.014	128.255	87.311	91.754	120.215	69.461	97.421	101.605		91.277	93.316
2	T				12.6828	9.6104	12.0866	7.9474	5.7660			214.5273	132.0499	82.6305	
	S				96.713	127.844	87.832	92.912	121.914			40.929	10.758	97.552	
3	T	6.5582	4.6475	9.9752	12.5489	9.5573	12.0517	7.8657	5.7540	7.5847	8.7223	85.2655			
	S	139.520	127.341	91.249	97.745	128.555	88.086	93.877	122.168	72.365	98.181	102.977			
4	T	6.5335	4.6479	10.0912	12.6514	9.5508	12.1889	7.9084	5.7102	7.6226	8.8332	85.7381			82.7031
	S	140.047	127.330	90.200	96.953	128.642	87.095	93.370	123.105	72.005	96.948	102.410			96.770
5	T				12.6767	9.6132	11.9284	7.8945	5.7678			313.9441	234.3377		
	S				96.759	127.807	88.997	93.535	121.876			27.968	6.062		
6	T				13.5995	10.4436	12.3247	7.9138	5.7713			182.6839	95.9511	90.4494	
	S				90.194	117.645	86.135	93.307	121.802			48.063	14.805	89.119	
7	T	6.5429	4.6235	10.1590	12.5690	9.4907	11.9042	7.7628	5.7344	7.7473	8.6511	85.1849			
	S	139.846	128.002	89.598	97.589	129.457	89.178	95.121	122.586	70.846	98.989	103.075			
8	T	6.5277	4.6271	10.4721	12.6092	9.4926	12.1021	7.8141	5.6384	8.4647	8.7163	86.4643			
	S	140.172	127.903	86.919	97.277	129.431	87.720	94.497	124.673	64.841	98.249	101.549			
9	T	7.1425	5.4252	10.6441	12.5886	9.9741	12.1228	7.8402	5.6611	10.0368	10.8467	92.2821			
	S	128.106	109.087	85.515	97.437	123.183	87.570	94.182	124.173	54.685	78.952	95.147			
10	T	6.5329	4.6219	10.0342	13.2119	9.9192	13.9457	9.7196	5.7472	7.5923	8.6834	90.0083			91.5651
	S	140.060	128.047	90.712	92.840	123.864	76.123	75.971	122.313	72.292	98.621	97.551			87.404
11	T				14.2276	10.1462	13.0118	7.8409	6.5885			227.8385	138.8421	87.4047	
	S				86.212	121.093	81.587	94.174	106.694			38.538	10.232	92.224	
12	T	6.4894	4.6084	9.9610	12.5904	9.4641	12.0494	7.8044	5.7288	7.5685	8.7042	84.9686			
	S	140.999	128.422	91.379	97.423	129.821	88.103	94.614	122.705	72.519	98.385	103.337			
13	T	6.4797	4.6052	10.0099	12.6623	9.4768	12.0624	7.8074	5.7077	7.8073	8.7049	85.3236			87.5211
	S	141.210	128.511	90.933	96.870	129.647	88.008	94.578	123.159	70.301	98.377	102.907			91.443
14	T								5.9432				41.9473		
	S								118.279				33.866		

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 2 - Burkett, Daniel (R)

Lap	T/S	SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T	6.4856	4.6085	10.2381	12.8952	9.5416	12.2836	7.8853	5.7783	7.9502	8.7024	86.3688		85.8956	
	S	141.082	128.419	88.906	95.120	128.766	86.423	93.644	121.654	69.038	98.405	101.662		93.844	
2	T	6.4212	4.5812	10.0392	12.7483	9.4877	12.2013	7.8309	5.7522	7.8599	8.6754	85.5973			
	S	142.497	129.184	90.667	96.216	129.498	87.006	94.294	122.206	69.831	98.712	102.578			
3	T	6.4098	4.5886	10.0508	12.5947	9.4166	12.0817	7.7792	5.7876	7.7794	8.7736	85.2620			
	S	142.750	128.976	90.563	97.389	130.476	87.868	94.921	121.459	70.553	97.607	102.981			
4	T	6.3921	4.5882	9.9279	12.6533	9.3975	12.0322	7.8296	5.6937	7.7170	8.9651	85.1966			
	S	143.145	128.987	91.684	96.938	130.741	88.229	94.310	123.462	71.124	95.522	103.060			
5	T	6.3772	4.5677	9.9295	12.7606	9.4176	11.9228	7.8259	5.7028	7.7215	8.7159	84.9415			85.8221
	S	143.480	129.566	91.669	96.123	130.462	89.039	94.355	123.265	71.083	98.253	103.370			93.253
6	T				13.5536	9.5444	12.3626	7.8760	5.6061			266.1308	174.4862	90.9429	
	S				90.499	128.729	85.871	93.754	125.391			32.993	8.141	88.636	
7	T	6.4592	4.5991	10.0572	12.6298	9.4450	12.1768	7.7865	5.7632	7.9125	8.6120	85.4413			
	S	141.658	128.681	90.505	97.119	130.083	87.181	94.832	121.973	69.367	99.438	102.765			
8	T	6.4555	4.5813	9.9990	12.6734	9.4586	11.9836	7.8263	5.6561	7.9216	8.5396	85.0950			
	S	141.740	129.181	91.032	96.785	129.896	88.587	94.350	124.283	69.287	100.281	103.184			
9	T	6.4464	4.5883	9.8956	12.6226	9.4151	12.0992	7.8473	5.7578	7.6691	8.6405	84.9819			
	S	141.940	128.984	91.983	97.174	130.496	87.741	94.097	122.087	71.568	99.110	103.321			
10	T	6.4162	4.5745	9.9703	12.5729	9.4022	11.8515	7.8150	5.6718	7.7174	8.5796	84.5714			
	S	142.608	129.373	91.294	97.558	130.675	89.574	94.486	123.939	71.120	99.814	103.822			
11	T	6.4000	4.5496	10.0465	13.1093	11.5346	15.0482	8.3976	5.6292	7.6778	8.5403	90.9331			
	S	142.969	130.081	90.601	93.566	106.517	70.546	87.931	124.876	71.487	100.273	96.559			
12	T	6.4140	4.5848	10.2829	13.4241	10.2886	11.9872	7.8045	6.2189	7.8021	8.9276	87.7347			
	S	142.657	129.083	88.519	91.372	119.417	88.560	94.613	113.035	70.348	95.923	100.079			
13	T	6.3865	4.5556	10.0572	12.5511	9.3688	11.8094	7.8645	5.6474	7.6334	8.5802	84.4541			
	S	143.271	129.910	90.505	97.728	131.141	89.894	93.891	124.474	71.903	99.807	103.967			
14	T	6.3786	4.5520	9.9917	12.6503	9.3650	12.8878	9.8522	5.6088	7.6528	8.5869	87.5261			98.1480
	S	143.448	130.013	91.098	96.961	131.194	82.372	74.949	125.331	71.721	99.729	100.318			81.542
15	T				12.6820	9.3885	12.1348	7.8210	7.9452			231.4378	138.2199	82.7528	
	S				96.719	130.866	87.483	94.414	88.475			37.938	10.278	97.408	
16	T	6.3783	4.5481	10.1576	12.9250	9.6623	12.7713	7.8589	5.6848	7.7659	8.5585	86.3107			
	S	143.455	130.124	89.610	94.901	127.158	83.123	93.958	123.655	70.676	100.060	101.730			
17	T	6.3672	4.5520	10.1309	12.9109	9.4507	11.9820	7.8533	5.6933	7.8284	8.5506	85.3193			87.6107
	S	143.705	130.013	89.847	95.004	130.005	88.599	94.025	123.470	70.112	100.152	102.912			91.349
18	T								6.1936				37.0905		
	S								113.497				38.300		

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 21 - Franzoni, Victor (R)

Lap	T/S	SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T	6.5347	4.6519	10.2892	12.6662	9.5146	11.9356	8.1760	5.9132	7.9895	8.8853	86.5562		94.0852	
	S	140.022	127.221	88.464	96.840	129.132	88.943	90.314	118.879	68.698	96.380	101.442		85.675	
2	T	6.4820	4.5972	10.0203	12.6108	9.4816	11.9048	7.8610	5.7784	7.6855	8.6146	85.0362			
	S	141.160	128.734	90.838	97.265	129.581	89.173	93.933	121.652	71.415	99.408	103.255			
3	T	6.4254	4.5829	9.9256	12.5455	9.4138	11.9549	7.8138	5.7100	7.6069	8.6575	84.6363			
	S	142.404	129.136	91.705	97.771	130.514	88.800	94.501	123.109	72.153	98.916	103.743			
4	T	6.4010	4.5710	9.9120	12.5006	9.3916	11.8558	7.8986	5.6943	7.6934	8.6112	84.5295			
	S	142.946	129.472	91.831	98.123	130.823	89.542	93.486	123.449	71.342	99.448	103.874			
5	T	6.5193	4.7413	10.0030	12.5413	9.4075	12.8753	7.7672	6.1363	8.8833	10.9668	89.8413			
	S	140.352	124.822	90.995	97.804	130.602	82.452	95.068	114.557	61.786	78.087	97.732			
6	T	6.4011	4.5673	9.8594	12.5087	9.3868	11.8186	7.8678	5.6649	7.6219	8.5890	84.2855			
	S	142.944	129.577	92.321	98.059	130.890	89.824	93.852	124.089	72.011	99.705	104.175			
7	T	6.3767	4.5467	10.7876	12.7255	9.4036	11.8015	7.8872	5.6883	7.6735	8.5418	85.4324			
	S	143.491	130.164	84.377	96.388	130.656	89.954	93.621	123.579	71.527	100.256	102.776			
8	T	6.4104	4.5687	10.0146	12.5339	9.3818	12.5461	8.3076	5.6618	7.6420	8.5938	85.6607			
	S	142.737	129.538	90.890	97.862	130.960	84.615	88.884	124.157	71.822	99.649	102.502			
9	T	6.4249	4.5750	9.9276	12.4672	9.3948	11.8722	7.8557	5.7369	7.6811	8.6153	84.5507			
	S	142.415	129.359	91.687	98.385	130.778	89.418	93.997	122.532	71.456	99.400	103.848			
10	T	6.4201	4.5647	9.9535	12.5235	9.3841	11.7992	7.8187	5.6390	7.7768	8.6098	84.4894			81.1268
	S	142.521	129.651	91.448	97.943	130.927	89.971	94.441	124.659	70.577	99.464	103.923			98.650
11	T				13.8077	11.9173	12.9007	8.1751	5.6692			192.4994	103.5945	92.5936	
	S				88.834	103.097	82.289	90.324	123.995			45.613	13.713	87.056	
12	T	6.4798	4.6209	10.0021	12.5255	9.4237	11.7508	7.8875	5.7848	7.8263	8.6844	84.9858			
	S	141.208	128.074	91.004	97.928	130.377	90.342	93.618	121.518	70.131	98.609	103.316			
13	T	6.4105	4.5619	10.0708	12.6467	9.4088	11.8014	7.8066	5.6969	7.5923	8.5998	84.5957			
	S	142.735	129.731	90.383	96.989	130.584	89.955	94.588	123.392	72.292	99.579	103.793			
14	T	6.4494	4.5768	9.8859	12.4216	9.3819	11.7738	7.8036	5.6932	7.5837	8.5590	84.1289			81.7435
	S	141.874	129.308	92.073	98.747	130.958	90.166	94.624	123.473	72.374	100.054	104.368			97.906
15	T				12.6572	9.4053	11.9334	7.7715	5.7083			270.8074	188.0109	85.2037	
	S				96.909	130.632	88.960	95.015	123.146			32.423	7.556	94.606	
16	T	6.4267	4.5758	9.9359	12.6460	9.4013	11.8385	7.7955	5.6692	7.5890	8.6005	84.4784			
	S	142.375	129.337	91.610	96.994	130.688	89.673	94.722	123.995	72.324	99.571	103.937			
17	T	6.4197	4.5743	9.9161	12.5230	9.3908	11.7025	7.7946	5.7065	7.6355	8.6030	84.2660			85.8576
	S	142.530	129.379	91.793	97.947	130.834	90.715	94.733	123.185	71.883	99.542	104.199			93.215
18	T								5.8709				43.2416		
	S								119.735				32.852		

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 22 - Tan, Weiron (R)

Lap	T/SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T	6.4985	4.6053	10.1192	12.8338	9.5159	11.9378	7.8494	5.7939	7.8612	8.7786	85.7936		96.5992
	S	140.802	128.508	89.951	95.575	129.114	88.927	94.072	121.327	69.819	97.551	102.343		83.446
2	T	6.5006	4.5997	9.9225	12.5395	9.5036	11.9795	7.7528	5.7052	7.7190	8.5558	84.7782		
	S	140.756	128.665	91.734	97.818	129.281	88.617	95.244	123.213	71.106	100.092	103.569		
3	T	6.4657	4.5901	9.7917	13.0272	9.4721	11.7463	7.7335	5.6969	7.6573	8.5831	84.7639		
	S	141.516	128.934	92.959	94.156	129.711	90.377	95.482	123.392	71.678	99.773	103.587		
4	T	6.4408	4.5818	9.8294	12.5697	9.4210	11.7013	7.7299	5.6769	7.6837	8.5656	84.2001		
	S	142.063	129.167	92.603	97.583	130.415	90.724	95.526	123.827	71.432	99.977	104.280		
5	T	6.4364	4.5811	10.1094	12.7209	9.4858	11.6967	7.8084	5.6332	7.6343	8.6394	84.7456		
	S	142.160	129.187	90.038	96.423	129.524	90.760	94.566	124.788	71.894	99.123	103.609		
6	T	6.4162	4.5725	9.9160	12.5441	9.4210	11.7579	7.7560	5.6742	7.6959	8.5786	84.3324		
	S	142.608	129.430	91.794	97.782	130.415	90.287	95.205	123.886	71.319	99.826	104.117		
7	T	6.3807	4.5461	9.8485	12.5737	9.4326	11.7369	7.8171	5.6484	7.6983	8.5296	84.2119		
	S	143.401	130.182	92.423	97.552	130.254	90.449	94.461	124.452	71.297	100.399	104.266		
8	T	6.3570	4.5502	10.7337	12.6525	9.4218	11.7875	7.7044	5.6061	7.7463	8.6254	85.1849		
	S	143.936	130.064	84.801	96.945	130.404	90.061	95.843	125.391	70.855	99.284	103.075		
9	T	6.4185	4.5708	9.8507	12.5428	9.4209	11.9528	7.7680	5.6388	7.6746	8.6552	84.4931		82.2492
	S	142.557	129.478	92.402	97.792	130.416	88.815	95.058	124.664	71.517	98.942	103.919		97.304
10	T				13.2561	9.4965	12.3467	7.9406	5.6434			331.8013	248.3357	85.7322
	S				92.530	129.378	85.982	92.992	124.562			26.463	5.720	94.023
11	T	6.4523	4.5662	9.9655	12.6608	9.3949	11.8481	7.8255	5.7110	7.7477	8.5372	84.7092		
	S	141.810	129.608	91.338	96.881	130.777	89.600	94.359	123.088	70.842	100.310	103.653		
12	T	6.4059	4.5545	9.8926	12.6332	9.3780	11.8165	7.7812	5.6305	7.6707	8.5284	84.2915		
	S	142.837	129.941	92.011	97.093	131.013	89.840	94.897	124.848	71.553	100.413	104.167		
13	T	6.4278	4.5452	11.6376	15.2597	11.6982	14.2366	9.1623	5.6273	7.6820	8.5441	94.8208		96.8409
	S	142.359	130.207	78.214	80.381	105.028	74.568	80.592	124.919	71.448	100.229	92.600		82.643
14	T				12.6091	9.4298	13.7790	7.7768	7.1317			211.6389	125.5390	84.1179
	S				97.278	130.293	77.044	94.950	98.568			41.488	11.316	95.827
15	T	6.4217	4.5701	9.8446	12.5695	9.4111	11.7936	7.8101	5.6602	7.6107	8.5957	84.2873		
	S	142.486	129.498	92.460	97.585	130.552	90.014	94.545	124.193	72.117	99.627	104.172		
16	T	6.4024	4.5604	9.8244	12.5780	9.4358	11.7887	7.7258	5.6325	7.6338	8.5426	84.1244		85.0562
	S	142.915	129.773	92.650	97.519	130.210	90.052	95.577	124.803	71.899	100.246	104.374		94.093
17	T								5.6573				49.1416	
	S								124.256				28.908	

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 23 - Owen, Will (R)

Lap	T/S	SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T	6.5315	4.6492	10.4346	12.5897	9.5245	12.1767	7.8093	6.8972	8.6185	8.8473	88.0785		94.1243	
	S	140.090	127.295	87.232	97.428	128.997	87.182	94.555	101.919	63.684	96.794	99.688		85.640	
2	T	6.4943	4.6126	10.7745	13.4648	15.0114	12.5661	7.8296	5.6857	7.9002	8.5636	92.9028			
	S	140.893	128.305	84.480	91.096	81.847	84.481	94.310	123.636	69.475	100.000	94.512			
3	T	6.4656	4.5966	9.9312	12.4277	9.4863	11.9250	7.7165	5.7553	7.6590	8.6159	84.5791			
	S	141.518	128.751	91.653	98.698	129.517	89.022	95.692	122.140	71.663	99.393	103.813			
4	T	6.4560	4.5981	9.8394	12.4391	9.4321	11.6783	7.7711	5.7059	7.6514	8.5704	84.1418			
	S	141.729	128.709	92.508	98.608	130.261	90.903	95.020	123.198	71.734	99.921	104.352			
5	T	6.4386	4.5864	9.8266	12.4874	9.4243	11.8224	7.6640	5.6834	7.6693	8.6243	84.2267			
	S	142.112	129.038	92.629	98.226	130.369	89.795	96.348	123.686	71.566	99.297	104.247			
6	T	6.4914	4.6131	10.0046	12.6567	9.4582	11.7652	7.7313	5.7222	7.9722	8.6626	85.0775			
	S	140.956	128.291	90.981	96.912	129.902	90.231	95.509	122.847	68.847	98.858	103.205			
7	T	6.3893	4.5655	9.8667	12.5722	9.3858	12.1350	7.7069	5.6162	7.7419	8.6520	84.6315			
	S	143.208	129.628	92.252	97.564	130.904	87.482	95.811	125.166	70.895	98.979	103.749			
8	T	6.4573	4.5994	9.8821	12.5046	9.4518	11.7689	7.7315	5.6310	7.6760	8.6377	84.3403			84.1872
	S	141.700	128.673	92.109	98.091	129.990	90.203	95.507	124.837	71.504	99.143	104.107			95.064
9	T				13.0688	9.5530	12.7923	7.8931	5.6445			232.0400	145.3783	87.0789	
	S				93.856	128.613	82.987	93.551	124.538			37.840	9.772	92.569	
10	T	6.5176	4.6058	10.1163	12.5234	9.4573	11.7199	7.7281	5.7325	7.7938	8.6761	84.8708			
	S	140.389	128.494	89.976	97.944	129.914	90.580	95.549	122.626	70.423	98.704	103.456			
11	T	6.4658	4.5914	9.8382	12.4928	9.4513	11.8137	7.7625	5.6344	7.5436	8.5994	84.1931			
	S	141.514	128.897	92.520	98.184	129.997	89.861	95.125	124.761	72.759	99.584	104.289			
12	T	6.4520	4.5878	9.8333	12.4848	9.3781	11.7939	7.7045	5.6368	7.6750	8.5580	84.1042			
	S	141.816	128.998	92.566	98.247	131.011	90.012	95.841	124.708	71.513	100.066	104.399			
13	T	6.4929	4.6022	9.9084	12.4819	9.4261	11.7513	7.7469	5.6511	7.6495	8.6348	84.3451			
	S	140.923	128.595	91.864	98.270	130.344	90.338	95.317	124.393	71.752	99.176	104.101			
14	T	6.4739	4.5898	11.2839	13.2758	10.0558	13.1311	8.3390	5.6779	7.5714	8.6460	89.0446			88.6465
	S	141.337	128.942	80.665	92.393	122.182	80.846	88.549	123.805	72.492	99.047	98.607			90.282
15	T				17.3992	11.0004	14.9890	7.8075	6.2421			223.5352	128.3714	95.5145	
	S				70.497	111.690	70.825	94.577	112.615			39.289	11.066	84.393	
16	T	6.4433	4.5857	9.9101	12.4907	9.4305	11.7434	7.7847	5.6376	7.6203	8.5941	84.2404			
	S	142.008	129.057	91.848	98.200	130.283	90.399	94.854	124.690	72.027	99.646	104.230			
17	T	6.4471	4.5912	9.8231	12.4407	9.4709	11.7269	7.7386	5.6503	7.5969	8.6620	84.1477			85.0061
	S	141.924	128.903	92.662	98.595	129.728	90.526	95.419	124.410	72.248	98.864	104.345			94.148
18	T								5.7825				50.3547		
	S								121.566				28.211		

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 26 - Nicklin, Parker (R)

Lap	T/S	SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T				13.2583	9.7417	12.6517	8.7184	6.6585			166.1603	75.3377	88.4074	
	S				92.515	126.121	83.909	84.695	105.573			52.843	18.856	91.178	
2	T	6.5863	4.6778	10.0209	12.6980	9.6345	12.1714	7.9050	6.1456	7.7603	8.7669	86.3667			
	S	138.925	126.516	90.833	96.597	127.525	87.220	93.410	114.383	70.727	97.681	101.664			
3	T	6.5862	4.6680	10.1425	12.7543	9.6260	11.8711	7.8638	5.8342	7.7284	8.7566	85.8311			
	S	138.927	126.782	89.744	96.171	127.637	89.426	93.900	120.489	71.019	97.796	102.299			
4	T	6.5703	4.6704	9.9590	12.6534	9.6349	12.0527	7.8264	5.8114	7.6985	8.7390	85.6160			
	S	139.263	126.717	91.397	96.938	127.519	88.079	94.348	120.961	71.295	97.993	102.556			
5	T	6.5641	4.6718	10.5639	12.8865	9.6644	12.1646	7.8293	5.7788	7.6436	8.7500	86.5170			
	S	139.395	126.679	86.164	95.184	127.130	87.269	94.314	121.644	71.807	97.870	101.488			
6	T	6.5624	4.6594	10.1288	12.6250	9.6522	12.5967	7.9186	5.7545	7.7003	8.7201	86.3180			84.0193
	S	139.431	127.016	89.865	97.156	127.291	84.275	93.250	122.157	71.278	98.206	101.722			95.254
7	T				12.7899	9.7068	12.2158	8.0543	5.9770			260.4757	177.0007	86.1605	
	S				95.903	126.575	86.903	91.679	117.610			33.709	8.026	93.556	
8	T	6.6301	4.6858	10.0218	12.6584	9.6383	11.9880	7.8288	5.7854	8.0119	8.7380	85.9865			
	S	138.007	126.300	90.825	96.899	127.474	88.554	94.320	121.505	68.506	98.005	102.114			
9	T	6.5973	4.6764	10.0913	12.7161	9.5815	11.9238	7.9280	5.7787	7.9640	8.7331	85.9902			
	S	138.693	126.554	90.199	96.460	128.230	89.031	93.139	121.646	68.918	98.060	102.109			
10	T	6.5495	4.6443	10.0923	12.7302	9.6117	12.1933	7.8906	5.7486	7.9055	8.6358	86.0018			
	S	139.705	127.429	90.190	96.353	127.827	87.063	93.581	122.283	69.428	99.164	102.096			
11	T	6.5450	4.6521	10.1784	12.7627	9.6042	12.1077	7.8644	5.7768	7.9336	8.6630	86.0879			85.3829
	S	139.801	127.215	89.427	96.107	127.927	87.679	93.893	121.686	69.182	98.853	101.993			93.733
12	T				14.2540	11.4322	14.0174	9.4515	5.8217			184.1678	93.5056		
	S				86.052	107.472	75.734	78.125	120.747			47.676	15.192		
13	T				14.3387	10.1277	13.0922	8.1799	8.2323			225.3287	133.2526	88.9287	
	S				85.544	121.314	81.086	90.271	85.390			38.907	10.661	90.643	
14	T	6.5414	4.6423	10.0663	12.6664	9.5590	11.8905	7.9141	5.7985	7.6994	8.7754	85.5533			
	S	139.878	127.484	90.423	96.838	128.532	89.281	93.303	121.230	71.287	97.587	102.631			
15	T	6.5654	4.6614	10.0139	12.5868	9.5576	11.9316	7.8722	5.7675	7.6507	8.7835	85.3906			87.4012
	S	139.367	126.961	90.896	97.451	128.551	88.973	93.800	121.882	71.740	97.497	102.826			91.568
16	T								5.9824				42.8348		
	S								117.504				33.164		

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 28 - Kellett, Dalton

Lap	T/S	SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T	6.4785	4.6107	10.0378	12.8132	9.4862	12.1747	7.8393	5.7576	7.9753	8.7360	85.9093		97.4514	
	S	141.236	128.358	90.680	95.729	129.518	87.196	94.193	122.092	68.820	98.027	102.205		82.716	
2	T	6.3743	4.5774	10.4462	12.7369	9.4840	11.9682	7.8751	5.7056	7.8241	8.6219	85.6137			
	S	143.545	129.291	87.135	96.302	129.548	88.701	93.765	123.204	70.150	99.324	102.558			
3	T	6.4287	4.5869	9.8664	12.6785	9.4449	12.0263	7.9376	5.7032	7.7914	8.6292	85.0931			
	S	142.330	129.024	92.255	96.746	130.085	88.272	93.027	123.256	70.445	99.240	103.186			
4	T	6.4122	4.5939	9.8527	12.6532	9.4312	11.8678	7.8234	5.6933	7.7976	8.6470	84.7723			
	S	142.697	128.827	92.384	96.939	130.274	89.451	94.385	123.470	70.389	99.036	103.576			
5	T	6.3873	4.5729	10.0427	12.7218	9.4248	11.8486	7.8189	5.6902	7.6690	8.6469	84.8231			
	S	143.253	129.419	90.636	96.416	130.362	89.596	94.439	123.538	71.569	99.037	103.514			
6	T	6.3667	4.5655	9.9449	12.7903	9.3998	11.9031	7.9230	5.6508	7.7376	8.6259	84.9076			
	S	143.717	129.628	91.527	95.900	130.709	89.186	93.198	124.399	70.935	99.278	103.411			
7	T	6.3641	4.5548	9.8979	12.7181	9.3867	11.9200	7.8923	5.6778	7.7038	8.6447	84.7602			
	S	143.775	129.933	91.962	96.445	130.891	89.060	93.561	123.808	71.246	99.062	103.591			
8	T	6.3790	4.5726	10.0040	12.7222	9.3741	11.8886	7.8755	5.6830	7.7000	8.6686	84.8676			86.2661
	S	143.439	129.427	90.986	96.413	131.067	89.295	93.760	123.694	71.281	98.789	103.460			92.773
9	T				12.9360	9.4716	12.2081	7.9418	6.0621			346.5696	261.5212	83.6699	
	S				94.820	129.718	86.958	92.978	115.959			25.335	5.432	96.340	
10	T	6.4558	4.5839	9.9286	12.6690	9.4521	12.0368	7.8903	5.7025	7.7430	8.6148	85.0768			
	S	141.733	129.108	91.677	96.818	129.986	88.195	93.584	123.271	70.885	99.406	103.206			
11	T	6.4217	4.5759	9.9810	12.6927	9.3703	11.8011	7.8403	5.7044	7.6372	8.6135	84.6381			
	S	142.486	129.334	91.196	96.638	131.120	89.957	94.181	123.230	71.867	99.421	103.741			
12	T	6.3835	4.5547	10.0257	12.6252	9.3951	11.7940	7.8398	5.6400	7.6560	8.5597	84.4737			88.0123
	S	143.338	129.936	90.789	97.154	130.774	90.011	94.187	124.637	71.691	100.046	103.942			90.933
13	T				12.6991	9.4433	13.2812	8.3397	5.7008	8.4143		275.4289	187.2563	84.8735	
	S				96.589	130.107	79.932	88.541	123.308	65.230		31.879	7.586	94.974	
14	T	6.3868	4.5608	9.9431	12.6902	9.3579	11.9519	7.9533	5.7354	7.7449	8.6088	84.9331			
	S	143.264	129.762	91.544	96.657	131.294	88.822	92.843	122.564	70.868	99.475	103.380			
15	T	6.3788	4.5634	9.8568	12.6578	9.3758	11.9235	7.8293	5.6673	7.6866	8.6124	84.5517			86.6701
	S	143.444	129.688	92.345	96.904	131.043	89.033	94.314	124.037	71.405	99.434	103.847			92.341
16	T								5.8400				41.0985		
	S								120.369				34.565		

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 3 - Alberico, Neil

Lap	T/S	SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T	6.4719	4.6066	9.9881	12.6711	9.4372	12.1115	7.8302	5.7676	7.7678	8.7337	85.3857		85.2852	
	S	141.380	128.472	91.131	96.802	130.191	87.651	94.303	121.880	70.659	98.053	102.832		94.516	
2	T	6.4357	4.5792	10.0693	12.5106	9.4218	12.0921	7.7549	5.6536	7.6543	8.6747	84.8462			
	S	142.176	129.241	90.396	98.044	130.404	87.792	95.218	124.338	71.707	98.720	103.486			
3	T	6.4217	4.5687	9.8743	12.5196	9.4010	11.9959	7.8055	5.6199	7.7934	8.6146	84.6146			
	S	142.486	129.538	92.181	97.974	130.692	88.496	94.601	125.083	70.427	99.408	103.769			
4	T	6.3960	4.5709	9.8412	12.4856	9.3751	11.9510	7.7766	5.6326	7.5929	8.7685	84.3904			
	S	143.058	129.475	92.491	98.240	131.053	88.829	94.953	124.801	72.286	97.664	104.045			
5	T	6.3933	4.5604	9.9113	12.5113	9.3695	11.9739	7.7590	5.6062	7.6655	8.6712	84.4216			
	S	143.119	129.773	91.837	98.039	131.131	88.659	95.168	125.389	71.602	98.760	104.007			
6	T	6.3798	4.5596	10.0071	12.5628	9.3870	11.8707	7.8250	5.6128	7.6770	8.6301	84.5119			
	S	143.421	129.796	90.958	97.637	130.887	89.430	94.365	125.241	71.495	99.230	103.895			
7	T	6.3797	4.5548	9.9293	12.7963	9.4435	11.8945	7.8098	5.6269	7.7002	8.6343	84.7693			81.0436
	S	143.424	129.933	91.671	95.855	130.104	89.251	94.549	124.927	71.279	99.182	103.580			98.752
8	T				16.7289	16.1398	15.5320	7.8613	5.6361			262.5653	167.6290	98.9529	
	S				73.322	76.125	68.349	93.930	124.724			33.441	8.474	81.461	
9	T	6.4784	4.6027	10.0523	12.6899	9.4162	12.0148	7.7868	5.6775	7.8103	8.7166	85.2455			
	S	141.239	128.581	90.549	96.659	130.481	88.357	94.828	123.814	70.274	98.245	103.001			
10	T	6.4686	4.6001	9.9778	12.4676	9.4106	11.8641	7.7247	5.7258	7.8488	8.7089	84.7970			
	S	141.453	128.653	91.225	98.382	130.559	89.479	95.591	122.770	69.930	98.332	103.546			
11	T	6.4533	4.5838	9.9545	12.5480	9.3870	11.8053	7.8131	5.5980	7.7290	8.6316	84.5036			
	S	141.788	129.111	91.439	97.752	130.887	89.925	94.509	125.572	71.014	99.213	103.906			
12	T	6.4068	4.5720	9.8503	12.4993	9.3842	11.9683	7.8439	5.6092	7.6120	8.6239	84.3699			
	S	142.817	129.444	92.406	98.133	130.926	88.700	94.138	125.322	72.105	99.301	104.070			
13	T	6.4042	4.5683	9.8526	12.5854	9.3414	11.8829	7.7857	5.6383	7.7299	8.5825	84.3712			80.4377
	S	142.875	129.549	92.384	97.461	131.526	89.338	94.842	124.675	71.005	99.780	104.069			99.495
14	T				12.4890	9.3773	11.9920	7.8886	5.6294			337.2879	258.3336	82.8722	
	S				98.214	131.022	88.525	93.605	124.872			26.032	5.499	97.268	
15	T	6.4434	4.5843	9.9539	12.6186	9.4059	11.8446	7.7866	5.6531	7.6516	8.6144	84.5564			
	S	142.006	129.097	91.444	97.205	130.624	89.627	94.831	124.349	71.732	99.411	103.841			
16	T	6.4476	4.5800	9.8859	12.5870	9.3979	11.9077	7.8028	5.6341	7.7423	8.5762	84.5615			83.9565
	S	141.913	129.218	92.073	97.449	130.735	89.152	94.634	124.768	70.892	99.854	103.834			95.325
17	T								5.6532				33.7871		
	S								124.346				42.045		

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 33 - Conde(E), Carlos

Lap	T/S	SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T	6.5711	4.6946	10.8323	13.6862	9.9662	13.2578	8.4946	6.3351	8.6503	9.1951	91.6833		100.5193	
	S	139.246	126.064	84.029	89.622	123.280	80.073	86.927	110.962	63.450	93.133	95.769		80.192	
2	T	6.5338	4.6353	10.4926	13.1791	9.5987	12.7354	8.1917	5.9617	8.3044	8.9042	88.5369			
	S	140.041	127.676	86.749	93.071	128.000	83.357	90.141	117.912	66.093	96.175	99.172			
3	T	6.5206	4.6296	10.1901	13.0831	9.5490	12.6865	8.2765	5.8724	8.0118	8.8077	87.6273			
	S	140.325	127.834	89.325	93.754	128.666	83.679	89.218	119.705	68.507	97.229	100.202			
4	T	6.5114	4.6356	10.4126	12.9457	9.5245	12.6403	8.1121	5.9029	8.0194	8.8794	87.5839			
	S	140.523	127.668	87.416	94.749	128.997	83.985	91.026	119.086	68.442	96.444	100.251			
5	T	6.4943	4.6323	10.3008	13.1368	9.5632	12.6361	8.2401	5.8921	7.7987	8.9628	87.6572			
	S	140.893	127.759	88.365	93.371	128.475	84.013	89.612	119.305	70.379	95.546	100.167			
6	T	6.4789	4.6277	10.2565	13.1322	9.5125	12.5357	8.2887	5.8776	7.9046	8.9433	87.5577			
	S	141.228	127.886	88.746	93.403	129.160	84.685	89.086	119.599	69.436	95.755	100.281			
7	T	6.4739	4.6175	10.5667	13.1243	9.5534	12.7343	8.1006	5.9275	7.9076	8.9234	87.9292			
	S	141.337	128.169	86.141	93.460	128.607	83.365	91.155	118.592	69.410	95.968	99.858			
8	T	6.4905	4.6326	11.4362	13.4611	9.7318	12.9275	8.9434	5.9497	7.9071	8.9825	90.4624			90.2468
	S	140.975	127.751	79.592	91.121	126.250	82.119	82.565	118.150	69.414	95.337	97.061			88.681
9	T				15.4108	10.4564	14.1132	8.5732	5.9991			194.1233	98.0345	99.5401	
	S				79.593	117.501	75.220	86.130	117.177			45.231	14.490	80.980	
10	T	6.6350	4.8920	11.2803	13.5571	9.7626	13.1401	8.2160	6.4415	8.8098	10.5643	93.2987			
	S	137.905	120.977	80.692	90.476	125.851	80.790	89.875	109.129	62.301	81.062	94.111			
11	T	6.5189	4.6216	10.2905	12.9344	9.5089	12.4744	8.1197	5.8518	8.0240	8.8010	87.1452			
	S	140.361	128.055	88.453	94.832	129.209	85.102	90.940	120.126	68.403	97.303	100.756			
12	T	6.5164	4.6388	10.7436	13.1507	9.4987	12.4526	8.0164	5.8512	7.7370	8.9055	87.5109			
	S	140.415	127.580	84.723	93.272	129.348	85.251	92.112	120.139	70.940	96.161	100.335			
13	T	6.4928	4.6244	10.5293	12.9463	9.5264	12.5086	8.1073	5.8636	7.9070	8.8275	87.3332			
	S	140.925	127.977	86.447	94.745	128.972	84.869	91.080	119.884	69.415	97.011	100.539			
14	T	6.4640	4.5950	10.3658	13.0632	9.5287	13.7867	9.0082	5.7911	7.9129	8.7419	89.2575			97.6643
	S	141.553	128.796	87.811	93.897	128.941	77.001	81.971	121.385	69.363	97.961	98.372			81.946
15	T				14.3451	10.0849	12.9206	8.1996	6.9419			262.5666	165.7261	89.0416	
	S				85.506	121.829	82.163	90.054	101.263			33.441	8.572	90.528	
16	T	6.5076	4.6575	10.5331	12.8002	9.5821	12.6118	8.0313	5.9083	7.9221	9.1609	87.7149			
	S	140.605	127.068	86.416	95.826	128.222	84.174	91.941	118.977	69.283	93.480	100.102			
17	T	6.5042	4.6636	10.3914	12.7471	9.5259	12.3436	8.0996	5.7900	7.7925	8.9077	86.7656			89.0822
	S	140.678	126.902	87.594	96.225	128.979	86.003	91.166	121.408	70.435	96.137	101.197			89.840
18	T								5.8553				52.6326		
	S								120.054				26.990		

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 44 - Davis(E), Kevin (R)

Lap	T/S	SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T	6.7402	4.7601	10.5836	13.1738	9.7976	12.2927	8.3052	6.2022	8.1657	9.0650	89.0861		97.1417	
	S	135.753	124.329	86.004	93.108	125.402	86.359	88.909	113.340	67.216	94.469	98.561		82.980	
2	T	6.6982	4.7318	10.2577	15.7430	10.0253	12.3615	8.1654	5.9513	7.9798	9.0333	90.9473			
	S	136.604	125.073	88.736	77.913	122.554	85.879	90.431	118.118	68.782	94.801	96.544			
3	T	6.6348	4.7088	10.2749	12.9163	9.7235	11.9876	8.2493	5.8761	8.1007	8.8150	87.2870			
	S	137.909	125.683	88.587	94.965	126.357	88.557	89.512	119.629	67.755	97.148	100.592			
4	T	6.6363	4.7354	10.2103	12.8283	9.6640	12.6904	8.1065	5.8563	7.8046	9.0303	87.5624			
	S	137.878	124.977	89.148	95.616	127.135	83.653	91.089	120.034	70.326	94.832	100.276			
5	T	6.6141	4.7115	10.1896	12.9907	9.6873	12.2117	8.3457	5.8715	7.7567	8.9760	87.3548			
	S	138.341	125.611	89.329	94.421	126.830	86.932	88.478	119.723	70.760	95.406	100.514			
6	T	6.6100	4.7100	10.2684	12.8981	9.6580	12.0247	8.1665	5.8819	7.6061	9.2391	87.0628			85.7367
	S	138.427	125.651	88.644	95.099	127.214	88.284	90.419	119.511	72.161	92.689	100.851			93.346
7	T				13.9684	9.9858	13.2732	8.4753	5.8402			280.9462	193.1835	90.0112	
	S				87.812	123.038	79.980	87.125	120.365			31.253	7.353	89.553	
8	T	6.7357	4.7756	10.5063	13.0048	9.7484	12.1552	8.2682	5.9310	8.6267	9.0262	88.7781			
	S	135.843	123.925	86.636	94.318	126.035	87.336	89.307	118.522	63.624	94.875	98.903			
9	T	6.6969	4.7357	10.3940	12.8815	9.6992	12.0598	8.0958	5.8319	7.9496	9.0340	87.3784			
	S	136.630	124.970	87.572	95.221	126.674	88.027	91.209	120.536	69.043	94.793	100.487			
10	T	6.6839	4.7200	10.3981	12.8944	9.6930	12.2743	7.9431	5.8563	7.7690	9.0187	87.2508			
	S	136.896	125.385	87.538	95.126	126.755	86.489	92.962	120.034	70.648	94.954	100.634			
11	T	6.6670	4.7266	10.2626	12.9242	9.7168	12.1832	8.4460	5.8569	7.9928	9.1799	87.9560			
	S	137.243	125.210	88.694	94.907	126.445	87.136	87.427	120.022	68.670	93.287	99.827			
12	T	6.6472	4.7161	10.3273	13.2665	9.6058	12.1647	8.0503	5.8832	7.9557	9.0648	87.6816			
	S	137.652	125.489	88.138	92.458	127.906	87.268	91.724	119.485	68.990	94.471	100.140			
13	T	6.6363	4.7180	10.3010	13.1169	9.6582	12.6267	8.7619	5.9069	7.8380	9.1478	88.7117			95.5369
	S	137.878	125.438	88.363	93.512	127.212	84.075	84.275	119.006	70.026	93.614	98.977			83.771
14	T								7.8549				229.3392		
	S								88.482				6.184		

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 5 - Grist, Garrett

Lap		T/SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T	6.4968	4.6022	10.0047	12.7175	10.4387	13.3197	7.7865	5.8435	7.9629	8.6367	87.8092		86.4602	
	S	140.839	128.595	90.980	96.449	117.700	79.701	94.832	120.297	68.928	99.154	99.994		93.231	
2	T	6.4937	4.6052	9.8285	12.4610	9.4821	11.9506	7.8875	5.7462	7.6730	8.5851	84.7129			
	S	140.906	128.511	92.611	98.434	129.574	88.832	93.618	122.334	71.532	99.750	103.649			
3	T	6.4776	4.6075	9.8236	12.4431	9.4612	11.8474	7.7790	5.7122	7.6483	8.5830	84.3829			
	S	141.256	128.447	92.657	98.576	129.861	89.605	94.923	123.062	71.763	99.774	104.054			
4	T	6.3870	4.5626	9.9589	12.7371	10.8961	13.2880	7.7862	5.7118	7.6551	8.5772	87.5600			
	S	143.260	129.711	91.398	96.301	112.759	79.891	94.836	123.071	71.699	99.842	100.279			
5	T	8.2847	4.7466	12.6895	17.5331	11.6762	12.0679	7.7781	5.7054	7.8236	8.5371	96.8422			
	S	110.445	124.683	71.731	69.959	105.226	87.968	94.934	123.209	70.155	100.311	90.667			
6	T	6.4348	4.5822	9.8174	12.5053	9.4796	11.8941	7.7802	5.6618	7.6450	8.5327	84.3331			
	S	142.196	129.156	92.716	98.086	129.608	89.254	94.909	124.157	71.794	100.363	104.116			
7	T	6.4634	4.5910	9.8223	12.4827	9.4567	11.8075	7.7254	5.6761	7.7006	8.6042	84.3299			
	S	141.566	128.908	92.669	98.263	129.922	89.908	95.582	123.845	71.275	99.529	104.120			
8	T	6.4476	4.5957	10.1179	12.5195	9.4424	11.9669	7.7939	5.6552	7.6578	8.4774	84.6743			
	S	141.913	128.777	89.962	97.974	130.119	88.711	94.742	124.302	71.674	101.017	103.696			
9	T	6.4406	4.5840	9.9266	12.5243	9.4651	12.0369	7.7819	5.6177	7.7721	8.5760	84.7252			83.9562
	S	142.068	129.105	91.696	97.937	129.807	88.195	94.888	125.132	70.620	99.856	103.634			95.326
10	T				13.3570	9.9046	12.8211	7.8954	5.7822			265.8371	181.4051	85.2672	
	S				91.831	124.047	82.800	93.524	121.572			33.029	7.831	94.536	
11	T	6.5103	4.6011	9.8799	12.4710	9.4939	11.8612	7.7840	5.7350	7.7073	8.5726	84.6163			
	S	140.547	128.625	92.129	98.355	129.413	89.501	94.862	122.573	71.213	99.895	103.767			
12	T	6.4861	4.6052	9.7914	12.3614	9.4667	11.8209	7.7476	5.7153	7.6307	8.5717	84.1970			
	S	141.071	128.511	92.962	99.228	129.785	89.806	95.308	122.995	71.928	99.906	104.284			
13	T	6.4712	4.5867	9.7879	12.4799	9.4414	11.6909	7.7881	5.6657	7.6306	8.4583	84.0007			95.4341
	S	141.396	129.029	92.995	98.285	130.133	90.805	94.812	124.072	71.929	101.245	104.528			83.861
14	T				12.6134	9.3742	13.7301	7.8199	9.0381			255.1394	159.5343	84.3442	
	S				97.245	131.066	77.319	94.427	77.777			34.414	8.904	95.570	
15	T	6.4903	4.6051	9.8969	12.4906	9.4714	11.8833	7.7721	5.6898	7.6011	8.6178	84.5184			
	S	140.980	128.514	91.971	98.201	129.721	89.335	95.008	123.546	72.208	99.371	103.887			
16	T	6.4938	4.6059	9.8693	12.4143	9.4694	11.8322	7.7352	5.7114	7.7518	8.5086	84.3919			87.1557
	S	140.904	128.491	92.228	98.805	129.748	89.721	95.461	123.079	70.805	100.647	104.043			91.826
17	T								5.9784				40.1733		
	S								117.582				35.361		

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 57 - Kaminsky(E), Bob (R)

Lap	T/S	SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T	6.7024	4.7719	10.8850	13.6324	9.8655	13.0192	8.1329	6.3358	8.5574	9.0021	90.9046		100.6072	
	S	136.518	124.021	83.622	89.976	124.539	81.540	90.793	110.950	64.139	95.129	96.589		80.121	
2	T	6.7292	4.8260	10.5115	12.9653	9.8465	12.3601	8.3982	6.0263	8.1074	9.0947	88.8652			
	S	135.975	122.631	86.593	94.606	124.779	85.889	87.925	116.648	67.699	94.161	98.806			
3	T	6.6829	4.7903	10.6260	13.0409	9.8326	26.3673	8.5161	5.9756	7.7502	9.0886	102.6705			
	S	136.917	123.545	85.660	94.057	124.955	40.262	86.707	117.637	70.819	94.224	85.520			
4	T	6.6800	4.7648	10.2329	13.1435	9.9894	12.1712	8.1050	5.9692	7.9814	8.9894	88.0268			
	S	136.976	124.206	88.951	93.323	122.994	87.222	91.105	117.764	68.768	95.264	99.747			
5	T	6.6768	4.7613	10.5458	13.9116	9.8459	12.5185	8.1068	5.9170	7.7723	9.0448	89.1008			
	S	137.042	124.298	86.312	88.170	124.787	84.802	91.085	118.803	70.618	94.680	98.545			
6	T	6.6373	4.7232	10.3771	13.0756	9.9222	12.4240	8.0084	6.0819	7.9927	8.9948	88.2372			
	S	137.857	125.300	87.715	93.808	123.827	85.447	92.204	115.581	68.671	95.207	99.509			
7	T	6.6443	4.7298	10.4059	13.0754	10.1092	12.3228	8.1649	5.8732	7.8464	8.9887	88.1606			
	S	137.712	125.125	87.472	93.809	121.536	86.149	90.437	119.689	69.951	95.271	99.596			
8	T	8.5497	6.0797	12.6953	16.5833	12.5301	14.6179	9.1756	6.0647	8.0460	11.0442	105.3865			105.5285
	S	107.021	97.343	71.698	73.965	98.055	72.623	80.475	115.909	68.216	77.540	83.316			75.839
9	T				13.5085	9.8662	13.1316	8.1686	6.4045			295.3448	201.2419	90.0693	
	S				90.801	124.530	80.842	90.396	109.759			29.729	7.059	89.495	
10	T	6.6564	4.7203	10.3004	13.0616	9.8336	12.0385	8.2397	5.9006	7.8140	8.9081	87.4732			
	S	137.462	125.377	88.368	93.908	124.943	88.183	89.616	119.133	70.241	96.133	100.378			
11	T	6.6579	4.7352	10.7412	12.9994	9.7583	12.1438	8.0683	5.8560	8.1493	8.9885	88.0979			
	S	137.431	124.983	84.742	94.358	125.907	87.418	91.520	120.040	67.351	95.273	99.666			
12	T	6.6184	4.6968	10.1400	12.9010	9.7630	12.2405	8.0249	5.8641	7.8458	8.9685	87.0630			
	S	138.251	126.005	89.766	95.077	125.846	86.728	92.015	119.874	69.956	95.486	100.851			
13	T	6.6235	4.6934	11.7199	14.1692	11.1775	14.0025	8.7142	5.8837	7.7067	8.9153	93.6059			101.4518
	S	138.144	126.096	77.605	86.567	109.929	75.814	84.736	119.475	71.219	96.056	93.802			78.887
14	T				13.1348	9.7390	12.6099	8.0419	7.4460			208.9189	113.0979	88.0031	
	S				93.385	126.156	84.187	91.820	94.407			42.028	12.561	91.597	
15	T	6.6276	4.7119	10.2284	12.8560	9.7190	12.3002	7.9519	5.8202	7.6229	9.0721	86.9102			95.4688
	S	138.059	125.601	88.990	95.410	126.416	86.307	92.859	120.778	72.002	94.395	101.028			83.830
16	T								6.6602				46.3223		
	S								105.546				30.667		

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 6 - Buret, Timothe (R)

Lap	T/S	SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T	6.4408	4.5790	10.0698	12.5875	9.4879	12.2219	7.9496	5.7556	7.9033	8.6775	85.6729		88.5562	
	S	142.063	129.246	90.392	97.445	129.495	86.860	92.886	122.134	69.447	98.688	102.487		91.025	
2	T	6.4553	4.5846	9.8884	12.5444	9.4521	11.9801	7.7951	5.8676	7.6205	8.6154	84.8035			
	S	141.744	129.088	92.050	97.780	129.986	88.613	94.727	119.803	72.025	99.399	103.538			
3	T	6.4410	4.5804	9.7349	12.5606	9.4567	11.8927	7.8206	5.7700	7.6547	8.5791	84.4907			
	S	142.059	129.207	93.501	97.654	129.922	89.264	94.418	121.829	71.703	99.820	103.921			
4	T	6.3922	4.5591	9.8817	12.4353	9.4002	11.8477	7.7424	5.7626	7.6406	8.5994	84.2612			
	S	143.143	129.810	92.112	98.638	130.703	89.603	95.372	121.986	71.835	99.584	104.205			
5	T	6.3851	4.5575	9.8366	12.4908	9.3937	11.8179	7.7639	5.6664	7.6586	8.6239	84.1944			
	S	143.302	129.856	92.535	98.200	130.794	89.829	95.108	124.057	71.666	99.301	104.287			
6	T	6.3471	4.5382	9.8872	12.6995	9.3955	11.8673	7.7492	5.7245	7.7005	8.5262	84.4352			
	S	144.160	130.408	92.061	96.586	130.769	89.455	95.288	122.798	71.276	100.439	103.990			
7	T	6.3637	4.5423	9.8652	12.6361	9.3761	11.8747	7.7034	5.7096	7.7298	8.5445	84.3454			86.5911
	S	143.784	130.290	92.266	97.070	131.039	89.399	95.855	123.118	71.006	100.224	104.101			92.425
8	T				13.3176	9.4784	12.6287	7.7818	6.0133			276.2146	188.5694	85.3888	
	S				92.103	129.625	84.062	94.889	116.900			31.788	7.533	94.401	
9	T	6.4607	4.5745	10.0316	12.3990	9.4338	11.8727	7.7552	5.7208	7.6391	8.5811	84.4685			
	S	141.626	129.373	90.736	98.927	130.238	89.414	95.215	122.877	71.849	99.796	103.949			
10	T	6.4807	4.6006	9.8284	12.4579	9.4209	11.9692	7.7190	5.7496	7.5725	8.7890	84.5878			
	S	141.188	128.639	92.612	98.459	130.416	88.694	95.661	122.261	72.481	97.436	103.802			
11	T	6.4429	4.5678	9.8048	12.3854	9.3731	11.8034	7.7035	5.6636	7.5582	8.5707	83.8734			
	S	142.017	129.563	92.835	99.035	131.081	89.939	95.854	124.118	72.618	99.918	104.686			
12	T	6.3044	4.5361	9.9146	12.4594	9.4023	11.8578	7.7253	5.6731	7.7109	8.5693	84.1532			
	S	145.137	130.469	91.807	98.447	130.674	89.527	95.583	123.910	71.180	99.934	104.338			
13	T	6.4160	4.5558	9.8845	12.4110	9.4290	13.7656	8.2497	5.7296	7.6280	8.5425	86.6117			89.7450
	S	142.612	129.904	92.086	98.831	130.304	77.119	89.507	122.688	71.954	100.247	101.377			89.177
14	T				12.7405	9.4712	12.2640	7.7614	6.5478			240.1751	154.2162	83.0174	
	S				96.275	129.723	86.562	95.139	107.357			36.558	9.212	97.098	
15	T	6.4318	4.5765	9.9242	12.5017	9.4097	12.1274	9.6456	5.6292	7.6413	8.8007	86.6881			198.8798
	S	142.262	129.317	91.718	98.114	130.571	87.537	76.554	124.876	71.829	97.306	101.287			40.241
16	T								34.8418				55.2141		
	S								20.176				25.728		

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 7 - Gutierrez, Jose

Lap	T/S	SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T	6.5256	4.6210	10.7418	12.7964	9.6694	14.7152	7.7965	5.8054	7.8375	8.7619	89.2707		85.9220	
	S	140.217	128.071	84.737	95.854	127.064	72.142	94.710	121.086	70.030	97.737	98.357		93.815	
2	T	6.5070	4.6092	10.0414	12.5474	9.5370	11.9424	7.9068	5.7487	7.6802	8.6284	85.1485			
	S	140.618	128.399	90.647	97.757	128.828	88.893	93.389	122.281	71.465	99.249	103.119			
3	T	6.4850	4.6020	9.8884	12.3620	9.4937	11.8879	7.7546	5.7444	7.6376	8.6067	84.4623			
	S	141.095	128.600	92.050	99.223	129.416	89.300	95.222	122.372	71.863	99.500	103.956			
4	T	6.4632	4.5918	9.9256	12.4045	9.4462	11.8408	7.6915	5.6631	7.5779	8.6181	84.2227			
	S	141.571	128.886	91.705	98.883	130.067	89.655	96.003	124.129	72.430	99.368	104.252			
5	T	6.4515	4.5744	9.8593	12.5830	9.4622	12.1045	7.7663	5.6448	7.7335	8.5856	84.7651			
	S	141.827	129.376	92.322	97.480	129.847	87.702	95.079	124.531	70.972	99.744	103.585			
6	T	6.4308	4.5865	9.7577	12.5165	9.4219	12.0246	7.8434	5.7161	7.5921	8.5914	84.4810			
	S	142.284	129.035	93.283	97.998	130.402	88.285	94.144	122.978	72.294	99.677	103.933			
7	T	6.4641	4.5967	9.7400	12.4227	9.4852	11.8468	7.6583	5.6136	7.7898	8.6172	84.2344			
	S	141.551	128.748	93.452	98.738	129.532	89.610	96.419	125.223	70.459	99.378	104.238			
8	T	6.4755	4.6092	9.7431	12.4891	9.4754	11.6894	7.7847	5.6298	7.6052	8.7228	84.2242			85.1878
	S	141.302	128.399	93.423	98.213	129.666	90.817	94.854	124.863	72.170	98.175	104.250			93.948
9	T				14.0690	9.5133	12.6974	7.9372	5.6888			323.5307	232.2176	90.6325	
	S				87.184	129.149	83.607	93.031	123.568			27.139	6.117	88.939	
10	T	6.5453	4.6261	10.1050	12.7450	9.6302	11.9965	7.7644	5.7963	7.7080	8.7196	85.6364			
	S	139.795	127.930	90.077	96.241	127.582	88.492	95.102	121.276	71.207	98.211	102.531			
11	T	6.5066	4.6155	9.9246	12.4875	9.4905	11.7745	7.7670	5.6732	7.6539	8.6818	84.5751			
	S	140.626	128.224	91.714	98.225	129.460	90.160	95.070	123.908	71.710	98.639	103.818			
12	T	6.4833	4.6066	9.8269	12.4485	9.4520	11.6574	7.7637	5.7187	7.6187	8.6388	84.2146			
	S	141.132	128.472	92.626	98.533	129.987	91.066	95.110	122.922	72.042	99.130	104.262			
13	T	6.6806	4.6243	11.6094	14.2014	11.6482	15.3378	9.4463	5.6643	7.4874	8.8639	95.5636			103.4680
	S	136.904	127.980	78.404	86.371	105.479	69.234	78.109	124.103	73.305	96.613	91.880			77.349
14	T				17.0729	17.5935	16.6053	7.8146	8.0424			232.2836	124.6340	99.7706	
	S				71.844	69.835	63.931	94.491	87.406			37.800	11.398	80.793	
15	T	6.5140	4.6239	9.9210	12.4739	9.5276	11.8397	7.7196	5.7162	7.5966	8.7286	84.6611			90.4916
	S	140.467	127.991	91.748	98.333	128.955	89.664	95.654	122.976	72.251	98.110	103.712			88.441
16	T								6.4004				40.6116		
	S								109.830				34.979		

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 80 - Owens, Raoul (R)

Lap	T/S	SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T	6.4661	4.5961	9.9859	12.7428	9.4899	12.0398	7.8309	6.1256	7.8885	8.6830	85.8486		89.0290	
	S	141.507	128.765	91.151	96.258	129.468	88.173	94.294	114.757	69.578	98.625	102.278		90.541	
2	T	6.4436	4.5876	9.8935	12.6029	9.4447	11.9942	7.8162	5.7111	7.7050	8.6502	84.8490			
	S	142.001	129.004	92.003	97.326	130.087	88.509	94.472	123.086	71.235	98.999	103.483			
3	T	6.4266	4.5934	10.0002	12.5891	9.4046	11.9368	7.8028	5.6724	7.6788	8.6445	84.7492			
	S	142.377	128.841	91.021	97.433	130.642	88.934	94.634	123.925	71.478	99.065	103.605			
4	T	6.4008	4.5818	10.0095	12.7640	9.4160	11.9102	7.7864	5.7162	7.7039	8.6147	84.9035			
	S	142.951	129.167	90.936	96.098	130.484	89.133	94.833	122.976	71.245	99.407	103.416			
5	T	6.4089	4.5853	9.9557	12.4820	9.4126	11.9160	7.7826	5.6877	7.6156	8.6720	84.5184			
	S	142.770	129.069	91.428	98.269	130.531	89.090	94.879	123.592	72.071	98.750	103.887			
6	T	7.1803	4.7569	10.4728	12.6649	9.3863	11.9335	7.8353	5.6648	7.7395	8.7562	86.3905			
	S	127.432	124.413	86.913	96.850	130.897	88.959	94.241	124.092	70.917	97.801	101.636			
7	T	6.3769	4.5643	10.0245	12.4951	9.3492	11.9957	7.7530	5.6817	7.6876	8.6157	84.5437			
	S	143.487	129.662	90.800	98.166	131.416	88.498	95.242	123.723	71.396	99.396	103.856			
8	T	6.4233	4.5830	10.0533	12.6383	9.4378	11.9488	7.7685	5.6817	7.7490	8.7020	84.9857			
	S	142.450	129.133	90.540	97.053	130.182	88.845	95.052	123.723	70.830	98.410	103.316			
9	T	7.0390	4.7953	10.4570	12.6885	9.4190	12.1167	7.8272	5.6475	7.6576	8.6423	86.2901			88.0496
	S	129.990	123.416	87.045	96.669	130.442	87.614	94.339	124.472	71.676	99.090	101.754			90.894
10	T				13.5771	9.6546	12.7245	8.0181	5.7168			292.7461	204.9834	85.8457	
	S				90.343	127.259	83.429	92.093	122.963			29.993	6.930	93.899	
11	T	6.4690	4.5872	10.0040	12.5738	9.4953	12.0187	7.7879	5.6950	7.7124	8.5906	84.9339			
	S	141.444	129.015	90.986	97.551	129.394	88.328	94.815	123.434	71.166	99.686	103.379			
12	T	6.4948	4.6209	10.0597	12.5651	10.8376	12.2277	7.8392	5.6853	7.6257	8.6380	86.5940			
	S	140.882	128.074	90.483	97.619	113.368	86.819	94.194	123.644	71.976	99.139	101.397			
13	T	6.4264	4.5810	9.9045	12.5389	9.3794	11.9176	7.7674	5.7108	7.7351	8.5613	84.5224			
	S	142.381	129.190	91.900	97.823	130.993	89.078	95.065	123.092	70.958	100.027	103.883			
14	T	6.4194	4.5780	11.3647	12.9712	10.5072	13.3433	8.2634	5.6593	7.7381	8.5763	89.4209			89.8909
	S	142.537	129.274	80.093	94.563	116.933	79.560	89.359	124.212	70.930	99.852	98.192			88.032
15	T				12.8247	9.3086	13.1796	8.1675	6.3760			209.1598	124.1161	84.6670	
	S				95.643	131.989	80.548	90.408	110.250			41.979	11.445	95.206	
16	T	6.3792	4.5525	9.9353	12.7250	9.3448	11.9898	7.8421	5.7097	7.7740	8.6088	84.8612			
	S	143.435	129.999	91.615	96.392	131.478	88.541	94.160	123.116	70.602	99.475	103.468			
17	T	6.3682	4.5585	9.9428	12.6478	9.3509	12.0330	7.8139	5.6688	7.7350	8.6034	84.7223			87.3696
	S	143.683	129.827	91.546	96.981	131.392	88.223	94.499	124.004	70.958	99.538	103.637			91.601
18	T								5.8653				41.9342		
	S								119.850				33.876		

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 81 - Urrutia, Santiago (R)

Lap	T/SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T	6.4321	4.5881	10.0017	12.6068	9.4569	12.0963	7.8333	5.7837	7.7985	8.7120	85.3094		86.7335
	S	142.255	128.990	91.007	97.296	129.920	87.762	94.265	121.541	70.381	98.297	102.924		92.938
2	T	6.3823	4.5594	10.0316	12.5800	9.3726	12.0587	7.8321	5.6804	7.6297	8.6314	84.7582		
	S	143.365	129.802	90.736	97.503	131.088	88.035	94.280	123.751	71.938	99.215	103.594		
3	T	6.4000	4.5885	10.0381	14.5009	9.4406	11.9526	7.7700	5.6635	8.3803	8.8292	87.5637		
	S	142.969	128.979	90.677	84.587	130.144	88.817	95.033	124.120	65.495	96.992	100.274		
4	T	6.3617	4.5617	10.6622	13.9914	9.4455	12.5789	7.7284	5.6902	7.5119	8.6928	87.2247		
	S	143.829	129.736	85.370	87.667	130.076	84.395	95.545	123.538	73.066	98.514	100.664		
5	T	6.3570	4.5515	9.9801	12.7274	9.3410	11.8625	7.7595	5.6580	7.5696	8.6035	84.4101		
	S	143.936	130.027	91.204	96.374	131.532	89.491	95.162	124.241	72.509	99.537	104.021		
6	T	6.3328	4.5509	9.9865	12.6077	9.3781	11.8868	7.8006	5.6319	7.6524	8.6975	84.5252		
	S	144.486	130.044	91.146	97.289	131.011	89.308	94.661	124.817	71.724	98.461	103.879		
7	T	6.3843	4.5665	9.9999	12.6591	9.4297	11.9160	7.7918	5.6781	7.5493	8.6460	84.6207		82.5901
	S	143.320	129.600	91.024	96.894	130.294	89.090	94.767	123.801	72.704	99.047	103.762		96.902
8	T				12.6298	9.4191	11.9146	7.6601	5.6809			201.2351	120.2311	82.9715
	S				97.119	130.441	89.100	96.397	123.740			43.633	11.815	97.151
9	T	6.4352	4.5873	9.9357	12.5037	9.4078	11.7089	7.7836	5.6213	7.5672	8.6010	84.1517		
	S	142.187	129.012	91.612	98.098	130.598	90.665	94.867	125.052	72.532	99.566	104.340		
10	T	6.4270	4.5842	9.8681	12.5701	9.3670	11.9441	7.8408	5.6506	7.5362	8.6568	84.4449		
	S	142.368	129.100	92.239	97.580	131.166	88.880	94.175	124.404	72.830	98.924	103.978		
11	T	6.4051	4.5722	9.8961	12.5120	9.3601	11.7596	7.7866	5.6151	7.5268	8.6187	84.0523		
	S	142.855	129.438	91.978	98.033	131.263	90.274	94.831	125.190	72.921	99.361	104.464		
12	T	6.4010	4.5684	9.9852	12.7609	9.3686	11.7979	7.7864	5.5855	7.6035	8.6981	84.5555		82.3329
	S	142.946	129.546	91.158	96.121	131.144	89.981	94.833	125.853	72.186	98.454	103.842		97.205
13	T				15.9189	9.5577	13.1954	8.5474	5.6006			233.8207	146.9745	
	S				77.052	128.549	80.452	80.390	125.514			37.552	9.665	
14	T				12.8407	9.3864	12.2770	7.8223	7.4874			243.3039	155.6368	83.4071
	S				95.524	130.895	86.470	94.398	93.885			36.088	9.127	96.644
15	T	6.3825	4.5636	10.1006	12.5096	9.3728	11.8844	7.7382	5.6791	7.6649	8.6137	84.5094		
	S	143.361	129.682	90.116	98.052	131.085	89.326	95.424	123.779	71.607	99.419	103.899		
16	T	6.4160	4.5862	9.8528	12.5405	9.3795	11.7350	7.7196	5.6256	7.4611	8.6870	84.0033		83.4020
	S	142.612	129.043	92.383	97.810	130.992	90.464	95.654	124.956	73.563	98.580	104.524		95.959
17	T								5.7136				36.3257	
	S								123.032				39.106	

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 82 - O'Ward, Pato (R)

Lap	T/S	SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T				12.6076	9.4260	12.0234	7.8740	7.3469			169.0932	83.3107	85.5413	
	S				97.290	130.345	88.294	93.778	95.680			51.926	17.051	94.233	
2	T	6.4043	4.5723	9.8978	12.6512	9.4231	11.8366	7.8339	5.6828	7.9086	8.6350	84.8456			
	S	142.873	129.436	91.963	96.955	130.386	89.687	94.258	123.699	69.401	99.174	103.487			
3	T	6.4108	4.5786	9.9809	12.5420	9.4036	11.8039	7.7814	5.6990	7.6243	8.6539	84.4784			
	S	142.728	129.257	91.197	97.799	130.656	89.936	94.894	123.347	71.989	98.957	103.937			
4	T	6.3795	4.5602	9.9633	12.5291	9.4642	11.7949	7.7858	5.7120	7.6284	8.6337	84.4511			
	S	143.428	129.779	91.358	97.899	129.819	90.004	94.840	123.066	71.950	99.188	103.970			
5	T	6.3989	4.5703	10.0802	12.5365	9.4310	11.8332	7.7538	5.6446	7.5883	8.6315	84.4683			
	S	142.993	129.492	90.299	97.842	130.276	89.713	95.232	124.536	72.330	99.214	103.949			
6	T	6.3849	4.5690	9.9319	12.4894	9.4676	11.8038	7.8321	5.6580	7.6832	8.6208	84.4407			
	S	143.307	129.529	91.647	98.211	129.773	89.936	94.280	124.241	71.437	99.337	103.983			
7	T	7.0093	4.5695	11.3998	14.5141	10.6328	12.2923	7.8105	5.6632	7.6804	8.6232	90.1951			
	S	130.541	129.515	79.846	84.510	115.552	86.362	94.541	124.127	71.463	99.309	97.349			
8	T	6.3795	4.5621	9.8423	12.4360	9.4074	11.7050	7.7207	5.6746	7.8899	8.5406	84.1581			
	S	143.428	129.725	92.481	98.632	130.603	90.696	95.640	123.877	69.565	100.270	104.332			
9	T	6.4317	4.5861	9.9225	12.4958	9.4113	11.8800	7.7396	5.6421	7.6471	8.6723	84.4285			
	S	142.264	129.046	91.734	98.160	130.549	89.360	95.407	124.591	71.774	98.747	103.998			
10	T	6.4123	4.5744	9.9536	12.4891	9.3900	11.7922	7.8326	5.6658	7.6696	8.6317	84.4113			
	S	142.695	129.376	91.447	98.213	130.845	90.025	94.274	124.070	71.564	99.211	104.019			
11	T	6.4141	4.5724	9.8730	12.5805	9.3904	11.7791	7.7496	5.6807	7.6998	8.6588	84.3984			80.5063
	S	142.654	129.433	92.194	97.499	130.840	90.125	95.284	123.744	71.283	98.901	104.035			99.411
12	T				13.0742	9.4256	12.3822	7.9002	5.6125			213.8602	130.9843	86.6569	
	S				93.818	130.351	85.735	93.467	125.248			41.057	10.845	93.020	
13	T	6.4081	4.5628	9.9478	12.5445	9.3659	11.7086	7.7220	5.6737	7.6568	8.6073	84.1975			
	S	142.788	129.705	91.500	97.779	131.182	90.668	95.624	123.897	71.683	99.493	104.283			
14	T	6.7242	4.5392	12.0474	14.9923	11.5443	14.4402	9.1503	5.5976	7.5532	8.6220	95.2107			95.9341
	S	136.078	130.379	75.554	81.815	106.428	73.516	80.698	125.581	72.666	99.323	92.221			83.424
15	T				12.4719	9.2643	12.4728	7.8458	7.0875			198.8708	115.3101	83.0133	
	S				98.348	132.621	85.112	94.115	99.182			44.151	12.320	97.102	
16	T	6.3241	4.5295	10.0288	12.6444	9.2691	12.1046	7.7708	5.6838	7.7223	8.5524	84.6298			
	S	144.685	130.659	90.761	97.007	132.552	87.701	95.024	123.677	71.075	100.131	103.751			
17	T	6.3531	4.5494	9.9723	12.5934	9.3570	11.8521	7.8109	5.6122	7.6300	8.5775	84.3079			84.1642
	S	144.024	130.087	91.276	97.400	131.307	89.570	94.536	125.255	71.935	99.838	104.147			95.090
18	T								5.7107				36.7247		
	S								123.094				38.682		

Event: Cooper Tires Pro Mazda GP of Indianapolis
Track: Indianapolis Motor Speedway RC
Report: Section Data Report
Session: Qualifications

Round 6 / 7 / 8
2.439 mile(s)
Pro Mazda
May 8, 2015



Section Data for Car 91 - Connery, Kyle

Lap	T/SF to I1	I9 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO	PO to SF	SF to PI
1	T	6.5514	4.6428	10.1374	12.7306	9.5992	12.1544	7.8779	6.2895	8.2159	8.8071	87.0062		88.4300
	S	139.665	127.470	89.789	96.350	127.994	87.342	93.732	111.766	66.805	97.236	100.917		91.155
2	T	6.5201	4.6193	10.0959	12.6966	9.5148	11.9175	8.0925	5.7641	7.5894	8.7339	85.5441		
	S	140.335	128.119	90.158	96.608	129.129	89.078	91.246	121.954	72.320	98.051	102.642		
3	T	6.5222	4.6292	10.0067	12.6475	9.5606	11.9390	7.8102	5.7989	7.5323	8.7585	85.2051		
	S	140.290	127.845	90.962	96.983	128.510	88.918	94.544	121.222	72.868	97.775	103.050		
4	T	6.5332	4.6370	10.0468	12.6066	9.5568	11.9080	7.7378	5.7498	7.5630	8.7513	85.0903		
	S	140.054	127.630	90.599	97.298	128.561	89.149	95.429	122.257	72.572	97.856	103.189		
5	T	6.5275	4.6298	9.9280	12.4623	9.5265	11.7838	7.9024	5.7153	7.5300	8.7468	84.7524		83.3607
	S	140.176	127.828	91.683	98.424	128.970	90.089	93.441	122.995	72.890	97.906	103.601		96.007
6	T				13.1101	9.6184	12.0299	7.8902	5.7471			238.7922	151.5149	89.0990
	S				93.561	127.738	88.246	93.586	122.315			36.770	9.376	90.470
7	T	6.5710	4.6548	9.9086	12.7267	9.6406	12.0587	7.9497	5.7879	7.7987	8.8105	85.9072		
	S	139.248	127.141	91.862	96.379	127.444	88.035	92.885	121.452	70.379	97.198	102.208		
8	T	6.5561	4.6388	9.9276	12.5239	9.5620	12.0126	8.0994	5.7428	7.5050	8.8059	85.3741		
	S	139.565	127.580	91.687	97.940	128.492	88.373	91.168	122.406	73.133	97.249	102.846		
9	T	6.5692	4.6454	10.0046	12.5333	9.5423	11.8114	8.0578	5.8546	7.4772	8.7594	85.2552		81.7081
	S	139.286	127.399	90.981	97.867	128.757	89.878	91.639	120.069	73.405	97.765	102.990		97.948
10	T				13.3849	9.6529	12.7726	7.9788	5.7506			207.7813	125.9750	85.7633
	S				91.640	127.282	83.115	92.546	122.240			42.258	11.277	93.989
11	T	6.5938	4.6663	10.4837	12.5651	9.5220	12.0281	8.0257	5.7149	7.6974	9.0679	86.3649		
	S	138.767	126.828	86.823	97.619	129.031	88.259	92.006	123.004	71.305	94.439	101.666		
12	T	6.5561	4.6392	10.1752	12.6703	9.5316	11.9718	7.7716	5.7196	7.7155	8.6884	85.4393		
	S	139.565	127.569	89.455	96.808	128.901	88.674	95.014	122.903	71.138	98.564	102.768		
13	T	6.5610	4.6222	9.9706	12.8342	9.5801	12.6422	9.0449	5.7002	7.5392	8.6656	87.1602		89.1965
	S	139.460	128.038	91.291	95.572	128.249	83.972	81.638	123.321	72.801	98.823	100.739		89.725
14	T				12.8714	10.6073	14.1692	7.9305	6.9607			225.5747	136.7669	86.8407
	S				95.296	115.829	74.922	93.110	100.989			38.925	10.387	92.823
15	T	6.5170	4.6044	9.9964	13.0136	9.6545	11.9280	7.7978	5.7419	7.6758	8.5743	85.5037		
	S	140.402	128.533	91.056	94.255	127.260	89.000	94.695	122.425	71.506	99.876	102.690		
16	T	6.5351	4.6283	10.0871	12.5549	9.5459	12.0175	7.7901	5.7323	7.5889	8.7901	85.2702		87.1024
	S	140.013	127.869	90.237	97.698	128.708	88.337	94.788	122.630	72.325	97.424	102.971		91.882
17	T								6.1222				41.7389	
	S								114.821				34.035	

Report Support Information


Section Legend

Name	Length
SF to I1	0.254167 miles
I9 to SF	0.164394 miles
I1 to I2	0.252841 miles
I2 to I3	0.340720 miles
I3 to I4	0.341288 miles
I4 to I5	0.294886 miles
I5 to I6	0.205114 miles
I6 to I7	0.195265 miles
I7 to I8	0.152462 miles
I8 to I9	0.237879 miles
Lap	2.439000 miles
PI to PO	0.394602 miles
PO to SF	2.239110 miles
SF to PI	2.223106 miles
I7 to PI	0.338826 miles
PO to I2	0.307102 miles
PO to PI	2.023201 miles

Color Legend

- Fastest Lap
- Section Under Caution
- Section Under Green
- T Section Time Data
- S Section Speed Data

Track Map



Timing and Scoring

Indianapolis Motor Speedway RC - 2.439 Miles

Revised April 30th, 2014