

Event: Indy Pro 2000 WWT OT
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Test Session 2

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 1 - Eves, Braden (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.0595	3.8775	4.6024	4.3074	3.9556	5.0254	4.4588	4.0549	34.3415		37.7400
	S	142.931	111.834	113.182	132.172	144.100	131.469	131.813	142.420	131.037		106.030
2	T	3.9100	3.4027	4.2820	4.1504	3.8795	4.9091	4.4198	4.0274	32.9809		
	S	148.396	127.439	121.651	137.172	146.926	134.583	132.976	143.393	136.443		
3	T	3.8802	3.4499	4.5276	4.2175	3.9095	4.8740	4.4020	4.0225	33.2832		
	S	149.535	125.695	115.052	134.989	145.799	135.552	133.514	143.567	135.203		
4	T	3.8857	3.4166	4.2343	4.1224	3.8659	4.8068	4.3726	3.9974	32.7017		
	S	149.324	126.920	123.021	138.104	147.443	137.447	134.411	144.469	137.608		
5	T	3.8679	3.3393	4.2634	4.1557	3.9136	4.8239	4.3395	3.9994	32.7027		
	S	150.011	129.858	122.182	136.997	145.646	136.960	135.437	144.397	137.603		
6	T	3.8935	3.3313	4.1982	4.1237	3.8956	4.8009	4.3292	3.9922	32.5646		
	S	149.025	130.170	124.079	138.060	146.319	137.616	135.759	144.657	138.187		
7	T	3.8864	3.2987	4.1861	4.1256	3.8976	4.7845	4.3197	3.9921	32.4907		
	S	149.297	131.457	124.438	137.996	146.244	138.088	136.057	144.661	138.501		
8	T	3.8833	3.3698	4.1659	4.1035	3.8932	4.8099	4.3206	3.9828	32.5290		
	S	149.416	128.683	125.041	138.740	146.409	137.359	136.029	144.998	138.338		
9	T	3.8683	3.4120	4.3285	4.1541	3.9093	4.8278	4.3269	3.9909	32.8178		
	S	149.995	127.092	120.344	137.050	145.806	136.849	135.831	144.704	137.121		
10	T	3.8764	3.4097	4.1842	4.1088	3.8928	4.8057	4.3792	3.9971	32.6539		
	S	149.682	127.177	124.494	138.561	146.424	137.479	134.209	144.480	137.809		
11	T	3.8846	3.3594	4.1770	4.1136	3.8865	4.7461	4.3038	3.9681	32.4391		
	S	149.366	129.081	124.709	138.399	146.662	139.205	136.560	145.536	138.721		
12	T	3.8443	3.2758	4.1949	4.1011	3.8555	5.0061	4.3939	3.9962	32.6678		
	S	150.932	132.376	124.177	138.821	147.841	131.975	133.760	144.512	137.750		
13	T	3.8374	3.4353	4.2543	4.1441	3.8974	4.8220	4.3820	3.9901	32.7626		
	S	151.203	126.230	122.443	137.380	146.251	137.014	134.123	144.733	137.352		
14	T	3.8550	3.3548	4.1413	4.0767	3.8550	4.7332	4.2994	3.9689	32.2843		
	S	150.513	129.258	125.784	139.652	147.860	139.585	136.700	145.506	139.387		
15	T	3.8384	3.3406	4.1655	4.0531	3.7862	4.8535	4.3869	4.0133	32.4375		
	S	151.164	129.808	125.053	140.465	150.547	136.125	133.973	143.897	138.728		
16	T	3.8934	3.3209	4.1539	4.0903	3.8749	4.7260	4.2802	3.9671	32.3067		
	S	149.028	130.578	125.402	139.187	147.101	139.797	137.313	145.572	139.290		
17	T	3.8595	3.3269	4.1420	4.0829	3.8782	4.7349	4.2628	3.9660	32.2532		
	S	150.337	130.342	125.763	139.440	146.975	139.534	137.874	145.613	139.521		
18	T	3.8573	3.3548	4.2662	4.1606	4.7984				53.2211	758.4224	35.8272
	S	150.423	129.258	122.101	136.836	118.790				84.553	1.412	109.484
19	T				4.9182	4.1395	5.3302	4.5209	4.0710	778.4736		37.4451
	S				115.757	137.698	123.951	130.002	141.857	5.781		106.866

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 1 - Eves, Braden (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.9420	3.5095	4.3134	4.1768	3.9242	4.8945	4.4030	4.0271	33.1905		
	S	147.191	123.561	120.765	136.305	145.253	134.985	133.483	143.403	135.581		
21	T	3.9037	3.4156	4.1753	4.0990	3.8879	4.7691	4.2911	3.9699	32.5116		
	S	148.635	126.958	124.760	138.892	146.609	138.534	136.964	145.470	138.412		
22	T	3.8634	3.3252	4.1286	4.0762	3.8733	4.6747	4.2561	3.9492	32.1467		
	S	150.186	130.409	126.171	139.669	147.161	141.331	138.091	146.232	139.983		
23	T	3.8531	3.2713	4.1014	4.0661	3.8691	4.7245	4.2861	3.9619	32.1335		
	S	150.587	132.558	127.008	140.016	147.321	139.842	137.124	145.763	140.041		
24	T	3.8479	3.3135	4.1696	4.0792	3.8714	4.7714	4.3023	3.9625	32.3178		
	S	150.791	130.870	124.930	139.566	147.234	138.467	136.608	145.741	139.242		
25	T	3.8539	3.3796	4.2065	4.0966	3.8868	4.7522	4.3588	3.9869	32.5213		
	S	150.556	128.310	123.834	138.973	146.650	139.027	134.837	144.849	138.371		
26	T	3.8709	3.3422	4.1489	4.0880	3.8801	4.7716	4.3104	3.9740	32.3861		
	S	149.895	129.746	125.554	139.266	146.903	138.461	136.351	145.320	138.948		
27	T	3.8570	3.2942	4.1600	4.0903	3.8869	4.7736	4.3098	3.9723	32.3441		
	S	150.435	131.636	125.219	139.187	146.646	138.403	136.370	145.382	139.129		
28	T	3.8538	3.3084	4.1451	4.0804	3.8782	4.6918	4.4158	4.7067	33.0802		
	S	150.560	131.071	125.669	139.525	146.975	140.816	133.096	122.697	136.033		
29	T	5.5040	5.0427	6.3386	6.3207	6.3461				69.8141	479.5185	52.1055
	S	105.419	85.993	82.180	90.072	89.819				64.457	2.234	75.280
30	T				5.1674	4.2480	5.2415	4.4421	4.0328	500.5472		38.7373
	S				110.175	134.181	126.048	132.308	143.201	8.990		103.301
31	T	3.8928	3.4301	4.2891	4.1078	3.8301	4.9341	4.4161	3.9965	32.8966		
	S	149.051	126.421	121.450	138.594	148.821	133.901	133.087	144.501	136.792		
32	T	3.8607	3.3551	4.1906	4.0592	3.8055	4.8911	4.4087	4.0134	32.5843		
	S	150.291	129.247	124.304	140.254	149.783	135.078	133.311	143.893	138.103		
33	T	3.8895	3.3624	4.1440	4.0853	3.8803	4.7165	4.3317	3.9618	32.3715		
	S	149.178	128.966	125.702	139.358	146.896	140.079	135.681	145.767	139.011		
34	T	3.8498	3.3031	4.1660	4.0638	3.8599	4.7100	4.2700	3.9504	32.1730		
	S	150.716	131.282	125.038	140.095	147.672	140.272	137.641	146.188	139.869		
35	T	3.8516	3.3224	4.2971	4.4118	4.9781				53.2611		35.9087
	S	150.646	130.519	121.223	129.044	114.502				84.489		109.235

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 17 - DeFrancesco, Devlin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	3.8607	3.6968	4.5727	4.2950	3.8933	5.0101	4.3310	3.9515	33.6111		35.0646
	S	150.291	117.300	113.917	132.554	146.405	131.870	135.702	146.147	133.884		114.121
2	T	3.8345	3.5873	4.2971	4.1425	3.8331	4.8166	4.3131	3.9830	32.8072		
	S	151.318	120.881	121.223	137.433	148.705	137.168	136.266	144.991	137.165		
3	T	3.8426	3.5278	4.2102	4.1025	3.8321	4.7267	4.2797	3.9724	32.4940		
	S	150.999	122.920	123.725	138.773	148.744	139.777	137.329	145.378	138.487		
4	T	3.8260	3.4949	4.2738	4.1478	3.8321	4.7858	4.2770	3.9720	32.6094		
	S	151.654	124.077	121.884	137.258	148.744	138.050	137.416	145.393	137.997		
5	T	3.8515	3.5445	4.2331	4.1258	3.8574	4.8084	4.3285	3.9839	32.7331		
	S	150.650	122.341	123.056	137.990	147.768	137.402	135.781	144.958	137.476		
6	T	3.8464	3.4675	4.2338	4.1091	3.8542	4.7042	4.2732	3.9629	32.4513		
	S	150.849	125.057	123.036	138.551	147.891	140.445	137.538	145.727	138.669		
7	T	3.8463	3.4771	4.2182	4.1191	3.8636	4.7484	4.3134	3.9774	32.5635		
	S	150.853	124.712	123.491	138.214	147.531	139.138	136.256	145.195	138.192		
8	T	3.8396	3.3785	4.1591	4.0918	3.8528	4.7194	4.2611	3.9531	32.2554		
	S	151.117	128.352	125.246	139.136	147.944	139.993	137.929	146.088	139.512		
9	T	3.8300	3.4150	4.1631	4.0908	3.8532	4.7538	4.2522	3.9585	32.3166		
	S	151.495	126.980	125.125	139.170	147.929	138.980	138.217	145.889	139.247		
10	T	3.9603	3.9062	4.4741	4.2037	5.1107				60.0306	222.5365	43.0841
	S	146.511	111.012	116.428	135.433	111.531				74.962	4.813	91.043
11	T				4.7780	4.1129	4.8981	4.2774	3.9451	239.2202		33.6302
	S				119.154	138.588	134.885	137.403	146.384	18.811		118.988
12	T	3.8312	3.4544	4.1820	4.0897	3.8366	4.7587	4.2517	3.9654	32.3697		
	S	151.448	125.532	124.560	139.208	148.569	138.837	138.233	145.635	139.019		
13	T	3.8348	3.4180	4.2006	4.1157	3.8549	4.9076	4.6536	4.1582	33.1434		
	S	151.306	126.868	124.008	138.328	147.864	134.624	126.295	138.882	135.774		
14	T	3.9580	3.5369	4.1960	4.1024	3.8551	4.7251	4.2416	3.9669	32.5820		
	S	146.596	122.604	124.144	138.777	147.856	139.824	138.563	145.580	138.113		
15	T	3.8486	3.4167	4.1836	4.0923	3.8467	4.6933	4.2676	3.9739	32.3227		
	S	150.763	126.917	124.512	139.119	148.179	140.771	137.718	145.323	139.221		
16	T	3.8411	3.4319	4.2317	4.1153	3.8470	4.6527	4.2418	3.9608	32.3223		
	S	151.058	126.355	123.097	138.342	148.167	142.000	138.556	145.804	139.223		
17	T	4.5191	4.7621	6.4981	7.2117	7.6753				70.2084	545.8680	53.1410
	S	128.394	91.060	80.163	78.944	74.264				64.095	1.962	73.813
18	T				4.5882	4.0280	5.0294	4.3166	3.9569	562.2552		33.4546
	S				124.083	141.509	131.364	136.155	145.948	8.003		119.613
19	T	3.8294	3.4730	4.2885	4.1292	3.8312	4.7551	4.2642	3.9331	32.5037		
	S	151.519	124.859	121.467	137.876	148.778	138.942	137.828	146.831	138.446		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 17 - DeFrancesco, Devlin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.7956	3.4633	4.2652	4.1108	3.8225	4.8085	4.3615	3.9902	32.6176		
	S	152.868	125.209	122.130	138.493	149.117	137.399	134.753	144.730	137.962		
21	T	3.8240	3.4521	4.2522	4.1186	3.8427	4.6826	4.2492	3.9452	32.3666		
	S	151.733	125.615	122.503	138.231	148.333	141.093	138.315	146.380	139.032		
22	T	3.8003	3.4340	4.1914	4.0890	3.8402	4.7226	4.2894	3.9460	32.3129		
	S	152.679	126.277	124.280	139.232	148.430	139.898	137.019	146.351	139.263		
23	T	3.8071	3.5054	4.2343	4.0709	3.7876	4.8863	4.3066	3.9555	32.5537		
	S	152.407	123.705	123.021	139.851	150.491	135.211	136.471	145.999	138.233		
24	T	3.8334	3.4539	4.2101	4.1010	3.8437	4.7143	4.2790	3.9552	32.3906		
	S	151.361	125.550	123.728	138.824	148.295	140.144	137.352	146.010	138.929		
25	T	3.8190	3.4093	4.1935	4.0902	3.8418	4.9456	4.3727	4.0291	32.7012		
	S	151.932	127.192	124.218	139.191	148.368	133.590	134.408	143.332	137.610		
26	T	4.0393	3.9142	4.6307	4.4622	5.3669				58.6885	646.3636	41.5683
	S	143.646	110.785	112.490	127.587	106.207				76.676	1.657	94.363
27	T				4.9009	4.1862	5.1979	4.3661	3.9873	663.9888		34.7454
	S				116.166	136.162	127.106	134.612	144.835	6.777		115.169
28	T	3.8669	3.5829	4.3932	4.2504	3.9323	5.0620	4.3227	3.9721	33.3825		
	S	150.050	121.029	118.572	133.945	144.953	130.518	135.963	145.389	134.801		
29	T	3.8598	3.4303	4.1793	4.0991	3.8655	4.6679	4.2146	3.9337	32.2502		
	S	150.326	126.414	124.640	138.889	147.458	141.537	139.450	146.808	139.534		
30	T	3.8221	3.3520	4.1842	4.1051	3.8656	4.6533	4.2428	3.9501	32.1752		
	S	151.809	129.366	124.494	138.686	147.454	141.981	138.523	146.199	139.859		
31	T	3.9106	3.9161	5.4774	5.4790	6.4476				63.0876		46.0200
	S	148.373	110.732	95.102	103.909	88.405				71.329		85.235

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 18 - McElrea, Hunter (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.0998	3.6895	4.3987	4.2281	3.9282	4.9537	4.3997	4.0285	33.7262		39.1173
	S	141.526	117.533	118.423	134.651	145.105	133.371	133.583	143.354	133.427		102.297
2	T	3.9463	3.4760	4.2653	4.1443	3.8816	4.8182	4.4437	4.0252	33.0006		
	S	147.031	124.752	122.127	137.374	146.847	137.122	132.261	143.471	136.361		
3	T	3.9002	3.4269	4.3925	4.1903	3.9015	4.8281	4.3540	3.9956	32.9891		
	S	148.769	126.539	118.591	135.866	146.098	136.841	134.986	144.534	136.409		
4	T	3.8957	3.4078	4.2801	4.1509	3.8820	4.7730	4.3361	3.9814	32.7070		
	S	148.940	127.248	121.705	137.155	146.832	138.421	135.543	145.049	137.585		
5	T	3.8858	3.4120	4.6228	5.1225	6.3614				57.8941	141.4900	41.2093
	S	149.320	127.092	112.683	111.141	89.603				77.728	7.570	95.185
6	T				5.2075	4.5776	5.0536	4.3393	3.9677	159.2603		34.4551
	S				109.327	124.519	130.735	135.443	145.550	28.256		116.139
7	T	3.8783	3.4569	4.2262	4.1203	3.8544	4.7680	4.3137	3.9632	32.5810		
	S	149.609	125.441	123.257	138.174	147.883	138.566	136.247	145.716	138.117		
8	T	3.8722	3.4472	4.2271	4.1101	3.8639	4.7505	4.3486	3.9822	32.6018		
	S	149.844	125.794	123.231	138.517	147.519	139.076	135.153	145.020	138.029		
9	T	3.8846	3.4544	4.3024	4.1551	3.8757	4.8083	4.3633	3.9923	32.8361		
	S	149.366	125.532	121.074	137.017	147.070	137.404	134.698	144.653	137.044		
10	T	3.8933	3.4605	4.2603	4.1325	3.8650	4.7514	4.3504	3.9883	32.7017		
	S	149.032	125.310	122.271	137.766	147.477	139.050	135.097	144.799	137.608		
11	T	3.8849	3.4297	4.2556	4.1437	3.8682	4.7638	4.3413	3.9938	32.6810		
	S	149.354	126.436	122.406	137.394	147.355	138.688	135.380	144.599	137.695		
12	T	3.9151	3.5266	4.4264	4.3685	5.5276				56.3906	57.1742	39.6385
	S	148.202	122.962	117.682	130.323	103.119				79.801	18.735	98.957
13	T				4.7078	4.0940	5.0210	4.3839	4.0250	74.1190		33.6969
	S				120.931	139.228	131.584	134.065	143.478	60.713		118.752
14	T	3.9159	3.4561	4.2121	4.1153	3.8579	4.7651	4.3337	3.9704	32.6265		
	S	148.172	125.470	123.670	138.342	147.749	138.650	135.618	145.451	137.925		
15	T	3.8775	3.4417	4.2419	4.1000	3.8434	4.7775	4.7505	4.2053	33.2378		
	S	149.640	125.995	122.801	138.858	148.306	138.290	123.719	137.327	135.388		
16	T	3.9680	3.4883	4.2797	4.1254	3.8409	4.8846	4.3953	4.0150	32.9972		
	S	146.227	124.312	121.716	138.003	148.403	135.258	133.717	143.836	136.375		
17	T	4.0475	4.1958	5.6242	6.0841	7.7145				66.8400	556.2708	50.0930
	S	143.354	103.350	92.619	93.575	73.887				67.325	1.926	78.304
18	T				4.7488	4.1244	5.0105	4.3916	4.0142	575.0154		35.4916
	S				119.887	138.202	131.859	133.830	143.864	7.826		112.748
19	T	3.9013	3.4355	4.2282	4.1205	3.8721	4.7632	4.3204	3.9768	32.6180		
	S	148.727	126.222	123.199	138.167	147.207	138.705	136.035	145.217	137.961		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 18 - McElrea, Hunter (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.8530	3.3648	4.2811	4.1198	3.8672	4.8013	4.3692	3.9994	32.6558		
	S	150.591	128.874	121.676	138.191	147.393	137.605	134.516	144.397	137.801		
21	T	3.8631	3.3256	4.4022	4.1795	3.8921	4.7930	4.3367	3.9847	32.7769		
	S	150.197	130.393	118.329	136.217	146.451	137.843	135.524	144.929	137.292		
22	T	3.8734	3.4209	4.2215	4.1094	3.8634	4.7212	4.3153	3.9674	32.4925		
	S	149.798	126.761	123.394	138.540	147.538	139.939	136.196	145.561	138.493		
23	T	3.8489	3.4268	4.2595	4.1145	3.8621	4.9584	4.7110	4.1703	33.3515		
	S	150.751	126.543	122.293	138.369	147.588	133.245	124.756	138.479	134.926		
24	T	4.0740	3.7144	4.4698	4.5304	5.7581				56.3555	654.7109	39.6467
	S	142.422	116.745	116.540	125.666	98.991				79.850	1.636	98.936
25	T				4.7835	4.1402	4.9781	4.3608	4.0226	671.6452		33.6431
	S				119.017	137.675	132.718	134.775	143.564	6.700		118.942
26	T	3.9319	3.4747	4.2543	4.1213	3.8577	4.8163	4.3490	4.0002	32.8054		
	S	147.569	124.798	122.443	138.140	147.756	137.176	135.141	144.368	137.173		
27	T	3.8943	3.4866	4.2243	4.1493	3.8675	4.8016	4.3658	4.0085	32.7979		
	S	148.994	124.372	123.313	137.208	147.382	137.596	134.621	144.069	137.204		
28	T	3.8900	3.4229	4.2754	4.1360	3.8638	4.7403	4.3632	3.9978	32.6894		
	S	149.159	126.687	121.839	137.649	147.523	139.376	134.701	144.454	137.659		
29	T	3.8808	3.4112	4.2588	4.1241	3.8673	4.7375	4.3634	3.9900	32.6331		
	S	149.512	127.121	122.314	138.047	147.390	139.458	134.695	144.737	137.897		
30	T	3.8798	3.4393	4.2896	4.1555	3.8799	4.9143	4.3911	4.0157	32.9652		
	S	149.551	126.083	121.435	137.004	146.911	134.441	133.845	143.811	136.508		
31	T	3.8770	3.4229	4.2413	4.3501	5.2981				56.8292		40.1469
	S	149.659	126.687	122.818	130.875	107.586				79.185		97.704

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 19 - Kaminsky, Colin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.0883	3.7125	4.5869	4.5821	5.3974	5.9861	4.7116	4.1530	37.2179		42.6078
	S	141.924	116.804	113.565	124.248	105.606	110.369	124.740	139.056	120.910		93.917
2	T	4.0459	3.6266	4.4939	4.2840	3.9485	4.9074	4.4742	4.0880	33.8685		
	S	143.411	119.571	115.915	132.894	144.359	134.630	131.359	141.267	132.867		
3	T	3.9596	3.5039	4.9282	4.8002	4.6019	5.5162	4.5998	4.0893	35.9991		
	S	146.537	123.758	105.700	118.603	123.862	119.771	127.772	141.222	125.003		
4	T	3.9778	3.5578	4.4057	4.2173	3.9208	4.8532	4.4409	4.0466	33.4201		
	S	145.866	121.883	118.235	134.996	145.378	136.133	132.344	142.712	134.650		
5	T	3.9472	3.5083	4.4084	4.2166	3.9138	4.8079	4.4064	4.0173	33.2259		
	S	146.997	123.603	118.163	135.018	145.639	137.416	133.380	143.753	135.437		
6	T	3.9123	3.4472	4.3105	4.1646	3.8908	4.7536	4.3986	4.0119	32.8895		
	S	148.308	125.794	120.847	136.704	146.499	138.986	133.617	143.947	136.822		
7	T	3.8827	3.3979	4.3236	4.1836	5.1362				53.7408	143.6671	36.7051
	S	149.439	127.619	120.480	136.083	110.977				83.735	7.456	106.865
8	T				4.7981	4.1422	4.9072	4.4036	4.0322	160.6754		34.0440
	S				118.655	137.608	134.635	133.465	143.222	28.007		117.542
9	T	3.9335	3.4503	4.3280	4.1699	3.8997	4.7100	4.6133	4.2361	33.3408		
	S	147.509	125.681	120.358	136.530	146.165	140.272	127.398	136.328	134.970		
10	T	4.0188	3.4659	4.3712	4.2052	3.9134	5.1700	4.5366	4.0865	33.7676		
	S	144.378	125.115	119.168	135.384	145.653	127.791	129.552	141.319	133.264		
11	T	3.9604	3.4915	4.3581	4.1728	3.8642	4.9514	4.4857	4.0904	33.3745		
	S	146.507	124.198	119.527	136.436	147.508	133.433	131.022	141.184	134.833		
12	T	3.9384	3.4594	4.3360	4.5024	5.2746				54.4383	77.3844	36.8536
	S	147.326	125.350	120.136	126.448	108.065				82.662	13.842	106.435
13	T				4.7469	4.1154	4.9701	4.4911	4.1067	94.0206		34.2209
	S				119.935	138.504	132.931	130.865	140.624	47.862		116.934
14	T	3.9813	3.4888	4.2907	4.1544	3.8801	4.8604	4.4154	4.0312	33.1023		
	S	145.738	124.294	121.404	137.040	146.903	135.932	133.109	143.258	135.942		
15	T	3.9655	3.5547	4.3691	4.1541	3.8378	5.0141	4.4517	4.0748	33.4218		
	S	146.319	121.990	119.226	137.050	148.523	131.765	132.023	141.725	134.643		
16	T	3.9500	3.5949	4.8004	5.4467	6.7913				64.4266	562.5117	46.6295
	S	146.893	120.625	108.514	104.525	83.931				69.847	1.904	84.121
17	T				5.0135	4.3499	5.7607	4.7678	4.1504	583.6738		38.9592
	S				113.557	131.037	114.688	123.270	139.143	7.710		102.712
18	T	3.9871	3.4729	4.3692	4.1910	3.8973	4.9551	4.4473	4.0608	33.3807		
	S	145.526	124.863	119.223	135.843	146.255	133.334	132.154	142.213	134.808		
19	T	3.9450	3.4879	4.4698	4.2441	3.9086	4.8500	4.4472	4.0535	33.4061		
	S	147.079	124.326	116.540	134.143	145.832	136.223	132.157	142.469	134.706		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 19 - Kaminsky, Colin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.9246	3.4500	4.4452	4.2537	3.9157	4.7856	4.4101	4.0424	33.2273		
	S	147.844	125.692	117.185	133.841	145.568	138.056	133.268	142.861	135.431		
21	T	4.2513	3.9122	4.6077	4.6294	5.3529				54.9092	64.3285	37.6105
	S	136.482	110.842	113.052	122.979	106.484				81.953	16.651	104.293
22	T				4.7411	4.1009	5.1119	4.5720	4.1204	81.2947		34.2649
	S				120.081	138.994	129.244	128.549	140.156	55.354		116.784
23	T	3.9585	3.4678	4.4143	4.2037	3.9149	4.9378	4.4146	4.0354	33.3470		
	S	146.578	125.047	118.005	135.433	145.598	133.801	133.133	143.108	134.945		
24	T	3.9064	3.4412	4.2702	4.3236	5.4668				54.5931	515.6833	37.5175
	S	148.532	126.013	121.987	131.677	104.266				82.428	2.077	104.551
25	T				8.0518	8.5539	8.1746	5.2478	4.3608	549.2115		50.6038
	S				70.707	66.636	80.821	111.995	132.430	8.194		79.077
26	T	4.0968	3.5672	4.3855	4.2323	3.9337	4.9390	4.4261	4.0588	33.6394		
	S	141.629	121.562	118.780	134.517	144.902	133.768	132.787	142.283	133.772		
27	T	3.9507	3.4634	4.3239	4.1799	3.9003	5.0109	4.4688	4.0265	33.3244		
	S	146.867	125.205	120.472	136.204	146.143	131.849	131.518	143.425	135.036		
28	T	3.9231	3.4832	4.3309	4.1672	3.8973	5.0965	4.4768	4.0448	33.4198		
	S	147.900	124.494	120.277	136.619	146.255	129.634	131.283	142.776	134.651		
29	T	3.9646	3.5240	4.3635	4.1401	3.8875	5.0947	4.4687	4.0725	33.5156		
	S	146.352	123.052	119.379	137.513	146.624	129.680	131.521	141.805	134.266		
30	T	3.9672	3.5679	4.3265	4.1407	3.8569	5.4554	4.6030	4.1092	34.0268		
	S	146.256	121.538	120.400	137.493	147.787	121.106	127.684	140.538	132.249		
31	T	3.9918	3.5999	4.3336	4.1834	3.9072	4.8614	4.3994	4.0258	33.3025		
	S	145.355	120.458	120.202	136.090	145.885	135.904	133.593	143.450	135.125		
32	T	4.3128	4.0544	5.0346	5.1927	6.2818				63.9436		46.1039
	S	134.536	106.955	103.466	109.638	90.738				70.375		85.080

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	3.9083	3.5476	4.4276	4.2224	3.9254	4.9255	4.5287	4.0643	33.5498		34.6581
	S	148.460	122.234	117.650	134.833	145.208	134.135	129.778	142.091	134.129		115.459
2	T	3.8988	3.4811	4.4578	4.2003	3.9108	4.8164	4.3816	3.9966	33.1434		
	S	148.822	124.569	116.853	135.542	145.750	137.173	134.135	144.498	135.774		
3	T	3.8632	3.4668	4.3397	4.1548	3.8914	4.7829	4.3272	3.9758	32.8018		
	S	150.193	125.083	120.033	137.027	146.477	138.134	135.822	145.254	137.188		
4	T	3.8487	3.4756	4.2272	4.1071	4.0163				50.2045	509.1736	33.1884
	S	150.759	124.766	123.228	138.618	141.922				89.633	2.104	118.189
5	T				4.7666	4.1939	5.1287	4.4489	4.0316	526.1802		34.0227
	S				119.439	135.912	128.821	132.106	143.243	8.552		117.615
6	T	3.9022	3.5161	4.2520	4.1232	3.8743	4.7775	4.3793	4.0177	32.8423		
	S	148.692	123.329	122.509	138.077	147.123	138.290	134.206	143.739	137.018		
7	T	3.8899	3.5511	4.1930	4.0940	3.8587	4.7759	4.3829	4.0095	32.7550		
	S	149.163	122.113	124.233	139.062	147.718	138.337	134.096	144.033	137.384		
8	T	3.8718	3.4539	4.1637	4.0762	4.3130				54.5946	576.4075	37.4414
	S	149.860	125.550	125.107	139.669	132.159				82.426	1.858	104.764
9	T				4.6414	4.0571	4.9818	4.3394	3.9592	593.6224		34.3681
	S				122.661	140.494	132.619	135.440	145.863	7.581		116.433
10	T	3.8282	3.4292	4.2637	4.1093	3.8327	4.7649	4.3825	3.9799	32.5904		
	S	151.567	126.454	122.173	138.544	148.720	138.656	134.108	145.104	138.077		
11	T	3.8336	3.3495	4.2147	4.0772	3.8212	4.7050	4.2970	3.9464	32.2446		
	S	151.353	129.463	123.593	139.635	149.168	140.421	136.776	146.336	139.558		
12	T	3.8142	3.3898	4.1909	4.0678	3.8189	4.6184	4.2653	3.9075	32.0728		
	S	152.123	127.924	124.295	139.957	149.258	143.054	137.793	147.793	140.306		
13	T	3.7757	3.3618	4.1827	4.0697	3.8243	4.8295	4.3582	3.9207	32.3226		
	S	153.674	128.989	124.539	139.892	149.047	136.801	134.856	147.295	139.221		
14	T	3.7895	3.3604	4.2041	4.0718	3.8174	4.6302	4.2501	3.9178	32.0413		
	S	153.114	129.043	123.905	139.820	149.316	142.690	138.286	147.404	140.444		
15	T	3.7726	3.3857	4.2103	4.0711	3.8056	4.7677	4.2611	3.9305	32.2046		
	S	153.800	128.079	123.723	139.844	149.779	138.575	137.929	146.928	139.732		
16	T	3.7888	3.3904	4.2236	4.1110	3.8317	4.7272	4.3053	3.9451	32.3231		
	S	153.143	127.901	123.333	138.487	148.759	139.762	136.513	146.384	139.219		
17	T	3.7935	3.3577	4.2604	4.1059	3.8701	4.7098	4.2826	3.9566	32.3366		
	S	152.953	129.147	122.268	138.659	147.283	140.278	137.236	145.959	139.161		
18	T	3.8288	3.3672	4.2135	4.1150	3.8723	4.6574	4.2859	3.9515	32.2916		
	S	151.543	128.782	123.629	138.352	147.199	141.856	137.130	146.147	139.355		
19	T	3.8249	3.5680	4.8563	5.2129	5.9821				57.4083	495.4325	40.3427
	S	151.697	121.535	107.265	109.213	95.284				78.386	2.162	97.229

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T			4.7443	4.1368	5.0487	4.3877	3.9974	511.9406		33.5737	
	S			120.000	137.788	130.862	133.949	144.469	8.790		119.188	
21	T	3.8805	3.4710	4.2523	4.1438	3.8908	4.7370	4.3118	3.9679	32.6551		
	S	149.524	124.931	122.501	137.390	146.499	139.473	136.307	145.543	137.804		
22	T	3.8416	3.4147	4.2108	4.1054	3.8664	4.6644	4.2766	3.9456	32.3255		
	S	151.038	126.991	123.708	138.675	147.424	141.643	137.429	146.366	139.209		
23	T	3.8329	3.4495	4.1735	4.0861	3.8617	4.7099	4.2871	3.9505	32.3512		
	S	151.381	125.710	124.813	139.330	147.603	140.275	137.092	146.184	139.098		
24	T	3.8322	3.3946	4.1618	4.0799	3.8521	4.6486	4.2182	3.9215	32.1089		
	S	151.408	127.743	125.164	139.542	147.971	142.125	139.331	147.265	140.148		
25	T	3.8094	3.4400	4.1605	4.0759	3.8594	4.6624	4.2527	3.9159	32.1762		
	S	152.315	126.057	125.203	139.679	147.691	141.704	138.201	147.476	139.855		
26	T	3.7882	3.4329	4.1401	4.0631	3.8464	4.6859	4.2564	3.9204	32.1334		
	S	153.167	126.318	125.820	140.119	148.191	140.994	138.081	147.306	140.041		
27	T	3.8223	3.5722	4.3099	4.1465	3.8448	4.8012	4.3569	3.9613	32.8151		
	S	151.801	121.392	120.863	137.301	148.252	137.608	134.896	145.785	137.132		
28	T	4.3561	4.1389	5.0369	5.4606	7.4729			69.1963			52.2639
	S	133.199	104.771	103.419	104.259	76.276			65.032			75.052

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 20 - Swanson, Kody (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.0197	3.9049	4.7126	4.3962	4.1670	5.4050	4.6284	4.1376	35.3714		37.1240
	S	144.346	111.049	110.535	129.502	136.789	122.235	126.983	139.574	127.221		107.790
2	T	3.9676	3.6089	4.3365	4.1838	3.8894	5.1482	4.4403	4.0395	33.6142		
	S	146.241	120.157	120.122	136.077	146.552	128.333	132.362	142.963	133.872		
3	T	4.0433	3.7698	4.5674	4.2495	3.9238	5.2339	4.4618	4.0133	34.2628		
	S	143.503	115.029	114.049	133.973	145.267	126.231	131.724	143.897	131.338		
4	T	3.9362	3.6484	4.4412	4.2416	3.9396	5.1954	4.4803	4.0819	33.9646		
	S	147.408	118.857	117.290	134.223	144.685	127.167	131.180	141.478	132.491		
5	T	3.9726	3.5451	4.2394	4.1637	3.9293	4.9894	4.3717	4.0434	33.2546		
	S	146.057	122.320	122.873	136.734	145.064	132.417	134.439	142.825	135.320		
6	T	3.9505	3.4776	4.1959	4.1400	3.9190	4.9037	4.3591	4.0427	32.9885		
	S	146.874	124.694	124.147	137.516	145.445	134.731	134.828	142.850	136.411		
7	T	3.9372	3.5854	4.2520	4.1926	3.9590	5.0176	4.3726	4.0473	33.3637		
	S	147.371	120.945	122.509	135.791	143.976	131.673	134.411	142.688	134.877		
8	T	3.9373	3.4842	4.1349	4.1133	3.9216	5.1343	4.4387	4.0532	33.2175		
	S	147.367	124.458	125.979	138.409	145.349	128.680	132.410	142.480	135.471		
9	T	3.9701	3.5569	4.2140	4.1620	3.9532	5.1725	4.4454	4.0562	33.5303		
	S	146.149	121.914	123.614	136.790	144.187	127.730	132.210	142.375	134.207		
10	T	3.9686	3.5845	4.1945	4.1374	3.9239	4.9709	4.4079	4.0659	33.2536		
	S	146.205	120.975	124.189	137.603	145.264	132.910	133.335	142.035	135.324		
11	T	3.9760	3.5349	4.2041	4.2710	5.7302				56.9805	283.7399	40.2278
	S	145.932	122.673	123.905	133.299	99.473				78.974	3.775	97.507
12	T				5.2091	4.3215	5.6855	4.7587	4.2395	306.8321		39.8449
	S				109.293	131.899	116.205	123.506	136.219	14.666		100.429
13	T	4.1014	3.6878	4.3971	4.2620	3.9991	5.1055	4.4794	4.1339	34.1662		
	S	141.471	117.587	118.467	133.580	142.532	129.406	131.207	139.699	131.709		
14	T	4.0238	3.7516	4.6344	5.0130	5.8772				61.2620	575.7251	44.5406
	S	144.199	115.587	112.401	113.568	96.985				73.455	1.860	88.066
15	T				5.0993	4.2973	5.3177	4.5555	4.1105	600.4351		41.4314
	S				111.646	132.641	124.242	129.015	140.494	7.495		96.584
16	T	4.0553	3.7715	4.5538	4.3311	4.0195	5.4225	4.6429	4.1463	34.9429		
	S	143.079	114.977	114.390	131.449	141.809	121.841	126.586	139.281	128.782		
17	T	4.1294	3.7691	4.4762	4.2916	4.0270	5.0391	4.4211	4.0870	34.2405		
	S	140.511	115.050	116.373	132.659	141.545	131.111	132.937	141.302	131.423		
18	T	4.0115	3.5431	4.2207	4.1719	3.9573	4.9127	4.3188	4.0301	33.1661		
	S	144.641	122.389	123.418	136.465	144.038	134.484	136.086	143.297	135.681		
19	T	3.9385	3.4042	4.1656	4.1447	3.9483	4.8884	4.3281	4.0335	32.8513		
	S	147.322	127.383	125.050	137.361	144.366	135.153	135.793	143.176	136.981		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 20 - Swanson, Kody (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.9477	3.4150	4.5749	5.4591	6.0164			59.6449	639.3153		42.8499
	S	146.979	126.980	113.862	104.288	94.741			75.447	1.675		91.540
21	T			5.1240	4.2913	5.6805	4.8660	4.3153	662.6026		40.0823	
	S			111.108	132.827	116.307	120.782	133.826	6.791		99.834	
22	T	4.1421	3.7616	4.5029	4.3232	4.0466	5.1977	4.5343	4.1407	34.6491		
	S	140.080	115.280	115.683	131.689	140.859	127.110	129.618	139.469	129.874		
23	T	4.0186	3.6278	4.3523	4.2460	4.0034	5.0139	4.4775	4.1093	33.8488		
	S	144.385	119.531	119.686	134.083	142.379	131.770	131.262	140.535	132.944		
24	T	3.9896	3.5090	4.3134	4.2218	3.9875	4.9664	4.3696	4.0479	33.4052		
	S	145.435	123.578	120.765	134.852	142.947	133.030	134.504	142.667	134.710		
25	T	3.9628	3.4999	4.2945	4.1945	3.9662	4.9231	4.3842	4.0455	33.2707		
	S	146.419	123.900	121.297	135.730	143.714	134.200	134.056	142.751	135.254		
26	T	3.9518	3.4676	4.2716	4.1854	3.9679	4.9408	4.3948	4.0529	33.2328		
	S	146.826	125.054	121.947	136.025	143.653	133.720	133.732	142.491	135.408		
27	T	4.1024	4.1883	7.0479	12.4248	20.0170						
	S	141.436	103.535	73.910	45.821	28.476						

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 3 - Comeau, Antoine

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.2613	4.0190	4.7022	4.4547	4.1292	5.3572	4.6032	4.1828	35.7096		40.3480
	S	136.162	107.897	110.780	127.802	138.041	123.326	127.678	138.065	126.017		99.177
2	T	4.0217	3.7153	4.6216	4.3681	3.9926	5.0893	4.5400	4.1465	34.4951		
	S	144.274	116.716	112.712	130.335	142.764	129.818	129.455	139.274	130.453		
3	T	4.0022	3.9055	4.5998	4.2797	3.9229	5.1295	4.5538	4.1210	34.5144		
	S	144.977	111.032	113.246	133.028	145.301	128.800	129.063	140.136	130.380		
4	T	4.0312	3.9019	4.6492	4.3483	3.9778	5.0620	4.5735	4.0869	34.6308		
	S	143.934	111.135	112.043	130.929	143.295	130.518	128.507	141.305	129.942		
5	T	3.9330	3.6733	4.5077	4.2940	3.9544	4.9826	4.4460	4.0720	33.8630		
	S	147.528	118.051	115.560	132.585	144.143	132.598	132.192	141.822	132.888		
6	T	3.9366	3.6400	4.4544	4.2752	3.9521	4.9207	4.4351	4.0556	33.6697		
	S	147.393	119.131	116.943	133.168	144.227	134.266	132.517	142.396	133.651		
7	T	3.9215	3.5790	4.4684	4.2863	3.9622	4.9008	4.4733	4.0910	33.6825		
	S	147.961	121.161	116.576	132.823	143.859	134.811	131.386	141.164	133.601		
8	T	3.9536	3.5841	4.4511	4.2623	3.9529	4.9328	4.4887	4.0876	33.7131		
	S	146.759	120.989	117.029	133.571	144.198	133.936	130.935	141.281	133.479		
9	T	3.9491	3.5819	4.4440	4.2696	3.9532	4.9080	4.4543	4.0709	33.6310		
	S	146.926	121.063	117.216	133.342	144.187	134.613	131.946	141.861	133.805		
10	T	3.9432	3.5741	4.4612	4.2678	3.9704	5.3407	4.6154	4.0948	34.2676		
	S	147.146	121.327	116.764	133.399	143.562	123.707	127.340	141.033	131.319		
11	T	3.9175	3.6400	4.3685	4.1937	3.8954	4.8956	4.4874	4.0624	33.4605		
	S	148.112	119.131	119.242	135.756	146.326	134.954	130.973	142.157	134.487		
12	T	3.9240	3.6301	4.4385	4.2474	3.9330	4.8613	4.4727	4.0682	33.5752		
	S	147.866	119.456	117.362	134.039	144.928	135.906	131.403	141.955	134.027		
13	T	3.9491	3.5858	4.4130	4.2317	3.9257	4.9074	4.4386	4.0675	33.5188		
	S	146.926	120.932	118.040	134.537	145.197	134.630	132.413	141.979	134.253		
14	T	3.9395	3.5884	4.5053	4.2951	3.9513	4.9070	4.5198	4.1076	33.8140		
	S	147.284	120.844	115.621	132.551	144.256	134.641	130.034	140.593	133.081		
15	T	3.9908	3.8721	4.8103	4.6849	5.3551				55.6189	153.7026	38.7795
	S	145.391	111.990	108.290	121.522	106.441				80.908	6.969	101.149
16	T				5.0556	4.2320	5.5758	4.8904	4.2391	174.8468		37.9836
	S				112.611	134.688	118.491	120.180	136.232	25.737		105.350
17	T	4.0107	3.6742	4.5243	4.3069	3.9811	5.3491	4.6548	4.1370	34.6381		
	S	144.670	118.022	115.136	132.187	143.177	123.513	126.263	139.594	129.915		
18	T	4.0545	4.1475	5.1353	5.1216	6.9503				66.3374	564.7905	47.6022
	S	143.107	104.554	101.437	111.160	82.011				67.835	1.897	82.402
19	T				5.1929	4.2930	5.4021	4.6746	4.1141	585.4243		39.3690
	S				109.634	132.774	122.301	125.728	140.371	7.687		101.643

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 3 - Comeau, Antoine

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.9436	3.6399	4.5232	4.2987	3.9585	4.9830	4.5839	4.1121	34.0429		
	S	147.131	119.134	115.164	132.440	143.994	132.587	128.216	140.439	132.186		
21	T	3.9382	3.5423	4.4507	4.2746	3.9523	4.8770	4.4246	4.0489	33.5086		
	S	147.333	122.417	117.040	133.186	144.220	135.469	132.832	142.631	134.294		
22	T	3.9024	3.4702	4.4371	4.2655	3.9523	4.8526	4.4342	4.0599	33.3742		
	S	148.685	124.960	117.399	133.470	144.220	136.150	132.544	142.245	134.835		
23	T	3.9244	3.5377	4.4382	4.2593	3.9528	4.8938	4.4203	4.0579	33.4844		
	S	147.851	122.576	117.369	133.665	144.202	135.004	132.961	142.315	134.391		
24	T	3.9326	3.5619	4.4115	4.2530	3.9473	4.8771	4.4567	4.0710	33.5111		
	S	147.543	121.743	118.080	133.863	144.403	135.466	131.875	141.857	134.284		
25	T	3.9435	3.5863	4.3595	4.2236	3.9338	4.8514	4.4444	4.0739	33.4164		
	S	147.135	120.915	119.488	134.795	144.898	136.184	132.240	141.756	134.664		
26	T	3.9363	3.5728	4.3144	4.1923	3.9292	4.9212	4.4634	4.0700	33.3996		
	S	147.404	121.372	120.737	135.801	145.068	134.252	131.677	141.892	134.732		
27	T	3.9131	3.5733	4.2952	4.1887	3.9206	4.8238	4.4451	4.0572	33.2170		
	S	148.278	121.355	121.277	135.918	145.386	136.963	132.219	142.340	135.473		
28	T	3.9025	3.5378	4.2925	4.3753	5.5952				55.1723	511.1236	38.1477
	S	148.681	122.572	121.353	130.121	101.873				81.563	2.096	102.824
29	T				5.1917	4.2844	5.6808	4.6642	4.0862	534.3776		40.2786
	S				109.659	133.041	116.301	126.008	141.329	8.421		99.348
30	T	3.9233	3.5976	4.3921	4.2050	3.9288	5.1957	4.6570	4.0737	33.9732		
	S	147.893	120.535	118.601	135.391	145.082	127.159	126.203	141.763	132.457		
31	T	3.9066	3.5700	4.4006	4.2176	3.9316	5.1971	4.5876	4.1036	33.9147		
	S	148.525	121.467	118.372	134.986	144.979	127.125	128.112	140.730	132.686		
32	T	3.9515	3.8584	4.6323	4.6068	4.1770	4.9179	4.4097	4.0312	34.5848		
	S	146.837	112.388	112.452	123.582	136.462	134.342	133.281	143.258	130.115		
33	T	3.8987	3.4388	4.3399	4.1847	3.9117	4.8180	4.3709	4.0215	32.9842		
	S	148.826	126.101	120.028	136.048	145.717	137.128	134.464	143.603	136.429		
34	T	3.8927	3.4982	4.2778	4.1613	3.9075	4.7777	4.3517	4.0128	32.8797		
	S	149.055	123.960	121.770	136.813	145.873	138.284	135.057	143.914	136.863		
35	T	3.8841	3.4656	4.3028	4.1823	3.9180	4.7975	4.3636	4.0077	32.9216		
	S	149.385	125.126	121.063	136.126	145.482	137.714	134.689	144.098	136.688		
36	T	3.8977	3.5339	4.3063	4.2882	5.7610				60.2951		43.7209
	S	148.864	122.708	120.964	132.764	98.941				74.633		89.717

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 42 - Petrov, Artem

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	3.9103	3.6718	4.4528	4.1958	3.8976	4.7710	4.3431	3.9940	33.2364		35.5079
	S	148.384	118.099	116.985	135.688	146.244	138.479	135.324	144.592	135.394		112.696
2	T	3.8384	3.3734	4.2312	4.1046	3.8414	4.6327	4.2709	3.9134	32.2060		
	S	151.164	128.546	123.111	138.702	148.383	142.613	137.612	147.570	139.726		
3	T	3.7680	3.3741	4.2845	4.0970	3.8051	4.7690	4.3753	3.9410	32.4140		
	S	153.988	128.519	121.580	138.960	149.799	138.537	134.328	146.536	138.829		
4	T	3.8869	3.7932	4.6265	4.3314	4.2334				51.2680	457.5642	34.5009
	S	149.278	114.319	112.592	131.440	134.644				87.774	2.341	113.693
5	T				4.7301	4.1110	5.0965	4.4889	4.8644	476.1641		35.3670
	S				120.361	138.652	129.634	130.929	118.720	9.451		113.145
6	T	4.4812	3.7849	4.2948	4.1295	3.8368	4.7801	4.3734	3.9799	33.6606		
	S	129.480	114.570	121.288	137.866	148.561	138.215	134.387	145.104	133.687		
7	T	3.8283	3.6277	4.3127	4.1304	3.8186	4.7770	4.3306	3.9547	32.7800		
	S	151.563	119.535	120.785	137.836	149.269	138.305	135.715	146.029	137.279		
8	T	3.7825	3.4310	4.3224	4.1153	3.8216	4.6986	4.3460	3.9852	32.5026		
	S	153.398	126.388	120.514	138.342	149.152	140.612	135.234	144.911	138.450		
9	T	3.8040	3.3658	4.3676	4.1608	4.0327	5.0500	4.2922	3.9757	33.0488		
	S	152.531	128.836	119.267	136.829	141.345	130.828	136.929	145.257	136.162		
10	T	4.4519	4.5331	6.1563	7.2106	7.8797				70.0097	543.8814	52.8283
	S	130.333	95.660	84.614	78.956	72.338				64.277	1.969	74.250
11	T				4.6449	4.0905	4.8852	4.3810	4.0250	559.9701		33.2701
	S				122.568	139.347	135.242	134.154	143.478	8.036		120.276
12	T	3.8840	3.3832	4.1704	4.1060	3.8647	4.6508	4.2938	3.9640	32.3169		
	S	149.389	128.173	124.906	138.655	147.489	142.058	136.878	145.686	139.246		
13	T	3.8341	3.2811	4.1474	4.0795	3.8502	4.6346	4.2607	3.9387	32.0263		
	S	151.333	132.162	125.599	139.556	148.044	142.554	137.941	146.622	140.510		
14	T	3.8098	3.2929	4.1838	4.0905	3.8543	4.6302	4.2911	3.9526	32.1052		
	S	152.299	131.688	124.506	139.181	147.887	142.690	136.964	146.106	140.164		
15	T	3.8106	3.3404	4.2867	4.1285	3.8141	4.7007	4.3168	3.9823	32.3801		
	S	152.267	129.816	121.518	137.900	149.445	140.550	136.149	145.017	138.974		
16	T	3.8420	3.3128	4.2370	4.1255	3.8733	4.6820	4.3379	3.9797	32.3902		
	S	151.022	130.897	122.943	138.000	147.161	141.111	135.487	145.111	138.931		
17	T	3.8327	3.2963	4.2248	4.1194	3.8633	4.6618	4.3016	3.9652	32.2651		
	S	151.389	131.552	123.298	138.204	147.542	141.722	136.630	145.642	139.470		
18	T	3.8346	3.2930	4.1802	4.0945	3.8550	4.6819	4.3418	3.9890	32.2700		
	S	151.314	131.684	124.613	139.045	147.860	141.114	135.365	144.773	139.448		
19	T	3.8422	3.2980	4.2529	4.1410	4.6514				52.8198	565.3429	36.3271
	S	151.014	131.485	122.483	137.483	122.544				85.195	1.895	107.977

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 42 - Petrov, Artem

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T			5.9078	4.4692	5.1385	4.4424	4.0180	586.7824		37.9322	
	S			96.367	127.540	128.575	132.299	143.728	7.669		105.493	
21	T	3.8736	3.3531	4.1572	4.0969	3.8622	4.6694	4.3002	3.9692	32.2818		
	S	149.790	129.324	125.303	138.963	147.584	141.492	136.674	145.495	139.397		
22	T	3.8353	3.2679	4.1592	4.0825	3.8512	4.5900	4.2259	3.9258	31.9378		
	S	151.286	132.696	125.243	139.453	148.006	143.939	139.077	147.104	140.899		
23	T	3.8105	3.2801	4.1414	4.0664	3.8443	4.6454	4.2887	3.9555	32.0323		
	S	152.271	132.202	125.781	140.005	148.271	142.223	137.041	145.999	140.483		
24	T	3.8264	3.3089	4.1796	4.0901	3.8487	4.6268	4.2633	3.9447	32.0885		
	S	151.638	131.052	124.631	139.194	148.102	142.795	137.857	146.399	140.237		
25	T	3.8116	3.2693	4.1999	4.0920	3.8540	4.6384	4.2589	3.9371	32.0612		
	S	152.227	132.639	124.029	139.130	147.898	142.437	138.000	146.682	140.357		
26	T	3.8063	3.3156	4.1660	4.0825	3.8465	4.6091	4.2365	3.9163	31.9788		
	S	152.439	130.787	125.038	139.453	148.187	143.343	138.729	147.461	140.718		
27	T	3.7796	3.3210	4.1877	4.0907	3.8504	4.6592	4.2705	3.9416	32.1007		
	S	153.516	130.574	124.390	139.174	148.037	141.802	137.625	146.514	140.184		
28	T	4.6203	4.7177	6.0059	6.5807	9.2255			74.6416		57.4251	
	S	125.582	91.917	86.733	86.513	61.785			60.288		68.306	

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 51 - Abel, Jacob

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.0069	3.9618	4.8374	4.4697	4.0197	5.2034	4.5576	4.1231	35.1796		37.7281
	S	144.807	109.454	107.684	127.373	141.802	126.971	128.955	140.065	127.915		106.064
2	T	3.9559	3.7124	4.4894	4.2365	3.9286	5.1681	4.5189	4.0728	34.0826		
	S	146.674	116.808	116.031	134.384	145.090	127.838	130.060	141.794	132.032		
3	T	3.8794	3.7050	4.5093	4.2759	3.9548	4.9445	4.3790	4.0512	33.6991		
	S	149.566	117.041	115.519	133.146	144.129	133.620	134.215	142.550	133.535		
4	T	3.9339	3.5593	4.3067	4.1899	3.9224	4.8621	4.3414	4.0227	33.1384		
	S	147.494	121.832	120.953	135.879	145.319	135.884	135.377	143.560	135.794		
5	T	3.9115	3.5333	4.2413	4.1523	3.8986	4.8296	4.3147	4.0036	32.8849		
	S	148.339	122.728	122.818	137.109	146.206	136.798	136.215	144.245	136.841		
6	T	3.8944	3.4860	4.2492	4.1551	3.8991	4.8372	4.3294	4.0034	32.8538		
	S	148.990	124.394	122.590	137.017	146.188	136.584	135.753	144.252	136.970		
7	T	3.8829	3.5253	4.2461	4.1470	3.8933	4.7635	4.2868	3.9880	32.7329		
	S	149.431	123.007	122.679	137.284	146.405	138.697	137.102	144.809	137.476		
8	T	3.8666	3.4415	4.2204	4.1498	4.6167				52.8964	108.5201	36.2380
	S	150.061	126.002	123.426	137.192	123.465				85.072	9.870	108.243
9	T				5.5884	4.4485	5.7253	4.7463	4.1683	129.1078		37.2461
	S				101.875	128.133	115.397	123.829	138.546	34.855		107.437
10	T	4.0162	3.7611	4.4041	4.2174	3.9228	4.9338	4.3710	4.0269	33.6533		
	S	144.472	115.295	118.278	134.993	145.304	133.909	134.461	143.411	133.716		
11	T	3.8967	3.4975	4.2038	4.1219	3.8799	4.7996	4.3359	4.0049	32.7402		
	S	148.902	123.985	123.914	138.120	146.911	137.654	135.549	144.198	137.446		
12	T	3.8952	3.4411	4.1465	4.0981	3.8654	4.7388	4.2953	3.9918	32.4722		
	S	148.960	126.017	125.626	138.922	147.462	139.420	136.830	144.672	138.580		
13	T	3.8821	3.4381	4.1626	4.1080	3.8786	4.7377	4.2786	3.9857	32.4714		
	S	149.462	126.127	125.140	138.588	146.960	139.452	137.364	144.893	138.583		
14	T	3.8828	3.4273	4.1901	4.1262	3.8797	4.7194	4.3057	3.9856	32.5168		
	S	149.435	126.524	124.319	137.976	146.919	139.993	136.500	144.897	138.390		
15	T	3.9278	3.7501	4.5002	4.2778	4.7956				53.2608	130.8191	36.3728
	S	147.723	115.633	115.752	133.087	118.859				84.490	8.188	107.842
16	T				7.5050	8.4121				186.9395	548.7390	
	S				75.859	67.760				24.072	1.952	
17	T				5.0969	4.2713	5.6758	4.7687	4.1691	570.8805		39.9302
	S				111.699	133.449	116.403	123.247	138.519	7.883		100.215
18	T	3.9659	3.6271	4.3232	4.1882	3.9188	4.9073	4.3892	4.0349	33.3546		
	S	146.304	119.555	120.492	135.934	145.453	134.632	133.903	143.126	134.914		
19	T	3.9027	3.5138	4.2174	4.1315	3.8926	4.7568	4.2955	3.9844	32.6947		
	S	148.673	123.410	123.514	137.799	146.432	138.892	136.824	144.940	137.637		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 51 - Abel, Jacob

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.8672	3.4034	4.1889	4.1148	3.8813	4.7921	4.3260	3.9959	32.5696		
	S	150.038	127.413	124.355	138.359	146.858	137.869	135.859	144.523	138.166		
21	T	3.8757	3.3885	4.2090	4.1262	3.8749	4.7912	4.3136	3.9954	32.5745		
	S	149.709	127.973	123.761	137.976	147.101	137.895	136.250	144.541	138.145		
22	T	3.8849	3.3995	4.1534	4.0922	3.8691	4.7198	4.2843	3.9820	32.3852		
	S	149.354	127.559	125.418	139.123	147.321	139.981	137.182	145.028	138.952		
23	T	3.8697	3.4233	4.1630	4.1025	3.8739	4.7284	4.2892	3.9816	32.4316		
	S	149.941	126.672	125.128	138.773	147.139	139.726	137.025	145.042	138.754		
24	T	3.8784	3.4419	4.1597	4.0991	3.8725	4.7873	4.3200	4.0069	32.5658		
	S	149.605	125.987	125.228	138.889	147.192	138.007	136.048	144.126	138.182		
25	T	3.8919	3.5063	4.4369	4.9388	4.4317	4.9667	4.3578	4.0085	34.5386		
	S	149.086	123.673	117.404	115.275	128.619	133.022	134.868	144.069	130.289		
26	T	3.8596	3.4315	4.2053	4.0963	4.4105				53.2554	520.9553	36.5778
	S	150.334	126.369	123.870	138.984	129.237				84.498	2.056	107.237
27	T				5.1321	4.2387	5.4158	4.5672	4.0740	543.1909		38.9132
	S				110.933	134.475	121.992	128.684	141.753	8.284		102.834
28	T	3.9135	3.5632	4.2795	4.1382	3.8764	4.8425	4.3386	3.9833	32.9352		
	S	148.263	121.699	121.722	137.576	147.044	136.434	135.465	144.980	136.632		
29	T	3.8406	3.5803	4.4476	4.1760	3.8479	5.2303	4.5650	4.1143	33.8020		
	S	151.077	121.117	117.121	136.331	148.133	126.318	128.746	140.364	133.128		
30	T	3.8543	3.5807	4.3189	4.1514	3.8910	4.7988	4.3279	4.0029	32.9259		
	S	150.540	121.104	120.612	137.139	146.492	137.676	135.800	144.270	136.671		
31	T	3.8739	3.4476	4.2311	4.1179	3.8727	4.7201	4.2842	3.9742	32.5217		
	S	149.779	125.779	123.114	138.254	147.184	139.972	137.185	145.312	138.369		
32	T	3.8504	3.3538	4.2018	4.0983	3.8670	4.6943	4.2729	3.9669	32.3054		
	S	150.693	129.297	123.973	138.916	147.401	140.741	137.548	145.580	139.296		
33	T	3.8332	3.3769	4.2216	4.1024	3.8476	4.7190	4.2894	3.9817	32.3718		
	S	151.369	128.413	123.391	138.777	148.144	140.005	137.019	145.039	139.010		
34	T	3.8368	3.3784	4.2160	4.1664	5.5751				58.8939		42.0360
	S	151.227	128.356	123.555	136.645	102.240				76.409		93.313

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 6 - de la Vara, Moises

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI	
1	T	4.3543	4.3232	4.9591	4.5701	5.0567	6.7868	5.5896	4.6912	56.4449	188.8204	42.1835	39.6994
	S	133.254	100.304	105.041	124.575	112.722	97.348	105.147	123.103	79.724	5.673	94.862	98.805
2	T				5.4037	4.4196	5.2195	4.4688	4.0567	208.6646		36.5897	
	S				105.357	128.971	126.580	131.518	142.357	21.566		109.364	
3	T	3.9178	3.5242	4.2989	4.1985	3.9354	4.8425	4.3296	4.0245	33.0714			
	S	148.100	123.045	121.173	135.600	144.839	136.434	135.746	143.496	136.069			
4	T	3.9005	3.4530	4.2607	4.1688	4.0360				59.1312	1299.9454		37.9209
	S	148.757	125.582	122.259	136.566	141.229				76.102	0.824		103.439
5	T				4.8155	4.2037	5.3286	4.5717	4.1344	1313.3432		34.6081	
	S				118.226	135.595	123.988	128.558	139.682	3.426		115.626	
6	T	4.0044	4.1281	5.0384	4.6542	5.5596				59.7700	494.7336		42.8087
	S	144.897	105.045	103.388	122.324	102.525				75.289	2.165		91.629
7	T				5.3910	4.4536	5.7556	4.5420	4.0911	519.7228		41.9505	
	S				105.605	127.986	114.789	129.398	141.160	8.658		95.388	
8	T	3.9248	3.6130	4.3064	4.1941	3.9364	4.8981	4.3869	4.0629	33.3226			
	S	147.836	120.021	120.962	135.743	144.802	134.885	133.973	142.140	135.043			
9	T	3.9152	3.5036	4.3547	4.2251	3.9587	5.0818	4.5774	4.1163	33.7328			
	S	148.199	123.769	119.620	134.747	143.987	130.009	128.398	140.296	133.401			
10	T	3.9229	3.4355	4.2456	4.1482	3.8910	4.7674	4.3159	4.0053	32.7318			
	S	147.908	126.222	122.694	137.245	146.492	138.583	136.177	144.184	137.481			
11	T	3.8754	3.3955	4.2185	4.1517	3.9151	4.7331	4.3046	4.0102	32.6041			
	S	149.721	127.709	123.482	137.129	145.590	139.588	136.535	144.008	138.019			
12	T	3.8779	3.3822	4.1881	4.1273	3.9078	4.7872	4.3285	4.0367	32.6357			
	S	149.624	128.211	124.378	137.940	145.862	138.010	135.781	143.062	137.886			
13	T	3.9192	3.4069	4.1937	4.1503	3.9245	4.6982	4.2511	3.9790	32.5229			
	S	148.047	127.282	124.212	137.175	145.241	140.624	138.253	145.137	138.364			
14	T	3.8816	3.3657	4.1891	4.1443	4.6500				58.6416			41.9368
	S	149.481	128.840	124.349	137.374	122.581				76.737			93.534

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 68 - Frost, Danial

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	3.8816	3.4851	4.2551	4.1430	3.8716	4.7439	4.3242	3.9981	32.7026		34.0395
	S	149.481	124.426	122.420	137.417	147.226	139.270	135.916	144.444	137.604		117.557
2	T	3.8535	3.3964	4.1819	4.0851	3.8344	4.6489	4.6291	4.1252	32.7545		
	S	150.571	127.675	124.563	139.365	148.654	142.116	126.964	139.993	137.386		
3	T	3.9100	3.4332	4.1977	4.0926	3.8513	4.6408	4.2410	3.9383	32.3049		
	S	148.396	126.307	124.094	139.109	148.002	142.364	138.582	146.637	139.298		
4	T	3.7919	3.3399	4.1865	4.0952	3.8537	4.6381	4.5375	4.0666	32.5094		
	S	153.018	129.835	124.426	139.021	147.910	142.447	129.527	142.011	138.422		
5	T	3.8736	3.4397	4.1677	4.0720	3.8355	4.6753	4.2761	3.9339	32.2738		
	S	149.790	126.068	124.987	139.813	148.612	141.313	137.445	146.801	139.432		
6	T	3.7989	3.3687	4.1753	4.0694	3.8192	5.2061	4.3902	3.9473	32.7751		
	S	152.736	128.725	124.760	139.902	149.246	126.905	133.873	146.303	137.299		
7	T	3.8220	3.3803	4.1463	4.0558	3.8115	4.6310	4.2346	3.9059	31.9874		
	S	151.812	128.283	125.632	140.371	149.547	142.665	138.792	147.853	140.680		
8	T	3.7655	3.3321	4.2141	4.1063	3.8276	4.6525	4.2438	3.9042	32.0461		
	S	154.090	130.139	123.611	138.645	148.918	142.006	138.491	147.918	140.423		
9	T	3.7668	3.4591	4.1932	4.0643	3.8062	4.6940	4.2481	3.9078	32.1395		
	S	154.037	125.361	124.227	140.078	149.756	140.750	138.351	147.781	140.015		
10	T	3.7531	3.4489	4.1537	4.0853	3.8543	4.6369	4.2669	3.9372	32.1363		
	S	154.599	125.732	125.408	139.358	147.887	142.484	137.741	146.678	140.029		
11	T	3.8234	3.3430	4.2128	4.1165	3.8595	4.6094	4.2124	3.9123	32.0893		
	S	151.757	129.715	123.649	138.302	147.688	143.334	139.523	147.611	140.234		
12	T	3.8063	3.3544	4.1478	4.0784	3.8411	4.6225	4.2354	3.9252	32.0111		
	S	152.439	129.274	125.587	139.594	148.395	142.927	138.765	147.126	140.576		
13	T	3.8178	3.3583	4.1546	4.0958	3.9777				48.5036	170.3313	31.6722
	S	151.979	129.124	125.381	139.000	143.299				92.777	6.289	123.847
14	T				5.0098	4.1868	4.9224	4.3186	3.9619	194.6255		41.1256
	S				113.641	136.142	134.219	136.092	145.763	23.121		97.302
15	T	3.8358	3.3573	4.0883	4.0463	3.8314	4.6131	4.2271	3.9497	31.9490		
	S	151.266	129.162	127.415	140.701	148.771	143.219	139.038	146.214	140.849		
16	T	3.8335	3.3411	4.0964	4.0528	3.8258	4.5776	4.2462	3.9465	31.9199		
	S	151.357	129.789	127.163	140.475	148.988	144.329	138.413	146.332	140.978		
17	T	3.8297	3.4186	4.1546	4.0742	3.8369	4.6217	4.2382	3.9466	32.1205		
	S	151.507	126.846	125.381	139.737	148.557	142.952	138.674	146.328	140.097		
18	T	3.8271	3.3404	4.0979	4.0341	3.8111	4.6221	4.2546	3.9521	31.9394		
	S	151.610	129.816	127.116	141.126	149.563	142.940	138.139	146.125	140.892		
19	T	4.7201	4.8909	6.3553	7.3614	8.5094				72.0938	746.9570	54.6804
	S	122.927	88.662	81.965	77.338	66.985				62.419	1.434	71.735

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 68 - Frost, Danial

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T			4.8524	4.1585	5.0215	4.3644	3.9739	767.2145		37.6709	
	S			117.327	137.069	131.571	134.664	145.323	5.865		106.225	
21	T	3.8400	3.4075	4.0993	4.0470	3.8322	4.7187	4.2809	3.9538	32.1794		
	S	151.101	127.259	127.073	140.677	148.740	140.014	137.291	146.062	139.841		
22	T	3.8123	3.3618	4.1025	4.0562	3.8424	4.6509	4.2208	3.9275	31.9744		
	S	152.199	128.989	126.974	140.358	148.345	142.055	139.245	147.040	140.738		
23	T	3.8137	3.3404	4.0893	4.0561	3.8444	4.6598	4.4649	5.5194	33.7880		
	S	152.143	129.816	127.383	140.361	148.268	141.783	131.633	104.631	133.183		
24	T	6.1086	5.4895	6.4995	6.8363	7.2528				69.8076	468.9453	51.2127
	S	94.985	78.994	80.146	83.279	78.590				64.463	2.284	76.592
25	T			5.2060	4.2510	4.9917	4.3404	3.9708	490.6010		40.2506	
	S			109.358	134.086	132.356	135.409	145.437	9.172		99.417	
26	T	3.8353	3.4330	4.1407	4.0602	3.8297	4.6443	4.2357	3.9173	32.0962		
	S	151.286	126.314	125.802	140.219	148.837	142.256	138.756	147.423	140.204		
27	T	3.7753	3.3453	4.1532	4.0567	3.8038	4.6436	4.2376	3.8862	31.9017		
	S	153.690	129.626	125.424	140.340	149.850	142.278	138.693	148.603	141.058		
28	T	3.7535	3.5567	4.3435	4.1219	3.8320	4.6680	4.2385	3.9050	32.4191		
	S	154.583	121.921	119.928	138.120	148.747	141.534	138.664	147.887	138.807		
29	T	3.7663	3.4892	4.2306	4.0997	3.8435	4.6853	4.2660	3.9506	32.3312		
	S	154.058	124.280	123.129	138.868	148.302	141.012	137.770	146.180	139.184		
30	T	3.8255	3.4048	4.1683	4.0798	3.8452	4.6291	4.2744	3.9340	32.1611		
	S	151.674	127.360	124.969	139.546	148.237	142.724	137.499	146.797	139.921		
31	T	3.8082	3.3582	4.1482	4.0724	3.8393	4.6628	4.2775	3.9445	32.1111		
	S	152.363	129.128	125.575	139.799	148.465	141.692	137.400	146.406	140.138		
32	T	3.8086	3.3499	4.1399	4.0684	3.8429	4.6965	4.6815	4.7283	33.3160		
	S	152.347	129.448	125.826	139.937	148.325	140.675	125.543	122.137	135.070		
33	T	4.9452	4.4135	5.3065	5.9427	7.3216				69.2852		51.5395
	S	117.331	98.252	98.164	95.801	77.852				64.949		76.107

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 7 - Enders, Kory

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI	
1	T	4.0647	3.9384	4.6706	4.4305	5.0771	5.7668	4.8262	4.2324	55.4229	173.2043	37.2381	38.7771
	S	142.748	110.105	111.529	128.500	112.269	114.566	121.778	136.447	81.194	6.184	107.460	101.155
2	T				4.9248	4.2625	5.3870	4.5227	4.1102	191.9642		35.4057	
	S				115.602	133.724	122.644	129.951	140.504	23.442		113.021	
3	T	3.9646	3.7875	4.4666	4.2464	3.9293	5.0136	4.3748	4.0209	33.8037			
	S	146.352	114.491	116.623	134.071	145.064	131.778	134.344	143.625	133.122			
4	T	3.8921	3.6377	4.3121	4.1576	3.8766	5.0365	4.4386	4.0484	33.3996			
	S	149.078	119.206	120.802	136.934	147.036	131.179	132.413	142.649	134.732			
5	T	3.8875	3.5684	4.2230	4.1024	3.8115	5.0832	4.4381	4.0515	33.1656			
	S	149.255	121.521	123.350	138.777	149.547	129.974	132.428	142.540	135.683			
6	T	3.9192	3.5391	4.1841	4.1209	3.8958	4.8943	4.2699	3.9822	32.8055			
	S	148.047	122.527	124.497	138.154	146.311	134.990	137.644	145.020	137.172			
7	T	3.8876	3.5025	4.1877	4.1144	3.8794	4.7497	4.2189	3.9529	32.4931			
	S	149.251	123.808	124.390	138.372	146.930	139.100	139.308	146.095	138.491			
8	T	3.8567	3.4725	4.1933	4.1237	3.8813	4.7493	4.2403	3.9686	32.4857			
	S	150.447	124.877	124.224	138.060	146.858	139.111	138.605	145.517	138.522			
9	T	3.8645	3.4975	4.2140	4.1281	3.8770	4.7671	4.2469	3.9714	32.5665			
	S	150.143	123.985	123.614	137.913	147.021	138.592	138.390	145.415	138.179			
10	T	3.8769	3.4666	4.1704	4.1093	3.8720	4.7343	4.2389	3.9698	32.4382			
	S	149.663	125.090	124.906	138.544	147.211	139.552	138.651	145.473	138.725			
11	T	3.8688	3.4481	4.1533	4.0962	3.8675	4.7399	4.2564	3.9737	32.4039			
	S	149.976	125.761	125.421	138.987	147.382	139.387	138.081	145.331	138.872			
12	T	3.8759	3.4814	4.1800	4.1101	3.8793	4.7649	4.2401	3.9654	32.4971			
	S	149.701	124.558	124.619	138.517	146.934	138.656	138.612	145.635	138.474			
13	T	3.8675	3.4763	4.2584	4.1532	3.8874	4.7707	4.2212	3.9495	32.5842			
	S	150.026	124.741	122.325	137.079	146.628	138.487	139.232	146.221	138.104			
14	T	3.8408	3.4536	4.1964	4.1065	3.8492	4.9682	4.3557	3.9863	32.7567			
	S	151.069	125.561	124.132	138.638	148.083	132.982	134.933	144.871	137.376			
15	T	3.8265	3.5399	4.2736	4.1498	3.8872	4.7563	4.2380	3.9753	32.6466			
	S	151.634	122.500	121.890	137.192	146.635	138.907	138.680	145.272	137.840			
16	T	3.8880	3.4989	4.1892	4.1103	3.8668	4.7970	4.2675	3.9805	32.5982			
	S	149.235	123.935	124.346	138.510	147.409	137.728	137.722	145.082	138.044			
17	T	3.8765	3.4936	4.1547	4.0913	3.8604	4.7153	4.2045	3.9464	32.3427			
	S	149.678	124.123	125.378	139.153	147.653	140.114	139.785	146.336	139.135			
18	T	3.8518	3.4558	4.1691	4.1035	4.8022				55.4311	575.4131		38.7687
	S	150.638	125.481	124.945	138.740	118.696				81.182	1.862		101.177
19	T				4.7559	4.1292	5.3473	4.5165	4.0354	593.3225		34.5718	
	S				119.708	138.041	123.554	130.129	143.108	7.584		115.747	

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 7 - Enders, Kory

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.8958	3.5442	4.1878	4.1083	3.8723	4.7909	4.2490	3.9717	32.6200		
	S	148.937	122.351	124.387	138.578	147.199	137.903	138.321	145.404	137.952		
21	T	3.8557	3.4965	4.1411	4.0673	3.8374	4.6971	4.1937	3.9285	32.2173		
	S	150.486	124.020	125.790	139.974	148.538	140.657	140.145	147.003	139.677		
22	T	3.8061	3.4323	4.1346	4.0456	3.8199	4.7538	4.2349	3.9197	32.1469		
	S	152.447	126.340	125.988	140.725	149.219	138.980	138.782	147.333	139.982		
23	T	3.7945	3.5231	4.6160	4.3771	3.9819	5.0874	4.3741	4.0146	33.7687		
	S	152.913	123.084	112.849	130.067	143.148	129.866	134.365	143.850	133.259		
24	T	3.8301	3.5225	4.2788	4.1560	3.8652	4.7506	4.2704	3.9632	32.6368		
	S	151.491	123.105	121.742	136.987	147.470	139.073	137.628	145.716	137.881		
25	T	3.8295	3.5058	4.2427	4.1033	3.8448	4.8968	4.3272	3.9902	32.7403		
	S	151.515	123.691	122.778	138.746	148.252	134.921	135.822	144.730	137.445		
26	T	3.8488	3.5841	4.3772	4.1658	3.8528	5.2519	4.4528	4.0360	33.5694		
	S	150.755	120.989	119.005	136.665	147.944	125.799	131.990	143.087	134.051		
27	T	3.8647	3.6156	4.3074	4.1202	3.8182	5.0118	4.4964	4.1030	33.3373		
	S	150.135	119.935	120.934	138.177	149.285	131.825	130.711	140.751	134.984		
28	T	3.9211	3.5696	4.2234	4.1236	3.8808	4.8503	4.2789	4.0043	32.8520		
	S	147.976	121.480	123.339	138.063	146.877	136.215	137.355	144.220	136.978		
29	T	4.2824	4.1708	5.4786	5.4934	6.8949				61.3039	488.1242	44.8161
	S	135.491	103.970	95.081	103.637	82.670				73.405	2.194	87.524
30	T				5.1898	4.2468	5.2954	4.4380	4.0270	511.4810		39.8446
	S				109.699	134.219	124.765	132.431	143.407	8.798		100.430
31	T	3.8669	3.5092	4.1639	4.0732	3.8306	4.7518	4.2466	3.9637	32.4059		
	S	150.050	123.571	125.101	139.772	148.802	139.038	138.399	145.697	138.864		
32	T	3.8316	3.4380	4.1275	4.0583	3.8378	4.6566	4.1822	3.9247	32.0567		
	S	151.432	126.130	126.205	140.285	148.523	141.881	140.531	147.145	140.376		
33	T	3.8223	3.4581	4.0954	4.0337	3.8098	4.7975	5.3993	4.4564	33.8725		
	S	151.801	125.397	127.194	141.140	149.614	137.714	108.852	129.589	132.851		
34	T	4.1374	3.6384	4.2937	4.1710	4.5603				54.3375		37.6957
	S	140.240	119.183	121.319	136.494	124.992				82.816		104.057

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 8 - Sulaiman, Manuel (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI	
1	T	4.9673	4.3172	5.0088	4.6609	5.4211	7.1907	5.9268	4.6897	57.1922	219.9880	43.2127	39.8336
	S	116.809	100.444	103.999	122.148	105.145	91.880	99.164	123.142	78.682	4.869	92.602	98.472
2	T				5.3248	4.3954	5.6215	4.5408	4.0856	242.1821		39.5527	
	S				106.918	129.681	117.528	129.433	141.350	18.581		101.171	
3	T	3.9508	3.6205	4.2961	4.1836	3.9201	4.8484	4.3678	4.0549	33.2422			
	S	146.863	119.773	121.252	136.083	145.404	136.268	134.559	142.420	135.370			
4	T	3.9484	3.5900	4.2071	4.1462	3.9050	4.7995	4.3145	4.0234	32.9341			
	S	146.953	120.790	123.817	137.311	145.967	137.656	136.221	143.535	136.636			
5	T	3.9101	3.4940	4.1594	4.1209	3.8906	4.7688	4.2910	4.0161	32.6509			
	S	148.392	124.109	125.237	138.154	146.507	138.543	136.967	143.796	137.822			
6	T	3.9130	3.5694	4.2015	4.1419	3.8919	4.7903	4.3320	4.0376	32.8776			
	S	148.282	121.487	123.982	137.453	146.458	137.921	135.671	143.031	136.871			
7	T	3.9091	3.5157	4.1595	4.1248	3.8800	4.7508	4.2669	3.9977	32.6045			
	S	148.430	123.343	125.234	138.023	146.907	139.067	137.741	144.458	138.018			
8	T	3.8821	3.5308	4.1816	4.1152	3.8574	4.7690	4.3297	4.0053	32.6711			
	S	149.462	122.815	124.572	138.345	147.768	138.537	135.743	144.184	137.736			
9	T	3.8653	3.6458	4.2207	4.1497	3.8972	4.7526	4.3121	4.0259	32.8693			
	S	150.112	118.941	123.418	137.195	146.259	139.015	136.297	143.446	136.906			
10	T	3.8896	3.4735	4.1443	4.1095	3.8802	4.7483	4.2869	4.0171	32.5494			
	S	149.174	124.841	125.693	138.537	146.900	139.141	137.098	143.760	138.251			
11	T	3.9044	3.4720	4.1549	4.1186	3.8809	4.7229	4.3200	4.0337	32.6074			
	S	148.609	124.895	125.372	138.231	146.873	139.889	136.048	143.169	138.005			
12	T	3.9114	3.5020	4.1829	4.1322	3.8875	4.7213	4.2767	4.0073	32.6213			
	S	148.343	123.825	124.533	137.776	146.624	139.936	137.425	144.112	137.947			
13	T	3.8876	3.5284	4.1680	4.1120	3.8781	4.7051	4.3076	4.0252	32.6120			
	S	149.251	122.899	124.978	138.453	146.979	140.418	136.440	143.471	137.986			
14	T	3.9116	3.5341	4.1670	4.1163	3.8742	4.6862	4.2739	4.0134	32.5767			
	S	148.335	122.701	125.008	138.308	147.127	140.985	137.515	143.893	138.136			
15	T	3.9026	3.4809	4.1397	4.1007	3.8738	4.7294	4.2950	4.0189	32.5410			
	S	148.677	124.576	125.833	138.834	147.142	139.697	136.840	143.696	138.287			
16	T	3.9078	3.4916	4.1556	4.1019	3.8705	5.0048	4.7283	4.3004	33.5609			
	S	148.479	124.194	125.351	138.794	147.268	132.010	124.300	134.290	134.085			
17	T	4.4971	4.3996	4.8006	5.0215	7.6196				69.6328	537.4967		50.7931
	S	129.023	98.563	108.509	113.376	74.807				64.625	1.993		77.225
18	T				4.6281	4.0277	5.3128	4.6064	4.2027	552.6489		33.9919	
	S				123.013	141.520	124.357	127.589	137.412	8.143		117.722	
19	T	4.0057	3.7266	4.2836	4.1595	3.8666	4.7887	4.2580	3.9502	33.0389			
	S	144.850	116.362	121.605	136.872	147.416	137.967	138.029	146.195	136.203			

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 8 - Sulaiman, Manuel (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.8321	3.5086	4.1551	4.0827	3.8335	4.7226	4.2388	3.9457	32.3191		
	S	151.412	123.592	125.366	139.446	148.689	139.898	138.654	146.362	139.237		
21	T	3.8342	3.4485	4.1221	4.0627	3.8339	4.6619	4.2209	3.9275	32.1117		
	S	151.329	125.746	126.370	140.133	148.674	141.719	139.242	147.040	140.136		
22	T	3.8076	3.4249	4.2645	4.1361	3.8487	4.7834	4.3100	3.9820	32.5572		
	S	152.387	126.613	122.150	137.646	148.102	138.120	136.364	145.028	138.218		
23	T	3.8446	3.5173	4.1618	4.0753	3.8246	4.6970	4.2765	3.9501	32.3472		
	S	150.920	123.287	125.164	139.700	149.035	140.660	137.432	146.199	139.116		
24	T	3.8156	3.5070	4.2084	4.1075	3.8234	4.9468	4.3426	3.9659	32.7172		
	S	152.067	123.649	123.778	138.605	149.082	133.557	135.340	145.616	137.542		
25	T	3.8685	3.6062	4.2884	4.1404	3.8506	4.8076	4.3093	3.9636	32.8346		
	S	149.988	120.247	121.469	137.503	148.029	137.424	136.386	145.701	137.051		
26	T	3.8157	3.5334	4.2010	4.1041	3.8412	4.7757	4.2438	3.9435	32.4584		
	S	152.063	122.725	123.996	138.719	148.391	138.342	138.491	146.444	138.639		
27	T	3.8043	3.4723	4.1965	4.0878	3.8349	4.7593	4.3304	4.0464	32.5319		
	S	152.519	124.884	124.129	139.273	148.635	138.819	135.721	142.719	138.326		
28	T	4.3218	4.0588	5.2087	6.1172	6.9590				62.2671	487.6977	45.8437
	S	134.256	106.839	100.008	93.068	81.908				72.269	2.196	85.562
29	T				5.1490	4.2793	5.2016	4.3756	4.0210	511.4874		
	S				110.569	133.199	127.015	134.319	143.621	8.798		40.2131
30	T	3.9059	3.4690	4.1468	4.1110	3.8844	4.6770	4.2365	3.9786	32.4092		
	S	148.551	125.003	125.617	138.487	146.741	141.262	138.729	145.152	138.849		
31	T	3.8695	3.4677	4.1425	4.0889	3.8628	4.6984	4.2698	3.9821	32.3817		
	S	149.949	125.050	125.748	139.235	147.561	140.618	137.647	145.024	138.967		
32	T	3.8615	3.4637	4.1387	4.0842	3.8569	4.6837	4.2149	3.9515	32.2551		
	S	150.260	125.195	125.863	139.395	147.787	141.060	139.440	146.147	139.513		
33	T	3.8339	3.4271	4.1474	4.0974	4.9948				53.7536		36.8849
	S	151.341	126.532	125.599	138.946	114.119				83.715		106.344

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.5170	4.2402	5.1678	4.7585	4.3638	5.7335	4.9330	4.3555	38.0693		41.9067
	S	128.454	102.268	100.799	119.642	130.620	115.232	119.142	132.591	118.205		95.488
2	T	4.2487	3.8453	4.9157	4.6212	4.2160	5.3075	4.5728	4.1467	35.8739		
	S	136.566	112.770	105.968	123.197	135.199	124.481	128.527	139.267	125.439		
3	T	4.1798	3.8344	4.5840	4.4153	4.1036	5.2284	4.5298	4.1220	34.9973		
	S	138.817	113.091	113.636	128.942	138.902	126.364	129.747	140.102	128.581		
4	T	4.1248	3.7490	4.5707	4.4031	4.0977	5.1519	4.5897	4.1471	34.8340		
	S	140.668	115.667	113.967	129.299	139.102	128.240	128.054	139.254	129.184		
5	T	4.1298	3.7379	4.6754	4.4441	4.1852	5.4588	4.6554	4.1710	35.4576		
	S	140.498	116.011	111.415	128.107	136.194	121.031	126.246	138.456	126.912		
6	T	4.1053	3.6958	4.5031	4.3636	4.1122	5.2505	4.5132	4.1201	34.6638		
	S	141.336	117.332	115.678	130.470	138.612	125.832	130.224	140.167	129.818		
7	T	4.0999	3.6433	4.5926	4.4078	4.1033	5.1615	4.4625	4.0787	34.5496		
	S	141.522	119.023	113.424	129.162	138.913	128.002	131.704	141.589	130.248		
8	T	4.0332	3.6105	4.4988	4.3626	4.0723	5.0862	4.4084	4.0605	34.1325		
	S	143.863	120.104	115.788	130.500	139.970	129.897	133.320	142.224	131.839		
9	T	4.0690	3.6798	4.5166	4.3544	4.0630	5.0207	4.4344	4.0615	34.1994		
	S	142.597	117.842	115.332	130.745	140.290	131.592	132.538	142.189	131.581		
10	T	4.0301	3.6300	4.5118	4.3425	4.0490	5.0481	4.4465	4.0670	34.1250		
	S	143.973	119.459	115.455	131.104	140.776	130.877	132.178	141.997	131.868		
11	T	4.0819	3.7225	4.5551	4.3744	4.0741	5.1050	4.3972	4.0383	34.3485		
	S	142.146	116.491	114.357	130.148	139.908	129.419	133.659	143.006	131.010		
12	T	4.2206	3.7964	4.3980	4.2533	4.0030	5.0507	4.4180	4.0442	34.1842		
	S	137.475	114.223	118.442	133.853	142.393	130.810	133.030	142.797	131.640		
13	T	4.0998	3.6945	4.3729	4.2800	4.0239	5.0591	4.3870	4.0483	33.9655		
	S	141.526	117.373	119.122	133.018	141.654	130.593	133.970	142.652	132.487		
14	T	4.0696	3.6122	4.5006	4.3520	4.0661	5.1333	4.4604	4.0855	34.2797		
	S	142.576	120.048	115.742	130.818	140.183	128.705	131.766	141.354	131.273		
15	T	4.1712	3.7857	4.5298	4.3282	4.0266	5.1190	4.3944	4.0589	34.4138		
	S	139.103	114.546	114.996	131.537	141.559	129.065	133.745	142.280	130.761		
16	T	4.0514	3.6581	4.4366	4.3095	4.0532	5.1389	4.3988	4.0521	34.0986		
	S	143.216	118.541	117.412	132.108	140.630	128.565	133.611	142.519	131.970		
17	T	4.0677	3.7128	4.6440	4.4084	4.0807	5.0808	4.4081	4.0606	34.4631		
	S	142.643	116.795	112.168	129.144	139.682	130.035	133.329	142.220	130.574		
18	T	4.0950	3.8166	4.5922	4.3641	4.0506	5.1334	4.4169	4.0747	34.5435		
	S	141.692	113.618	113.433	130.455	140.720	128.703	133.063	141.728	130.271		
19	T	4.2258	3.9421	4.6145	4.3385	4.0193	4.9274	4.3530	4.0318	34.4524		
	S	137.306	110.001	112.885	131.225	141.816	134.083	135.017	143.236	130.615		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	4.0846	3.6769	4.5464	4.3619	4.0459	5.0197	4.3684	4.0270	34.1308		
	S	142.052	117.935	114.576	130.521	140.883	131.618	134.541	143.407	131.846		
21	T	4.0601	3.6417	4.3762	4.2582	3.9776	5.0127	4.3408	4.0245	33.6918		
	S	142.910	119.075	119.032	133.699	143.302	131.802	135.396	143.496	133.564		
22	T	4.1505	3.7160	4.6196	5.3849	7.2945				66.0553	572.9997	49.1674
	S	139.797	116.694	112.761	105.725	78.141				68.125	1.869	79.778
23	T				5.5059	4.5141	5.8264	4.9783	4.3471	598.3988		42.2870
	S				103.401	126.271	113.395	118.058	132.847	7.520		94.629
24	T	4.3828	3.9987	5.0454	4.6559	4.2459	5.4040	4.5693	4.1561	36.4581		
	S	132.387	108.444	103.244	122.279	134.247	122.258	128.625	138.952	123.429		
25	T	4.2538	3.9066	4.5693	4.4102	4.1065	5.1430	4.4385	4.0905	34.9184		
	S	136.402	111.001	114.002	129.091	138.804	128.462	132.416	141.181	128.872		
26	T	4.0957	3.6507	4.4001	4.3027	4.1225	5.2895	4.4454	4.0915	34.3981		
	S	141.667	118.782	118.386	132.316	138.266	124.904	132.210	141.146	130.821		
27	T	4.2863	3.6981	4.4284	4.2930	4.0528	5.2399	4.5136	4.1070	34.6191		
	S	135.368	117.259	117.629	132.615	140.644	126.087	130.213	140.614	129.986		
28	T	4.0082	3.5490	4.5610	4.4424	4.1635	5.1987	4.4205	4.0918	34.4351		
	S	144.760	122.186	114.209	128.156	136.904	127.086	132.955	141.136	130.681		
29	T	4.2296	3.9105	4.4658	4.2715	3.9928	4.9675	4.3025	4.0091	34.1493		
	S	137.183	110.890	116.644	133.283	142.757	133.001	136.601	144.047	131.774		
30	T	4.0962	3.6909	4.3346	4.2339	4.0569	5.2340	4.4388	4.0326	34.1179		
	S	141.650	117.488	120.175	134.467	140.501	126.229	132.407	143.208	131.896		
31	T	4.0972	3.6514	4.4151	4.2502	4.0158	5.0542	4.3885	4.1336	34.0060		
	S	141.616	118.759	117.984	133.951	141.939	130.719	133.924	139.709	132.330		
32	T	5.2729	5.3524	7.1148	6.2716	6.7035				70.4739	484.9590	53.7386
	S	110.039	81.017	73.215	90.777	85.030				63.853	2.209	72.992
33	T				5.3960	4.5632	5.8962	4.9732	4.3224	508.7036		40.4799
	S				105.507	124.912	112.052	118.179	133.606	8.846		98.854
34	T	4.3123	3.9502	4.7564	4.4693	4.1500	5.3019	4.5555	4.1499	35.6455		
	S	134.552	109.776	109.518	127.384	137.349	124.612	129.015	139.160	126.243		
35	T	4.1466	3.8131	4.5696	4.3502	4.0766	5.1286	4.4218	4.1011	34.6076		
	S	139.928	113.723	113.994	130.872	139.822	128.823	132.916	140.816	130.029		
36	T	4.1333	3.8097	4.5716	4.3564	4.0891	5.2425	4.4161	4.0481	34.6668		
	S	140.379	113.824	113.945	130.685	139.395	126.024	133.087	142.660	129.807		
37	T	4.0185	3.5588	4.3514	4.2372	3.9949	5.0075	4.3568	4.0718	33.5969		
	S	144.389	121.849	119.711	134.362	142.682	131.938	134.899	141.829	133.941		
38	T	4.0675	3.5220	4.2834	4.2395	4.0578	5.5194	4.6885	4.1743	34.5524		
	S	142.650	123.122	121.611	134.289	140.470	119.702	125.355	138.347	130.237		

Event: Indy Pro 2000 WWT OT
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Test Session 2

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	4.1161	3.6733	4.5253	4.2945	4.0499	5.0097	4.4591	4.1129	34.2408		
	S	140.965	118.051	115.110	132.569	140.744	131.881	131.804	140.412	131.422		
40	T	4.7341	4.5307	6.0092	6.2159	8.4634				75.8770		58.5277
	S	122.563	95.711	86.685	91.591	67.349				59.307		67.020

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 9 - Thompson, Parker

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI	
1	T	3.9628	3.7240	4.4041	4.2481	4.1324	5.4186	4.4732	4.0642	49.7484	196.2855	35.2566	33.0554
	S	146.419	116.444	118.278	134.017	137.934	121.929	131.389	142.094	90.455	5.457	113.499	118.664
2	T				4.7403	4.1496	5.2908	4.4687	4.1027	213.7950		34.2025	
	S				120.102	137.363	124.874	131.521	140.761	21.048		116.997	
3	T	3.9926	3.7135	4.3277	4.1996	3.9246	4.9484	4.3891	4.0464	33.5419			
	S	145.326	116.773	120.366	135.565	145.238	133.514	133.906	142.719	134.161			
4	T	3.9255	3.6066	4.2599	4.1671	3.9095	4.9307	4.3703	4.0287	33.1983			
	S	147.810	120.234	122.282	136.622	145.799	133.994	134.482	143.346	135.549			
5	T	3.9236	3.5918	4.2716	4.1720	3.9111	4.8899	4.3376	4.0105	33.1081			
	S	147.881	120.730	121.947	136.462	145.739	135.112	135.496	143.997	135.918			
6	T	3.8999	3.5642	4.2499	4.1537	3.8949	4.8702	4.3494	4.0219	33.0041			
	S	148.780	121.664	122.570	137.063	146.345	135.658	135.128	143.589	136.347			
7	T	3.9047	3.5725	4.2633	4.1658	3.8992	4.8491	4.3563	4.0257	33.0366			
	S	148.597	121.382	122.184	136.665	146.184	136.248	134.914	143.453	136.213			
8	T	3.9039	3.5952	4.3060	4.1839	3.8967	4.8097	4.3782	4.0480	33.1216			
	S	148.628	120.615	120.973	136.074	146.278	137.364	134.239	142.663	135.863			
9	T	3.8980	3.5444	4.2599	4.1593	3.8841	4.8221	4.3153	4.0037	32.8868			
	S	148.853	122.344	122.282	136.878	146.752	137.011	136.196	144.242	136.833			
10	T	3.8811	3.5151	4.2402	4.1475	3.8779	4.7908	4.3443	4.0203	32.8172			
	S	149.501	123.364	122.850	137.268	146.987	137.906	135.287	143.646	137.123			
11	T	3.8894	3.4816	4.3139	4.1798	3.8959	4.8394	4.3334	4.0190	32.9524			
	S	149.182	124.551	120.751	136.207	146.308	136.521	135.627	143.692	136.561			
12	T	3.8937	3.4745	4.2283	4.1449	3.8789	4.7560	4.3317	4.0115	32.7195			
	S	149.017	124.805	123.196	137.354	146.949	138.915	135.681	143.961	137.533			
13	T	3.8822	3.5115	4.2300	4.1386	3.8771	4.7402	4.3299	4.0023	32.7118			
	S	149.458	123.490	123.146	137.563	147.017	139.378	135.737	144.292	137.565			
14	T	3.8636	3.5006	4.1994	4.0985	3.8310	4.7316	4.4217	4.0531	32.6995			
	S	150.178	123.875	124.044	138.909	148.786	139.632	132.919	142.484	137.617			
15	T	3.9172	3.4636	4.2024	4.0988	3.8320	4.7174	4.3432	4.0303	32.6049			
	S	148.123	125.198	123.955	138.899	148.747	140.052	135.321	143.290	138.016			
16	T	3.8920	3.4514	4.2029	4.1064	3.8334	4.7081	4.3412	4.0189	32.5543			
	S	149.082	125.641	123.940	138.642	148.693	140.329	135.384	143.696	138.231			
17	T	3.8774	3.5043	4.2318	4.1122	3.8359	4.8248	4.3570	4.0274	32.7708			
	S	149.643	123.744	123.094	138.446	148.596	136.935	134.893	143.393	137.317			
18	T	4.4353	4.4179	6.2674	7.5958	8.5015				72.3250	543.2864		53.9508
	S	130.820	98.154	83.114	74.952	67.047				62.219	1.972		72.705
19	T				4.6161	4.0608	5.2187	4.4114	4.0227	558.7345		33.8223	
	S				123.333	140.366	126.599	133.229	143.560	8.054		118.312	

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 2**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 9 - Thompson, Parker

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.9212	3.5846	4.2596	4.1434	3.8672	4.8467	4.3005	3.9968	32.9200		
	S	147.972	120.972	122.291	137.404	147.393	136.316	136.665	144.491	136.695		
21	T	3.8785	3.5037	4.2292	4.1162	3.8600	4.8287	4.3710	4.0235	32.8108		
	S	149.601	123.765	123.170	138.312	147.668	136.824	134.461	143.532	137.150		
22	T	3.8805	3.4785	4.2253	4.1209	3.8674	4.7610	4.3366	4.0031	32.6733		
	S	149.524	124.662	123.283	138.154	147.386	138.770	135.527	144.263	137.727		
23	T	3.8821	3.4936	4.2636	4.1385	3.8819	4.7614	4.3719	4.0231	32.8161		
	S	149.462	124.123	122.176	137.566	146.835	138.758	134.433	143.546	137.128		
24	T	3.8875	3.4672	4.1939	4.1112	3.8666	4.7705	4.3316	4.0030	32.6315		
	S	149.255	125.068	124.206	138.480	147.416	138.493	135.684	144.267	137.904		
25	T	3.8771	3.4787	4.1934	4.0994	3.8446	4.9606	4.3956	3.9775	32.8269		
	S	149.655	124.655	124.221	138.878	148.260	133.186	133.708	145.192	137.083		
26	T	3.8096	3.5264	4.2320	4.1451	3.8912	4.7419	4.2805	3.9791	32.6058		
	S	152.307	122.969	123.088	137.347	146.484	139.329	137.303	145.133	138.012		
27	T	3.8694	3.4555	4.1596	4.1144	3.8760	4.7136	4.2586	3.9754	32.4225		
	S	149.953	125.492	125.231	138.372	147.059	140.165	138.010	145.268	138.793		
28	T	3.8725	3.4823	4.1602	4.1139	3.8773	4.7926	4.3146	4.0013	32.6147		
	S	149.833	124.526	125.213	138.389	147.010	137.855	136.218	144.328	137.975		
29	T	4.0286	3.8955	5.0657	5.4490	6.0617				60.6425	490.1539	43.0913
	S	144.027	111.317	102.831	104.481	94.033				74.205	2.185	91.028
30	T				5.0871	5.0452	5.3396	4.4081	4.0320	511.2151		38.6124
	S				111.914	112.979	123.732	133.329	143.229	8.803		103.635
31	T	3.9408	3.5627	4.1944	4.1310	3.8780	4.8140	4.3183	4.0030	32.8422		
	S	147.236	121.716	124.192	137.816	146.983	137.242	136.102	144.267	137.019		
32	T	3.8953	3.4526	4.1819	4.1168	3.8746	4.7631	4.3077	3.9929	32.5849		
	S	148.956	125.597	124.563	138.291	147.112	138.708	136.436	144.632	138.101		
33	T	3.8778	3.4551	4.1883	4.1045	3.8604	4.7100	4.2858	3.9836	32.4655		
	S	149.628	125.506	124.372	138.706	147.653	140.272	137.134	144.969	138.609		
34	T	3.8684	3.4310	4.1486	4.0837	3.8494	4.7159	4.2691	3.9582	32.3243		
	S	149.992	126.388	125.563	139.412	148.075	140.097	137.670	145.900	139.214		
35	T	3.8434	3.5668	4.3055	4.1883	4.1333				50.3065		32.9485
	S	150.967	121.576	120.987	135.931	137.904				89.452		119.049

Event: Indy Pro 2000 WWT OT
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Test Session 2

1.25 mile(s)



Indy Pro 2000 Championship
 August 28, 2020

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to T1	0.161174 miles
T1 to SS1	0.120455 miles
SS1 to T2	0.144697 miles
T2 to BS	0.158144 miles
BS to T3	0.158333 miles
T3 to SS2	0.183523 miles
SS2 to T4	0.163258 miles
T4 to SF	0.160417 miles
T1 to T2	0.265152 miles
T2 to T3	0.316477 miles
T3 to T4	0.346780 miles
Lap	1.250000 miles
PI to PO	0.297538 miles
PO to SF	1.111553 miles
SF to PI	1.089583 miles
PO to T2	0.287879 miles
T3 to PI	0.346780 miles
PO to PI	0.951136 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

