

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 1 - Porto, Kiko (R)

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | 5.9043 | 7.9295 | 8.6362 | 4.4724 | 6.4080 | 10.4426 | 3.9377 | 8.4646 | 9.2487 | 6.6375 | 5.4893 | 7.6335 | 85.2043 | | 89.1159 |
| | S | 119.058 | 69.218 | 99.160 | 132.327 | 142.790 | 87.165 | 99.216 | 98.754 | 132.844 | 89.882 | 84.710 | 96.733 | 103.051 | | 90.453 |
| 2 | T | 5.6016 | 7.5037 | 8.4711 | 4.4830 | 6.3007 | 9.6688 | 3.9026 | 8.3129 | 9.2455 | 6.4049 | 5.1714 | 7.5020 | 82.5682 | | |
| | S | 125.492 | 73.146 | 101.092 | 132.014 | 145.222 | 94.141 | 100.108 | 100.556 | 132.890 | 93.146 | 89.918 | 98.428 | 106.341 | | |
| 3 | T | 5.5604 | 7.5612 | 8.4422 | 4.4881 | 6.3154 | 9.6269 | 3.7993 | 8.3422 | 9.2577 | 6.3401 | 5.1416 | 7.4971 | 82.3722 | | |
| | S | 126.422 | 72.589 | 101.438 | 131.864 | 144.884 | 94.550 | 102.830 | 100.202 | 132.715 | 94.098 | 90.439 | 98.493 | 106.594 | | |
| 4 | T | 5.5317 | 7.4895 | 8.4445 | 4.5156 | 6.3463 | 9.5228 | 3.8209 | 8.2974 | 9.2830 | 6.3411 | 5.0996 | 7.5301 | 82.2225 | | |
| | S | 127.077 | 73.284 | 101.411 | 131.061 | 144.178 | 95.584 | 102.249 | 100.743 | 132.353 | 94.083 | 91.184 | 98.061 | 106.788 | | |
| 5 | T | 5.5746 | 7.4859 | 8.4847 | 4.5099 | 6.3279 | 9.5084 | 3.9361 | 8.3800 | 9.2882 | 6.2447 | 5.1775 | 7.5224 | 82.4403 | | |
| | S | 126.100 | 73.320 | 100.930 | 131.226 | 144.598 | 95.729 | 99.256 | 99.750 | 132.279 | 95.536 | 89.812 | 98.161 | 106.506 | | |
| 6 | T | 5.6076 | | | | | | 4.8214 | 9.4099 | 9.4928 | 6.9205 | 5.4938 | 7.7662 | 289.6311 | 208.5903 | 85.5950 |
| | S | 125.357 | | | | | | 81.031 | 88.833 | 129.428 | 86.206 | 84.641 | 95.080 | 30.316 | 6.810 | 94.174 |
| 7 | T | 5.7131 | 7.7217 | 8.5990 | 4.5367 | 6.3904 | 9.9386 | 3.8838 | 8.3775 | 10.7169 | 8.0732 | 6.3465 | 7.5883 | 87.8857 | | |
| | S | 123.043 | 71.081 | 99.589 | 130.451 | 143.184 | 91.585 | 100.593 | 99.780 | 114.645 | 73.898 | 73.269 | 97.309 | 99.907 | | |
| 8 | T | 5.5360 | 7.4210 | 8.4632 | 4.5274 | 6.3691 | 9.6326 | 3.8089 | 8.2019 | 9.3321 | 6.2788 | 5.0428 | 7.4562 | 82.0700 | | |
| | S | 126.979 | 73.961 | 101.187 | 130.719 | 143.662 | 94.494 | 102.571 | 101.917 | 131.657 | 95.017 | 92.211 | 99.033 | 106.987 | | |
| 9 | T | 5.5404 | 7.3428 | 8.4326 | 4.5175 | 6.3382 | 9.5432 | 3.8118 | 8.2333 | 9.3277 | 6.2983 | 5.0396 | 7.4891 | 81.9145 | | |
| | S | 126.878 | 74.749 | 101.554 | 131.006 | 144.363 | 95.380 | 102.493 | 101.528 | 131.719 | 94.723 | 92.269 | 98.598 | 107.190 | | |
| 10 | T | 5.5461 | 7.3731 | 8.4529 | 4.5121 | 6.3348 | 9.5006 | 3.8357 | 8.3191 | 9.3102 | 6.2572 | 5.0705 | 7.5117 | 82.0240 | | |
| | S | 126.748 | 74.441 | 101.310 | 131.162 | 144.440 | 95.807 | 101.854 | 100.481 | 131.967 | 95.345 | 91.707 | 98.301 | 107.047 | | |
| 11 | T | 5.6888 | 7.8580 | 8.9349 | 4.6423 | 6.6380 | 10.5469 | 3.9159 | 8.4501 | 9.3482 | 6.6170 | 5.3080 | 7.5160 | 85.4641 | | |
| | S | 123.568 | 69.848 | 95.845 | 127.484 | 137.843 | 86.303 | 99.768 | 98.923 | 131.430 | 90.160 | 87.604 | 98.245 | 102.738 | | |
| 12 | T | 5.5740 | 7.4135 | 8.4718 | 4.5271 | 6.3512 | 9.5121 | 3.8218 | 8.3151 | 9.3740 | 6.2958 | 5.0559 | 7.5308 | 82.2431 | | |
| | S | 126.113 | 74.036 | 101.084 | 130.728 | 144.067 | 95.692 | 102.225 | 100.529 | 131.069 | 94.760 | 91.972 | 98.052 | 106.762 | | |
| 13 | T | 5.6005 | | | | | | | | | | | | | | |
| | S | 125.516 | | | | | | | | | | | | | | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 1 - Porto, Kiko (R)

| Lap | T/SF to PI | |
|-----|------------|---------|
| 1 | T | |
| | S | |
| 2 | T | |
| | S | |
| 3 | T | |
| | S | |
| 4 | T | |
| | S | |
| 5 | T | 78.4015 |
| | S | 102.079 |
| 6 | T | |
| | S | |
| 7 | T | |
| | S | |
| 8 | T | |
| | S | |
| 9 | T | |
| | S | |
| 10 | T | |
| | S | |
| 11 | T | |
| | S | |
| 12 | T | 84.0789 |
| | S | 95.187 |
| 13 | T | |
| | S | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | 6.0857 | 8.0434 | 8.7064 | 4.5530 | 6.4131 | 10.4651 | 4.0082 | 8.6908 | 9.5046 | 6.7446 | 5.2709 | 7.5551 | 86.0409 | | 97.5481 |
| | S | 115.509 | 68.238 | 98.360 | 129.984 | 142.677 | 86.977 | 97.471 | 96.183 | 129.268 | 88.455 | 88.220 | 97.737 | 102.049 | | 82.634 |
| 2 | T | 5.5862 | 7.3553 | 8.4248 | 4.5164 | 6.3540 | 9.5243 | 3.8395 | 8.1649 | 9.2833 | 6.4485 | 5.0895 | 7.4751 | 82.0618 | | |
| | S | 125.838 | 74.622 | 101.648 | 131.038 | 144.004 | 95.569 | 101.753 | 102.378 | 132.349 | 92.516 | 91.365 | 98.783 | 106.997 | | |
| 3 | T | 5.5656 | 7.3782 | 8.4225 | 4.5339 | 6.3649 | 9.5138 | 3.8228 | 8.2126 | 9.3143 | 6.4072 | 5.0248 | 7.5168 | 82.0774 | | |
| | S | 126.303 | 74.390 | 101.676 | 130.532 | 143.757 | 95.674 | 102.198 | 101.784 | 131.909 | 93.113 | 92.541 | 98.235 | 106.977 | | |
| 4 | T | 5.5596 | 7.3864 | 8.3916 | 4.5192 | 6.3423 | 9.5933 | 3.8479 | 8.1783 | 9.3050 | 6.4285 | 5.0186 | 7.5015 | 82.0722 | | |
| | S | 126.440 | 74.307 | 102.050 | 130.956 | 144.269 | 94.882 | 101.531 | 102.211 | 132.040 | 92.804 | 92.655 | 98.435 | 106.984 | | |
| 5 | T | 5.8064 | | | | | | 4.2006 | 9.5304 | 9.6460 | 7.1325 | 5.5330 | 7.8577 | 220.9659 | 134.9814 | 86.1947 |
| | S | 121.065 | | | | | | 93.006 | 87.710 | 127.373 | 83.644 | 84.041 | 93.973 | 39.736 | 10.524 | 93.518 |
| 6 | T | 5.9580 | 7.9610 | 8.5936 | 4.5389 | 6.4183 | 10.3370 | 3.9860 | 8.4403 | 10.6331 | 6.8043 | 5.1806 | 7.4787 | 86.3298 | | |
| | S | 117.985 | 68.944 | 99.651 | 130.388 | 142.561 | 88.055 | 98.014 | 99.038 | 115.548 | 87.679 | 89.758 | 98.735 | 101.708 | | |
| 7 | T | 5.5726 | 7.3197 | 8.4331 | 4.5254 | 6.3648 | 9.5648 | 3.7929 | 8.3289 | 9.3696 | 6.3793 | 5.0425 | 7.4402 | 82.1338 | | |
| | S | 126.145 | 74.984 | 101.548 | 130.777 | 143.759 | 95.164 | 103.003 | 100.362 | 131.130 | 93.520 | 92.216 | 99.246 | 106.904 | | |
| 8 | T | 5.5953 | 7.3513 | 8.3612 | 4.5263 | 6.3606 | 9.4755 | 3.8045 | 8.1957 | 9.3369 | 6.3247 | 5.0186 | 7.4484 | 81.7990 | | |
| | S | 125.633 | 74.662 | 102.421 | 130.751 | 143.854 | 96.061 | 102.689 | 101.994 | 131.589 | 94.327 | 92.655 | 99.137 | 107.341 | | |
| 9 | T | 5.5610 | 7.2617 | 8.4454 | 4.5448 | 6.3918 | 9.5592 | 4.0218 | 8.3811 | 12.0609 | 6.6903 | 5.1238 | 7.5798 | 85.6216 | | |
| | S | 126.408 | 75.583 | 101.400 | 130.219 | 143.152 | 95.220 | 97.141 | 99.737 | 101.869 | 89.173 | 90.753 | 97.418 | 102.549 | | |
| 10 | T | 5.5891 | 7.3302 | 8.4489 | 4.5383 | 6.3507 | 9.5008 | 3.8296 | 8.2704 | 9.3100 | 6.3452 | 5.0596 | 7.4820 | 82.0548 | | |
| | S | 125.772 | 74.877 | 101.358 | 130.405 | 144.079 | 95.805 | 102.016 | 101.072 | 131.970 | 94.022 | 91.904 | 98.691 | 107.007 | | |
| 11 | T | 5.5797 | 7.3204 | 8.4856 | 4.5451 | 6.3416 | 9.5112 | 3.8725 | 8.3026 | 9.3381 | 6.3320 | 5.0683 | 7.4994 | 82.1965 | | |
| | S | 125.984 | 74.977 | 100.920 | 130.210 | 144.285 | 95.701 | 100.886 | 100.680 | 131.572 | 94.218 | 91.747 | 98.462 | 106.822 | | |
| 12 | T | 5.6486 | | | | | | | | | | | | | 154.8645 | |
| | S | 124.448 | | | | | | | | | | | | | 9.173 | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

| Lap | T/SF to PI |
|-----|------------|
| 1 | T |
| | S |
| 2 | T |
| | S |
| 3 | T |
| | S |
| 4 | T 83.0567 |
| | S 96.358 |
| 5 | T |
| | S |
| 6 | T |
| | S |
| 7 | T |
| | S |
| 8 | T |
| | S |
| 9 | T |
| | S |
| 10 | T |
| | S |
| 11 | T 82.7774 |
| | S 96.683 |
| 12 | T |
| | S |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 19 - Missig, Jordan (R)

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | 5.8655 | 8.0836 | 8.6814 | 4.5331 | 6.3828 | 9.9941 | 3.9339 | 8.4051 | 9.2917 | 6.5934 | 5.3339 | 7.6732 | 84.7717 | | 98.2578 |
| | S | 119.846 | 67.898 | 98.643 | 130.555 | 143.354 | 91.076 | 99.312 | 99.453 | 132.229 | 90.483 | 87.178 | 96.232 | 103.577 | | 82.037 |
| 2 | T | 5.6075 | 7.4974 | 8.4286 | 4.4870 | 6.2990 | 9.6881 | 3.8364 | 8.2622 | 9.2693 | 6.4311 | 5.1168 | 7.5284 | 82.4518 | | |
| | S | 125.360 | 73.207 | 101.602 | 131.896 | 145.261 | 93.953 | 101.836 | 101.173 | 132.549 | 92.767 | 90.877 | 98.083 | 106.491 | | |
| 3 | T | 5.5448 | 7.4573 | 8.4400 | 4.5042 | 6.3325 | 9.6186 | 3.8538 | 8.2796 | 9.3225 | 6.4078 | 5.1580 | 11.3969 | 86.3160 | | |
| | S | 126.777 | 73.601 | 101.465 | 131.393 | 144.493 | 94.632 | 101.376 | 100.960 | 131.793 | 93.104 | 90.151 | 64.790 | 101.724 | | |
| 4 | T | 6.6249 | | | | | | 3.9194 | 8.5223 | 10.8099 | 6.7491 | 5.2220 | 7.7154 | 194.2284 | 111.1499 | |
| | S | 106.108 | | | | | | 99.679 | 98.085 | 113.658 | 88.396 | 89.046 | 95.706 | 45.207 | 12.781 | |
| 5 | T | 5.6073 | | | | | | 4.1961 | 9.2704 | 9.7893 | 6.9244 | 5.4983 | 8.0339 | 173.1308 | 91.7229 | 85.8546 |
| | S | 125.364 | | | | | | 93.106 | 90.170 | 125.508 | 86.158 | 84.572 | 91.912 | 50.715 | 15.488 | 93.889 |
| 6 | T | 5.6750 | 7.6388 | 8.5525 | 4.5396 | 6.4127 | 9.8184 | 3.7907 | 8.4479 | 9.3677 | 6.5575 | 5.0751 | 7.5734 | 83.4493 | | |
| | S | 123.869 | 71.852 | 100.130 | 130.368 | 142.686 | 92.706 | 103.063 | 98.949 | 131.157 | 90.978 | 91.624 | 97.500 | 105.218 | | |
| 7 | T | 5.5564 | 7.4156 | 8.4308 | 4.5461 | 6.3800 | 9.6467 | 3.7786 | 8.4190 | 9.3786 | 6.3578 | 5.0970 | 7.5249 | 82.5315 | | |
| | S | 126.513 | 74.015 | 101.576 | 130.182 | 143.417 | 94.356 | 103.393 | 99.288 | 131.004 | 93.836 | 91.230 | 98.129 | 106.388 | | |
| 8 | T | 5.5178 | 7.5154 | 8.4517 | 4.5357 | 6.3701 | 9.5326 | 3.8263 | 8.3468 | 9.3143 | 6.3292 | 5.1380 | 7.5667 | 82.4446 | | |
| | S | 127.398 | 73.032 | 101.324 | 130.480 | 143.640 | 95.486 | 102.104 | 100.147 | 131.909 | 94.260 | 90.502 | 97.587 | 106.501 | | |
| 9 | T | 5.5521 | 7.5013 | 8.4518 | 4.5078 | 6.3382 | 9.4763 | 3.7898 | 8.4109 | 9.3457 | 6.3671 | 5.1358 | 7.4653 | 82.3421 | | |
| | S | 126.611 | 73.169 | 101.323 | 131.288 | 144.363 | 96.053 | 103.088 | 99.384 | 131.465 | 93.699 | 90.541 | 98.912 | 106.633 | | |
| 10 | T | 5.5396 | 7.4672 | 8.4819 | 4.4658 | 6.2967 | 9.4986 | 3.8317 | 8.3762 | 9.3605 | 6.4170 | 5.1125 | 7.6281 | 82.4758 | | |
| | S | 126.896 | 73.503 | 100.964 | 132.522 | 145.314 | 95.828 | 101.960 | 99.796 | 131.258 | 92.970 | 90.954 | 96.801 | 106.460 | | |
| 11 | T | 5.5428 | 7.5415 | 8.4618 | 4.5228 | 6.3466 | 9.5511 | 3.8425 | 8.5240 | 9.3926 | 6.4025 | 5.1513 | 7.6098 | 82.8893 | | |
| | S | 126.823 | 72.779 | 101.203 | 130.852 | 144.172 | 95.301 | 101.674 | 98.065 | 130.809 | 93.181 | 90.268 | 97.034 | 105.929 | | |
| 12 | T | 5.5975 | | | | | | | | | | | | | 43.3663 | |
| | S | 125.584 | | | | | | | | | | | | | 32.757 | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 19 - Missig, Jordan (R)

| Lap | T/SF to PI | |
|-----|------------|---------|
| 1 | T | |
| | S | |
| 2 | T | |
| | S | |
| 3 | T | 86.1343 |
| | S | 92.915 |
| 4 | T | |
| | S | |
| 5 | T | |
| | S | |
| 6 | T | |
| | S | |
| 7 | T | |
| | S | |
| 8 | T | |
| | S | |
| 9 | T | |
| | S | |
| 10 | T | |
| | S | |
| 11 | T | 80.3793 |
| | S | 99.568 |
| 12 | T | |
| | S | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 2 - Browne, Jonathan (R)

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | 5.6770 | 7.8067 | 8.5506 | 4.4762 | 6.2645 | 9.9915 | 3.8705 | 8.6634 | 9.8057 | 6.7155 | 6.5879 | 7.6963 | 86.1058 | | 90.0536 |
| | S | 123.825 | 70.307 | 100.152 | 132.214 | 146.061 | 91.100 | 100.938 | 96.487 | 125.298 | 88.838 | 70.584 | 95.943 | 101.972 | | 89.511 |
| 2 | T | 5.5641 | 7.4353 | 8.5557 | 4.4637 | 6.2313 | 9.6339 | 3.8266 | 8.3091 | 9.1577 | 6.3733 | 5.2322 | 7.5578 | 82.3407 | | |
| | S | 126.338 | 73.819 | 100.093 | 132.585 | 146.839 | 94.482 | 102.096 | 100.602 | 134.164 | 93.608 | 88.873 | 97.702 | 106.635 | | |
| 3 | T | 5.5335 | 7.3972 | 8.5682 | 4.4991 | 6.2901 | 9.4887 | 3.8456 | 8.2941 | 9.2472 | 6.3432 | 5.2517 | 7.5326 | 82.2912 | | |
| | S | 127.036 | 74.199 | 99.947 | 131.541 | 145.467 | 95.928 | 101.592 | 100.784 | 132.866 | 94.052 | 88.543 | 98.028 | 106.699 | | |
| 4 | T | 5.5391 | 7.3648 | 8.5935 | 4.5078 | 6.2924 | 9.5972 | 3.8516 | 8.3310 | 9.2600 | 6.3815 | 5.1127 | 7.5992 | 82.4308 | | |
| | S | 126.908 | 74.525 | 99.652 | 131.288 | 145.414 | 94.843 | 101.434 | 100.337 | 132.682 | 93.488 | 90.950 | 97.169 | 106.518 | | |
| 5 | T | 5.5438 | | | | | | 4.1389 | 9.3051 | 12.3241 | 7.0283 | 5.4244 | 7.7387 | 205.1558 | 120.2943 | 87.2690 |
| | S | 126.800 | | | | | | 94.393 | 89.833 | 99.694 | 84.884 | 85.724 | 95.418 | 42.799 | 11.809 | 92.367 |
| 6 | T | 5.5959 | 7.5272 | 8.4074 | 4.4857 | 6.3230 | 9.6834 | 3.8326 | 8.2537 | 9.2528 | 6.3608 | 5.1436 | 7.4731 | 82.3392 | | |
| | S | 125.620 | 72.917 | 101.858 | 131.934 | 144.710 | 93.999 | 101.936 | 101.277 | 132.785 | 93.792 | 90.404 | 98.809 | 106.637 | | |
| 7 | T | 5.4990 | 7.4249 | 8.4103 | 4.4860 | 6.2868 | 9.7250 | 3.8850 | 8.2930 | 10.4041 | 8.4405 | 5.8343 | 7.5926 | 86.2815 | | |
| | S | 127.833 | 73.922 | 101.823 | 131.926 | 145.543 | 93.597 | 100.562 | 100.797 | 118.092 | 70.682 | 79.701 | 97.254 | 101.765 | | |
| 8 | T | 5.5485 | 7.4376 | 8.3886 | 4.4968 | 6.2955 | 9.5464 | 3.8697 | 8.3202 | 9.2695 | 6.3839 | 5.1497 | 7.5417 | 82.2481 | | |
| | S | 126.693 | 73.796 | 102.087 | 131.609 | 145.342 | 95.348 | 100.959 | 100.467 | 132.546 | 93.452 | 90.297 | 97.910 | 106.755 | | |
| 9 | T | 5.6117 | | | | | | 4.3596 | 9.2837 | 9.4388 | 6.8449 | 5.4996 | 7.7167 | 196.1713 | 109.5577 | 89.5237 |
| | S | 125.266 | | | | | | 89.614 | 90.041 | 130.169 | 87.158 | 84.552 | 95.690 | 44.759 | 12.966 | 90.041 |
| 10 | T | 5.5750 | 7.5790 | 8.5548 | 4.5023 | 6.3142 | 9.6635 | 3.8708 | 8.2574 | 9.2686 | 6.4394 | 5.1493 | 7.4744 | 82.6487 | | |
| | S | 126.091 | 72.419 | 100.103 | 131.448 | 144.911 | 94.192 | 100.931 | 101.232 | 132.559 | 92.647 | 90.304 | 98.792 | 106.238 | | |
| 11 | T | 5.5143 | 7.3562 | 8.3169 | 4.4829 | 6.2892 | 9.5122 | 3.8349 | 8.2252 | 9.2541 | 6.3037 | 5.1182 | 7.4693 | 81.6771 | | |
| | S | 127.478 | 74.612 | 102.967 | 132.017 | 145.488 | 95.691 | 101.875 | 101.628 | 132.767 | 94.641 | 90.852 | 98.859 | 107.501 | | |
| 12 | T | 5.7293 | | | | | | | | | | | | | 47.3781 | |
| | S | 122.695 | | | | | | | | | | | | | 29.984 | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 2 - Browne, Jonathan (R)

| Lap | T/SF to PI |
|-----|------------|
| 1 | T |
| | S |
| 2 | T |
| | S |
| 3 | T |
| | S |
| 4 | T 80.0343 |
| | S 99.997 |
| 5 | T |
| | S |
| 6 | T |
| | S |
| 7 | T |
| | S |
| 8 | T 79.6776 |
| | S 100.445 |
| 9 | T |
| | S |
| 10 | T |
| | S |
| 11 | T 85.5494 |
| | S 93.550 |
| 12 | T |
| | S |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 27 - Kaminsky, Colin

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | 5.7890 | 7.7473 | 8.5571 | 4.5188 | 6.3532 | 10.0536 | 3.8867 | 8.3946 | 11.1338 | 7.4089 | 5.3797 | 7.6149 | 86.8376 | | 100.4027 |
| | S | 121.429 | 70.846 | 100.076 | 130.968 | 144.022 | 90.537 | 100.518 | 99.577 | 110.352 | 80.524 | 86.436 | 96.969 | 101.113 | | 80.285 |
| 2 | T | 5.6320 | 7.4569 | 8.4536 | 4.5217 | 6.3654 | 9.5900 | 3.8638 | 8.2665 | 9.3004 | 6.3742 | 5.1802 | 7.5460 | 82.5507 | | |
| | S | 124.814 | 73.605 | 101.302 | 130.884 | 143.746 | 94.914 | 101.113 | 101.120 | 132.106 | 93.595 | 89.765 | 97.854 | 106.364 | | |
| 3 | T | 5.5880 | 7.6778 | 8.4242 | 4.5198 | 6.3686 | 9.7917 | 3.8419 | 8.3313 | 9.3265 | 6.3920 | 5.1369 | 7.5129 | 82.9116 | | |
| | S | 125.797 | 71.487 | 101.655 | 130.939 | 143.674 | 92.959 | 101.690 | 100.334 | 131.736 | 93.334 | 90.522 | 98.285 | 105.901 | | |
| 4 | T | 5.6179 | 7.4815 | 8.4097 | 4.5295 | 6.3639 | 9.5850 | 3.9207 | 8.4001 | 9.3287 | 6.4584 | 5.1369 | 7.5616 | 82.7939 | | |
| | S | 125.128 | 73.363 | 101.830 | 130.659 | 143.780 | 94.964 | 99.646 | 99.512 | 131.705 | 92.374 | 90.522 | 97.652 | 106.051 | | |
| 5 | T | 5.6354 | 7.4400 | 8.4705 | 4.5367 | 6.3774 | 9.6391 | 3.8380 | 8.4596 | 9.3216 | 6.3377 | 5.1452 | 7.5507 | 82.7519 | | |
| | S | 124.739 | 73.772 | 101.100 | 130.451 | 143.475 | 94.431 | 101.793 | 98.812 | 131.805 | 94.134 | 90.375 | 97.793 | 106.105 | | |
| 6 | T | 5.6213 | 7.4510 | 8.5046 | 4.5467 | 6.3669 | 9.6053 | 3.8479 | 8.3900 | 9.3527 | 6.3932 | 5.1271 | 7.5632 | 82.7699 | | |
| | S | 125.052 | 73.663 | 100.694 | 130.164 | 143.712 | 94.763 | 101.531 | 99.632 | 131.367 | 93.316 | 90.695 | 97.632 | 106.082 | | |
| 7 | T | 5.7013 | | | | | | 4.4381 | 9.8342 | 10.9160 | 7.0145 | 12.3472 | 8.3295 | 278.2434 | 183.9876 | 98.0017 |
| | S | 123.297 | | | | | | 88.029 | 85.000 | 112.554 | 85.051 | 37.660 | 88.650 | 31.557 | 7.721 | 82.252 |
| 8 | T | 5.6853 | 7.5417 | 8.5021 | 4.5035 | 6.3473 | 9.9089 | 3.9321 | 8.3682 | 9.2619 | 6.4796 | 5.1268 | 7.4913 | 83.1487 | | |
| | S | 123.644 | 72.777 | 100.724 | 131.413 | 144.156 | 91.860 | 99.357 | 99.891 | 132.655 | 92.072 | 90.700 | 98.569 | 105.599 | | |
| 9 | T | 5.5464 | 7.3832 | 8.4021 | 4.5134 | 6.3302 | 9.6097 | 3.8362 | 8.2486 | 9.2987 | 6.3167 | 5.1625 | 7.5592 | 82.2069 | | |
| | S | 126.741 | 74.340 | 101.923 | 131.125 | 144.545 | 94.720 | 101.841 | 101.340 | 132.130 | 94.447 | 90.073 | 97.683 | 106.809 | | |
| 10 | T | 5.5816 | 7.4227 | 8.3248 | 4.5158 | 6.3478 | 9.5193 | 3.8271 | 8.2987 | 9.3126 | 6.3048 | 5.1519 | 7.4752 | 82.0823 | | |
| | S | 125.941 | 73.944 | 102.869 | 131.055 | 144.144 | 95.619 | 102.083 | 100.728 | 131.933 | 94.625 | 90.258 | 98.781 | 106.971 | | |
| 11 | T | 5.5657 | 7.3824 | 8.3851 | 4.5230 | 6.3409 | 9.5682 | 3.8005 | 8.3431 | 9.3161 | 6.3885 | 5.1384 | 7.5171 | 82.2690 | | |
| | S | 126.301 | 74.348 | 102.129 | 130.846 | 144.301 | 95.130 | 102.797 | 100.192 | 131.883 | 93.385 | 90.495 | 98.231 | 106.728 | | |
| 12 | T | 5.5722 | 7.4048 | 8.4025 | 4.5220 | 6.3333 | 9.5188 | 3.8604 | 8.3470 | 9.3247 | 6.4244 | 5.0847 | 7.5311 | 82.3259 | | |
| | S | 126.154 | 74.123 | 101.918 | 130.875 | 144.474 | 95.624 | 101.202 | 100.145 | 131.761 | 92.863 | 91.451 | 98.048 | 106.654 | | |
| 13 | T | 6.4076 | | | | | | | | | | | | | | |
| | S | 109.706 | | | | | | | | | | | | | | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 27 - Kaminsky, Colin

| Lap | T/SF to PI |
|-----|------------|
| 1 | T |
| | S |
| 2 | T |
| | S |
| 3 | T |
| | S |
| 4 | T |
| | S |
| 5 | T |
| | S |
| 6 | T 79.1330 |
| | S 101.136 |
| 7 | T |
| | S |
| 8 | T |
| | S |
| 9 | T |
| | S |
| 10 | T |
| | S |
| 11 | T |
| | S |
| 12 | T 83.6620 |
| | S 95.661 |
| 13 | T |
| | S |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 3 - Green, Josh (R)

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | 5.5605 | 7.7602 | 8.6632 | 4.5223 | 6.3360 | 9.6489 | 3.9112 | 8.3009 | 9.2555 | 6.4895 | 7.2849 | 7.7433 | 85.4764 | | 86.8999 |
| | S | 126.419 | 70.728 | 98.851 | 130.867 | 144.413 | 94.335 | 99.888 | 100.701 | 132.747 | 91.932 | 63.831 | 95.361 | 102.723 | | 92.760 |
| 2 | T | 5.5607 | 7.5452 | 8.6722 | 4.5140 | 6.3187 | 9.6391 | 3.9612 | 8.3950 | 9.3025 | 6.2985 | 5.1397 | 7.5824 | 82.9292 | | |
| | S | 126.415 | 72.743 | 98.748 | 131.107 | 144.808 | 94.431 | 98.627 | 99.572 | 132.076 | 94.720 | 90.472 | 97.385 | 105.878 | | |
| 3 | T | 5.5631 | 7.5097 | 8.7160 | 4.5310 | 6.3425 | 9.5223 | 3.8986 | 8.4022 | 9.3029 | 6.2037 | 5.1326 | 7.5367 | 82.6613 | | |
| | S | 126.360 | 73.087 | 98.252 | 130.615 | 144.265 | 95.589 | 100.211 | 99.487 | 132.070 | 96.167 | 90.597 | 97.975 | 106.221 | | |
| 4 | T | 5.5394 | 7.5073 | 8.6339 | 4.5263 | 6.3255 | 9.4530 | 3.9940 | 8.3652 | 9.2846 | 6.2540 | 5.1771 | 7.5196 | 82.5799 | | |
| | S | 126.901 | 73.111 | 99.186 | 130.751 | 144.653 | 96.290 | 97.817 | 99.927 | 132.331 | 95.393 | 89.819 | 98.198 | 106.326 | | |
| 5 | T | 5.5457 | | | | | | 4.0690 | 8.8752 | 9.6128 | 6.5986 | 5.3517 | 7.6492 | 350.3048 | 270.9885 | 83.3376 |
| | S | 126.757 | | | | | | 96.014 | 94.185 | 127.813 | 90.412 | 86.888 | 96.534 | 25.065 | 5.242 | 96.725 |
| 6 | T | 5.5958 | 7.5842 | 8.7110 | 4.5465 | 6.4048 | | | 8.6188 | 9.5593 | 6.4562 | 5.2055 | 7.5289 | 85.0140 | | |
| | S | 125.622 | 72.369 | 98.308 | 130.170 | 142.862 | | | 96.987 | 128.528 | 92.406 | 89.329 | 98.077 | 103.282 | | |
| 7 | T | 5.5384 | 7.3780 | 8.5677 | 4.5415 | 6.3927 | 9.6393 | 3.9094 | 8.2608 | 9.3390 | 6.2738 | 5.1171 | 7.4499 | 82.4076 | | |
| | S | 126.924 | 74.392 | 99.953 | 130.313 | 143.132 | 94.429 | 99.934 | 101.190 | 131.560 | 95.092 | 90.872 | 99.117 | 106.548 | | |
| 8 | T | 5.5391 | | | | | | 4.1454 | 8.9431 | 9.7071 | 6.4757 | 5.2753 | 7.8274 | 171.0791 | 92.1823 | 83.3131 |
| | S | 126.908 | | | | | | 94.245 | 93.470 | 126.571 | 92.128 | 88.147 | 94.336 | 51.324 | 15.410 | 96.753 |
| 9 | T | 5.6194 | 7.5203 | 8.6178 | 4.5375 | 6.3930 | 9.7084 | 3.9031 | 8.1829 | 9.3273 | 6.2822 | 5.1277 | 7.5195 | 82.7391 | | |
| | S | 125.094 | 72.984 | 99.371 | 130.428 | 143.125 | 93.757 | 100.095 | 102.153 | 131.725 | 94.965 | 90.684 | 98.199 | 106.122 | | |
| 10 | T | 5.5435 | 7.4750 | 8.4226 | 4.5202 | 6.3858 | 9.5719 | 3.9515 | 8.3733 | 9.3635 | 6.2697 | 5.1219 | 7.4944 | 82.4933 | | |
| | S | 126.807 | 73.427 | 101.674 | 130.927 | 143.287 | 95.094 | 98.869 | 99.830 | 131.216 | 95.155 | 90.787 | 98.528 | 106.438 | | |
| 11 | T | 6.1995 | | | | | | | | | | | | | | |
| | S | 113.389 | | | | | | | | | | | | | | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 3 - Green, Josh (R)

| Lap | T/SF to PI |
|-----|------------|
| 1 | T |
| | S |
| 2 | T |
| | S |
| 3 | T |
| | S |
| 4 | T 78.7892 |
| | S 101.577 |
| 5 | T |
| | S |
| 6 | T |
| | S |
| 7 | T 78.2607 |
| | S 102.263 |
| 8 | T |
| | S |
| 9 | T |
| | S |
| 10 | T 82.2010 |
| | S 97.361 |
| 11 | T |
| | S |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 4 - Eves, Braden

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | 5.6678 | 7.8589 | 8.5915 | 4.4732 | 6.2706 | 10.0840 | 3.8883 | 8.4560 | 9.1829 | 6.5252 | 5.3681 | 7.7246 | 84.0911 | | 87.8820 |
| | S | 124.026 | 69.840 | 99.676 | 132.303 | 145.919 | 90.265 | 100.476 | 98.854 | 133.796 | 91.429 | 86.623 | 95.592 | 104.415 | | 91.723 |
| 2 | T | 5.5958 | 7.3368 | 8.5229 | 4.4394 | 6.1944 | 9.6860 | 3.8303 | 8.3768 | 9.2000 | 8.0135 | 5.4413 | 7.6204 | 84.2576 | | |
| | S | 125.622 | 74.810 | 100.478 | 133.310 | 147.714 | 93.973 | 101.998 | 99.789 | 133.547 | 74.448 | 85.458 | 96.899 | 104.209 | | |
| 3 | T | 5.5819 | 7.3734 | 8.4364 | 4.4670 | 6.2789 | 9.6645 | 3.8029 | 8.3602 | 9.2257 | 6.3313 | 5.1703 | 7.5240 | 82.2165 | | |
| | S | 125.935 | 74.438 | 101.508 | 132.487 | 145.726 | 94.183 | 102.733 | 99.987 | 133.175 | 94.229 | 89.937 | 98.140 | 106.796 | | |
| 4 | T | 5.5199 | 7.2381 | 8.5562 | 4.4947 | 6.2945 | 9.6383 | 3.7911 | 8.3466 | 9.2353 | 6.3464 | 5.1600 | 7.5465 | 82.1676 | | |
| | S | 127.349 | 75.830 | 100.087 | 131.670 | 145.365 | 94.439 | 103.052 | 100.150 | 133.037 | 94.005 | 90.116 | 97.848 | 106.860 | | |
| 5 | T | 5.5508 | 7.2798 | 8.5794 | 4.4890 | 6.2821 | 9.5787 | 3.7949 | 8.3359 | 9.2304 | 6.4135 | 5.2276 | 7.5825 | 82.3446 | | |
| | S | 126.640 | 75.395 | 99.816 | 131.837 | 145.652 | 95.026 | 102.949 | 100.278 | 133.108 | 93.021 | 88.951 | 97.383 | 106.630 | | |
| 6 | T | 5.5722 | | | | | | 4.4172 | 9.4755 | 11.7452 | 8.1515 | 5.8375 | 7.9615 | 289.4783 | 202.6463 | 89.8991 |
| | S | 126.154 | | | | | | 88.446 | 88.218 | 104.608 | 73.188 | 79.657 | 92.747 | 30.332 | 7.010 | 89.665 |
| 7 | T | 5.6696 | 7.6424 | 8.6735 | 4.4883 | 6.2839 | 10.0370 | 3.8811 | 8.3853 | 9.5426 | 8.4691 | 7.6893 | 7.6765 | 88.4386 | | |
| | S | 123.987 | 71.818 | 98.733 | 131.858 | 145.610 | 90.687 | 100.663 | 99.687 | 128.753 | 70.443 | 60.474 | 96.191 | 99.282 | | |
| 8 | T | 5.6139 | 7.3890 | 8.5511 | 4.4833 | 6.2893 | 9.7149 | 3.7980 | 8.2940 | 9.2117 | 6.3600 | 5.1530 | 7.5088 | 82.3670 | | |
| | S | 125.217 | 74.281 | 100.147 | 132.005 | 145.485 | 93.694 | 102.865 | 100.785 | 133.378 | 93.804 | 90.239 | 98.339 | 106.601 | | |
| 9 | T | 5.5103 | 11.7586 | 8.6111 | 4.5049 | 6.2899 | 9.7668 | 3.8128 | 8.3422 | 9.2373 | 7.0277 | 6.1017 | 7.5594 | 88.5227 | | |
| | S | 127.571 | 46.678 | 99.449 | 131.372 | 145.471 | 93.196 | 102.466 | 100.202 | 133.008 | 84.891 | 76.208 | 97.681 | 99.188 | | |
| 10 | T | 5.5672 | 7.2693 | 8.5186 | 4.4939 | 6.2926 | 9.6473 | 3.8572 | 8.3371 | 9.2611 | 6.3819 | 5.1484 | 7.5248 | 82.2994 | | |
| | S | 126.267 | 75.504 | 100.529 | 131.694 | 145.409 | 94.350 | 101.286 | 100.264 | 132.666 | 93.482 | 90.319 | 98.130 | 106.689 | | |
| 11 | T | 5.5753 | 7.3180 | 8.5020 | 4.4889 | 6.2833 | 9.5726 | 3.8014 | 8.3673 | 9.2603 | 6.3696 | 5.1067 | 7.5518 | 82.1972 | | |
| | S | 126.084 | 75.002 | 100.725 | 131.840 | 145.624 | 95.087 | 102.773 | 99.902 | 132.678 | 93.662 | 91.057 | 97.779 | 106.821 | | |
| 12 | T | 5.5698 | 7.3211 | 8.5084 | 4.4951 | 6.2946 | 9.5420 | 3.8652 | 8.3654 | 9.2684 | 6.4251 | 5.1632 | 7.5548 | 82.3731 | | |
| | S | 126.208 | 74.970 | 100.649 | 131.659 | 145.363 | 95.392 | 101.077 | 99.925 | 132.562 | 92.853 | 90.060 | 97.740 | 106.593 | | |
| 13 | T | 6.4980 | | | | | | | | | | | | | | |
| | S | 108.180 | | | | | | | | | | | | | | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 4 - Eves, Braden

| Lap | T/SF to PI | |
|-----|------------|---------|
| 1 | T | |
| | S | |
| 2 | T | |
| | S | |
| 3 | T | |
| | S | |
| 4 | T | |
| | S | |
| 5 | T | 79.8523 |
| | S | 100.225 |
| 6 | T | |
| | S | |
| 7 | T | |
| | S | |
| 8 | T | |
| | S | |
| 9 | T | |
| | S | |
| 10 | T | |
| | S | |
| 11 | T | |
| | S | |
| 12 | T | 82.2645 |
| | S | 97.286 |
| 13 | T | |
| | S | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 40 - Miller, Jack William

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | 5.7355 | 8.0364 | 8.5806 | 4.6102 | 6.7380 | 10.2147 | 3.9552 | 8.4849 | 9.2261 | 6.5503 | 5.6337 | 8.7880 | 86.5536 | | 90.0647 |
| | S | 122.562 | 68.297 | 99.802 | 128.371 | 135.797 | 89.110 | 98.777 | 98.517 | 133.170 | 91.078 | 82.539 | 84.025 | 101.445 | | 89.500 |
| 2 | T | 5.6775 | 7.5328 | 8.5675 | 4.4825 | 6.2690 | 9.6556 | 3.8707 | 8.7929 | 9.9087 | 7.5824 | 6.2095 | 8.3863 | 86.9354 | | |
| | S | 123.814 | 72.863 | 99.955 | 132.029 | 145.956 | 94.269 | 100.933 | 95.066 | 123.996 | 78.681 | 74.885 | 88.049 | 100.999 | | |
| 3 | T | 6.1059 | | | | | | 3.8313 | 8.3848 | 9.2685 | 6.5757 | 5.1652 | 7.4742 | 125.8497 | 41.6894 | 84.3679 |
| | S | 115.127 | | | | | | 101.971 | 99.693 | 132.560 | 90.727 | 90.026 | 98.794 | 69.769 | 34.075 | 95.543 |
| 4 | T | 5.4955 | 7.3260 | 8.5473 | 4.4959 | 6.3207 | 9.5179 | 3.8702 | 8.2944 | 9.2743 | 6.4536 | 5.1916 | 7.5392 | 82.3266 | | |
| | S | 127.915 | 74.920 | 100.191 | 131.635 | 144.762 | 95.633 | 100.946 | 100.780 | 132.478 | 92.443 | 89.568 | 97.943 | 106.653 | | |
| 5 | T | 5.5364 | 7.3359 | 8.5309 | 4.4970 | 6.3140 | 9.5083 | 3.8192 | 8.2547 | 9.2613 | 6.2771 | 5.0774 | 7.4701 | 81.8823 | | |
| | S | 126.970 | 74.819 | 100.384 | 131.603 | 144.916 | 95.730 | 102.294 | 101.265 | 132.663 | 95.042 | 91.582 | 98.849 | 107.232 | | |
| 6 | T | 5.4750 | 7.3312 | 8.4916 | 4.4892 | 6.3026 | 9.4819 | 3.8480 | 8.2597 | 9.2932 | 6.4600 | 5.1133 | 7.5643 | 82.1100 | | |
| | S | 128.394 | 74.867 | 100.848 | 131.832 | 145.178 | 95.996 | 101.529 | 101.203 | 132.208 | 92.352 | 90.939 | 97.618 | 106.935 | | |
| 7 | T | 5.8271 | | | | | | 4.1812 | 9.2307 | 9.4793 | 7.0216 | 5.5298 | 7.8672 | 280.2626 | 191.7632 | 89.0303 |
| | S | 120.635 | | | | | | 93.438 | 90.557 | 129.613 | 84.965 | 84.090 | 93.859 | 31.329 | 7.408 | 90.540 |
| 8 | T | 5.6668 | 7.5851 | 8.6285 | 4.4916 | 6.3290 | 9.9471 | 3.8927 | 8.3848 | 9.2550 | 6.4549 | 5.1542 | 7.5391 | 83.3288 | | |
| | S | 124.048 | 72.361 | 99.248 | 131.761 | 144.573 | 91.507 | 100.363 | 99.693 | 132.754 | 92.425 | 90.218 | 97.944 | 105.371 | | |
| 9 | T | 5.5122 | 7.4362 | 8.4316 | 4.4780 | 6.3037 | 9.5262 | 3.8148 | 8.2153 | 9.2322 | 6.3179 | 5.0486 | 7.5137 | 81.8304 | | |
| | S | 127.527 | 73.810 | 101.566 | 132.161 | 145.153 | 95.550 | 102.412 | 101.750 | 133.082 | 94.429 | 92.105 | 98.275 | 107.300 | | |
| 10 | T | 5.5219 | 7.3306 | 8.4783 | 4.4729 | 6.2678 | 9.4848 | 3.8629 | 8.1781 | 9.2447 | 6.3485 | 5.0849 | 7.5153 | 81.7907 | | |
| | S | 127.303 | 74.873 | 101.007 | 132.312 | 145.984 | 95.967 | 101.137 | 102.213 | 132.902 | 93.974 | 91.447 | 98.254 | 107.352 | | |
| 11 | T | 5.5018 | 7.3160 | 8.4971 | 4.4772 | 6.2677 | 9.5278 | 3.8593 | 8.2291 | 9.2806 | 6.3145 | 5.0582 | 7.4544 | 81.7837 | | |
| | S | 127.768 | 75.022 | 100.783 | 132.185 | 145.987 | 95.534 | 101.231 | 101.580 | 132.388 | 94.480 | 91.930 | 99.057 | 107.361 | | |
| 12 | T | 5.9227 | | | | | | | | | | | | | 56.6387 | |
| | S | 118.688 | | | | | | | | | | | | | 25.081 | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 40 - Miller, Jack William

| Lap | T/SF to PI | |
|-----|------------|---------|
| 1 | T | |
| | S | |
| 2 | T | 86.3322 |
| | S | 92.702 |
| 3 | T | |
| | S | |
| 4 | T | |
| | S | |
| 5 | T | |
| | S | |
| 6 | T | 82.1641 |
| | S | 97.405 |
| 7 | T | |
| | S | |
| 8 | T | |
| | S | |
| 9 | T | |
| | S | |
| 10 | T | |
| | S | |
| 11 | T | 86.3441 |
| | S | 92.689 |
| 12 | T | |
| | S | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 47 - Ahmed, Enaam

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | 5.6287 | 7.6391 | 8.4997 | 4.5336 | 6.4360 | 10.0106 | 3.8827 | 8.2795 | 9.3705 | 6.4113 | 5.1869 | 7.6175 | 83.4961 | | 85.1511 |
| | S | 124.888 | 71.849 | 100.752 | 130.540 | 142.169 | 90.926 | 100.621 | 100.961 | 131.117 | 93.053 | 89.649 | 96.936 | 105.159 | | 94.665 |
| 2 | T | 5.6146 | 7.3498 | 8.5165 | 4.5218 | 6.4063 | 9.7105 | 3.8009 | 8.1781 | 9.3734 | 6.4485 | 5.0859 | 7.5230 | 82.5293 | | |
| | S | 125.201 | 74.677 | 100.553 | 130.881 | 142.828 | 93.736 | 102.787 | 102.213 | 131.077 | 92.516 | 91.429 | 98.154 | 106.391 | | |
| 3 | T | 5.5679 | 7.4015 | 8.5131 | 4.5235 | 6.4065 | 9.6754 | 3.8713 | 8.2058 | 9.3575 | 6.3377 | 5.1035 | 7.7832 | 82.7469 | | |
| | S | 126.251 | 74.156 | 100.594 | 130.832 | 142.824 | 94.076 | 100.917 | 101.868 | 131.300 | 94.134 | 91.114 | 94.872 | 106.112 | | |
| 4 | T | 5.6751 | | | | | | 4.2838 | 9.1251 | 9.5834 | 6.8553 | 5.3869 | 7.7189 | 193.9725 | 112.2434 | 85.1523 |
| | S | 123.866 | | | | | | 91.200 | 91.605 | 128.205 | 87.026 | 86.321 | 95.662 | 45.266 | 12.656 | 94.663 |
| 5 | T | 5.6149 | 7.5814 | 8.5825 | 4.5301 | 6.4235 | 10.1805 | 3.8321 | 8.3761 | 11.8455 | 7.0286 | 5.3969 | 7.5305 | 86.9226 | | |
| | S | 125.194 | 72.396 | 99.780 | 130.641 | 142.446 | 89.409 | 101.950 | 99.797 | 103.722 | 84.880 | 86.161 | 98.056 | 101.014 | | |
| 6 | T | 5.5562 | 7.2980 | 8.5944 | 4.5244 | 6.4138 | 9.5769 | 3.8420 | 8.1903 | 9.3555 | 6.3129 | 5.0763 | 7.4742 | 82.2149 | | |
| | S | 126.517 | 75.207 | 99.642 | 130.806 | 142.661 | 95.044 | 101.687 | 102.061 | 131.328 | 94.503 | 91.602 | 98.794 | 106.798 | | |
| 7 | T | 5.5360 | 7.2892 | 8.4649 | 4.5255 | 6.3904 | 9.6603 | 3.8241 | 8.2900 | 9.3717 | 6.3248 | 5.0422 | 7.5775 | 82.2966 | | |
| | S | 126.979 | 75.298 | 101.166 | 130.774 | 143.184 | 94.223 | 102.163 | 100.833 | 131.101 | 94.326 | 92.222 | 97.448 | 106.692 | | |
| 8 | T | 5.5466 | | | | | | 4.2862 | 9.3731 | 10.9912 | 7.2759 | 5.5856 | 7.8882 | 200.2079 | 113.1262 | 90.4700 |
| | S | 126.736 | | | | | | 91.149 | 89.182 | 111.784 | 81.995 | 83.250 | 93.609 | 43.856 | 12.557 | 89.099 |
| 9 | T | 5.6543 | 7.5197 | 8.5758 | 4.4985 | 6.3479 | 9.8573 | 3.8212 | 8.1703 | 9.4565 | 7.2428 | 5.0956 | 7.5151 | 83.7550 | | |
| | S | 124.322 | 72.990 | 99.858 | 131.559 | 144.142 | 92.340 | 102.241 | 102.311 | 129.925 | 82.370 | 91.255 | 98.257 | 104.834 | | |
| 10 | T | 5.5134 | 7.2828 | 8.6081 | 4.4978 | 6.3248 | 9.6037 | 3.8495 | 8.1718 | 9.3191 | 6.3356 | 5.1166 | 7.5141 | 82.1373 | | |
| | S | 127.499 | 75.364 | 99.483 | 131.579 | 144.669 | 94.779 | 101.489 | 102.292 | 131.841 | 94.165 | 90.881 | 98.270 | 106.899 | | |
| 11 | T | 5.5263 | 7.6672 | 8.4302 | 4.5233 | 6.3527 | 9.5806 | 3.8263 | 8.2261 | 9.3659 | 6.3614 | 5.0074 | 7.4991 | 82.3665 | | |
| | S | 127.202 | 71.586 | 101.583 | 130.838 | 144.033 | 95.007 | 102.104 | 101.617 | 131.182 | 93.783 | 92.863 | 98.466 | 106.602 | | |
| 12 | T | 5.6698 | | | | | | | | | | | | | 42.7522 | |
| | S | 123.982 | | | | | | | | | | | | | 33.228 | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 47 - Ahmed, Enaam

| Lap | T/SF to PI | |
|-----|------------|---------|
| 1 | T | |
| | S | |
| 2 | T | |
| | S | |
| 3 | T | 79.6266 |
| | S | 100.509 |
| 4 | T | |
| | S | |
| 5 | T | |
| | S | |
| 6 | T | |
| | S | |
| 7 | T | 79.3410 |
| | S | 100.871 |
| 8 | T | |
| | S | |
| 9 | T | |
| | S | |
| 10 | T | |
| | S | |
| 11 | T | 83.6299 |
| | S | 95.698 |
| 12 | T | |
| | S | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 5 - Brichacek, Wyatt

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | 5.6470 | 7.6625 | 8.6298 | 4.5217 | 6.3405 | 10.2042 | 3.9638 | 8.3705 | 9.2609 | 7.2178 | 5.9123 | 7.6221 | 85.3531 | | 88.4679 |
| | S | 124.483 | 71.630 | 99.233 | 130.884 | 144.310 | 89.201 | 98.562 | 99.864 | 132.669 | 82.656 | 78.650 | 96.877 | 102.871 | | 91.115 |
| 2 | T | 5.5717 | 7.4348 | 8.5716 | 4.5151 | 6.3589 | 9.5954 | 3.8719 | 8.2866 | 9.2748 | 6.4350 | 5.1968 | 7.5566 | 82.6692 | | |
| | S | 126.165 | 73.824 | 99.907 | 131.075 | 143.893 | 94.861 | 100.902 | 100.875 | 132.470 | 92.710 | 89.478 | 97.717 | 106.211 | | |
| 3 | T | 5.5900 | 7.4177 | 8.5019 | 4.5075 | 6.3187 | 9.6505 | 3.8804 | 8.3345 | 9.3021 | 6.3187 | 5.1994 | 7.6306 | 82.6520 | | |
| | S | 125.752 | 73.994 | 100.726 | 131.296 | 144.808 | 94.319 | 100.681 | 100.295 | 132.082 | 94.417 | 89.433 | 96.769 | 106.233 | | |
| 4 | T | 5.5587 | 7.4795 | 8.8244 | 5.0188 | 6.5432 | 9.6685 | 3.8755 | 8.3394 | 9.2576 | 6.3741 | 5.2661 | 7.5037 | 83.7095 | | |
| | S | 126.460 | 73.382 | 97.045 | 117.920 | 139.840 | 94.144 | 100.808 | 100.236 | 132.717 | 93.596 | 88.301 | 98.406 | 104.891 | | |
| 5 | T | 5.5222 | 7.4174 | 8.5430 | 4.4966 | 6.2757 | 9.6249 | 3.8065 | 8.5715 | 9.2903 | 6.3391 | 5.1940 | 7.5147 | 82.5959 | | |
| | S | 127.296 | 73.997 | 100.242 | 131.615 | 145.800 | 94.570 | 102.635 | 97.522 | 132.249 | 94.113 | 89.526 | 98.262 | 106.306 | | |
| 6 | T | 5.5297 | | | | | | 4.4106 | 9.1271 | 9.6731 | 7.1376 | 5.4438 | 7.7752 | 322.6359 | 238.7128 | 88.1219 |
| | S | 127.123 | | | | | | 88.578 | 91.585 | 127.016 | 83.584 | 85.418 | 94.970 | 27.215 | 5.951 | 91.473 |
| 7 | T | 5.6466 | 7.5578 | 8.6089 | 4.5410 | 6.3820 | 9.7445 | 3.9091 | 8.2826 | 9.3421 | 6.4307 | 5.2399 | 7.4766 | 83.1618 | | |
| | S | 124.492 | 72.622 | 99.474 | 130.328 | 143.372 | 93.409 | 99.942 | 100.924 | 131.516 | 92.772 | 88.742 | 98.763 | 105.582 | | |
| 8 | T | 5.5757 | 7.3760 | 8.5299 | 4.5273 | 6.3762 | 9.5878 | 3.8277 | 8.2975 | 9.3381 | 6.3440 | 5.1543 | 7.5451 | 82.4796 | | |
| | S | 126.075 | 74.412 | 100.396 | 130.722 | 143.502 | 94.936 | 102.067 | 100.742 | 131.572 | 94.040 | 90.216 | 97.866 | 106.455 | | |
| 9 | T | 5.5750 | 7.3160 | 8.5548 | 4.5129 | 6.3376 | 9.5710 | 3.9025 | 8.3480 | 9.3288 | 6.3837 | 5.1435 | 7.4722 | 82.4460 | | |
| | S | 126.091 | 75.022 | 100.103 | 131.139 | 144.376 | 95.103 | 100.111 | 100.133 | 131.704 | 93.455 | 90.405 | 98.821 | 106.499 | | |
| 10 | T | 5.5696 | 7.3704 | 8.5173 | 4.5299 | 6.3456 | 9.5685 | 3.8819 | 8.2886 | 9.3593 | 6.3657 | 5.1648 | 7.4493 | 82.4109 | | |
| | S | 126.213 | 74.469 | 100.544 | 130.647 | 144.194 | 95.127 | 100.642 | 100.850 | 131.274 | 93.720 | 90.033 | 99.125 | 106.544 | | |
| 11 | T | 5.5239 | 7.3351 | 8.4925 | 4.5308 | 6.3791 | 9.8709 | 3.8932 | 8.3571 | 9.3889 | 6.3765 | 5.1481 | 7.4909 | 82.7870 | | |
| | S | 127.257 | 74.827 | 100.838 | 130.621 | 143.437 | 92.213 | 100.350 | 100.024 | 130.861 | 93.561 | 90.325 | 98.574 | 106.060 | | |
| 12 | T | 5.6744 | | | | | | | | | | | | | 50.5752 | |
| | S | 123.882 | | | | | | | | | | | | | 28.088 | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 5 - Brichacek, Wyatt

| Lap | T/SF to PI | |
|-----|------------|---------|
| 1 | T | |
| | S | |
| 2 | T | |
| | S | |
| 3 | T | |
| | S | |
| 4 | T | |
| | S | |
| 5 | T | 78.7722 |
| | S | 101.599 |
| 6 | T | |
| | S | |
| 7 | T | |
| | S | |
| 8 | T | |
| | S | |
| 9 | T | |
| | S | |
| 10 | T | |
| | S | |
| 11 | T | 82.5440 |
| | S | 96.957 |
| 12 | T | |
| | S | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 55 - Gold, Reece

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | 5.6309 | 7.8142 | 8.5535 | 4.5154 | 6.3691 | 9.9833 | 3.8667 | 8.3647 | 9.2848 | 6.3517 | 5.2578 | 7.5418 | 83.5339 | | 85.9152 |
| | S | 124.839 | 70.239 | 100.119 | 131.067 | 143.662 | 91.175 | 101.038 | 99.933 | 132.328 | 93.926 | 88.440 | 97.909 | 105.112 | | 93.823 |
| 2 | T | 5.5768 | 7.4271 | 8.4560 | 4.4835 | 6.3268 | 9.7133 | 3.8236 | 8.3623 | 9.3039 | 6.2759 | 5.1264 | 7.4699 | 82.3455 | | |
| | S | 126.050 | 73.900 | 101.273 | 131.999 | 144.623 | 93.709 | 102.176 | 99.962 | 132.056 | 95.061 | 90.707 | 98.851 | 106.629 | | |
| 3 | T | 5.5662 | 7.3232 | 8.4709 | 4.4927 | 6.3221 | 9.7243 | 3.8462 | 8.2323 | 9.2294 | 6.2329 | 5.1461 | 7.5088 | 82.0951 | | |
| | S | 126.290 | 74.949 | 101.095 | 131.729 | 144.730 | 93.603 | 101.576 | 101.540 | 133.122 | 95.716 | 90.360 | 98.339 | 106.954 | | |
| 4 | T | 5.5374 | | | | | | 4.1604 | 9.2764 | 9.4670 | 6.9019 | 5.5828 | 7.7449 | 207.0492 | 125.9480 | 84.5878 |
| | S | 126.947 | | | | | | 93.905 | 90.111 | 129.781 | 86.439 | 83.292 | 95.341 | 42.407 | 11.279 | 95.295 |
| 5 | T | 5.5998 | 7.6585 | 8.6349 | 4.5286 | 6.4060 | 9.9117 | 3.8838 | 8.2982 | 9.3277 | 6.5583 | 5.1431 | 7.4457 | 83.3963 | | |
| | S | 125.532 | 71.667 | 99.175 | 130.685 | 142.835 | 91.834 | 100.593 | 100.734 | 131.719 | 90.967 | 90.412 | 99.173 | 105.285 | | |
| 6 | T | 5.5554 | 7.4182 | 8.4947 | 4.5138 | 6.3914 | 9.6445 | 3.8483 | 8.2514 | 9.3070 | 6.2664 | 5.2119 | 7.5030 | 82.4060 | | |
| | S | 126.535 | 73.989 | 100.812 | 131.113 | 143.161 | 94.378 | 101.521 | 101.305 | 132.012 | 95.205 | 89.219 | 98.415 | 106.550 | | |
| 7 | T | 5.5698 | 7.2594 | 8.4745 | 4.5152 | 6.3684 | 9.6110 | 3.7504 | 8.3833 | 9.2932 | 6.3742 | 5.0754 | 7.4433 | 82.1181 | | |
| | S | 126.208 | 75.607 | 101.052 | 131.072 | 143.678 | 94.707 | 104.171 | 99.711 | 132.208 | 93.595 | 91.618 | 99.205 | 106.924 | | |
| 8 | T | 5.5267 | | | | | | 4.0803 | 9.0842 | 9.8350 | 8.0228 | 5.7305 | 7.7993 | 199.4049 | 117.9795 | 85.8168 |
| | S | 127.192 | | | | | | 95.748 | 92.018 | 124.925 | 74.362 | 81.145 | 94.676 | 44.033 | 12.041 | 93.930 |
| 9 | T | 5.6199 | 7.4615 | 8.5674 | 4.5119 | 6.3816 | 9.8113 | 3.8517 | 8.1456 | 9.3009 | 6.6478 | 5.2367 | 7.4782 | 83.0145 | | |
| | S | 125.083 | 73.559 | 99.956 | 131.168 | 143.381 | 92.773 | 101.431 | 102.621 | 132.099 | 89.743 | 88.796 | 98.742 | 105.769 | | |
| 10 | T | 5.5281 | 7.3593 | 8.4449 | 4.5158 | 6.3634 | 9.5676 | 3.8481 | 8.1915 | 9.3230 | 6.2706 | 5.0354 | 7.5393 | 81.9870 | | |
| | S | 127.160 | 74.581 | 101.406 | 131.055 | 143.791 | 95.136 | 101.526 | 102.046 | 131.786 | 95.141 | 92.346 | 97.941 | 107.095 | | |
| 11 | T | 5.5847 | 7.3005 | 8.4516 | 4.5038 | 6.3471 | 9.5978 | 3.8392 | 8.2117 | 9.3412 | 6.1839 | 5.0795 | 7.3991 | 81.8401 | | |
| | S | 125.871 | 75.182 | 101.326 | 131.404 | 144.160 | 94.837 | 101.761 | 101.795 | 131.529 | 96.475 | 91.544 | 99.797 | 107.287 | | |
| 12 | T | 5.9504 | | | | | | | | | | | | | 43.6421 | |
| | S | 118.136 | | | | | | | | | | | | | 32.550 | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 55 - Gold, Reece

| Lap | T/SF to PI |
|-----|------------|
| 1 | T |
| | S |
| 2 | T |
| | S |
| 3 | T 79.1773 |
| | S 101.079 |
| 4 | T |
| | S |
| 5 | T |
| | S |
| 6 | T |
| | S |
| 7 | T 78.0685 |
| | S 102.515 |
| 8 | T |
| | S |
| 9 | T |
| | S |
| 10 | T |
| | S |
| 11 | T 79.9762 |
| | S 100.070 |
| 12 | T |
| | S |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 6 - De Alba, Salvador (R)

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | 5.6411 | 7.8177 | 8.4359 | 4.4386 | 6.2391 | 9.9973 | 3.9483 | 8.4186 | 9.1840 | 7.0418 | 6.4321 | 7.7778 | 85.3723 | | 88.2513 |
| | S | 124.613 | 70.208 | 101.514 | 133.334 | 146.656 | 91.047 | 98.949 | 99.293 | 133.780 | 84.721 | 72.294 | 94.938 | 102.848 | | 91.339 |
| 2 | T | 5.6410 | 7.5611 | 8.3945 | 4.4571 | 6.2538 | 9.6889 | 3.8424 | 8.2493 | 9.1681 | 6.5080 | 5.2817 | 7.5345 | 82.5804 | | |
| | S | 124.615 | 72.590 | 102.015 | 132.781 | 146.311 | 93.945 | 101.677 | 101.331 | 134.012 | 91.670 | 88.040 | 98.004 | 106.325 | | |
| 3 | T | 5.5537 | 7.5899 | 8.4000 | 4.4416 | 6.2188 | 9.6246 | 3.8344 | 8.4164 | 9.1867 | 6.3503 | 5.2376 | 7.5003 | 82.3543 | | |
| | S | 126.574 | 72.315 | 101.948 | 133.244 | 147.134 | 94.573 | 101.889 | 99.319 | 133.741 | 93.947 | 88.781 | 98.451 | 106.617 | | |
| 4 | T | 5.5497 | 7.6308 | 8.4071 | 4.4748 | 6.3016 | 9.5935 | 3.8948 | 8.3355 | 9.2716 | 6.3469 | 5.1894 | 7.5386 | 82.5343 | | |
| | S | 126.665 | 71.927 | 101.862 | 132.256 | 145.201 | 94.880 | 100.309 | 100.283 | 132.516 | 93.997 | 89.606 | 97.950 | 106.385 | | |
| 5 | T | 5.5553 | 7.4206 | 8.5653 | 4.4842 | 6.2980 | 9.6311 | 3.8470 | 8.3608 | 9.2694 | 6.3788 | 5.2210 | 7.5105 | 82.5420 | | |
| | S | 126.538 | 73.965 | 99.981 | 131.979 | 145.284 | 94.509 | 101.555 | 99.980 | 132.548 | 93.527 | 89.063 | 98.317 | 106.375 | | |
| 6 | T | 5.5964 | | | | | | 4.1855 | 9.2550 | 9.3824 | 7.5803 | 7.5132 | 7.8134 | 376.1290 | 291.7420 | 88.7536 |
| | S | 125.608 | | | | | | 93.342 | 90.320 | 130.951 | 78.703 | 61.891 | 94.505 | 23.344 | 4.869 | 90.822 |
| 7 | T | 5.6528 | 7.6521 | 8.6431 | 4.4850 | 6.3079 | 9.7911 | 3.8986 | 8.3738 | 9.2296 | 6.4861 | 5.2650 | 7.5771 | 83.3622 | | |
| | S | 124.355 | 71.727 | 99.081 | 131.955 | 145.056 | 92.965 | 100.211 | 99.824 | 133.119 | 91.980 | 88.319 | 97.453 | 105.328 | | |
| 8 | T | 5.5561 | 7.4479 | 8.4728 | 4.4959 | 6.3409 | 9.7396 | 3.7921 | 8.2923 | 9.3000 | 6.4080 | 5.2680 | 7.5655 | 82.6791 | | |
| | S | 126.519 | 73.694 | 101.072 | 131.635 | 144.301 | 93.456 | 103.025 | 100.805 | 132.111 | 93.101 | 88.269 | 97.602 | 106.199 | | |
| 9 | T | 5.5785 | 7.4946 | 8.4283 | 4.4898 | 6.3243 | 9.7048 | 3.8081 | 8.3059 | 9.2871 | 6.4561 | 5.2046 | 7.5039 | 82.5860 | | |
| | S | 126.011 | 73.235 | 101.606 | 131.814 | 144.680 | 93.791 | 102.592 | 100.640 | 132.295 | 92.407 | 89.344 | 98.403 | 106.318 | | |
| 10 | T | 5.5677 | 7.5121 | 8.4398 | 4.4858 | 6.3115 | 9.7227 | 3.7910 | 8.2534 | 9.2516 | 6.4534 | 5.1686 | 7.5618 | 82.5194 | | |
| | S | 126.256 | 73.064 | 101.467 | 131.931 | 144.973 | 93.619 | 103.055 | 101.281 | 132.803 | 92.446 | 89.966 | 97.650 | 106.404 | | |
| 11 | T | 5.5788 | 7.5109 | 8.4807 | 4.4951 | 6.3205 | 9.5988 | 3.8212 | 8.3167 | 9.2993 | 6.3796 | 5.2085 | 7.5555 | 82.5656 | | |
| | S | 126.005 | 73.076 | 100.978 | 131.659 | 144.767 | 94.827 | 102.241 | 100.510 | 132.121 | 93.515 | 89.277 | 97.731 | 106.345 | | |
| 12 | T | 5.9075 | | | | | | | | | | | | | | |
| | S | 118.994 | | | | | | | | | | | | | | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 6 - De Alba, Salvador (R)

| Lap | T/SF to PI | |
|-----|------------|---------|
| 1 | T | |
| | S | |
| 2 | T | |
| | S | |
| 3 | T | |
| | S | |
| 4 | T | |
| | S | |
| 5 | T | 78.5830 |
| | S | 101.844 |
| 6 | T | |
| | S | |
| 7 | T | |
| | S | |
| 8 | T | |
| | S | |
| 9 | T | |
| | S | |
| 10 | T | |
| | S | |
| 11 | T | 83.0784 |
| | S | 96.333 |
| 12 | T | |
| | S | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 8 - Siegel, Nolan (R)

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | 5.7662 | 7.9860 | 8.7359 | 4.5439 | 6.3763 | 9.9288 | 3.8732 | 8.4173 | 9.3272 | 6.6437 | 5.3323 | 7.5553 | 84.4861 | | 89.5253 |
| | S | 121.909 | 68.728 | 98.028 | 130.245 | 143.500 | 91.675 | 100.868 | 99.308 | 131.726 | 89.798 | 87.204 | 97.734 | 103.927 | | 90.039 |
| 2 | T | 5.6094 | 7.4122 | 8.5744 | 4.5203 | 6.3552 | 9.5342 | 3.8428 | 8.2306 | 9.2840 | 6.3933 | 5.2215 | 7.4779 | 82.4558 | | |
| | S | 125.317 | 74.049 | 99.874 | 130.925 | 143.977 | 95.470 | 101.666 | 101.561 | 132.339 | 93.315 | 89.055 | 98.746 | 106.486 | | |
| 3 | T | 5.5776 | 7.3281 | 8.5247 | 4.5157 | 6.3529 | 9.4933 | 3.8221 | 8.2464 | 9.2733 | 6.3248 | 5.1379 | 7.4542 | 82.0510 | | |
| | S | 126.032 | 74.898 | 100.457 | 131.058 | 144.029 | 95.881 | 102.217 | 101.367 | 132.492 | 94.326 | 90.504 | 99.059 | 107.011 | | |
| 4 | T | 5.5437 | 7.2968 | 8.5400 | 4.5423 | 6.4019 | 9.5605 | 3.8102 | 8.2963 | 9.3484 | 6.3708 | 5.1054 | 7.6283 | 82.4446 | | |
| | S | 126.802 | 75.220 | 100.277 | 130.290 | 142.926 | 95.207 | 102.536 | 100.757 | 131.427 | 93.645 | 91.080 | 96.799 | 106.501 | | |
| 5 | T | 5.6300 | 7.2966 | 8.5637 | 4.5406 | 6.4011 | 9.5919 | 3.8453 | 8.2801 | 9.3567 | 6.3356 | 5.1519 | 7.4232 | 82.4167 | | |
| | S | 124.859 | 75.222 | 99.999 | 130.339 | 142.944 | 94.895 | 101.600 | 100.954 | 131.311 | 94.165 | 90.258 | 99.473 | 106.537 | | |
| 6 | T | 5.5845 | | | | | | 4.2737 | 9.2396 | 9.6079 | 6.8991 | 5.6156 | 7.8688 | 238.4743 | 156.8171 | 86.0103 |
| | S | 125.876 | | | | | | 91.415 | 90.470 | 127.878 | 86.474 | 82.805 | 93.840 | 36.819 | 9.059 | 93.719 |
| 7 | T | 5.7522 | 7.6936 | 8.6455 | 4.5363 | 6.4013 | 9.9346 | 3.8390 | 8.6671 | 13.3634 | 6.8280 | 5.2231 | 7.4821 | 88.3662 | | |
| | S | 122.206 | 71.340 | 99.053 | 130.463 | 142.940 | 91.622 | 101.767 | 96.446 | 91.940 | 87.374 | 89.028 | 98.690 | 99.364 | | |
| 8 | T | 5.5551 | 7.2518 | 8.5432 | 4.5131 | 6.3221 | 9.5746 | 3.7984 | 8.2188 | 9.2921 | 6.3434 | 5.1031 | 7.4025 | 81.9182 | | |
| | S | 126.542 | 75.687 | 100.239 | 131.133 | 144.730 | 95.067 | 102.854 | 101.707 | 132.224 | 94.049 | 91.121 | 99.751 | 107.185 | | |
| 9 | T | 5.5086 | 7.2409 | 8.4799 | 4.5251 | 6.3399 | 9.4627 | 3.7951 | 8.2224 | 9.3042 | 6.2670 | 5.1568 | 7.4419 | 81.7445 | | |
| | S | 127.610 | 75.800 | 100.987 | 130.786 | 144.324 | 96.191 | 102.944 | 101.662 | 132.052 | 95.196 | 90.172 | 99.223 | 107.413 | | |
| 10 | T | 5.5227 | 7.2445 | 8.5666 | 4.5326 | 6.3501 | 9.5644 | 3.8306 | 8.3013 | 9.3362 | 6.3176 | 5.1155 | 7.4358 | 82.1179 | | |
| | S | 127.285 | 75.763 | 99.965 | 130.569 | 144.092 | 95.168 | 101.990 | 100.696 | 131.599 | 94.433 | 90.900 | 99.305 | 106.924 | | |
| 11 | T | 5.5473 | 7.3614 | 8.5366 | 4.5276 | 6.3301 | 9.5778 | 3.8894 | 8.6714 | 11.9531 | 6.8852 | 5.1345 | 7.4602 | 85.8746 | | |
| | S | 126.720 | 74.560 | 100.317 | 130.713 | 144.547 | 95.035 | 100.448 | 96.398 | 102.788 | 86.648 | 90.564 | 98.980 | 102.247 | | |
| 12 | T | 5.5228 | 7.3362 | 10.6378 | 4.7469 | 6.4228 | 9.6378 | 3.8479 | 8.4792 | 9.7580 | 6.6337 | 5.1369 | 7.5708 | 85.7308 | | |
| | S | 127.282 | 74.816 | 80.502 | 124.675 | 142.461 | 94.443 | 101.531 | 98.583 | 125.911 | 89.933 | 90.522 | 97.534 | 102.418 | | |
| 13 | T | 5.6620 | | | | | | | | | | | | | 50.9044 | |
| | S | 124.153 | | | | | | | | | | | | | 27.907 | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 8 - Siegel, Nolan (R)

| Lap | T/SF to PI |
|-----|------------|
| 1 | T |
| | S |
| 2 | T |
| | S |
| 3 | T |
| | S |
| 4 | T |
| | S |
| 5 | T 78.6603 |
| | S 101.744 |
| 6 | T |
| | S |
| 7 | T |
| | S |
| 8 | T |
| | S |
| 9 | T |
| | S |
| 10 | T |
| | S |
| 11 | T |
| | S |
| 12 | T 83.1837 |
| | S 96.211 |
| 13 | T |
| | S |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 83 - Finelli, Charles

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|---------|----------|----------|
| 1 | T | 6.1526 | 8.5133 | 9.1630 | 4.6215 | 6.4632 | 10.7436 | 4.0154 | 8.7401 | 9.5062 | 7.1627 | 5.5947 | 7.9123 | 88.5886 | | 102.3823 |
| | S | 114.253 | 64.471 | 93.459 | 128.058 | 141.571 | 84.723 | 97.296 | 95.641 | 129.246 | 83.291 | 83.114 | 93.324 | 99.114 | | 78.732 |
| 2 | T | 5.6981 | 7.6329 | 8.9287 | 4.5938 | 6.4371 | 10.1460 | 4.0020 | 8.6754 | 9.4711 | 6.7586 | 5.5341 | 7.7965 | 85.6743 | | |
| | S | 123.366 | 71.908 | 95.911 | 128.830 | 142.145 | 89.713 | 97.622 | 96.354 | 129.725 | 88.271 | 84.025 | 94.710 | 102.486 | | |
| 3 | T | 5.7560 | 7.6479 | 8.9013 | 4.6077 | 6.4623 | 9.9223 | 3.9394 | 8.5416 | 9.4876 | 6.6905 | 5.7688 | 7.9140 | 85.6394 | | |
| | S | 122.126 | 71.767 | 96.207 | 128.441 | 141.590 | 91.736 | 99.173 | 97.863 | 129.499 | 89.170 | 80.606 | 93.304 | 102.528 | | |
| 4 | T | 5.7531 | 7.7983 | 8.8327 | 4.5966 | 6.4626 | 9.9473 | 3.9388 | 8.6267 | 9.5106 | 6.7979 | 5.3624 | 7.7063 | 85.3333 | | |
| | S | 122.187 | 70.382 | 96.954 | 128.751 | 141.584 | 91.505 | 99.188 | 96.898 | 129.186 | 87.761 | 86.715 | 95.819 | 102.895 | | |
| 5 | T | 5.7719 | 7.3937 | 8.8309 | 4.6013 | 6.4589 | 10.1386 | 3.9240 | 8.5318 | 9.5057 | 6.7412 | 5.3573 | 7.8173 | 85.0726 | | |
| | S | 121.789 | 74.234 | 96.974 | 128.620 | 141.665 | 89.778 | 99.562 | 97.976 | 129.253 | 88.499 | 86.797 | 94.458 | 103.211 | | |
| 6 | T | 5.8178 | 7.5718 | 8.6912 | 4.5895 | 6.4324 | 10.5221 | 4.0673 | 8.7575 | 9.5583 | 6.7849 | 5.4712 | 7.7992 | 86.0632 | | |
| | S | 120.828 | 72.488 | 98.532 | 128.950 | 142.249 | 86.506 | 96.054 | 95.451 | 128.541 | 87.929 | 84.990 | 94.678 | 102.023 | | |
| 7 | T | 5.7822 | 7.5038 | 8.7821 | 4.5914 | 6.4524 | 9.9885 | 3.9727 | 8.7282 | 9.5667 | 6.7240 | 5.4900 | 7.7632 | 85.3452 | | |
| | S | 121.572 | 73.145 | 97.512 | 128.897 | 141.808 | 91.128 | 98.342 | 95.771 | 128.428 | 88.726 | 84.699 | 95.117 | 102.881 | | |
| 8 | T | 5.8265 | 7.6294 | 8.7810 | 4.5986 | 6.4513 | 10.1007 | 3.9486 | 8.6038 | 9.4964 | 6.8614 | 5.4726 | 7.7552 | 85.5255 | | |
| | S | 120.648 | 71.941 | 97.525 | 128.695 | 141.832 | 90.115 | 98.942 | 97.156 | 129.379 | 86.949 | 84.969 | 95.215 | 102.664 | | |
| 9 | T | 5.7423 | 7.5342 | 8.7083 | 4.5982 | 6.4419 | 9.9229 | 3.9207 | 8.6342 | 9.5137 | 6.6949 | 5.5416 | 7.8304 | 85.0833 | | |
| | S | 122.417 | 72.850 | 98.339 | 128.706 | 142.039 | 91.730 | 99.646 | 96.814 | 129.144 | 89.111 | 83.911 | 94.300 | 103.198 | | |
| 10 | T | 5.7088 | 7.5702 | 9.0478 | 4.6200 | 6.4300 | 9.9761 | 3.9851 | 8.7186 | 9.4591 | 6.8858 | 5.5169 | 7.7914 | 85.7098 | | |
| | S | 123.135 | 72.503 | 94.649 | 128.099 | 142.302 | 91.241 | 98.036 | 95.877 | 129.889 | 86.641 | 84.286 | 94.772 | 102.443 | | |
| 11 | T | 5.7602 | 7.8431 | 8.5754 | 4.5744 | 6.4042 | 11.1639 | 4.0814 | 8.6641 | 9.4248 | 6.7792 | 5.3900 | 7.9298 | 86.5905 | | |
| | S | 122.036 | 69.980 | 99.863 | 129.376 | 142.875 | 81.533 | 95.723 | 96.480 | 130.362 | 88.003 | 86.271 | 93.118 | 101.401 | | |
| 12 | T | 5.8112 | 7.6817 | 8.7822 | 4.6020 | 6.4969 | 10.3213 | 3.9672 | 8.9646 | 9.5367 | 6.9075 | 5.5208 | 7.8182 | 86.4103 | | |
| | S | 120.965 | 71.451 | 97.511 | 128.600 | 140.836 | 88.189 | 98.478 | 93.246 | 128.832 | 86.369 | 84.227 | 94.447 | 101.613 | | |
| 13 | T | 5.7148 | 7.8559 | 8.7332 | 4.8216 | 6.4513 | 10.2466 | 4.0401 | 9.0288 | 9.5825 | 6.8363 | 5.5214 | 9.7801 | 88.6126 | | |
| | S | 123.006 | 69.866 | 98.058 | 122.743 | 141.832 | 88.832 | 96.701 | 92.583 | 128.217 | 87.268 | 84.218 | 75.501 | 99.087 | | |
| 14 | T | 8.2412 | | | | | | | | | | | | | 51.2924 | |
| | S | 85.298 | | | | | | | | | | | | | 27.695 | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 83 - Finelli, Charles

| Lap | T/SF to PI | |
|-----|------------|---------|
| 1 | T | |
| | S | |
| 2 | T | |
| | S | |
| 3 | T | |
| | S | |
| 4 | T | |
| | S | |
| 5 | T | |
| | S | |
| 6 | T | |
| | S | |
| 7 | T | |
| | S | |
| 8 | T | |
| | S | |
| 9 | T | |
| | S | |
| 10 | T | |
| | S | |
| 11 | T | |
| | S | |
| 12 | T | |
| | S | |
| 13 | T | 96.5173 |
| | S | 82.920 |
| 14 | T | |
| | S | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 90 - Foster, Louis (R)

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | 5.6120 | 7.6265 | 8.4611 | 4.4412 | 6.2272 | 9.8662 | 3.9208 | 8.3468 | 9.3118 | 6.9731 | 6.7497 | 7.5779 | 85.1143 | | 90.0329 |
| | S | 125.259 | 71.968 | 101.212 | 133.256 | 146.936 | 92.257 | 99.643 | 100.147 | 131.944 | 85.556 | 68.892 | 97.442 | 103.160 | | 89.532 |
| 2 | T | 5.5336 | 7.4303 | 8.4807 | 4.4433 | 6.2038 | 9.5829 | 3.9339 | 8.3442 | 9.1381 | 6.4163 | 6.4287 | 7.4778 | 83.4136 | | |
| | S | 127.034 | 73.868 | 100.978 | 133.193 | 147.490 | 94.985 | 99.312 | 100.178 | 134.452 | 92.981 | 72.332 | 98.747 | 105.263 | | |
| 3 | T | 5.4877 | 7.3251 | 8.4534 | 4.4515 | 6.2287 | 9.5232 | 3.9209 | 8.2089 | 9.1759 | 6.3487 | 5.0941 | 7.4765 | 81.6946 | | |
| | S | 128.096 | 74.929 | 101.304 | 132.948 | 146.901 | 95.580 | 99.641 | 101.830 | 133.898 | 93.971 | 91.282 | 98.764 | 107.478 | | |
| 4 | T | 5.4826 | 7.3490 | 8.4525 | 4.4383 | 6.1570 | 9.5461 | 3.8665 | 8.5234 | 9.1984 | 7.3284 | 5.6030 | 7.5992 | 83.5444 | | |
| | S | 128.216 | 74.685 | 101.315 | 133.343 | 148.611 | 95.351 | 101.043 | 98.072 | 133.571 | 81.408 | 82.991 | 97.169 | 105.099 | | |
| 5 | T | 5.5711 | | | | | | 4.0321 | 8.9158 | 9.5592 | 6.7549 | 5.4689 | 7.6487 | 352.6636 | 272.4813 | 84.3254 |
| | S | 126.179 | | | | | | 96.893 | 93.756 | 128.529 | 88.320 | 85.026 | 96.540 | 24.897 | 5.213 | 95.592 |
| 6 | T | 5.6061 | 7.5029 | 8.5092 | 4.4845 | 6.3063 | 9.7337 | 3.8572 | 8.3328 | 9.4280 | 7.0077 | 5.4148 | 7.4424 | 83.6256 | | |
| | S | 125.391 | 73.154 | 100.640 | 131.970 | 145.093 | 93.513 | 101.286 | 100.316 | 130.318 | 85.134 | 85.876 | 99.217 | 104.997 | | |
| 7 | T | 5.5075 | 7.3021 | 8.4646 | 4.4865 | 6.2804 | 9.5793 | 3.8379 | 8.2147 | 9.2613 | 6.3341 | 5.0684 | 7.4707 | 81.8075 | | |
| | S | 127.636 | 75.165 | 101.170 | 131.911 | 145.691 | 95.020 | 101.796 | 101.758 | 132.663 | 94.187 | 91.745 | 98.841 | 107.330 | | |
| 8 | T | 5.5112 | 7.2521 | 8.4810 | 4.5091 | 6.3306 | 9.5727 | 3.8242 | 8.2421 | 9.2788 | 6.2800 | 5.1022 | 7.4708 | 81.8548 | | |
| | S | 127.550 | 75.683 | 100.974 | 131.250 | 144.536 | 95.086 | 102.160 | 101.419 | 132.413 | 94.999 | 91.137 | 98.839 | 107.268 | | |
| 9 | T | 5.5145 | 7.2675 | 8.6931 | 4.5411 | 6.3442 | 9.5527 | 3.8555 | 8.3239 | 13.1008 | 7.8423 | 5.7249 | 7.5149 | 88.2754 | | |
| | S | 127.474 | 75.523 | 98.511 | 130.325 | 144.226 | 95.285 | 101.331 | 100.423 | 93.783 | 76.073 | 81.224 | 98.259 | 99.466 | | |
| 10 | T | 5.5302 | 7.3305 | 8.4500 | 4.4815 | 6.2333 | 9.6272 | 3.8674 | 8.4198 | 9.2450 | 6.3313 | 5.0913 | 7.5486 | 82.1561 | | |
| | S | 127.112 | 74.874 | 101.345 | 132.058 | 146.792 | 94.547 | 101.019 | 99.279 | 132.897 | 94.229 | 91.332 | 97.821 | 106.875 | | |
| 11 | T | 5.5025 | 7.3993 | 8.4750 | 4.4818 | 6.2438 | 9.6302 | 3.8285 | 8.3969 | 9.2399 | 6.4046 | 5.1541 | 7.5385 | 82.2951 | | |
| | S | 127.752 | 74.178 | 101.046 | 132.049 | 146.545 | 94.518 | 102.046 | 99.550 | 132.971 | 93.150 | 90.219 | 97.952 | 106.694 | | |
| 12 | T | 6.1004 | | | | | | | | | | | | | | |
| | S | 115.231 | | | | | | | | | | | | | | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 90 - Foster, Louis (R)

| Lap | T/SF to PI |
|-----|------------|
| 1 | T |
| | S |
| 2 | T |
| | S |
| 3 | T |
| | S |
| 4 | T 79.7816 |
| | S 100.314 |
| 5 | T |
| | S |
| 6 | T |
| | S |
| 7 | T |
| | S |
| 8 | T |
| | S |
| 9 | T |
| | S |
| 10 | T |
| | S |
| 11 | T 83.1592 |
| | S 96.239 |
| 12 | T |
| | S |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 93 - Brewer, Lindsay (R)

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | 6.0060 | 8.1795 | 8.7725 | 4.5433 | 6.3911 | 10.2019 | 3.8966 | 8.4991 | 9.3164 | 6.6800 | 5.4470 | 7.6683 | 85.6017 | | 119.7457 |
| | S | 117.042 | 67.102 | 97.619 | 130.262 | 143.168 | 89.221 | 100.262 | 98.353 | 131.879 | 89.310 | 85.368 | 96.294 | 102.573 | | 67.316 |
| 2 | T | 5.6479 | 7.5252 | 8.6057 | 4.5140 | 6.3637 | 9.7426 | 3.8561 | 8.3776 | 9.2913 | 6.6990 | 5.3020 | 7.5846 | 83.5097 | | |
| | S | 124.463 | 72.937 | 99.511 | 131.107 | 143.784 | 93.428 | 101.315 | 99.779 | 132.235 | 89.057 | 87.703 | 97.356 | 105.142 | | |
| 3 | T | 5.6231 | 7.3703 | 8.5466 | 4.5099 | 6.3397 | 9.5453 | 3.9053 | 8.3933 | 9.3183 | 6.5052 | 5.1994 | 7.6061 | 82.8625 | | |
| | S | 125.012 | 74.470 | 100.199 | 131.226 | 144.329 | 95.359 | 100.039 | 99.592 | 131.852 | 91.710 | 89.433 | 97.081 | 105.963 | | |
| 4 | T | 5.6224 | 7.2706 | 8.6619 | 4.5109 | 6.3461 | 9.6841 | 3.8620 | 8.4030 | 9.3270 | 6.6219 | 5.1388 | 7.6240 | 83.0727 | | |
| | S | 125.027 | 75.491 | 98.866 | 131.197 | 144.183 | 93.992 | 101.160 | 99.477 | 131.729 | 90.094 | 90.488 | 96.853 | 105.695 | | |
| 5 | T | 5.6141 | 7.4006 | 8.6234 | 4.5206 | 6.3389 | 9.5093 | 3.8924 | 8.3493 | 9.3450 | 6.4998 | 5.1050 | 7.6105 | 82.8089 | | |
| | S | 125.212 | 74.165 | 99.307 | 130.916 | 144.347 | 95.720 | 100.370 | 100.117 | 131.475 | 91.786 | 91.087 | 97.025 | 106.032 | | |
| 6 | T | 5.6190 | 7.4238 | 8.7091 | 4.5321 | 6.3520 | 9.9936 | 4.0483 | 8.7406 | 9.7063 | 7.1034 | 5.9972 | 8.2145 | 86.4399 | | |
| | S | 125.103 | 73.933 | 98.330 | 130.584 | 144.049 | 91.081 | 96.505 | 95.635 | 126.581 | 83.987 | 77.536 | 89.891 | 101.578 | | |
| 7 | T | 5.9514 | | | | | | 4.5761 | 10.0846 | 9.9414 | 7.4469 | 5.8083 | 8.1290 | 235.0513 | 141.4550 | 93.0103 |
| | S | 118.116 | | | | | | 85.374 | 82.890 | 123.588 | 80.113 | 80.058 | 90.836 | 37.355 | 10.043 | 86.666 |
| 8 | T | 5.7821 | 7.9235 | 8.8587 | 4.5237 | 6.3738 | 10.1540 | 3.9828 | 8.5274 | 9.3397 | 6.8641 | 5.4147 | 7.5221 | 85.2666 | | |
| | S | 121.574 | 69.270 | 96.669 | 130.826 | 143.556 | 89.642 | 98.092 | 98.026 | 131.550 | 86.915 | 85.877 | 98.165 | 102.976 | | |
| 9 | T | 5.5905 | 7.3927 | 8.6668 | 4.5205 | 6.3554 | 9.8601 | 3.8300 | 8.2648 | 9.3015 | 6.4680 | 5.2405 | 7.5266 | 83.0174 | | |
| | S | 125.741 | 74.244 | 98.810 | 130.919 | 143.972 | 92.314 | 102.006 | 101.141 | 132.090 | 92.237 | 88.732 | 98.107 | 105.766 | | |
| 10 | T | 5.5707 | 7.3130 | 8.5558 | 4.5167 | 6.3509 | 9.7084 | 3.8894 | 8.3816 | 9.3168 | 6.5631 | 5.1401 | 7.5573 | 82.8638 | | |
| | S | 126.188 | 75.053 | 100.092 | 131.029 | 144.074 | 93.757 | 100.448 | 99.731 | 131.873 | 90.901 | 90.465 | 97.708 | 105.962 | | |
| 11 | T | 5.6077 | 7.2888 | 8.6209 | 4.5111 | 6.3460 | 9.8624 | 3.8831 | 8.4402 | 9.3188 | 6.5873 | 5.2261 | 7.5713 | 83.2637 | | |
| | S | 125.355 | 75.302 | 99.336 | 131.192 | 144.185 | 92.293 | 100.611 | 99.039 | 131.845 | 90.567 | 88.976 | 97.527 | 105.453 | | |
| 12 | T | 5.5739 | 7.4169 | 8.6616 | 4.5191 | 6.3478 | 9.7245 | 3.8590 | 8.3801 | 9.3153 | 6.4346 | 5.0746 | 7.5948 | 82.9022 | | |
| | S | 126.115 | 74.002 | 98.869 | 130.959 | 144.144 | 93.601 | 101.239 | 99.749 | 131.894 | 92.716 | 91.633 | 97.226 | 105.913 | | |
| 13 | T | 5.6647 | | | | | | | | | | | | | | |
| | S | 124.094 | | | | | | | | | | | | | | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car 93 - Brewer, Lindsay (R)

| Lap | T/SF to PI | |
|-----|------------|---------|
| 1 | T | |
| | S | |
| 2 | T | |
| | S | |
| 3 | T | |
| | S | |
| 4 | T | |
| | S | |
| 5 | T | |
| | S | |
| 6 | T | 87.8299 |
| | S | 91.121 |
| 7 | T | |
| | S | |
| 8 | T | |
| | S | |
| 9 | T | |
| | S | |
| 10 | T | |
| | S | |
| 11 | T | |
| | S | |
| 12 | T | 85.6349 |
| | S | 93.457 |
| 13 | T | |
| | S | |

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Qualifications

May 13, 2022

Section Data for Car

Report Support Information

| Section Legend | |
|----------------|----------------|
| Name | Length |
| I6 to I7 | 0.195265 miles |
| I7 to I8 | 0.152462 miles |
| I8 to I9 | 0.237879 miles |
| I9 to SF | 0.164394 miles |
| SF to I1 | 0.254167 miles |
| I1 to I2 | 0.252841 miles |
| I2 to I3A | 0.108523 miles |
| I3A to I3 | 0.232197 miles |
| I3 to I4 | 0.341288 miles |
| I4 to I5A | 0.165720 miles |
| I5A to I5 | 0.129167 miles |
| I5 to I6 | 0.205114 miles |
| I2 to I3 | 0.340720 miles |
| I4 to I5 | 0.294886 miles |
| Lap | 2.439000 miles |
| PI to PO | 0.394602 miles |
| PO to SF | 2.239110 miles |
| SF to PI | 2.223106 miles |
| PO to I2 | 0.307102 miles |
| I7 to PI | 0.338826 miles |
| PO to PI | 2.023201 miles |

| Color Legend | |
|--------------|-----------------------|
| | Fastest Lap |
| | Section Under Caution |
| | Section Under Green |
| | Section Time Data |
| | Section Speed Data |

