

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 1 - Porto, Kiko (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2719	29.8200	4.8665	9.3294	7.8456	7.0549	10.6943	6.9443	7.0343	12.2417	10.9861	10.9466	11.6095	126.5439	121.4635
	S	102.937	17.766	36.707	66.871	56.749	59.726	59.292	53.216	69.303	81.874	64.606	58.300	68.596	55.873	56.964

**Event:** Cooper Tires Indy Pro 2000 GP of Portland

**Rounds 16/17/18**

**Track:** Portland International Raceway

**1.964 mile(s)**



**Report:** Section Data Report

**Indy Pro 2000 Championship**

**Session:** Race 1

**September 2, 2022**

**Section Data for Car 1 - Porto, Kiko (R)**

Lap	T/SF to PI	
1	T	122.4652
	S	51.232

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2551		3.4904	13.9833	5.2992	5.1721	8.3165	5.1748	4.4325	7.5088	12.1646	10.4961	6.7268	85.0291	117.3879
	S	103.704		51.179	44.615	84.018	81.469	76.245	71.413	109.983	133.480	58.347	60.802	118.387	83.153	58.942
2	T	1.7561	5.6966	3.1894	6.4033	4.6793	4.9219	8.0394	5.0089	4.4600	7.5125	5.6259	7.3967	6.5759	71.2659	
	S	133.172	92.998	56.009	97.428	95.148	85.610	78.873	73.778	109.305	133.414	126.162	86.279	121.103	99.212	
3	T	1.7349	5.3725	2.9950	6.2977	4.5171	4.8458	7.8908	4.9524	4.3760	7.4374	5.6289	7.2682	6.5114	69.8281	
	S	134.799	98.608	59.645	99.062	98.565	86.954	80.358	74.619	111.403	134.761	126.094	87.805	122.303	101.254	
4	T	1.7231	5.2925	2.9948	6.4805	4.5233	4.8302	7.9079	4.9547	4.3820	7.4738	5.5795	7.2867	6.5018	69.9308	
	S	135.723	100.099	59.649	96.268	98.430	87.235	80.184	74.585	111.251	134.105	127.211	87.582	122.484	101.106	
5	T	1.7194	5.1920	3.0107	6.3340	4.4851	4.9042	7.9570	4.9609	4.4030	7.4654	5.5764	7.2875	6.5203	69.8159	
	S	136.015	102.036	59.334	98.494	99.268	85.919	79.690	74.492	110.720	134.256	127.282	87.572	122.136	101.272	
6	T	1.7214	5.2758	2.9885	6.3126	4.5093	4.8890	7.8860	4.9669	4.3702	7.4183	5.4969	7.2788	6.5131	69.6268	
	S	135.857	100.416	59.775	98.828	98.735	86.186	80.407	74.402	111.551	135.108	129.122	87.677	122.271	101.547	
7	T	1.7206	5.3467	2.9527	6.2771	4.5167	4.9126	7.8466	4.9422	4.3705	7.4123	5.5299	7.2886	6.4677	69.5842	
	S	135.920	99.084	60.499	99.387	98.574	85.772	80.811	74.773	111.543	135.218	128.352	87.559	123.129	101.609	
8	T	1.7049	5.3533	2.9754	6.2518	4.6158	4.9691	7.9065	4.9551	4.3766	7.4289	5.6449	7.3228	6.4422	69.9473	
	S	137.171	98.962	60.038	99.789	96.457	84.797	80.199	74.579	111.388	134.915	125.737	87.150	123.617	101.082	
9	T	1.6987	5.5036	3.0254	6.2779	4.6917	4.9901	7.9064	4.9665	4.3678	7.3647	5.8122	7.5088	6.5921	70.7059	
	S	137.672	96.259	59.046	99.375	94.897	84.440	80.200	74.408	111.612	136.091	122.118	84.991	120.806	99.997	
10	T	1.7428	5.6501	3.0936	6.3334	4.5768	4.9447	7.9132	4.9933	4.3863	7.4396	5.5334	7.3160	6.4969	70.4201	
	S	134.188	93.763	57.744	98.504	97.279	85.215	80.131	74.008	111.142	134.721	128.271	87.231	122.576	100.403	
11	T	1.7109	5.4085	2.9207	6.2552	4.5646	4.9395	7.8590	4.9589	4.3654	7.4117	5.5136	7.4196	6.5123	69.8399	
	S	136.690	97.952	61.162	99.735	97.539	85.305	80.683	74.522	111.674	135.228	128.731	86.013	122.286	101.237	
12	T	1.7129	5.4361	2.9081	6.2624	4.5669	4.9528	7.8862	4.9739	4.3835	7.4064	5.5396	7.3439	6.4615	69.8342	
	S	136.531	97.455	61.427	99.621	97.490	85.076	80.405	74.297	111.213	135.325	128.127	86.900	123.247	101.246	
13	T	1.7067	5.4939	2.9549	6.2675	4.6557	4.9413	7.8010	4.9656	4.4028	7.4020	5.8335	7.4086	6.4441	70.2776	
	S	137.027	96.429	60.454	99.539	95.631	85.274	81.283	74.421	110.725	135.406	121.672	86.141	123.580	100.607	
14	T	1.6965	5.4001	2.9841	6.3525	4.5732	4.9517	7.9279	5.0421	4.4143	7.3774	5.7477	7.4950	6.4826	70.4451	
	S	137.851	98.104	59.863	98.208	97.356	85.095	79.982	73.292	110.437	135.857	123.488	85.148	122.846	100.368	
15	T	1.6998	5.4106	2.9338	6.2498	4.8795	5.0431	7.8698	4.9759	4.3637	7.3865	5.5719	7.3879	6.4383	70.2106	
	S	137.583	97.914	60.889	99.821	91.244	83.553	80.573	74.267	111.717	135.690	127.384	86.382	123.692	100.703	
16	T	1.6936	5.5503	3.0061	6.2577	4.6067	5.0462	8.0167	5.0236	4.4119	7.4034	5.7169	7.2877	6.3971	70.4179	
	S	138.087	95.449	59.425	99.695	96.648	83.501	79.096	73.562	110.497	135.380	124.153	87.570	124.488	100.406	
17	T	1.6772	5.4027	3.2160	6.3960	4.5592	4.9502	7.9498	5.0929	4.4308	7.4611	5.5877	7.3084	6.5366	70.5686	
	S	139.437	98.057	55.546	97.540	97.655	85.121	79.762	72.561	110.025	134.333	127.024	87.322	121.831	100.192	
18	T	1.7214	5.4019	2.9965	6.2887	4.5458	4.9104	7.9494	5.0397	4.4601	7.4815	5.5166	7.3874	6.5360	70.2354	
	S	135.857	98.072	59.615	99.204	97.943	85.810	79.766	73.327	109.302	133.967	128.661	86.388	121.843	100.667	
19	T	1.7237	5.3828	2.9452	6.2949	4.5384	5.0411	7.9012	5.0139	4.4237	7.4657	5.5274	7.3184	6.4997	70.0761	
	S	135.675	98.420	60.653	99.106	98.102	83.586	80.252	73.704	110.202	134.250	128.410	87.202	122.523	100.896	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7123	5.4710	2.9607	6.3102	4.6359	4.9805	7.9820	4.9907	4.3916	7.4808	5.5833	7.3072	6.4920	70.2982
	S	136.579	96.833	60.336	98.866	96.039	84.603	79.440	74.047	111.007	133.979	127.124	87.336	122.668	100.577
21	T	1.7144	5.4779	2.9770	6.2991	4.6202	4.9735	7.9931	5.0539	4.4505	7.4377	5.5524	7.2892	6.4438	70.2827
	S	136.411	96.711	60.005	99.040	96.365	84.722	79.330	73.121	109.538	134.756	127.832	87.552	123.586	100.599
22	T	1.7011	5.3944	3.0258	6.4543	4.6458	5.0159	7.9301	5.1302	4.3909	7.4179	5.6239	7.4138	6.5046	70.6487
	S	137.478	98.208	59.038	96.659	95.834	84.006	79.960	72.033	111.025	135.115	126.206	86.080	122.431	100.078
23	T	1.7176	5.4235	2.9976	6.2803	4.6787	5.0196	7.9501	4.9977	4.3692	7.3499	5.7953	7.4891	6.4755	70.5441
	S	136.157	97.681	59.593	99.337	95.160	83.944	79.759	73.943	111.576	136.365	122.474	85.215	122.981	100.227
24	T	1.6994	5.5486	2.9755	6.3115	4.7247	4.9959	7.9857	5.0264	4.3851	7.4176	5.6765	7.4120	6.4563	70.6152
	S	137.615	95.479	60.036	98.846	94.234	84.342	79.403	73.521	111.172	135.121	125.037	86.101	123.347	100.126
25	T	1.7006	5.6325	3.2084	6.3498	4.8311	5.1501	8.1493	5.0574	4.4040	7.3758	5.6570	7.5258	6.4292	71.4710
	S	137.518	94.056	55.678	98.249	92.159	81.817	77.809	73.070	110.695	135.887	125.468	84.799	123.867	98.927
26	T	1.6883	5.5223	2.9877	6.3014	4.7832	5.0363	8.0825	5.0632	4.3551	7.3178	5.8902	7.4677	6.4617	70.9574
	S	138.520	95.933	59.791	99.004	93.081	83.665	78.452	72.987	111.938	136.964	120.501	85.459	123.244	99.643
27	T	1.7067				5.1157	5.2096	8.1573	5.0751	4.4629	7.5210	5.6370	7.3797	6.5347	76.0898
	S	137.027				87.032	80.882	77.733	72.815	109.234	133.263	125.913	86.478	121.867	92.922
28	T	1.7262	5.3953	3.0289	6.3255	4.5874	5.1400	7.9810	5.0128	4.3866	7.4867	5.5931	7.3695	6.5392	70.5722
	S	135.479	98.192	58.977	98.627	97.054	81.977	79.450	73.720	111.134	133.874	126.901	86.598	121.783	100.187
29	T	1.7210	5.4787	2.9814	6.2908	4.6189	4.9806	7.9953	4.9722	4.3793	7.4751	5.6215	7.3723	6.4853	70.3724
	S	135.888	96.697	59.917	99.171	96.392	84.601	79.308	74.322	111.319	134.082	126.260	86.565	122.795	100.471
30	T	1.7018	5.4881	2.9208	6.2594	4.5987	4.9636	7.9878	5.0472	4.4074	7.4750	5.5693	7.3229	6.4700	70.2120
	S	137.421	96.531	61.160	99.668	96.816	84.891	79.382	73.218	110.609	134.083	127.444	87.149	123.086	100.701
31	T	1.7498	6.3979	3.2164											
	S	133.652	82.804	55.539											

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 19 - Missig, Jordan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2209		3.9095	12.6203	4.9878	5.1208	8.3682	5.0150	4.3734	7.4065	5.8884	7.4909	6.4608	76.2638	112.4988
	S	105.301		45.693	49.433	89.263	82.285	75.774	73.688	111.469	135.323	120.537	85.194	123.261	92.710	61.504
2	T	1.6944	5.5438	3.1382	6.3453	4.7208	4.9788	8.0115	5.0318	4.3423	7.3576	5.7996	7.3592	6.4061	70.7294	
	S	138.022	95.561	56.923	98.319	94.312	84.632	79.148	73.442	112.268	136.223	122.383	86.719	124.313	99.964	
3	T	1.6838	5.5106	3.0114	6.2956	4.9419	5.0652	8.1709	5.0848	4.4350	7.4825	6.0348	7.3377	6.4615	71.5157	
	S	138.890	96.137	59.320	99.095	90.092	83.188	77.604	72.676	109.921	133.949	117.613	86.973	123.247	98.865	
4	T	1.7077	5.3860	3.0368	6.3005	4.5877	4.8823	8.1374	5.0078	4.4095	7.4115	5.6644	7.3288	6.4520	70.3124	
	S	136.947	98.361	58.824	99.018	97.048	86.304	77.923	73.794	110.557	135.232	125.304	87.079	123.429	100.557	
5	T	1.7008	5.2047	3.1017	6.3554	4.6410	4.9157	7.9470	4.9754	4.3770	7.4012	5.6525	7.3108	6.4521	70.0353	
	S	137.502	101.787	57.593	98.163	95.933	85.718	79.790	74.275	111.378	135.420	125.568	87.293	123.427	100.955	
6	T	1.6994	5.2781	3.0192	6.2816	4.6893	4.9946	8.0141	5.0023	4.3445	7.3407	5.6466	7.3878	6.4672	70.1654	
	S	137.615	100.372	59.167	99.316	94.945	84.364	79.122	73.875	112.211	136.536	125.699	86.383	123.139	100.768	
7	T	1.7022	5.2344	3.0606	6.3461	4.6098	4.9353	8.0847	5.0265	4.3400	7.3707	5.6335	7.3212	6.4218	70.0868	
	S	137.389	101.210	58.366	98.307	96.583	85.378	78.431	73.519	112.327	135.981	125.991	87.169	124.009	100.881	
8	T	1.6915	5.2950	3.0128	6.2884	4.6957	4.9886	7.9573	5.0627	4.3532	7.3106	5.8248	7.2759	6.3940	70.1505	
	S	138.258	100.052	59.292	99.209	94.816	84.465	79.687	72.994	111.987	137.099	121.854	87.712	124.549	100.789	
9	T	1.6921	5.2899	2.9985	6.3049	4.6326	5.0029	8.0724	5.0095	4.3643	7.3404	5.7330	7.3245	6.4136	70.1786	
	S	138.209	100.148	59.575	98.949	96.107	84.224	78.550	73.769	111.702	136.542	123.805	87.130	124.168	100.749	
10	T	1.6902	5.3466	3.1043	6.3307	4.6892	4.9503	8.0115	5.0230	4.3959	7.4077	5.6443	7.3446	6.4315	70.3698	
	S	138.364	99.086	57.545	98.546	94.947	85.119	79.148	73.571	110.899	135.301	125.750	86.891	123.822	100.475	
11	T	1.6899	5.2935	2.9831	6.2702	4.7075	4.9855	8.0567	5.0418	4.3821	7.3795	5.6731	7.5167	6.4999	70.4795	
	S	138.389	100.080	59.883	99.497	94.578	84.518	78.704	73.296	111.248	135.819	125.112	84.902	122.519	100.319	
12	T	1.7091	5.3074	3.0948	6.3056	4.6792	4.9990	7.9683	5.0225	4.3614	7.4127	5.6779	7.4423	6.5084	70.4886	
	S	136.834	99.818	57.721	98.938	95.150	84.290	79.577	73.578	111.776	135.210	125.006	85.751	122.359	100.306	
13	T	1.7130	5.2820	2.9993	6.3379	4.6415	4.9508	7.9103	5.0543	4.3494	7.3865	5.6211	7.4450	6.4541	70.1452	
	S	136.523	100.298	59.559	98.434	95.923	85.110	80.160	73.115	112.084	135.690	126.269	85.720	123.389	100.797	
14	T	1.7140	5.4812	3.2133	6.4236	4.7467	4.9215	8.0603	5.0544	4.3763	7.4598	5.6861	7.5168	6.5968	71.2508	
	S	136.443	96.653	55.593	97.121	93.797	85.617	78.668	73.114	111.395	134.357	124.826	84.901	120.720	99.233	
15	T	1.7278	5.2311	3.0673	6.3472	4.6689	4.9756	8.0107	5.0082	4.3765	7.4438	5.6720	7.3561	6.4877	70.3729	
	S	135.353	101.274	58.239	98.290	95.360	84.686	79.155	73.788	111.390	134.645	125.136	86.755	122.750	100.470	
16	T	1.7173	5.2686	3.0239	6.3325	4.6206	4.9261	8.0673	5.0264	4.3807	7.4502	5.6721	7.2834	6.4598	70.2289	
	S	136.181	100.553	59.075	98.518	96.357	85.537	78.600	73.521	111.284	134.530	125.134	87.621	123.280	100.677	
17	T	1.7072	5.3173	3.0122	6.2818	4.6720	4.9804	8.0971	5.0117	4.3725	7.4212	5.7481	7.3519	6.4293	70.4027	
	S	136.987	99.632	59.304	99.313	95.297	84.604	78.311	73.737	111.492	135.055	123.480	86.805	123.865	100.428	
18	T	1.7034	5.3219	3.0429	6.2880	4.8092	4.9947	7.9844	5.0521	4.3770	7.4036	5.6969	7.3574	6.3695	70.4010	
	S	137.292	99.546	58.706	99.215	92.578	84.362	79.416	73.147	111.378	135.376	124.589	86.740	125.028	100.430	
19	T	1.6711	5.5834	3.0603	6.2710	4.8834	5.1406	7.9947	5.1325	4.3950	7.3940	5.6985	7.5101	6.4909	71.2255	
	S	139.946	94.884	58.372	99.484	91.172	81.968	79.314	72.001	110.922	135.552	124.554	84.976	122.689	99.268	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 19 - Missig, Jordan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6998	5.1642	3.0826	6.3519	4.6320	4.9730	8.1397	5.0265	4.3789	7.4130	5.7025	7.3777	6.4178	70.3596
	S	137.583	102.586	57.950	98.217	96.120	84.730	77.901	73.519	111.329	135.205	124.467	86.501	124.087	100.489
21	T	1.6920	5.3498	3.0901	6.3110	5.0764	5.1379	8.1713	5.0148	4.3572	7.3443	5.7569	7.5322	6.4545	71.2884
	S	138.217	99.027	57.809	98.853	87.705	82.011	77.600	73.691	111.884	136.469	123.291	84.727	123.381	99.180
22	T	1.6929	5.2660	3.0733	6.3637	4.6968	5.0323	8.0275	5.0217	4.3558	7.3830	5.6253	7.3954	6.4387	70.3724
	S	138.144	100.602	58.125	98.035	94.794	83.732	78.990	73.590	111.920	135.754	126.175	86.294	123.684	100.471
23	T	1.6958	5.3749	3.0433	6.2927	4.6920	5.0426	8.2392	5.0537	4.3872	7.4368	5.6969	7.4206	6.4857	70.8614
	S	137.908	98.564	58.698	99.141	94.891	83.561	76.960	73.124	111.119	134.772	124.589	86.001	122.788	99.778
24	T	1.7087	5.2600	3.0433	6.3349	4.6946	4.9910	8.0296	5.0669	4.3587	7.4118	5.6536	7.4217	6.4144	70.3892
	S	136.866	100.717	58.698	98.480	94.838	84.425	78.969	72.933	111.845	135.227	125.543	85.989	124.152	100.447
25	T	1.6891	5.3122	3.0010	6.3302	4.7955	5.0688	8.1751	5.0205	4.3670	7.3920	5.7182	7.5392	6.4866	70.8954
	S	138.455	99.728	59.526	98.554	92.843	83.129	77.564	73.607	111.633	135.589	124.125	84.648	122.771	99.730
26	T	1.7149	5.3149	3.0446	6.2924	4.6456	5.0537	8.1490	5.0359	4.3564	7.3949	5.7803	7.5462	6.4170	70.7458
	S	136.372	99.677	58.673	99.146	95.838	83.377	77.812	73.382	111.904	135.536	122.792	84.570	124.102	99.941
27	T	1.6865	5.7434	3.4805	6.4542	4.7369	4.9826	8.0614	5.0584	4.3944	7.4561	5.8192	7.3900	6.4776	71.7412
	S	138.668	92.240	51.325	96.660	93.991	84.567	78.658	73.056	110.937	134.423	121.971	86.357	122.941	98.554
28	T	1.7166	5.3994	2.9737	6.2900	4.6519	5.0462	7.9947	5.0635	4.3872	7.4554	5.7668	7.3377	6.4390	70.5221
	S	136.237	98.117	60.072	99.183	95.709	83.501	79.314	72.982	111.119	134.436	123.079	86.973	123.678	100.258
29	T	1.6997	5.2916	3.0040	6.2866	4.6652	5.0195	8.0511	4.9855	4.3655	7.4097	5.7647	7.3765	6.3958	70.3154
	S	137.591	100.116	59.466	99.237	95.436	83.945	78.758	74.124	111.671	135.265	123.124	86.516	124.514	100.553
30	T	1.6840	5.2915	3.0775	6.2982	4.7552	5.1750	8.2312	5.0074	4.3326	7.2967	6.1911	7.6224	6.5559	71.5187
	S	138.874	100.118	58.046	99.054	93.630	81.423	77.035	73.800	112.519	137.360	114.644	83.725	121.473	98.861
31	T	1.7621	6.1559	3.4021	8.7948										
	S	132.719	86.059	52.508	70.936										

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 2 - Browne, Jonathan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2881	6.6489	3.6178	6.5038	4.8779	5.0809	8.2377	5.1410	4.4390	7.5295	5.9405	7.5688	6.5761	74.4500	113.5677
	S	102.209	79.678	49.377	95.923	91.274	82.931	76.974	71.882	109.822	133.113	119.480	84.317	121.100	94.968	60.925
2	T	1.7323	5.4504	3.2021	6.4227	4.5769	4.9946	8.0979	4.9778	4.4046	7.5348	5.8164	7.3815	6.5735	71.1655	
	S	135.002	97.199	55.787	97.134	97.277	84.364	78.303	74.239	110.680	133.019	122.030	86.457	121.148	99.352	
3	T	1.7399	5.5118	3.3009	6.4631	4.7614	4.8926	8.0166	4.9744	4.3972	7.5131	5.7193	7.3036	6.5542	71.1481	
	S	134.412	96.116	54.117	96.527	93.508	86.123	79.097	74.289	110.866	133.403	124.101	87.379	121.504	99.376	
4	T	1.7419	5.2646	3.0613	6.3678	4.5095	4.8736	7.9263	4.9791	4.4085	7.5311	5.7806	7.4071	6.5657	70.4171	
	S	134.258	100.629	58.353	97.972	98.731	86.458	79.998	74.219	110.582	133.085	122.785	86.158	121.292	100.407	
5	T	1.7417	5.2218	3.0179	6.3383	4.5429	4.9255	7.9388	4.8865	4.3981	7.5380	5.7236	7.3410	6.5692	70.1833	
	S	134.273	101.454	59.192	98.428	98.005	85.547	79.872	75.626	110.843	132.963	124.008	86.934	121.227	100.742	
6	T	1.7454	5.2823	2.9847	6.2948	4.5183	4.9546	7.9265	4.9113	4.3763	7.5008	5.7596	7.3712	6.5596	70.1854	
	S	133.989	100.292	59.851	99.108	98.539	85.045	79.996	75.244	111.395	133.622	123.233	86.578	121.404	100.739	
7	T	1.7421	5.2753	3.0116	6.3552	4.5561	4.9495	7.9200	4.9404	4.3809	7.5050	5.7300	7.3565	6.5750	70.2976	
	S	134.242	100.425	59.316	98.166	97.721	85.133	80.062	74.801	111.279	133.547	123.870	86.751	121.120	100.578	
8	T	1.7480	5.2975	3.0162	6.3390	4.5046	4.9262	7.8683	4.9637	4.3901	7.5127	5.6728	7.3612	6.5369	70.1372	
	S	133.789	100.004	59.226	98.417	98.838	85.535	80.588	74.450	111.045	133.410	125.119	86.695	121.826	100.808	
9	T	1.7377	5.2402	3.0533	6.3475	4.5345	4.9650	7.8586	5.0118	4.4241	7.5274	5.7150	7.3552	6.5538	70.3241	
	S	134.582	101.098	58.506	98.285	98.187	84.867	80.688	73.735	110.192	133.150	124.195	86.766	121.512	100.540	
10	T	1.7371	5.2244	3.0374	6.3404	4.5242	4.9486	7.8483	4.9831	4.4066	7.5166	5.6983	7.3819	6.5447	70.1916	
	S	134.629	101.404	58.812	98.395	98.410	85.148	80.793	74.160	110.630	133.341	124.559	86.452	121.681	100.730	
11	T	1.7340	5.2466	2.9979	6.3091	4.5109	5.0092	7.9163	5.0137	4.4018	7.5139	5.7340	7.3932	6.5302	70.3108	
	S	134.869	100.974	59.587	98.883	98.700	84.118	80.099	73.707	110.750	133.389	123.783	86.320	121.951	100.559	
12	T	1.7311	5.2844	3.0521	6.3401	4.5499	4.9803	7.8311	5.0002	4.3954	7.5006	5.6991	7.3683	6.5365	70.2691	
	S	135.095	100.252	58.529	98.400	97.854	84.606	80.971	73.906	110.911	133.626	124.541	86.612	121.833	100.619	
13	T	1.7316	5.2960	2.9879	6.3194	4.6162	4.9931	7.9181	5.0564	4.4162	7.5211	5.7491	7.4049	6.5540	70.5640	
	S	135.056	100.033	59.787	98.722	96.449	84.389	80.081	73.085	110.389	133.261	123.458	86.184	121.508	100.198	
14	T	1.7302	5.3380	3.0697	6.3150	4.6469	4.9541	7.9604	4.9884	4.4235	7.5196	5.6766	7.4447	6.5345	70.6016	
	S	135.166	99.246	58.193	98.791	95.812	85.054	79.656	74.081	110.207	133.288	125.035	85.723	121.871	100.145	
15	T	1.7230	5.2770	3.0325	6.3163	4.5876	5.0151	7.9491	5.0677	4.4001	7.4996	5.7543	7.4429	6.5137	70.5789	
	S	135.730	100.393	58.907	98.770	97.050	84.019	79.769	72.922	110.793	133.643	123.346	85.744	122.260	100.177	
16	T	1.7208	5.3725	3.0761	6.3159	4.6402	5.0658	7.9058	4.9760	4.3833	7.4810	5.7335	7.5045	6.5133	70.6887	
	S	135.904	98.608	58.072	98.777	95.950	83.178	80.206	74.266	111.218	133.976	123.794	85.040	122.267	100.022	
17	T	1.7178	5.3837	3.0656	6.3054	4.7251	5.1123	7.9523	5.0398	4.4146	7.5022	5.7113	7.4804	6.5493	70.9598	
	S	136.141	98.403	58.271	98.941	94.226	82.422	79.737	73.325	110.429	133.597	124.275	85.314	121.595	99.640	
18	T	1.7293	5.3308	3.1039	6.3302	4.5857	5.0203	7.8701	5.1128	4.4128	7.5025	5.6853	7.4507	6.5093	70.6437	
	S	135.236	99.380	57.552	98.554	97.090	83.932	80.570	72.278	110.474	133.592	124.843	85.654	122.342	100.085	
19	T	1.7205	5.2892	3.0187	6.2926	4.6620	5.0163	7.9423	5.0713	4.4101	7.4967	5.7258	7.4060	6.5238	70.5753	
	S	135.928	100.161	59.177	99.142	95.501	83.999	79.837	72.870	110.542	133.695	123.960	86.171	122.071	100.182	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 2 - Browne, Jonathan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7294	5.2836	3.0846	6.3329	4.6436	5.0500	7.9681	5.0686	4.4067	7.5170	5.7029	7.5037	6.5376	70.8287
	S	135.228	100.267	57.912	98.512	95.880	83.438	79.579	72.909	110.627	133.334	124.458	85.049	121.813	99.824
21	T	1.7300	5.4095	3.3070	6.4184	4.7875	5.0156	7.8813	5.0702	4.4118	7.5243	5.7087	7.3792	6.5156	71.1591
	S	135.181	97.934	54.018	97.199	92.998	84.011	80.455	72.886	110.499	133.205	124.332	86.484	122.224	99.360
22	T	1.7315	5.2248	3.0151	6.3357	4.5642	4.9999	7.9417	4.9819	4.4090	7.5198	5.6848	7.3642	6.5455	70.3181
	S	135.064	101.396	59.247	98.468	97.548	84.274	79.843	74.178	110.569	133.284	124.854	86.660	121.666	100.549
23	T	1.7358	5.2401	3.0342	6.3199	4.5715	4.9927	7.9432	5.0395	4.4009	7.5038	5.7171	7.4164	6.5416	70.4567
	S	134.730	101.100	58.874	98.714	97.392	84.396	79.828	73.330	110.773	133.569	124.149	86.050	121.738	100.351
24	T	1.7269	5.3103	3.0405	6.3270	4.6333	5.1029	8.0398	5.0755	4.3998	7.4835	5.7182	7.4563	6.5218	70.8358
	S	135.424	99.763	58.752	98.603	96.093	82.573	78.869	72.810	110.800	133.931	124.125	85.590	122.108	99.814
25	T	1.7244	5.3118	3.0727	6.3512	4.5897	5.0159	7.9731	5.0778	4.4035	7.4985	5.7126	7.4509	6.5321	70.7142
	S	135.620	99.735	58.137	98.228	97.006	84.006	79.529	72.777	110.707	133.663	124.247	85.652	121.915	99.986
26	T	1.7282	5.2929	3.0613	6.3113	4.5902	5.1304	7.9456	5.1417	4.4170	7.5050	5.7772	7.4914	6.5281	70.9203
	S	135.322	100.091	58.353	98.849	96.995	82.131	79.804	71.872	110.369	133.547	122.858	85.189	121.990	99.695
27	T	1.7329	5.3528	3.0362	6.3132	4.6324	5.0792	7.9615	5.1120	4.4119	7.5238	5.7687	7.4608	6.5322	70.9176
	S	134.955	98.971	58.836	98.819	96.112	82.959	79.645	72.290	110.497	133.214	123.039	85.538	121.914	99.699
28	T	1.7308	5.3535	3.0527	6.3300	4.5821	5.0567	7.9360	5.0760	4.3972	7.5163	5.7341	7.4655	6.5392	70.7701
	S	135.119	98.958	58.517	98.557	97.167	83.328	79.901	72.802	110.866	133.347	123.781	85.484	121.783	99.907
29	T	1.7256	5.3118	3.0221	6.3053	4.6349	5.1042	8.0184	5.0811	4.3993	7.5093	5.7382	7.4774	6.5232	70.8508
	S	135.526	99.735	59.110	98.943	96.060	82.552	79.079	72.729	110.813	133.471	123.693	85.348	122.082	99.793
30	T	1.7208	5.3117	3.1220	6.3474	4.6561	5.1117	7.9533	5.1371	4.4150	7.5149	5.7805	7.4573	6.5154	71.0432
	S	135.904	99.737	57.219	98.286	95.622	82.431	79.727	71.937	110.419	133.371	122.787	85.578	122.228	99.523
31	T	1.8758	6.8253	3.4628	8.8250										
	S	124.674	77.619	51.587	70.693										



Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 3 - Green, Josh (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2678		3.3448	14.5940	5.2497	5.2132	8.3048	5.0706	4.4287	7.5026	5.8575	7.4946	6.5089	76.5075	119.2347
	S	103.124		53.407	42.748	84.810	80.826	76.352	72.880	110.077	133.590	121.173	85.152	122.350	92.414	58.029
2	T	1.7146	5.4919	3.0602	6.3445	4.7346	4.9275	8.0906	4.9996	4.3878	7.4550	5.7314	7.3659	6.4755	70.7791	
	S	136.395	96.464	58.374	98.331	94.037	85.513	78.374	73.915	111.104	134.443	123.839	86.640	122.981	99.894	
3	T	1.7080	5.3718	3.0392	6.3618	5.0078	5.0278	8.2789	5.1143	4.4401	7.5694	6.2427	7.5241	6.4631	72.1490	
	S	136.923	98.621	58.777	98.064	88.907	83.807	76.591	72.257	109.795	132.411	113.696	84.818	123.217	97.997	
4	T	1.7038	5.3724	3.0660	6.3673	4.6430	4.8895	8.1876	4.9523	4.3870	7.4463	5.6329	7.3663	6.4730	70.4874	
	S	137.260	98.610	58.264	97.979	95.892	86.177	77.445	74.621	111.124	134.600	126.005	86.635	123.029	100.307	
5	T	1.7109	5.2906	3.0149	6.3330	4.6272	4.9483	8.0812	4.9482	4.4014	7.4691	5.6474	7.3626	6.5231	70.3579	
	S	136.690	100.135	59.251	98.510	96.220	85.153	78.465	74.683	110.760	134.189	125.681	86.679	122.084	100.492	
6	T	1.7262	5.3539	2.9541	6.2988	4.5515	4.9217	7.9842	4.9792	4.3727	7.4437	5.6177	7.3821	6.5209	70.1067	
	S	135.479	98.951	60.471	99.045	97.820	85.613	79.418	74.218	111.487	134.647	126.346	86.450	122.125	100.852	
7	T	1.7211	5.2399	2.9864	6.3246	4.6246	5.0256	8.0143	5.0297	4.3914	7.4618	5.6138	7.3836	6.5219	70.3387	
	S	135.880	101.104	59.817	98.641	96.274	83.843	79.120	73.473	111.012	134.321	126.434	86.432	122.106	100.519	
8	T	1.7244	5.3019	2.9887	6.3217	4.6096	4.9832	7.9658	4.9853	4.4026	7.4714	5.6158	7.3793	6.5234	70.2731	
	S	135.620	99.921	59.771	98.686	96.587	84.557	79.602	74.127	110.730	134.148	126.389	86.483	122.078	100.613	
9	T	1.7276	5.2464	3.0114	6.3844	4.6087	4.9083	7.9688	4.9447	4.3898	7.4931	5.6330	7.3871	6.5563	70.2596	
	S	135.369	100.978	59.320	97.717	96.606	85.847	79.572	74.736	111.053	133.759	126.003	86.391	121.465	100.633	
10	T	1.7346	5.2864	2.9517	6.3061	4.5797	4.9261	7.9704	4.9370	4.4063	7.4858	5.6353	7.2996	6.5107	70.0297	
	S	134.823	100.214	60.520	98.930	97.218	85.537	79.556	74.852	110.637	133.890	125.951	87.427	122.316	100.963	
11	T	1.7192	5.2343	2.9432	6.2958	4.6405	4.8988	8.0293	4.9879	4.3949	7.4670	5.5843	7.4042	6.5048	70.1042	
	S	136.031	101.212	60.695	99.092	95.944	86.014	78.972	74.088	110.924	134.227	127.101	86.192	122.427	100.856	
12	T	1.7121	5.3627	3.0534	6.3503	4.6652	4.9459	7.9607	4.9951	4.3788	7.4374	5.6366	7.3713	6.4877	70.3572	
	S	136.595	98.788	58.504	98.242	95.436	85.195	79.653	73.982	111.332	134.761	125.922	86.577	122.750	100.493	
13	T	1.7108	5.3919	3.0484	6.3587	4.6376	4.9619	7.9286	5.0727	4.3992	7.4637	5.6778	7.3307	6.5267	70.5087	
	S	136.698	98.253	58.600	98.112	96.004	84.920	79.975	72.850	110.816	134.286	125.008	87.056	122.016	100.277	
14	T	1.7243	5.3773	3.1590	6.4582	4.9600	5.0799	7.9927	5.1032	4.3570	7.3880	5.7602	7.3890	6.4814	71.2302	
	S	135.628	98.520	56.548	96.600	89.764	82.947	79.334	72.414	111.889	135.662	123.220	86.369	122.869	99.261	
15	T	1.7066	5.2933	3.0311	6.3233	4.6701	5.0348	8.0944	5.0812	4.3734	7.4429	5.6628	7.4384	6.4923	70.6446	
	S	137.035	100.084	58.935	98.661	95.336	83.690	78.337	72.728	111.469	134.662	125.340	85.796	122.663	100.084	
16	T	1.7085	5.3278	3.0669	6.3359	4.6834	5.0300	8.1306	5.1385	4.4174	7.4691	5.6037	7.4558	6.4959	70.8635	
	S	136.882	99.436	58.247	98.465	95.065	83.770	77.988	71.917	110.359	134.189	126.661	85.595	122.595	99.775	
17	T	1.7084	5.3475	2.9725	6.2733	4.6595	4.9615	8.0241	5.1003	4.4065	7.4905	5.6116	7.4736	6.5328	70.5621	
	S	136.890	99.069	60.096	99.447	95.553	84.927	79.023	72.456	110.632	133.806	126.483	85.391	121.902	100.201	
18	T	1.7149	5.3420	2.9688	6.3083	4.6525	4.9867	8.0652	4.9998	4.4060	7.4718	5.6044	7.3749	6.5116	70.4069	
	S	136.372	99.171	60.171	98.896	95.696	84.497	78.621	73.912	110.645	134.141	126.646	86.534	122.299	100.422	
19	T	1.7157	5.3048	3.0233	6.3139	4.6317	4.9441	8.2117	5.0082	4.4085	7.4805	5.6758	7.3705	6.4831	70.5718	
	S	136.308	99.867	59.087	98.808	96.126	85.226	77.218	73.788	110.582	133.985	125.052	86.586	122.837	100.187	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 3 - Green, Josh (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7122	5.2569	2.9691	6.3368	4.6417	4.9603	7.9996	5.0916	4.4133	7.4611	5.6665	7.3816	6.4848	70.3755
	S	136.587	100.777	60.165	98.451	95.919	84.947	79.265	72.579	110.462	134.333	125.258	86.456	122.805	100.467
21	T	1.7067	5.3352	3.0229	6.3316	4.7142	5.0124	8.1462	5.0805	4.3501	7.3024	6.1028	7.5872	6.4595	71.1517
	S	137.027	99.298	59.094	98.532	94.444	84.064	77.839	72.738	112.066	137.253	116.303	84.113	123.286	99.371
22	T	1.6976	5.4252	3.0495	6.3215	4.6813	5.0350	8.0680	5.0327	4.3810	7.4232	5.6933	7.3754	6.4552	70.6389
	S	137.761	97.650	58.579	98.689	95.108	83.687	78.593	73.429	111.276	135.019	124.668	86.528	123.368	100.092
23	T	1.7000	5.4463	3.0289	6.3239	4.6218	5.0348	8.2489	5.1160	4.3994	7.4702	5.6536	7.4098	6.4778	70.9314
	S	137.567	97.272	58.977	98.652	96.332	83.690	76.870	72.233	110.811	134.169	125.543	86.127	122.937	99.679
24	T	1.7094	5.3252	3.0162	6.3286	4.6831	5.0083	7.9810	5.0923	4.3966	7.4511	5.6455	7.3543	6.4069	70.3985
	S	136.810	99.484	59.226	98.578	95.071	84.133	79.450	72.569	110.881	134.513	125.724	86.777	124.298	100.434
25	T	1.6898	5.7668	3.3720	6.4388	4.8259	5.1074	8.1100	5.0440	4.3940	7.4397	5.7271	7.4354	6.4615	71.8124
	S	138.397	91.866	52.976	96.891	92.258	82.501	78.186	73.264	110.947	134.720	123.932	85.830	123.247	98.457
26	T	1.7057	5.4245	3.0484	6.3252	4.6543	5.0476	8.1478	5.0754	4.3833	7.3904	5.8324	7.5503	6.5567	71.1420
	S	137.107	97.663	58.600	98.631	95.659	83.478	77.824	72.811	111.218	135.618	121.695	84.524	121.458	99.384
27	T	1.7452	5.2882	3.4868	6.4951	4.6953	5.0075	8.0478	5.1124	4.4160	7.4881	5.6516	7.4975	6.5346	71.4661
	S	134.004	100.180	51.232	96.051	94.824	84.147	78.791	72.284	110.394	133.849	125.588	85.119	121.869	98.934
28	T	1.7220	5.3585	3.0186	6.3381	4.6177	4.9758	8.1009	5.0834	4.4127	7.4743	5.6699	7.4096	6.4832	70.6647
	S	135.809	98.866	59.179	98.431	96.418	84.683	78.274	72.697	110.477	134.096	125.183	86.129	122.835	100.056
29	T	1.7076	5.4017	3.0124	6.3139	4.7110	5.0353	8.1011	5.0358	4.4027	7.4387	5.7957	7.5421	6.4752	70.9732
	S	136.955	98.075	59.300	98.808	94.508	83.682	78.272	73.384	110.728	134.738	122.465	84.616	122.987	99.621
30	T	1.6999	5.4513	3.0131	6.2863	4.6744	5.0621	8.1270	5.1248	4.3916	7.4160	5.8470	7.4798	6.4227	70.9960
	S	137.575	97.183	59.287	99.242	95.248	83.239	78.023	72.109	111.007	135.150	121.391	85.321	123.992	99.589
31	T	1.7919	6.6826	3.4050											
	S	130.512	79.276	52.463											

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 4 - Eves, Braden

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2391	7.0027	3.3219	6.5804	4.9818	5.0942	8.2922	5.0931	4.3936	7.4602	6.1017	7.5052	6.4987	74.5648	109.7090
	S	104.445	75.653	53.775	94.806	89.371	82.714	76.468	72.558	110.957	134.349	116.324	85.032	122.542	94.822	63.068
2	T	1.7055	5.5093	3.1603	6.3720	4.6895	4.9528	8.1306	5.0948	4.3647	7.3941	5.9054	7.4040	6.4763	71.1593	
	S	137.123	96.160	56.525	97.907	94.941	85.076	77.988	72.534	111.692	135.550	120.190	86.194	122.966	99.360	
3	T	1.7017	5.3323	3.4176	6.4202	4.9034	4.9708	8.1029	5.0307	4.3703	7.3868	5.8414	7.4938	6.5058	71.4777	
	S	137.429	99.352	52.270	97.172	90.800	84.768	78.255	73.458	111.548	135.684	121.507	85.161	122.408	98.918	
4	T	1.7161	5.3684	3.1024	6.3059	4.5696	4.9270	8.0813	5.0049	4.3969	7.4548	5.7571	7.3480	6.4869	70.5193	
	S	136.276	98.684	57.580	98.933	97.432	85.521	78.464	73.837	110.874	134.447	123.287	86.851	122.765	100.262	
5	T	1.7087	5.0766	3.1149	6.3568	4.5617	4.8623	8.0220	4.9941	4.3727	7.4139	5.7414	7.3488	6.4767	70.0506	
	S	136.866	104.356	57.349	98.141	97.601	86.659	79.044	73.996	111.487	135.188	123.624	86.842	122.958	100.933	
6	T	1.7098	5.1691	3.0653	6.2951	4.5725	4.9214	7.9110	5.1332	4.3396	7.3919	5.7091	7.3988	6.4820	70.0988	
	S	136.778	102.488	58.277	99.103	97.371	85.619	80.153	71.991	112.338	135.591	124.323	86.255	122.858	100.863	
7	T	1.7089	5.2331	3.0595	6.3189	4.5893	4.9207	8.0449	5.0503	4.3698	7.3922	5.7641	7.3648	6.4611	70.2776	
	S	136.850	101.235	58.387	98.730	97.014	85.631	78.819	73.173	111.561	135.585	123.137	86.653	123.255	100.607	
8	T	1.7073	5.2226	3.0639	6.2978	4.6431	4.8840	8.0539	4.9560	4.3630	7.3888	5.6964	7.4216	6.4839	70.1823	
	S	136.979	101.439	58.304	99.061	95.890	86.274	78.731	74.565	111.735	135.648	124.600	85.990	122.822	100.743	
9	T	1.7085	5.1734	3.0284	6.3066	4.5813	4.9041	8.0081	5.0624	4.3863	7.4072	5.7287	7.3915	6.4720	70.1585	
	S	136.882	102.403	58.987	98.922	97.184	85.921	79.181	72.998	111.142	135.311	123.898	86.340	123.048	100.778	
10	T	1.7046	5.2600	3.0551	6.2740	4.7232	4.9437	7.9849	4.9382	4.3733	7.4032	5.7506	7.3753	6.4598	70.2459	
	S	137.196	100.717	58.472	99.436	94.264	85.232	79.411	74.834	111.472	135.384	123.426	86.530	123.280	100.652	
11	T	1.7009	5.2403	3.0097	6.2786	4.6276	4.9591	8.0432	5.0069	4.3645	7.3868	5.8398	7.3743	6.4438	70.2755	
	S	137.494	101.096	59.354	99.363	96.211	84.968	78.836	73.807	111.697	135.684	121.541	86.541	123.586	100.610	
12	T	1.7027	5.2781	3.0176	6.2783	4.6246	5.0455	7.9999	5.0646	4.3763	7.4141	5.7214	7.4450	6.4891	70.4572	
	S	137.349	100.372	59.198	99.368	96.274	83.513	79.262	72.966	111.395	135.185	124.056	85.720	122.723	100.350	
13	T	1.7058	5.1165	3.1147	6.3518	4.6485	4.9701	7.9579	5.0381	4.3864	7.4060	5.7384	7.3973	6.4395	70.2710	
	S	137.099	103.542	57.353	98.218	95.779	84.780	79.681	73.350	111.139	135.333	123.688	86.272	123.669	100.616	
14	T	1.6902	5.4843	3.0274	6.2842	4.6647	4.9608	8.0841	5.0595	4.4001	7.4202	5.7013	7.4526	6.4783	70.7077	
	S	138.364	96.598	59.007	99.275	95.446	84.939	78.437	73.040	110.793	135.074	124.493	85.632	122.928	99.995	
15	T	1.7023	5.2831	3.0803	6.2870	4.6965	4.9678	8.0800	5.1151	4.3887	7.4232	5.7030	7.3806	6.4373	70.5449	
	S	137.381	100.277	57.993	99.231	94.800	84.819	78.477	72.246	111.081	135.019	124.456	86.467	123.711	100.226	
16	T	1.6941	5.4694	3.0036	6.2613	4.7475	4.9662	8.0945	5.0825	4.3713	7.4200	5.7178	7.4645	6.4764	70.7691	
	S	138.046	96.861	59.474	99.638	93.781	84.846	78.336	72.709	111.523	135.077	124.134	85.496	122.964	99.908	
17	T	1.7032	5.3696	3.1200	6.3302	4.6849	4.9644	8.0367	5.1302	4.3792	7.3866	5.8111	7.4321	6.4351	70.7833	
	S	137.308	98.661	57.255	98.554	95.035	84.877	78.899	72.033	111.322	135.688	122.141	85.868	123.753	99.888	
18	T	1.6912	5.4992	3.0516	6.2687	4.6566	5.0065	8.0675	5.0112	4.3719	7.3903	5.7883	7.5078	6.4703	70.7811	
	S	138.283	96.336	58.539	99.520	95.612	84.163	78.598	73.744	111.508	135.620	122.622	85.003	123.080	99.891	
19	T	1.7016	5.4276	3.1160	6.3293	4.7146	5.0207	8.0094	5.0946	4.4027	7.4568	5.7228	7.3712	6.4629	70.8302	
	S	137.437	97.607	57.329	98.568	94.436	83.925	79.168	72.537	110.728	134.411	124.025	86.578	123.221	99.822	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 4 - Eves, Braden

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7054	5.1504	3.0753	6.3034	4.6820	5.0377	8.0203	5.1235	4.4029	7.4357	5.7259	7.3622	6.4281	70.4528
	S	137.131	102.861	58.087	98.973	95.093	83.642	79.061	72.128	110.722	134.792	123.958	86.684	123.888	100.357
21	T	1.6927	5.5443	3.1299	6.3589	4.9725	5.0862	8.0428	5.0562	4.3878	7.3932	5.7152	7.5546	6.4821	71.4164
	S	138.160	95.553	57.074	98.109	89.538	82.844	78.840	73.088	111.104	135.567	124.190	84.476	122.856	99.002
22	T	1.7065	5.1493	3.0650	6.3182	4.6800	4.9508	7.9835	5.0529	4.3858	7.4211	5.7154	7.4364	6.4868	70.3517
	S	137.043	102.882	58.283	98.741	95.134	85.110	79.425	73.135	111.154	135.057	124.186	85.819	122.767	100.501
23	T	1.7112	5.2538	3.0081	6.2716	4.6192	4.9595	8.0961	4.9911	4.3825	7.4222	5.7045	7.4901	6.5060	70.4159
	S	136.666	100.836	59.385	99.474	96.386	84.961	78.321	74.041	111.238	135.037	124.423	85.203	122.404	100.409
24	T	1.7065	5.2100	3.0088	6.2601	4.7974	5.0195	8.1364	5.0846	4.3810	7.4234	5.8507	7.4442	6.4508	70.7734
	S	137.043	101.684	59.371	99.657	92.806	83.945	77.933	72.679	111.276	135.015	121.314	85.729	123.452	99.902
25	T	1.7004	5.3357	3.0167	6.2758	4.7808	4.9905	8.0801	5.0586	4.3834	7.4151	5.7977	7.3961	6.4325	70.6634
	S	137.534	99.288	59.216	99.408	93.128	84.433	78.476	73.053	111.215	135.166	122.423	86.286	123.803	100.057
26	T	1.6968	5.3476	3.0216	6.2478	4.8083	5.0573	8.0818	5.1220	4.4107	7.4575	5.8664	7.5240	6.4873	71.1291
	S	137.826	99.067	59.120	99.853	92.596	83.318	78.459	72.149	110.527	134.398	120.989	84.819	122.757	99.402
27	T	1.7078	5.3544	3.0550	6.3207	4.7984	4.9408	8.1900	5.1217	4.3981	7.4504	5.7983	7.4486	6.4870	71.0712
	S	136.939	98.942	58.473	98.702	92.787	85.282	77.423	72.153	110.843	134.526	122.410	85.678	122.763	99.483
28	T	1.7136	5.3389	2.9475	6.2628	4.7347	4.9811	8.1200	5.0991	4.4069	7.4643	5.7279	7.4048	6.4698	70.6714
	S	136.475	99.229	60.606	99.614	94.035	84.592	78.090	72.473	110.622	134.276	123.915	86.185	123.089	100.046
29	T	1.7049	5.2976	2.9821	6.2808	4.8067	4.9909	8.1435	5.0651	4.3937	7.4619	5.8030	7.3828	6.4509	70.7639
	S	137.171	100.002	59.903	99.329	92.626	84.426	77.865	72.959	110.954	134.319	122.311	86.442	123.450	99.915
30	T	1.6982	5.2604	3.1576	6.3221	4.8251	5.0190	8.0855	5.1574	4.4052	7.4515	6.1881	8.1605	6.5976	72.3282
	S	137.713	100.710	56.573	98.680	92.273	83.954	78.423	71.653	110.665	134.506	114.700	78.204	120.705	97.754
31	T	1.7659	6.6809	3.3713	8.5884										
	S	132.433	79.297	52.987	72.640										

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 40 - Miller, Jack William

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	
1	T	2.2332	236.9894	3.4183	14.2596	6.1218	6.2795	9.3763	5.3780	4.4744	7.6514	7.7144	10.6757	11.5193	225.7388	150.2315
	S	104.721	2.235	52.259	43.750	72.728	67.101	67.627	68.714	108.953	130.992	92.006	59.779	69.133	31.321	6.249
2	T			3.2548	6.4633	4.7297	5.0711	8.2437	4.9709	4.4077	7.4965	5.7188	7.4020	6.5210	77.7633	
	S			54.884	96.524	94.134	83.091	76.918	74.342	110.602	133.699	124.112	86.217	122.123	90.922	
3	T	1.7292	5.4616	3.0084	6.4235	4.5139	4.8645	8.0324	4.8913	4.3830	7.4603	5.6644	7.3297	6.5226	70.2848	
	S	135.244	97.000	59.379	97.122	98.635	86.620	78.942	75.552	111.225	134.348	125.304	87.068	122.093	100.596	
4	T	1.7282	5.4230	2.9584	6.2753	4.5313	4.8711	8.9076	4.9423	4.3681	7.4418	5.8071	7.4892	6.5340	71.2774	
	S	135.322	97.690	60.383	99.416	98.256	86.503	71.185	74.772	111.605	134.681	122.225	85.214	121.880	99.196	
5	T	1.7313	5.3639	3.0255	6.3412	4.5183	4.8804	7.9453	4.8364	4.3329	7.4356	5.6245	7.3340	6.5010	69.8703	
	S	135.080	98.766	59.044	98.383	98.539	86.338	79.807	76.409	112.511	134.794	126.193	87.017	122.499	101.193	
6	T	1.7252	5.3226	3.0208	6.3275	4.4787	4.8797	7.9802	4.9601	4.3898	7.4744	5.6338	7.2532	6.4686	69.9146	
	S	135.557	99.533	59.135	98.596	99.410	86.350	79.458	74.504	111.053	134.094	125.985	87.986	123.112	101.129	
7	T	1.7222	5.3716	2.9815	6.2969	4.4921	4.8570	7.9364	4.9628	4.3927	7.4730	5.5669	7.2856	6.5073	69.8460	
	S	135.794	98.625	59.915	99.075	99.113	86.754	79.897	74.463	110.980	134.119	127.499	87.595	122.380	101.228	
8	T	1.7231	5.2956	2.9881	6.3045	4.4985	4.8676	7.9386	4.8735	4.3886	7.4704	5.5417	7.4662	6.5737	69.9301	
	S	135.723	100.040	59.783	98.955	98.972	86.565	79.874	75.828	111.083	134.166	128.079	85.476	121.144	101.107	
9	T	1.7303	5.3817	2.9745	6.2804	4.5158	4.9945	8.0202	4.9180	4.3802	7.4841	5.6564	7.3857	6.5437	70.2655	
	S	135.158	98.440	60.056	99.335	98.593	84.366	79.062	75.141	111.296	133.920	125.481	86.408	121.699	100.624	
10	T	1.7277	5.3902	3.0106	6.2897	4.5260	5.0560	8.0681	5.0500	4.4216	7.5092	5.7148			174.3118	112.5197
	S	135.361	98.284	59.336	99.188	98.371	83.339	78.592	73.177	110.254	133.473	124.199			40.562	8.344
11	T			3.3808	6.6055	5.2023	5.2560	8.2360	5.0847	4.4252	7.5207	5.9498			167.8363	70.7553
	S			52.838	94.446	85.583	80.168	76.990	72.678	110.165	133.269	119.294			42.127	13.269
12	T			3.1509	6.3701	4.7205	5.1226	8.0426	5.0100	4.3868	7.4646	5.7227	7.5654	6.6301	77.7638	
	S			56.694	97.936	94.318	82.256	78.842	73.762	111.129	134.270	124.028	84.355	120.113	90.921	
13	T	1.7382	5.4962	3.0857	6.3383	4.5814	4.9217	8.0681	5.0206	4.9379	9.5128	6.0386	7.3803	6.5050	73.6248	
	S	134.544	96.389	57.892	98.428	97.181	85.613	78.592	73.606	98.726	105.360	117.539	86.471	122.423	96.033	
14	T	1.7209	5.3624	3.0465	6.3000	4.5331	4.9522	8.0870	4.9658	4.4278	7.4731	5.6641	7.3697	6.4689	70.3715	
	S	135.896	98.794	58.637	99.026	98.217	85.086	78.409	74.418	110.100	134.117	125.311	86.595	123.106	100.472	
15	T	1.7120	5.4033	3.0261	6.2935	4.5738	5.0049	8.0144	5.0341	4.4016	7.4618	5.6038	7.3183	6.4725	70.3201	
	S	136.603	98.046	59.032	99.128	97.343	84.190	79.119	73.408	110.755	134.321	126.659	87.204	123.038	100.546	
16	T	1.7082	5.3937	2.9879	6.3112	4.6087	4.9893	7.9607	5.0072	4.3907	7.4158	5.6596	7.4190	6.4586	70.3106	
	S	136.906	98.221	59.787	98.850	96.606	84.453	79.653	73.803	111.030	135.154	125.410	86.020	123.303	100.560	
17	T	1.7050	5.2228	3.0247	6.2944	4.6581	4.9530	8.0360	5.0460	4.3898	7.4134	6.0679			327.9754	268.5319
	S	137.163	101.435	59.059	99.114	95.581	85.072	78.906	73.235	111.053	135.197	116.972			21.558	3.496
18	T			4.9813	8.8563	5.1330	5.3556	8.3476	5.0356	4.4168	7.4894	5.7955	7.4062	6.5373	94.9751	
	S			35.861	70.443	86.738	78.677	75.961	73.387	110.374	133.826	122.470	86.169	121.818	74.445	
19	T	1.7275	5.4315	3.0180	6.3137	4.5747	4.9869	8.0637	4.9506	4.3729	7.4489	5.6384	7.4159	6.5260	70.4687	
	S	135.377	97.537	59.190	98.811	97.324	84.494	78.635	74.647	111.482	134.553	125.882	86.056	122.029	100.334	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 40 - Miller, Jack William

Lap	T/SPO to SF	SF to PI
1	T 118.2802	79.9469
	S 58.497	78.478
2	T 73.3237	
	S 94.364	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	66.2956
	S	94.638
11	T	
	S	
12	T 73.3341	
	S 94.350	
13	T	
	S	
14	T	
	S	
15	T	
	S	
16	T	
	S	
17	T	66.5050
	S	94.340
18	T 87.9136	
	S 78.703	
19	T	
	S	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 40 - Miller, Jack William

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO
20	T	1.7205	5.3549	3.0672	6.2858	4.5364	4.9576	7.9599	4.9983	4.4129	7.4747	5.6873	7.3263	6.4629	70.2447
	S	135.928	98.932	58.241	99.250	98.146	84.993	79.661	73.934	110.472	134.089	124.800	87.108	123.221	100.654
21	T	1.7052	5.3309	3.0019	6.3097	4.5096	4.9916	7.9087	4.9176	4.3885	7.4382	5.6329	7.3589	6.4412	69.9349
	S	137.147	99.378	59.508	98.874	98.729	84.415	80.176	75.148	111.086	134.747	126.005	86.722	123.636	101.100
22	T	1.7093	6.1714	3.3296											
	S	136.818	85.843	53.651											

**Event:** Cooper Tires Indy Pro 2000 GP of Portland

**Rounds 16/17/18**

**Track:** Portland International Raceway

**1.964 mile(s)**



**Report:** Section Data Report

**Indy Pro 2000 Championship**

**Session:** Race 1

**September 2, 2022**

**Section Data for Car 40 - Miller, Jack William**

Lap	T/SPO to SF	SF to PI
20	T	
	S	
21	T	
	S	
22	T	
	S	



Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 47 - Ahmed, Enaam

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2883	6.5271	3.3891	6.5450	4.9444	5.0991	8.1520	5.1386	4.3980	7.5055	5.8362	7.4672	6.5276	73.8181	119.8596
	S	102.200	81.165	52.709	95.319	90.047	82.635	77.783	71.916	110.846	133.538	121.616	85.465	121.999	95.781	57.727
2	T	1.7237	5.5562	3.1045	6.3502	4.6607	4.9927	7.9995	5.0213	4.3776	7.4824	5.6909	7.3163	6.5205	70.7965	
	S	135.675	95.348	57.541	98.243	95.528	84.396	79.266	73.596	111.362	133.951	124.721	87.227	122.132	99.869	
3	T	1.7304	5.3712	2.9973	6.3153	4.5599	4.9444	7.8839	4.9631	4.3658	7.4596	5.7253	7.3256	6.5131	70.1549	
	S	135.150	98.632	59.599	98.786	97.640	85.220	80.429	74.459	111.663	134.360	123.971	87.117	122.271	100.783	
4	T	1.7248	5.4218	2.9663	6.2722	4.5190	4.8937	7.8677	4.9351	4.3918	7.4829	5.6059	7.2384	6.5014	69.8210	
	S	135.589	97.712	60.222	99.465	98.523	86.103	80.594	74.881	111.002	133.942	126.612	88.166	122.491	101.265	
5	T	1.7238	5.1957	2.9860	6.3085	4.5288	4.8939	7.7621	5.0732	4.3907	7.4890	5.6443	7.2869	6.5090	69.7919	
	S	135.667	101.964	59.825	98.893	98.310	86.100	81.691	72.843	111.030	133.833	125.750	87.579	122.348	101.307	
6	T	1.7296	5.1656	2.9831	6.3108	4.5429	4.9301	7.8550	4.9530	4.3493	7.4553	5.6323	7.2843	6.4993	69.6906	
	S	135.213	102.558	59.883	98.857	98.005	85.468	80.724	74.610	112.087	134.438	126.018	87.611	122.531	101.454	
7	T	1.7300	5.2361	2.9927	6.3461	4.5563	5.0021	7.8485	4.9682	4.3621	7.4705	5.6687	7.3989	6.5408	70.1210	
	S	135.181	101.177	59.691	98.307	97.717	84.237	80.791	74.382	111.758	134.164	125.209	86.254	121.753	100.831	
8	T	1.7332	5.2793	2.9679	6.3063	4.5214	4.9458	7.7887	5.0555	4.3621	7.4650	5.6059	7.3610	6.5222	69.9143	
	S	134.932	100.349	60.189	98.927	98.471	85.196	81.412	73.098	111.758	134.263	126.612	86.698	122.100	101.130	
9	T	1.7300	5.2224	3.0213	6.3624	4.5741	5.0599	7.9362	4.9814	4.3856	7.4938	5.6041	7.3492	6.5290	70.2494	
	S	135.181	101.442	59.126	98.055	97.337	83.275	79.899	74.185	111.159	133.747	126.652	86.837	121.973	100.647	
10	T	1.7358	5.3059	2.9756	6.3035	4.5068	4.9278	7.8105	4.9724	4.3903	7.4795	5.5643	7.3440	6.5353	69.8517	
	S	134.730	99.846	60.034	98.971	98.790	85.507	81.184	74.319	111.040	134.003	127.558	86.898	121.856	101.220	
11	T	1.7313	5.2945	2.9594	6.3093	4.5269	4.9152	7.9535	4.9157	4.3832	7.4850	5.5669	7.3352	6.5290	69.9051	
	S	135.080	100.061	60.362	98.880	98.351	85.727	79.725	75.177	111.220	133.904	127.499	87.003	121.973	101.143	
12	T	1.7341	5.2593	2.9458	6.2913	4.5605	4.9399	7.8131	5.0050	4.3704	7.4875	5.5734	7.3310	6.5266	69.8379	
	S	134.862	100.731	60.641	99.163	97.627	85.298	81.157	73.835	111.546	133.859	127.350	87.052	122.018	101.240	
13	T	1.7321	5.2434	2.9309	6.3152	4.4837	4.9465	7.8271	4.9547	4.3841	7.4981	5.6040	7.3645	6.5551	69.8394	
	S	135.017	101.036	60.949	98.788	99.299	85.184	81.012	74.585	111.197	133.670	126.655	86.657	121.488	101.238	
14	T	1.7342	5.1096	3.0232	6.3575	4.5526	4.9461	7.8732	4.9924	4.3931	7.4934	5.5876	7.4364	6.5784	70.0777	
	S	134.854	103.682	59.089	98.130	97.796	85.191	80.538	74.022	110.969	133.754	127.026	85.819	121.057	100.894	
15	T	1.7356	5.3415	3.0092	6.2976	4.5652	5.0006	7.9593	4.9407	4.3773	7.4889	5.6586	7.3940	6.5254	70.2939	
	S	134.745	99.181	59.363	99.064	97.526	84.263	79.667	74.796	111.370	133.834	125.433	86.311	122.041	100.583	
16	T	1.7315	5.3950	3.0484	6.3549	4.5865	4.9345	7.8658	4.9762	4.3832	7.4835	5.5589	7.2871	6.4994	70.1049	
	S	135.064	98.197	58.600	98.170	97.073	85.391	80.614	74.263	111.220	133.931	127.682	87.577	122.529	100.855	
17	T	1.7291	5.2006	2.9545	6.3153	4.5239	4.9328	7.8126	4.9652	4.3863	7.4789	5.5853	7.2923	6.5131	69.6899	
	S	135.252	101.868	60.462	98.786	98.417	85.421	81.163	74.427	111.142	134.013	127.079	87.514	122.271	101.455	
18	T	1.7287	5.2577	2.9470	6.2926	4.4995	4.8585	7.8185	5.0383	4.3699	7.4710	5.5426	7.3382	6.5160	69.6785	
	S	135.283	100.761	60.616	99.142	98.950	86.727	81.101	73.347	111.559	134.155	128.058	86.967	122.217	101.472	
19	T	1.7275	5.2113	2.9344	6.2786	4.5420	4.8877	7.8600	4.9739	4.3893	7.4813	5.5390	7.3316	6.5291	69.6857	
	S	135.377	101.658	60.877	99.363	98.024	86.209	80.673	74.297	111.066	133.970	128.141	87.045	121.971	101.461	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 47 - Ahmed, Enaam

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
20	T	1.7307	5.1935	2.9922	6.3285	4.5039	4.9107	7.8726	5.0493	4.3648	7.4798	5.6013	7.3575	6.5181	69.9029	
	S	135.127	102.007	59.701	98.580	98.854	85.805	80.544	73.187	111.689	133.997	126.716	86.739	122.177	101.146	
21	T	1.7327	5.2206	2.9383	6.3207	4.5321	4.8783	7.8493	4.9875	4.3907	7.4889	5.5813	7.3538	6.5173	69.7915	
	S	134.971	101.477	60.796	98.702	98.239	86.375	80.783	74.094	111.030	133.834	127.170	86.783	122.192	101.307	
22	T	1.7321	5.1269	2.9954	6.3531	4.5483	4.8936	7.8483	5.0548	4.3773	7.4780	5.5729	7.3239	6.5263	69.8309	
	S	135.017	103.332	59.637	98.198	97.889	86.105	80.793	73.108	111.370	134.030	127.361	87.137	122.024	101.250	
23	T	1.7312	5.2824	2.9655	6.3171	4.5702	4.9258	7.8777	4.9560	4.3915	7.4883	5.5778	7.3444	6.5441	69.9720	
	S	135.088	100.290	60.238	98.758	97.420	85.542	80.492	74.565	111.010	133.845	127.250	86.894	121.692	101.046	
24	T	1.7331	5.2479	3.0279	6.3595	4.5647	4.9421	7.9821	5.0523	4.4180	7.5050	5.6259	7.4146	6.5770	70.4501	
	S	134.939	100.949	58.997	98.099	97.537	85.260	79.439	73.144	110.344	133.547	126.162	86.071	121.083	100.360	
25	T	1.7386	5.3238	2.9974	6.3321	4.6255	4.9699	7.9345	5.0398	4.3929	7.4779	5.6237	7.2813	6.4909	70.2283	
	S	134.513	99.510	59.597	98.524	96.255	84.783	79.916	73.325	110.975	134.031	126.211	87.647	122.689	100.677	
26	T	1.7313	5.3070	3.0297	6.3415	4.6456	5.0384	7.9406	5.0227	4.4084	7.5124	5.6845	7.3310	6.5279	70.5210	
	S	135.080	99.825	58.962	98.378	95.838	83.630	79.854	73.575	110.584	133.416	124.861	87.052	121.994	100.259	
27	T	1.7379	5.2639	2.9979	6.3369	4.5957	4.9602	7.8621	5.0584	4.3956	7.4896	5.6711	7.3546	6.5331	70.2570	
	S	134.567	100.643	59.587	98.449	96.879	84.949	80.652	73.056	110.906	133.822	125.156	86.773	121.897	100.636	
28	T	1.7361	5.2704	2.9674	6.3077	4.5801	4.9812	7.8572	5.0207	4.4115	7.5202	5.6698	7.4173	6.5333	70.2729	
	S	134.706	100.519	60.200	98.905	97.209	84.591	80.702	73.604	110.507	133.277	125.185	86.040	121.893	100.613	
29	T	1.7326	5.4562	3.0446	6.2834	4.5495	5.0200	7.8718	4.9950	4.4044	7.5020	5.7281	7.4034	6.5222	70.5132	
	S	134.978	97.096	58.673	99.288	97.863	83.937	80.552	73.983	110.685	133.601	123.911	86.201	122.100	100.271	
30	T	1.7269	5.3352	3.0488	6.3328	4.5767	5.0255	7.8850	5.1230	4.3909	7.5129	5.6746	7.3781	6.5705	70.5809	
	S	135.424	99.298	58.592	98.513	97.281	83.845	80.417	72.135	111.025	133.407	125.079	86.497	121.203	100.174	
31	T	1.8726	7.1915	4.0774	9.1056	7.0258	7.7597									
	S	124.887	73.667	43.811	68.514	63.370	54.302									

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 5 - Flack, Marcos (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2074	6.3590	3.4194	6.4406	4.8175	5.0958	8.2193	5.1956	4.4287	7.4756	5.9179	7.5448	6.5229	73.6445	107.1197
	S	105.945	83.311	52.242	96.864	92.419	82.688	77.147	71.127	110.077	134.073	119.937	84.586	122.087	96.007	64.592
2	T	1.7224	5.4078	3.1655	6.3908	4.6626	4.9120	8.0055	5.0432	4.3479	7.4228	5.7401	7.4150	6.4995	70.7351	
	S	135.778	97.965	56.432	97.619	95.489	85.782	79.207	73.276	112.123	135.026	123.652	86.066	122.527	99.956	
3	T	1.7164	5.4030	2.9777	6.2716	4.5734	4.8742	7.9819	5.0292	4.3973	7.4694	5.7986	7.5050	6.5176	70.5153	
	S	136.252	98.052	59.991	99.474	97.351	86.448	79.441	73.480	110.863	134.184	122.404	85.034	122.187	100.268	
4	T	1.7208	5.4428	2.9291	6.2706	4.5228	4.9486	7.8177	5.0197	4.3911	7.4851	5.7203	7.3154	6.4938	70.0778	
	S	135.904	97.335	60.987	99.490	98.441	85.148	81.110	73.619	111.020	133.902	124.080	87.238	122.634	100.894	
5	T	1.7182	5.3685	2.9339	6.2807	4.5486	4.9088	7.8303	4.9675	4.3808	7.4658	5.7345	7.4027	6.4967	70.0370	
	S	136.110	98.682	60.887	99.330	97.882	85.838	80.979	74.393	111.281	134.249	123.772	86.209	122.580	100.952	
6	T	1.7260	5.4783	2.9079	6.2980	4.5463	4.9034	7.9720	4.9917	4.3995	7.5042	5.7268	7.2766	6.5179	70.2486	
	S	135.495	96.704	61.431	99.057	97.932	85.933	79.540	74.032	110.808	133.562	123.939	87.703	122.181	100.648	
7	T	1.7295	5.4729	2.9072	6.2855	4.5219	4.8888	7.9221	4.9974	4.4193	7.5103	5.8023	7.3523	6.5048	70.3143	
	S	135.220	96.799	61.446	99.254	98.460	86.190	80.041	73.948	110.312	133.453	122.326	86.800	122.427	100.554	
8	T	1.7293	5.3836	2.9862	6.3735	4.5752	4.8765	7.9136	5.0506	4.4113	7.5081	5.7962	7.3848	6.5144	70.5033	
	S	135.236	98.405	59.821	97.884	97.313	86.407	80.127	73.169	110.512	133.492	122.455	86.418	122.247	100.285	
9	T	1.7299	5.4816	2.9839	6.3165	4.5651	4.8775	7.9243	5.0680	4.4206	7.5323	5.7362	7.3590	6.5331	70.5280	
	S	135.189	96.646	59.867	98.767	97.528	86.389	80.019	72.917	110.279	133.063	123.736	86.721	121.897	100.250	
10	T	1.7340	5.4779	2.9729	6.2883	4.5140	4.9522	7.8938	5.0435	4.3974	7.5087	5.7034	7.3653	6.5538	70.4052	
	S	134.869	96.711	60.088	99.210	98.633	85.086	80.328	73.272	110.861	133.482	124.447	86.647	121.512	100.424	
11	T	1.7359	5.4163	2.9359	6.2927	4.5232	4.9062	7.9939	5.0448	4.4007	7.5174	5.6901	7.3497	6.5377	70.3445	
	S	134.722	97.811	60.846	99.141	98.432	85.884	79.322	73.253	110.778	133.327	124.738	86.831	121.811	100.511	
12	T	1.7305	5.3953	3.0010	6.3300	4.5583	4.8697	8.0090	5.0162	4.4141	7.5266	5.7260	7.3920	6.5451	70.5138	
	S	135.142	98.192	59.526	98.557	97.674	86.528	79.172	73.670	110.442	133.164	123.956	86.334	121.673	100.270	
13	T	1.7348	5.4584	2.9452	6.2913	4.5174	4.9721	7.8835	5.0793	4.4182	7.5326	5.7539	7.4809	6.5449	70.6125	
	S	134.807	97.056	60.653	99.163	98.558	84.746	80.433	72.755	110.339	133.058	123.355	85.308	121.677	100.130	
14	T	1.7295	5.5584	3.0252	6.3039	4.4958	4.9380	7.9415	5.0392	4.4318	7.5457	5.7882	7.4181	6.5542	70.7695	
	S	135.220	95.310	59.049	98.965	99.032	85.331	79.845	73.334	110.000	132.827	122.624	86.030	121.504	99.907	
15	T	1.7354	5.4759	3.0120	6.2793	4.5503	4.9082	8.0528	5.0076	4.3914	7.5516	5.7591	7.3899	6.5370	70.6505	
	S	134.761	96.746	59.308	99.352	97.846	85.849	78.742	73.797	111.012	132.723	123.244	86.359	121.824	100.076	
16	T	1.7365	5.6065	2.9954	6.3315	4.5859	4.8712	7.9785	5.0449	4.4073	7.5415	5.7967	7.4193	6.5149	70.8301	
	S	134.675	94.493	59.637	98.533	97.086	86.501	79.475	73.251	110.612	132.901	122.444	86.016	122.237	99.822	
17	T	1.7322	5.5475	3.0781	6.3424	4.5902	4.9393	7.9082	5.0060	4.3921	7.5265	5.7978	7.4026	6.5285	70.7914	
	S	135.010	95.498	58.035	98.364	96.995	85.308	80.181	73.821	110.995	133.166	122.421	86.210	121.983	99.877	
18	T	1.7305	5.5184	2.9741	6.2447	4.5692	4.8633	8.1636	5.0605	4.4189	7.5453	5.7495	7.3435	6.5121	70.6936	
	S	135.142	96.001	60.064	99.903	97.441	86.642	77.673	73.025	110.322	132.834	123.449	86.904	122.290	100.015	
19	T	1.7312	5.4712	2.9853	6.2877	4.5656	4.9520	7.9261	5.0548	4.4200	7.5393	5.7130	7.3918	6.5348	70.5728	
	S	135.088	96.829	59.839	99.220	97.518	85.090	80.000	73.108	110.294	132.940	124.238	86.336	121.865	100.186	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 5 - Flack, Marcos (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7362	5.4950	2.9741	6.3086	4.5983	4.9792	7.9633	5.0145	4.3984	7.5398	5.7526	7.3956	6.5344	70.6900
	S	134.699	96.410	60.064	98.891	96.824	84.625	79.627	73.695	110.836	132.931	123.383	86.292	121.872	100.020
21	T	1.7336	5.3973	2.9233	6.3052	4.5830	4.9839	7.9886	5.0101	4.3959	7.5206	5.7421	7.3858	6.5442	70.5136
	S	134.901	98.155	61.108	98.944	97.148	84.545	79.374	73.760	110.899	133.270	123.609	86.407	121.690	100.270
22	T	1.7406	5.3797	2.9536	6.3084	4.5932	5.0004	7.9933	5.0369	4.4092	7.5487	5.7779	7.3815	6.5396	70.6630
	S	134.358	98.476	60.481	98.894	96.932	84.266	79.328	73.368	110.564	132.774	122.843	86.457	121.776	100.058
23	T	1.7400	5.4824	2.9368	6.2718	4.5661	4.9661	8.0484	5.0871	4.4086	7.5373	5.7870	7.3985	6.5442	70.7743
	S	134.404	96.632	60.827	99.471	97.507	84.848	78.785	72.644	110.579	132.975	122.650	86.258	121.690	99.901
24	T	1.7371	5.5470	3.0176	6.3037	4.6507	5.0415	8.0038	5.0556	4.4413	7.5638	5.6923	7.2792	6.5181	70.8517
	S	134.629	95.506	59.198	98.968	95.733	83.579	79.224	73.096	109.765	132.509	124.690	87.672	122.177	99.792
25	T	1.7317	5.4671	2.9540	6.2823	4.6117	4.9848	8.0476	5.0836	4.4413	7.5547	5.7808	7.3601	6.5369	70.8366
	S	135.049	96.902	60.473	99.305	96.543	84.530	78.793	72.694	109.765	132.669	122.781	86.708	121.826	99.813
26	T	1.7365	5.4996	2.9813	6.2810	4.6281	4.9504	8.0735	5.1545	4.4148	7.5459	5.7557	7.3367	6.5391	70.8971
	S	134.675	96.329	59.919	99.326	96.201	85.117	78.540	71.694	110.424	132.823	123.316	86.985	121.785	99.728
27	T	1.7399	5.4435	3.0073	6.2746	4.6439	4.9631	7.9883	5.0138	4.4078	7.5397	5.7475	7.3592	6.5213	70.6499
	S	134.412	97.322	59.401	99.427	95.874	84.899	79.377	73.706	110.599	132.933	123.492	86.719	122.117	100.077
28	T	1.7411	5.4650	2.9717	6.2664	4.6547	5.0184	7.9798	5.0795	4.4192	7.5408	5.7526	7.3770	6.5232	70.7894
	S	134.319	96.939	60.113	99.557	95.651	83.964	79.462	72.752	110.314	132.913	123.383	86.510	122.082	99.879
29	T	1.7316	5.3300	3.0397	6.3607	4.6562	4.9573	8.0943	5.0880	4.4299	7.5686	5.8279	7.4068	6.5277	71.0187
	S	135.056	99.395	58.768	98.081	95.620	84.999	78.338	72.631	110.048	132.425	121.789	86.162	121.998	99.557
30	T	1.7328	5.4971	2.9706	6.2920	4.6316	5.0249	8.0290	5.0644	4.4150	7.5463	5.7520	7.3366	6.5050	70.7973
	S	134.963	96.373	60.135	99.152	96.128	83.855	78.975	72.969	110.419	132.816	123.396	86.986	122.423	99.868
31	T	1.7404	6.4050	3.6198	8.7754										
	S	134.373	82.712	49.350	71.092										

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 55 - Gold, Reece

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2970	6.1018	3.4937	6.6514	4.9171	5.1340	8.1500	5.0314	4.3719	7.4724	5.9556	7.3940	6.4801	73.4504	125.1848
	S	101.813	86.822	51.131	93.794	90.547	82.073	77.803	73.448	111.508	134.130	119.177	86.311	122.894	96.261	55.271
2	T	1.7109	5.5862	2.9913	6.2870	4.6188	4.9522	7.8423	4.9572	4.3497	7.4584	5.7523	7.2610	6.4323	70.1996	
	S	136.690	94.836	59.719	99.231	96.395	85.086	80.855	74.547	112.077	134.382	123.389	87.892	123.807	100.719	
3	T	1.7057	5.4079	2.9319	6.2399	4.5339	4.8614	7.8010	4.9695	4.3316	7.4190	5.6862	7.3023	6.4394	69.6297	
	S	137.107	97.963	60.929	99.980	98.200	86.675	81.283	74.363	112.545	135.095	124.824	87.395	123.670	101.543	
4	T	1.7033	5.4203	2.9511	6.2586	4.4887	4.8905	7.7963	4.9909	4.3479	7.4302	5.6233	7.2027	6.4171	69.5209	
	S	137.300	97.739	60.532	99.681	99.188	86.160	81.332	74.044	112.123	134.892	126.220	88.603	124.100	101.702	
5	T	1.7026	5.3717	2.9560	6.2447	4.4855	4.9093	7.8181	4.8774	4.3442	7.4366	5.6252	7.1944	6.4069	69.3726	
	S	137.357	98.623	60.432	99.903	99.259	85.830	81.105	75.767	112.219	134.776	126.177	88.705	124.298	101.919	
6	T	1.7052	5.4189	2.8743	6.1930	4.4761	4.9162	7.8989	4.9169	4.3391	7.4164	5.6708	7.2690	6.4008	69.4956	
	S	137.147	97.764	62.150	100.737	99.468	85.709	80.276	75.158	112.350	135.143	125.163	87.795	124.416	101.739	
7	T	1.7046	5.4223	2.9019	6.2120	4.4946	4.9721	7.8485	4.9398	4.3505	7.4264	5.6256	7.2527	6.4328	69.5838	
	S	137.196	97.703	61.558	100.429	99.058	84.746	80.791	74.810	112.056	134.961	126.168	87.992	123.797	101.610	
8	T	1.7108	5.2981	2.9139	6.2499	4.5848	4.9156	7.7569	5.0154	4.3665	7.4609	5.5882	7.2706	6.4411	69.5727	
	S	136.698	99.993	61.305	99.820	97.109	85.720	81.745	73.682	111.645	134.337	127.013	87.776	123.638	101.626	
9	T	1.7099	5.3299	2.9049	6.2522	4.4873	4.9358	7.7753	5.0488	4.3654	7.4416	5.5820	7.3056	6.4239	69.5626	
	S	136.770	99.396	61.495	99.783	99.219	85.369	81.552	73.195	111.674	134.685	127.154	87.355	123.969	101.641	
10	T	1.6983	5.4436	2.9671	6.2245	4.6031	4.9513	7.8117	4.9653	4.3512	7.4323	5.6110	7.2925	6.4262	69.7781	
	S	137.705	97.320	60.206	100.227	96.723	85.102	81.172	74.426	112.038	134.854	126.497	87.512	123.925	101.327	
11	T	1.7043	5.3743	2.9092	6.2327	4.6039	4.9965	7.8798	4.9337	4.3669	7.4565	5.6123	7.2989	6.4193	69.7883	
	S	137.220	98.575	61.404	100.095	96.707	84.332	80.470	74.902	111.635	134.416	126.467	87.435	124.058	101.312	
12	T	1.7072	5.3244	2.9186	6.2512	4.6273	4.9887	7.7924	4.9964	4.3712	7.4621	5.6366	7.2538	6.4553	69.7852	
	S	136.987	99.499	61.206	99.799	96.218	84.464	81.373	73.962	111.525	134.315	125.922	87.979	123.366	101.317	
13	T	1.7067	5.3288	2.9383	6.2834	4.5275	4.9043	7.8035	4.9216	4.3686	7.4592	5.5618	7.3166	6.4815	69.6018	
	S	137.027	99.417	60.796	99.288	98.338	85.917	81.257	75.086	111.592	134.367	127.616	87.224	122.867	101.584	
14	T	1.7143	5.3259	2.9092	6.2643	4.4680	5.0096	7.7618	4.9785	4.3641	7.4690	5.5931	7.3364	6.4826	69.6768	
	S	136.419	99.471	61.404	99.590	99.648	84.111	81.694	74.228	111.707	134.191	126.901	86.988	122.846	101.474	
15	T	1.7113	5.3766	2.9360	6.2692	4.5391	4.9505	7.7745	4.9363	4.3600	7.4720	5.5968	7.3182	6.4655	69.7060	
	S	136.658	98.533	60.843	99.512	98.087	85.115	81.560	74.863	111.812	134.137	126.818	87.205	123.171	101.432	
16	T	1.7135	5.3920	2.8930	6.2377	4.5846	4.9514	7.8170	5.0584	4.3795	7.4830	5.5714	7.2997	6.4575	69.8387	
	S	136.483	98.252	61.748	100.015	97.114	85.100	81.117	73.056	111.314	133.940	127.396	87.426	123.324	101.239	
17	T	1.7207	5.3588	2.9287	6.2739	4.5007	4.9791	7.7547	5.0191	4.3667	7.4471	5.5597	7.3013	6.4925	69.7030	
	S	135.912	98.860	60.995	99.438	98.924	84.626	81.769	73.628	111.640	134.586	127.664	87.407	122.659	101.436	
18	T	1.7179	5.4026	2.9799	6.2985	4.5265	4.9402	7.8098	4.9546	4.3669	7.4301	5.5789	7.4849	6.5510	70.0418	
	S	136.133	98.059	59.947	99.050	98.360	85.293	81.192	74.586	111.635	134.894	127.224	85.263	121.564	100.945	
19	T	1.7293	5.4281	2.9062	6.2496	4.5589	4.9473	7.8141	4.9420	4.3692	7.4558	5.6090	7.3379	6.4709	69.8183	
	S	135.236	97.598	61.467	99.825	97.661	85.170	81.147	74.776	111.576	134.429	126.542	86.971	123.068	101.269	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 55 - Gold, Reece

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7266	5.4357	2.9850	6.2905	4.5086	4.9334	7.8979	4.9274	4.3655	7.4489	5.5746	7.3676	6.4765	69.9382
	S	135.447	97.462	59.845	99.176	98.751	85.410	80.286	74.998	111.671	134.553	127.323	86.620	122.962	101.095
21	T	1.7108	5.3745	2.9453	6.2948	4.5366	4.9217	7.8211	4.9950	4.3731	7.4814	5.6039	7.3190	6.4851	69.8623
	S	136.698	98.572	60.651	99.108	98.141	85.613	81.074	73.983	111.477	133.969	126.657	87.195	122.799	101.205
22	T	1.7157	5.2917	2.8926	6.2832	4.5410	4.8963	7.8707	5.0631	4.4054	7.4860	5.5841	7.3637	6.4959	69.8894
	S	136.308	100.114	61.756	99.291	98.046	86.058	80.563	72.988	110.660	133.886	127.106	86.666	122.595	101.166
23	T	1.7226	5.3186	2.9587	6.3842	4.5167	4.9079	7.8904	4.9508	4.3573	7.4698	5.5760	7.3302	6.4895	69.8727
	S	135.762	99.608	60.377	97.720	98.574	85.854	80.362	74.644	111.881	134.177	127.291	87.062	122.716	101.190
24	T	1.7138	5.3420	2.9686	6.2696	4.5443	4.9261	7.8845	4.9624	4.3753	7.4630	5.5467	7.2755	6.4753	69.7471
	S	136.459	99.171	60.175	99.506	97.975	85.537	80.422	74.469	111.421	134.299	127.963	87.717	122.985	101.372
25	T	1.7131	5.2530	2.9487	6.3464	4.5575	4.8976	7.8951	4.9634	4.3834	7.4563	5.5651	7.2929	6.4684	69.7409
	S	136.515	100.851	60.581	98.302	97.691	86.035	80.314	74.454	111.215	134.420	127.540	87.507	123.116	101.381
26	T	1.7170	5.3178	2.9721	6.3140	4.5390	4.9353	7.8189	4.9782	4.3727	7.4512	5.5704	7.3555	6.4923	69.8344
	S	136.205	99.623	60.104	98.806	98.089	85.378	81.097	74.233	111.487	134.512	127.419	86.763	122.663	101.245
27	T	1.7195	5.3760	2.9620	6.3072	4.5177	4.9672	7.8697	4.9349	4.3608	7.4473	5.5433	7.2865	6.4699	69.7620
	S	136.007	98.544	60.309	98.913	98.552	84.829	80.574	74.884	111.791	134.582	128.042	87.584	123.087	101.350
28	T	1.7202	5.2839	2.9471	6.2581	4.5414	4.9203	7.7984	5.0523	4.3906	7.4749	5.5422	7.2696	6.4824	69.6814
	S	135.951	100.262	60.614	99.689	98.037	85.638	81.310	73.144	111.033	134.085	128.067	87.788	122.850	101.468
29	T	1.7116	5.2017	3.0316	6.2954	4.5104	4.8960	7.9027	4.9533	4.3688	7.4456	5.5573	7.2626	6.4366	69.5736
	S	136.635	101.846	58.925	99.098	98.711	86.063	80.237	74.606	111.587	134.613	127.719	87.872	123.724	101.625
30	T	1.6988	5.3032	2.9833	6.2741	4.5293	5.0041	7.9340	4.9588	4.3668	7.4557	5.6985	7.2863	6.9459	70.4388
	S	137.664	99.897	59.879	99.435	98.299	84.204	79.921	74.523	111.638	134.430	124.554	87.587	114.652	100.376
31	T	2.0819	7.3275	4.3943	10.2636	7.0838	6.6226	9.6826							
	S	112.332	72.299	40.652	60.784	62.851	63.625	65.488							



Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 6 - De Alba, Salvador (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2802	7.8739	3.6186	6.5918	5.0695	5.1248	8.1522	5.1831	4.4285	7.5202	5.8223	7.4972	6.5550	75.7173	116.7401
	S	102.563	67.282	49.366	94.642	87.825	82.221	77.782	71.298	110.082	133.277	121.906	85.123	121.489	93.379	59.269
2	T	1.7224	5.3865	3.1311	6.3084	4.7084	4.9205	8.0388	5.1219	4.3755	7.4003	5.7467	7.4689	6.4563	70.7857	
	S	135.778	98.352	57.052	98.894	94.560	85.634	78.879	72.150	111.416	135.437	123.510	85.445	123.347	99.885	
3	T	1.6946	5.3167	3.3428	6.4388	4.8656	4.9786	8.1479	5.0892	4.3715	7.3705	5.7164	7.4455	6.4063	71.1844	
	S	138.005	99.643	53.439	96.891	91.505	84.635	77.823	72.614	111.518	135.984	124.164	85.714	124.309	99.325	
4	T	1.6799	5.5929	3.2195	6.3672	4.6301	4.9087	8.1142	5.0473	4.3948	7.3989	5.6141	7.3356	6.4346	70.7378	
	S	139.213	94.722	55.486	97.981	96.159	85.840	78.146	73.216	110.927	135.462	126.427	86.998	123.763	99.952	
5	T	1.6968	5.1506	3.0549	6.2978	4.6687	4.9043	8.0849	5.0440	4.3773	7.3914	5.6181	7.4855	6.4819	70.2562	
	S	137.826	102.857	58.475	99.061	95.364	85.917	78.429	73.264	111.370	135.600	126.337	85.256	122.860	100.637	
6	T	1.7124	5.2189	3.0312	6.3240	4.6797	4.9262	7.9676	5.0488	4.3513	7.3838	5.6383	7.3163	6.4293	70.0278	
	S	136.571	101.510	58.933	98.650	95.140	85.535	79.584	73.195	112.035	135.739	125.884	87.227	123.865	100.966	
7	T	1.7002	5.2042	3.0280	6.3019	4.6632	4.8826	8.0785	5.0610	4.3492	7.3666	5.6774	7.5100	6.4833	70.3061	
	S	137.551	101.797	58.995	98.996	95.477	86.299	78.491	73.018	112.090	136.056	125.017	84.978	122.833	100.566	
8	T	1.7036	5.2147	3.1019	6.3055	4.6216	4.9060	8.0389	5.0869	4.3846	7.4010	5.6258	7.2659	6.4027	70.0591	
	S	137.276	101.592	57.589	98.940	96.336	85.887	78.878	72.646	111.185	135.424	126.164	87.832	124.379	100.921	
9	T	1.6921	5.2685	3.0509	6.2939	4.6552	4.9736	8.0244	5.1055	4.3845	7.4104	5.6145	7.3122	6.4315	70.2172	
	S	138.209	100.555	58.552	99.122	95.641	84.720	79.020	72.382	111.187	135.252	126.418	87.276	123.822	100.693	
10	T	1.6952	5.3840	3.0283	6.2800	4.6066	5.0347	7.9236	5.0727	4.3815	7.4057	5.6376	7.4364	6.4760	70.3623	
	S	137.956	98.398	58.989	99.341	96.650	83.692	80.026	72.850	111.263	135.338	125.900	85.819	122.972	100.486	
11	T	1.7027	5.2939	3.0377	6.2856	4.6403	4.9263	8.0034	5.0874	4.3832	7.4181	5.6434	7.3653	6.4237	70.2110	
	S	137.349	100.072	58.806	99.253	95.948	85.533	79.228	72.639	111.220	135.112	125.770	86.647	123.973	100.702	
12	T	1.6964	5.4083	3.0021	6.2576	4.6417	4.9485	7.9319	5.1824	4.3800	7.4266	5.6515	7.3663	6.4485	70.3418	
	S	137.859	97.955	59.504	99.697	95.919	85.150	79.942	71.308	111.301	134.957	125.590	86.635	123.496	100.515	
13	T	1.6934	5.3067	3.0381	6.3105	4.6814	4.9755	8.0262	5.0963	4.3918	7.4173	5.6296	7.7416	6.5746	70.8830	
	S	138.103	99.831	58.799	98.861	95.106	84.688	79.003	72.513	111.002	135.126	126.079	82.435	121.127	99.747	
14	T	1.7379	5.7387	3.4638	6.4983	4.8153	4.9828	8.0304	5.0676	4.3835	7.4220	5.6501	7.3699	6.4647	71.6250	
	S	134.567	92.316	51.572	96.004	92.461	84.564	78.961	72.923	111.213	135.041	125.621	86.593	123.186	98.714	
15	T	1.6997	5.3175	3.0462	6.3480	4.6860	5.0298	8.0516	5.1002	4.3648	7.3810	5.6101	7.5192	6.4859	70.6400	
	S	137.591	99.628	58.642	98.277	95.012	83.773	78.753	72.457	111.689	135.791	126.517	84.874	122.784	100.091	
16	T	1.7030	5.4236	3.0878	6.3382	4.6376	4.9854	8.0744	5.1461	4.3693	7.4219	5.7108	7.3852	6.4745	70.7578	
	S	137.325	97.679	57.852	98.429	96.004	84.520	78.531	71.811	111.574	135.043	124.286	86.414	123.000	99.924	
17	T	1.7093	5.3271	3.0014	6.2876	4.6155	5.0226	7.8974	5.0688	4.3803	7.4327	5.6753	7.4242	6.4933	70.3355	
	S	136.818	99.449	59.518	99.221	96.463	83.894	80.291	72.906	111.294	134.846	125.063	85.960	122.644	100.524	
18	T	1.7116	5.4117	3.0204	6.2883	4.5853	5.0197	7.8931	5.1322	4.3957	7.4320	5.6662	7.3776	6.4681	70.4019	
	S	136.635	97.894	59.143	99.210	97.099	83.942	80.335	72.005	110.904	134.859	125.264	86.503	123.122	100.429	
19	T	1.7056	5.3516	3.0039	6.2666	4.6137	5.0314	8.0194	5.1659	4.3999	7.3838	5.6867	7.3567	6.3854	70.3706	
	S	137.115	98.993	59.468	99.554	96.501	83.747	79.070	71.536	110.798	135.739	124.813	86.748	124.716	100.474	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 6 - De Alba, Salvador (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6776	5.3854	3.1006	6.3329	4.7197	5.0413	8.0031	5.1956	4.3699	7.3911	5.6838	7.4477	6.4659	70.8146
	S	139.404	98.372	57.613	98.512	94.334	83.582	79.231	71.127	111.559	135.605	124.876	85.688	123.164	99.844
21	T	1.7026	5.3550	3.0497	6.3074	4.7340	5.1503	8.2568	5.1218	4.3746	7.4424	5.9422	7.5156	6.4786	71.4310
	S	137.357	98.930	58.575	98.910	94.049	81.813	76.796	72.151	111.439	134.671	119.446	84.914	122.922	98.982
22	T	1.7087	5.3572	3.0388	6.3103	4.6871	5.0279	7.9517	5.1072	4.3927	7.4495	5.6756	7.4039	6.5264	70.6370
	S	136.866	98.890	58.785	98.864	94.990	83.805	79.743	72.358	110.980	134.542	125.057	86.195	122.022	100.095
23	T	1.7196	5.3170	3.0580	6.3276	4.6219	5.0319	8.0412	5.0992	4.4012	7.4488	5.6964	7.4044	6.5027	70.6699
	S	135.999	99.638	58.416	98.594	96.330	83.738	78.855	72.471	110.765	134.555	124.600	86.190	122.467	100.048
24	T	1.7078	5.3204	3.0208	6.2940	4.6712	5.0209	7.9812	5.1381	4.3922	7.4496	5.6545	7.5524	6.5295	70.7326
	S	136.939	99.574	59.135	99.120	95.313	83.922	79.448	71.923	110.992	134.540	125.524	84.501	121.964	99.960
25	T	1.7227	5.6238	3.4212	6.4376	4.7299	5.0491	8.0195	5.0960	4.4109	7.4940	5.7316	7.3958	6.4927	71.6248
	S	135.754	94.202	52.215	96.909	94.130	83.453	79.069	72.517	110.522	133.743	123.835	86.290	122.655	98.714
26	T	1.7179	5.4477	3.0465	6.3194	4.7121	5.0440	8.0436	5.1441	4.4234	7.4953	5.8055	7.3412	6.5003	71.0410
	S	136.133	97.247	58.637	98.722	94.486	83.538	78.832	71.839	110.209	133.720	122.259	86.932	122.512	99.526
27	T	1.7230	5.4380	3.0986	6.3353	4.7186	5.0888	8.0944	5.1172	4.4066	7.4763	5.7923	7.4076	6.5108	71.2075
	S	135.730	97.421	57.651	98.474	94.356	82.802	78.337	72.216	110.630	134.060	122.537	86.152	122.314	99.293
28	T	1.7170	5.3554	2.9998	6.2939	4.6851	5.0575	8.0845	5.1086	4.3945	7.4762	5.8529	7.3978	6.5077	70.9309
	S	136.205	98.923	59.549	99.122	95.030	83.315	78.433	72.338	110.934	134.062	121.269	86.266	122.373	99.680
29	T	1.7173	5.4626	3.0501	6.3028	4.6414	5.0422	8.0181	5.1246	4.4078	7.4992	5.8303	7.4555	6.5035	71.0554
	S	136.181	96.982	58.567	98.982	95.925	83.567	79.082	72.112	110.599	133.651	121.739	85.599	122.452	99.505
30	T	1.7107	5.4781	3.0248	6.2662	4.6719	5.0532	8.1778	5.1242	4.4007	7.4903	5.7863	7.4005	6.4728	71.0575
	S	136.706	96.707	59.057	99.560	95.299	83.386	77.538	72.118	110.778	133.809	122.664	86.235	123.032	99.503
31	T	1.7461	6.1934	3.4547											
	S	133.935	85.538	51.708											



Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 7 - Garg, Bijoy (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2637		3.7683	13.8862	5.0582	5.3147	8.3956	5.1078	4.3982	7.4641	5.9701	7.6518	6.6062	80.5556	115.2183
	S	103.310		47.405	44.927	88.021	79.283	75.527	72.349	110.841	134.279	118.888	83.403	120.548	87.770	60.052
2	T	1.7439	5.4376	3.1562	6.4271	4.6459	4.9922	7.9750	5.0112	4.3886	7.4686	5.7527	7.3278	6.4986	70.8254	
	S	134.104	97.428	56.599	97.068	95.832	84.404	79.510	73.744	111.083	134.198	123.381	87.091	122.544	99.829	
3	T	1.7224	5.5385	3.0644	6.3166	4.5508	4.9946	7.9039	4.9720	4.3905	7.4336	5.7901	7.2960	6.4408	70.4142	
	S	135.778	95.653	58.294	98.766	97.835	84.364	80.225	74.325	111.035	134.830	122.584	87.470	123.644	100.412	
4	T	1.6985	5.5304	3.0886	6.3183	4.6391	4.9826	7.8926	4.9313	4.3605	7.3741	6.2121	7.3336	6.4678	70.8295	
	S	137.688	95.793	57.837	98.739	95.973	84.567	80.340	74.939	111.799	135.918	114.256	87.022	123.127	99.823	
5	T	1.7051	5.4528	2.9974	6.3208	4.5513	4.9756	7.9580	4.9987	4.4265	7.4725	5.6518	7.4437	6.5784	70.5326	
	S	137.155	97.156	59.597	98.700	97.824	84.686	79.680	73.928	110.132	134.128	125.583	85.734	121.057	100.243	
6	T	1.7253	5.3285	3.0113	6.3151	4.5272	5.0319	7.9776	4.9533	4.4020	7.4349	5.7483	7.5049	6.5162	70.4765	
	S	135.550	99.422	59.322	98.789	98.345	83.738	79.484	74.606	110.745	134.806	123.475	85.035	122.213	100.323	
7	T	1.7153	5.4752	2.9784	6.2726	4.6054	4.9673	8.0074	4.9453	4.3796	7.4330	5.7020	7.5168	6.5670	70.5653	
	S	136.340	96.759	59.977	99.459	96.675	84.827	79.188	74.727	111.312	134.841	124.478	84.901	121.267	100.197	
8	T	1.7267	5.3244	3.0050	6.3009	4.5445	4.9163	8.0050	4.9236	4.3789	7.4340	5.7182	7.3160	6.4464	70.0399	
	S	135.440	99.499	59.446	99.012	97.971	85.707	79.212	75.056	111.329	134.823	124.125	87.231	123.536	100.948	
9	T	1.6990	5.5506	3.0673	6.3334	4.6352	4.9240	8.1045	4.9476	4.3854	7.3983	5.8265	7.7491	6.6819	71.3028	
	S	137.648	95.444	58.239	98.504	96.054	85.573	78.239	74.692	111.164	135.473	121.818	82.356	119.182	99.160	
10	T	1.7522	5.8772	3.1389	6.2792	4.7426	5.0867	7.8195	5.0407	4.3946	7.4590	5.6767	7.2946	6.5055	71.0674	
	S	133.469	90.140	56.910	99.354	93.878	82.836	81.091	73.312	110.932	134.371	125.033	87.487	122.414	99.489	
11	T	1.7140	5.3594	2.9700	6.2970	4.5616	4.9506	8.0151	4.9578	4.3851	7.4767	5.5569	7.6911	6.6510	70.5863	
	S	136.443	98.849	60.147	99.073	97.603	85.114	79.112	74.538	111.172	134.053	127.728	82.977	119.736	100.167	
12	T	1.7511	5.4341	2.9649	6.3202	4.6069	4.9441	7.8380	4.9238	4.4096	7.5131	5.6612	7.3569	6.5610	70.2849	
	S	133.552	97.490	60.250	98.709	96.644	85.226	80.900	75.053	110.554	133.403	125.375	86.746	121.378	100.596	
13	T	1.7362	5.3822	2.9542	6.3075	4.5519	4.8938	7.8563	4.9280	4.4205	7.5212	5.6485	7.3051	6.5108	70.0162	
	S	134.699	98.431	60.469	98.908	97.811	86.102	80.711	74.989	110.282	133.260	125.657	87.361	122.314	100.982	
14	T	1.7203	5.3523	2.9603	6.2861	4.6006	4.9599	7.9824	4.9505	4.4141	7.5047	5.7071	7.4400	6.5596	70.4379	
	S	135.944	98.980	60.344	99.245	96.776	84.954	79.436	74.648	110.442	133.553	124.367	85.777	121.404	100.378	
15	T	1.7318	5.4762	2.9227	6.2910	4.6416	5.0624	7.8831	5.0396	4.4350	7.5471	5.6862	7.3398	6.5339	70.5904	
	S	135.041	96.741	61.120	99.168	95.921	83.234	80.437	73.328	109.921	132.802	124.824	86.948	121.882	100.161	
16	T	1.7302	5.3193	2.9361	6.2980	4.5556	4.9444	7.9742	4.9494	4.4077	7.5107	5.6520	7.3792	6.5224	70.1792	
	S	135.166	99.594	60.841	99.057	97.732	85.220	79.518	74.665	110.602	133.446	125.579	86.484	122.097	100.748	
17	T	1.7248	5.2905	3.0769	6.3106	4.5699	4.9748	7.9147	4.9368	4.3740	7.4320	5.6683	7.4270	6.4812	70.1815	
	S	135.589	100.137	58.057	98.860	97.426	84.700	80.116	74.855	111.454	134.859	125.218	85.927	122.873	100.744	
18	T	1.7069	5.3965	2.9901	6.2906	4.5747	4.9535	8.2810	4.9805	4.4377	7.5058	5.6074	7.4119	6.5639	70.7005	
	S	137.011	98.170	59.743	99.174	97.324	85.064	76.572	74.198	109.854	133.533	126.578	86.102	121.325	100.005	
19	T	1.7379	5.3844	3.0080	6.4124	4.7198	4.9788	8.0075	4.9615	4.4267	7.5331	5.6517	7.3874	6.5439	70.7531	
	S	134.567	98.390	59.387	97.290	94.332	84.632	79.187	74.483	110.127	133.049	125.586	86.388	121.696	99.931	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 7 - Garg, Bijoy (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7350	5.3903	2.9680	6.3181	4.6058	4.9733	7.9117	4.9692	4.4328	7.5388	5.7120	7.3723	6.5381	70.4654
	S	134.792	98.283	60.187	98.742	96.667	84.725	80.146	74.367	109.976	132.949	124.260	86.565	121.804	100.339
21	T	1.7288	5.3241	2.9735	6.3212	4.5882	4.9258	7.9806	5.0358	4.4636	7.5219	5.6434	7.3683	6.5488	70.4240
	S	135.275	99.505	60.076	98.694	97.037	85.542	79.454	73.384	109.217	133.247	125.770	86.612	121.605	100.398
22	T	1.7343	5.3258	3.0142	6.3141	4.5233	4.8800	7.9756	4.9593	4.4231	7.5008	5.6236	7.3801	6.5751	70.2293
	S	134.846	99.473	59.265	98.805	98.430	86.345	79.504	74.516	110.217	133.622	126.213	86.473	121.118	100.676
23	T	1.7471	5.3756	2.9430	6.3035	4.5377	4.9635	8.0213	4.9573	4.4096	7.5221	5.6616	7.3612	6.5466	70.3501
	S	133.858	98.551	60.699	98.971	98.117	84.892	79.051	74.546	110.554	133.244	125.366	86.695	121.645	100.503
24	T	1.7334	5.3791	2.9483	6.3354	4.5886	4.8741	7.9910	4.9411	4.4221	7.5170	5.6488	7.3455	6.5109	70.2353
	S	134.916	98.487	60.590	98.473	97.029	86.450	79.351	74.790	110.242	133.334	125.650	86.881	122.312	100.667
25	T	1.7257	5.3942	2.9970	6.2919	4.6226	5.0336	7.9166	5.0297	4.4094	7.4981	5.6920	7.4056	6.5138	70.5302
	S	135.518	98.212	59.605	99.153	96.315	83.710	80.096	73.473	110.559	133.670	124.697	86.176	122.258	100.246
26	T	1.7239	5.4840	2.9785	6.2845	4.6306	5.0876	8.0083	5.0040	4.4105	7.4749	5.6932	7.4135	6.5151	70.7086
	S	135.660	96.603	59.975	99.270	96.149	82.822	79.179	73.850	110.532	134.085	124.670	86.084	122.234	99.993
27	T	1.7191	5.5118	3.0876	6.3120	4.7698	5.0357	8.0550	5.0900	4.3823	7.4155	5.7249	7.7421	6.6527	71.4985
	S	136.038	96.116	57.856	98.838	93.343	83.675	78.720	72.602	111.243	135.159	123.980	82.430	119.705	98.889
28	T	1.7401	5.4325	2.9556	6.2845	4.6275	5.0610	7.9955	4.9799	4.3925	7.4592	5.6658	7.4785	6.5123	70.5849
	S	134.397	97.519	60.440	99.270	96.213	83.257	79.306	74.207	110.985	134.367	125.273	85.336	122.286	100.169
29	T	1.7138	5.4385	2.9723	6.2522	4.6407	5.0385	8.0809	5.0337	4.3882	7.4476	5.8036	7.4059	6.4380	70.6539
	S	136.459	97.412	60.100	99.783	95.940	83.629	78.468	73.414	111.093	134.577	122.299	86.172	123.697	100.071
30	T	1.6890	5.5959	2.9879	6.2482	4.7631	5.0684	8.1327	4.9757	4.3764	7.4031	5.8269	7.6826	6.4923	71.2422
	S	138.463	94.672	59.787	99.847	93.474	83.135	77.968	74.270	111.393	135.386	121.810	83.068	122.663	99.245
31	T	1.7200	6.8811	3.1816											
	S	135.967	76.990	56.147											

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 8 - Siegel, Nolan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2916	29.0207	4.6382	9.5377	7.7301	7.1673	10.6795	7.0237	6.7271	12.0844	11.4683	11.0440	11.6151	128.0673	124.0296
	S	102.053	18.255	38.514	65.410	57.597	58.790	59.375	52.614	72.468	82.939	61.890	57.785	68.563	55.208	55.786

**Event:** Cooper Tires Indy Pro 2000 GP of Portland

**Rounds 16/17/18**

**Track:** Portland International Raceway

**1.964 mile(s)**



**Report:** Section Data Report

**Indy Pro 2000 Championship**

**Session:** Race 1

**September 2, 2022**

**Section Data for Car 8 - Siegel, Nolan (R)**

Lap	T/SF to PI	
1	T	121.3393
	S	51.707

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 90 - Foster, Louis (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2902	6.0525	3.5471	6.5126	4.7266	5.0140	8.1301	4.9317	4.4008	7.5635	5.8301	7.3305	6.5169	72.8466	126.4219
	S	102.115	87.530	50.361	95.793	94.196	84.037	77.993	74.933	110.775	132.514	121.743	87.058	122.200	97.059	54.730
2	T	1.7359	5.4037	3.0425	6.3598	4.5410	4.8469	7.8979	4.8849	4.3908	7.5425	5.6002	7.3123	6.5289	70.0873	
	S	134.722	98.039	58.714	98.095	98.046	86.935	80.286	75.651	111.028	132.883	126.741	87.275	121.975	100.880	
3	T	1.7334	5.3284	3.0210	6.3454	4.4621	4.7949	7.8073	4.8802	4.3681	7.5046	5.6207	7.2329	6.5185	69.6175	
	S	134.916	99.424	59.132	98.317	99.780	87.877	81.218	75.723	111.605	133.554	126.278	88.233	122.170	101.561	
4	T	1.7319	5.2848	2.9656	6.2939	4.4231	4.8523	7.7341	5.0105	4.3817	7.5195	5.6241	7.1985	6.5260	69.5460	
	S	135.033	100.245	60.236	99.122	100.660	86.838	81.986	73.754	111.258	133.290	126.202	88.655	122.029	101.665	
5	T	1.7333	5.2924	2.9406	6.2932	4.4288	4.8474	7.8201	4.8646	4.3817	7.5107	5.5850	7.2470	6.5151	69.4599	
	S	134.924	100.101	60.748	99.133	100.530	86.926	81.085	75.966	111.258	133.446	127.086	88.062	122.234	101.791	
6	T	1.7364	5.3700	2.9150	6.2945	4.4296	4.8705	7.8916	4.8423	4.3677	7.5137	5.6774	7.3103	6.5067	69.7257	
	S	134.683	98.654	61.282	99.113	100.512	86.513	80.350	76.316	111.615	133.393	125.017	87.299	122.391	101.403	
7	T	1.7338	5.2923	2.9413	6.2716	4.4519	4.8902	7.7641	4.8561	4.3584	7.5065	5.5330	7.3120	6.5370	69.4482	
	S	134.885	100.103	60.734	99.474	100.008	86.165	81.670	76.099	111.853	133.521	128.280	87.279	121.824	101.808	
8	T	1.7433	5.2898	2.9086	6.2886	4.4197	4.8600	7.7908	4.8565	4.3819	7.5238	5.6090	7.4097	6.5213	69.6030	
	S	134.150	100.150	61.417	99.205	100.737	86.700	81.390	76.093	111.253	133.214	126.542	86.128	122.117	101.582	
9	T	1.7383	5.2514	2.9193	6.3154	4.4828	4.8974	7.7713	4.8755	4.3944	7.5277	5.5729	7.4369	6.5792	69.7625	
	S	134.536	100.882	61.192	98.785	99.319	86.038	81.594	75.796	110.937	133.145	127.361	85.813	121.043	101.350	
10	T	1.7449	5.4350	2.9282	6.2608	4.4603	4.8696	7.7826	4.8786	4.4065	7.5298	5.5830	7.2662	6.5216	69.6671	
	S	134.027	97.474	61.006	99.646	99.820	86.529	81.475	75.748	110.632	133.107	127.131	87.829	122.112	101.488	
11	T	1.7366	5.3008	2.9747	6.3161	4.4325	4.8719	7.7515	4.8485	4.3813	7.5174	5.6886	7.2750	6.5067	69.6016	
	S	134.668	99.942	60.052	98.774	100.446	86.489	81.802	76.219	111.268	133.327	124.771	87.723	122.391	101.584	
12	T	1.7314	5.3125	2.9330	6.3214	4.4335	4.9001	7.8193	4.8495	4.3790	7.5328	5.5938	7.3126	6.5172	69.6361	
	S	135.072	99.722	60.906	98.691	100.423	85.991	81.093	76.203	111.327	133.054	126.886	87.272	122.194	101.534	
13	T	1.7321	5.2412	2.9264	6.2996	4.4532	4.8954	7.7981	4.8823	4.3912	7.5289	5.5370	7.2521	6.5248	69.4623	
	S	135.017	101.079	61.043	99.032	99.979	86.073	81.314	75.691	111.017	133.123	128.187	88.000	122.052	101.788	
14	T	1.7299	5.2642	2.9333	6.2928	4.4182	4.9069	7.7991	4.8466	4.3823	7.5204	5.5547	7.3519	6.5204	69.5207	
	S	135.189	100.637	60.899	99.139	100.771	85.872	81.303	76.248	111.243	133.274	127.779	86.805	122.134	101.702	
15	T	1.7284	5.2647	2.9295	6.2811	4.4942	4.8799	7.8490	4.8750	4.3771	7.5187	5.5837	7.2864	6.5051	69.5728	
	S	135.306	100.627	60.978	99.324	99.067	86.347	80.786	75.804	111.375	133.304	127.115	87.585	122.421	101.626	
16	T	1.7245	5.3145	2.9345	6.3057	4.4722	4.9072	7.7493	4.9278	4.3850	7.5184	5.5748	7.2131	6.4743	69.5013	
	S	135.612	99.684	60.875	98.936	99.554	85.866	81.826	74.992	111.174	133.309	127.318	88.475	123.004	101.730	
17	T	1.7219	5.2982	2.9670	6.3111	4.4916	4.9149	7.7768	4.8861	4.3762	7.5089	5.5561	7.2372	6.4909	69.5369	
	S	135.817	99.991	60.208	98.852	99.124	85.732	81.536	75.632	111.398	133.478	127.747	88.181	122.689	101.678	
18	T	1.7258	5.3650	2.9281	6.2901	4.4989	4.8848	7.8541	4.8428	4.3801	7.4986	5.5235	7.3229	6.5169	69.6316	
	S	135.510	98.746	61.008	99.182	98.964	86.260	80.734	76.308	111.299	133.661	128.501	87.149	122.200	101.540	
19	T	1.7301	5.3350	2.9241	6.2868	4.4996	4.9052	7.8157	4.8992	4.3939	7.5106	5.6029	7.3304	6.5254	69.7589	
	S	135.173	99.301	61.091	99.234	98.948	85.901	81.130	75.430	110.949	133.448	126.680	87.060	122.041	101.355	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 90 - Foster, Louis (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7322	5.3502	2.9453	6.3130	4.4172	4.8872	7.8594	4.9067	4.3973	7.5178	5.6575	7.3109	6.5068	69.8015
	S	135.010	99.019	60.651	98.822	100.794	86.218	80.679	75.314	110.863	133.320	125.457	87.292	122.389	101.293
21	T	1.7282	5.3026	2.9515	6.3190	4.4826	4.9006	7.8700	4.8852	4.3780	7.5131	5.6112	7.3260	6.5114	69.7794
	S	135.322	99.908	60.524	98.728	99.323	85.982	80.571	75.646	111.352	133.403	126.492	87.112	122.303	101.325
22	T	1.7345	5.3224	2.9380	6.2857	4.4728	4.9252	7.8034	4.9137	4.3794	7.4992	5.6101	7.2386	6.4935	69.6165
	S	134.831	99.536	60.802	99.251	99.541	85.553	81.258	75.207	111.317	133.651	126.517	88.164	122.640	101.562
23	T	1.7290	5.2566	2.9181	6.3027	4.4691	4.9758	7.9068	4.8416	4.3757	7.5089	5.5958	7.2746	6.5240	69.6787
	S	135.259	100.782	61.217	98.984	99.623	84.683	80.196	76.327	111.411	133.478	126.840	87.727	122.067	101.471
24	T	1.7355	5.2938	2.9384	6.2950	4.4289	4.8970	7.8587	4.9242	4.3848	7.5057	5.5533	7.3233	6.5193	69.6579
	S	134.753	100.074	60.794	99.105	100.528	86.045	80.686	75.047	111.180	133.535	127.811	87.144	122.155	101.502
25	T	1.7318	5.2981	2.9171	6.2922	4.4740	4.9165	7.8650	4.9267	4.3821	7.4967	5.6535	7.2564	6.4874	69.6975
	S	135.041	99.993	61.238	99.149	99.514	85.704	80.622	75.009	111.248	133.695	125.546	87.947	122.755	101.444
26	T	1.7285	5.2885	2.9370	6.3168	4.4919	4.9134	7.8733	4.9546	4.3977	7.5161	5.6402	7.3118	6.5030	69.8728
	S	135.299	100.174	60.823	98.763	99.118	85.758	80.537	74.586	110.853	133.350	125.842	87.281	122.461	101.190
27	T	1.7291	5.2669	3.0046	6.3225	4.4885	4.9328	7.8245	4.9091	4.3828	7.5145	5.6614	7.3057	6.5020	69.8444
	S	135.252	100.585	59.454	98.674	99.193	85.421	81.039	75.278	111.230	133.378	125.371	87.354	122.480	101.231
28	T	1.7308	5.3254	2.9428	6.2941	4.5314	4.9340	7.8729	4.9433	4.4050	7.5347	5.6559	7.3564	6.5174	70.0441
	S	135.119	99.480	60.703	99.119	98.254	85.400	80.541	74.757	110.670	133.021	125.492	86.752	122.190	100.942
29	T	1.7301	5.2835	2.9476	6.3112	4.5099	4.9371	7.8390	4.9062	4.3832	7.5116	5.6667	7.3110	6.5083	69.8454
	S	135.173	100.269	60.604	98.850	98.722	85.346	80.889	75.322	111.220	133.430	125.253	87.291	122.361	101.229
30	T	1.7258	5.2957	2.9541	6.3148	4.4878	4.9002	7.8328	5.0463	4.4452	7.5569	5.7491	7.4505	6.8230	70.5822
	S	135.510	100.038	60.471	98.794	99.208	85.989	80.953	73.231	109.669	132.630	123.458	85.656	116.718	100.173
31	T	2.0001	8.2340	5.0139	10.2884	7.0585	6.5853	9.6213							
	S	116.926	64.340	35.628	60.638	63.077	63.985	65.905							

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 93 - Brewer, Lindsay (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2178	9.8139	3.6086	7.0586	6.0763	5.4504	8.3559	5.1581	4.4505	7.5342	5.9140	7.5387	6.5630	79.7400	108.9796
	S	105.448	53.982	49.503	88.383	73.273	77.309	75.885	71.644	109.538	133.030	120.016	84.654	121.341	88.668	63.490
2	T	1.7368	5.4101	3.1010	6.4081	4.6442	4.9693	8.0314	5.0169	4.4314	7.4947	5.8570	7.3371	6.5641	71.0021	
	S	134.652	97.923	57.606	97.355	95.867	84.793	78.951	73.660	110.010	133.731	121.184	86.980	121.321	99.580	
3	T	1.7339	5.3302	3.0698	6.3795	4.5725	4.8766	8.0294	4.9947	4.4099	7.4494	5.8158	7.3541	6.5412	70.5570	
	S	134.877	99.391	58.192	97.792	97.371	86.405	78.971	73.988	110.547	134.544	122.042	86.779	121.746	100.208	
4	T	1.7278	5.2785	3.1020	6.3901	4.5548	4.9079	7.9653	5.0353	4.4373	7.5070	5.9253	7.3312	6.5363	70.6988	
	S	135.353	100.364	57.587	97.630	97.749	85.854	79.607	73.391	109.864	133.512	119.787	87.050	121.837	100.007	
5	T	1.7224	5.2740	3.0048	6.3245	4.5608	4.9107	7.9671	4.9587	4.4219	7.4684	5.7691	7.3338	6.5257	70.2419	
	S	135.778	100.450	59.450	98.642	97.620	85.805	79.589	74.525	110.247	134.202	123.030	87.019	122.035	100.658	
6	T	1.7292	5.4327	3.0146	6.3721	4.5944	5.0090	7.9477	4.9633	4.4164	7.4667	5.8534	7.3662	6.5280	70.6937	
	S	135.244	97.516	59.257	97.905	96.907	84.121	79.783	74.456	110.384	134.232	121.258	86.637	121.992	100.015	
7	T	1.7273	5.3652	2.9880	6.3472	4.6057	5.0566	7.9284	4.9423	4.4038	7.4775	5.7379	7.3291	6.5245	70.4335	
	S	135.393	98.742	59.785	98.290	96.669	83.329	79.977	74.772	110.700	134.038	123.699	87.075	122.057	100.384	
8	T	1.7255	5.2438	2.9983	6.3613	4.5592	4.9482	7.9382	5.0409	4.4463	7.5082	5.6728	7.3516	6.5250	70.3193	
	S	135.534	101.028	59.579	98.072	97.655	85.155	79.878	73.309	109.642	133.490	125.119	86.809	122.048	100.547	
9	T	1.7293	5.4752	3.0396	6.3668	4.6077	4.9674	7.9185	5.0603	4.4494	7.5033	5.7292	7.3651	6.5413	70.7531	
	S	135.236	96.759	58.770	97.987	96.627	84.826	80.077	73.028	109.565	133.578	123.887	86.649	121.744	99.931	
10	T	1.7308	5.4019	3.0239	6.3495	4.6021	4.9847	7.9013	4.9271	4.4070	7.4703	5.7010	7.3567	6.5357	70.3920	
	S	135.119	98.072	59.075	98.254	96.744	84.531	80.251	75.003	110.619	134.168	124.500	86.748	121.848	100.443	
11	T	1.7251	5.2772	2.9441	6.3558	4.5412	4.9129	7.8431	4.9880	4.3953	7.4805	5.6350	7.3223	6.5064	69.9269	
	S	135.565	100.389	60.676	98.157	98.042	85.767	80.847	74.087	110.914	133.985	125.958	87.156	122.397	101.111	
12	T	1.7265	5.3225	2.9909	6.3899	4.5609	4.8862	7.8556	4.9284	4.4082	7.4760	5.7323	7.4002	6.5651	70.2427	
	S	135.455	99.535	59.727	97.633	97.618	86.235	80.718	74.983	110.589	134.065	123.820	86.238	121.303	100.657	
13	T	1.7301	5.2439	2.9784	6.3703	4.5102	4.8709	7.8647	5.1572	4.4248	7.5334	5.7650	7.3010	6.5159	70.2658	
	S	135.173	101.026	59.977	97.933	98.716	86.506	80.625	71.656	110.174	133.044	123.118	87.410	122.219	100.624	
14	T	1.7217	5.3005	2.9819	6.3576	4.5321	4.9511	8.0091	4.9941	4.4397	7.4977	5.7215	7.3657	6.5103	70.3830	
	S	135.833	99.948	59.907	98.129	98.239	85.105	79.171	73.996	109.805	133.677	124.054	86.642	122.324	100.456	
15	T	1.7222	5.2918	2.9696	6.3625	4.5916	4.9952	7.9184	5.0422	4.4080	7.4665	5.6585	7.3391	6.5001	70.2657	
	S	135.794	100.112	60.155	98.053	96.966	84.354	80.078	73.291	110.594	134.236	125.435	86.956	122.516	100.624	
16	T	1.7208	5.3982	3.0542	6.3551	4.5770	4.9996	7.9801	5.0291	4.4243	7.5041	5.6462	7.3882	6.5432	70.6201	
	S	135.904	98.139	58.489	98.167	97.275	84.279	79.459	73.481	110.187	133.563	125.708	86.379	121.709	100.119	
17	T	1.7274	5.8187	3.2620	6.4461	4.7163	5.0220	7.9199	5.1831	4.4028	7.4110	5.7002	7.4771	6.5367	71.6233	
	S	135.385	91.047	54.763	96.782	94.402	83.904	80.063	71.298	110.725	135.241	124.517	85.352	121.830	98.716	
18	T	1.7183	5.3306	2.9726	6.3145	4.5503	4.9155	12.3086	5.6133	4.5370	7.5294	5.9998	7.5940	6.5648	75.9487	
	S	136.102	99.383	60.094	98.799	97.846	85.721	51.516	65.834	107.450	133.115	118.299	84.038	121.308	93.094	
19	T	1.7324	5.4385	3.1786	6.5200	4.8276	5.1841	8.1103	5.1016	4.4334	7.5034	5.8399	7.3777	6.5376	71.7851	
	S	134.994	97.412	56.200	95.685	92.225	81.280	78.183	72.437	109.961	133.576	121.539	86.501	121.813	98.494	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

September 2, 2022

Section Data for Car 93 - Brewer, Lindsay (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7340	5.3575	3.1272	6.4970	4.6806	5.0651	8.0250	5.0212	4.4325	7.5114	5.8395	7.3882	6.5323	71.2115
	S	134.869	98.884	57.123	96.023	95.122	83.190	79.014	73.597	109.983	133.434	121.547	86.379	121.912	99.287
21	T	1.7291	5.2862	3.0221	6.4028	4.6005	5.0810	7.8608	5.0727	4.4279	7.4832	5.7806	7.3546	6.5442	70.6457
	S	135.252	100.218	59.110	97.436	96.778	82.929	80.665	72.850	110.097	133.936	122.785	86.773	121.690	100.083
22	T	1.7316	5.3657	2.9966	6.3565	4.5856	5.0822	7.9756	5.0221	4.4317	7.4854	5.7685	7.3414	6.5708	70.7137
	S	135.056	98.733	59.613	98.146	97.092	82.910	79.504	73.584	110.003	133.897	123.043	86.929	121.197	99.986
23	T	1.7386	5.3598	3.0110	6.3475	4.5788	5.0240	8.4470	5.3363	4.4832	7.5397	5.9024	7.4744	6.5588	71.8015
	S	134.513	98.842	59.328	98.285	97.237	83.870	75.067	69.251	108.739	132.933	120.252	85.382	121.419	98.471
24	T	1.7316	5.3253	2.9953	6.3837	4.5915	4.9988	8.1178	5.0194	4.4356	7.4976	5.9285	7.3575	6.5217	70.9043
	S	135.056	99.482	59.639	97.728	96.968	84.293	78.111	73.623	109.906	133.679	119.722	86.739	122.110	99.718
25	T	1.7409	5.4340	3.0814	6.4002	4.6019	5.0302	7.9207	5.0153	4.4450	7.4993	5.7541	7.3955	6.5314	70.8499
	S	134.335	97.492	57.972	97.476	96.749	83.767	80.055	73.684	109.674	133.649	123.351	86.293	121.928	99.794
26	T	1.7292	5.3543	3.0970	6.4016	4.6684	5.3774	8.1365	5.1875	4.4802	7.5478	5.8817	7.4449	6.5452	71.8517
	S	135.244	98.943	57.680	97.454	95.370	78.358	77.932	71.238	108.812	132.790	120.675	85.721	121.671	98.403
27	T	1.7330	5.3385	3.1217	6.4483	4.7038	5.1759	8.0144	5.2151	4.5013	7.5463	6.1231	7.6977	6.6037	72.2228
	S	134.947	99.236	57.224	96.749	94.653	81.409	79.119	70.861	108.302	132.816	115.917	82.906	120.594	97.897
28	T	1.7431	5.5388	3.0115	6.3451	4.6644	5.0560	7.9488	5.4878	4.5608	7.5722	5.9631	7.4796	6.5667	71.9379
	S	134.165	95.648	59.318	98.322	95.452	83.339	79.772	67.339	106.889	132.362	119.027	85.323	121.273	98.285
29	T	1.7299	5.4806	3.0837	6.3607	4.6961	5.2629	8.0434	5.0600	4.4248	7.5204	5.9385	7.4041	6.5569	71.5620
	S	135.189	96.663	57.929	98.081	94.808	80.063	78.834	73.033	110.174	133.274	119.521	86.193	121.454	98.801
30	T	1.7365	5.4629	3.0292	6.3561	4.6085	5.0652	7.9962	5.1387	4.4433	7.5120	5.9050	7.5239	6.5503	71.3278
	S	134.675	96.976	58.971	98.152	96.610	83.188	79.299	71.914	109.716	133.423	120.199	84.821	121.577	99.125
31	T	1.7248													
	S	135.589													



**Event:** Cooper Tires Indy Pro 2000 GP of Portland

**Rounds 16/17/18**

**Track:** Portland International Raceway

**1.964 mile(s)**



**Report:** Section Data Report

**Indy Pro 2000 Championship**

**Session:** Race 1

**September 2, 2022**

**Section Data for Car**

**Report Support Information**

Section Legend	
Name	Length
SF to I1	0.064962 miles
I1 to I2A	0.147159 miles
I2A to I2	0.049621 miles
I2 to I3	0.173295 miles
I3 to I4	0.123674 miles
I4 to I5	0.117045 miles
I5 to I6	0.176136 miles
I6 to I7	0.102652 miles
I7 to I8	0.135417 miles
I8 to I9	0.278409 miles
I9 to I10	0.197159 miles
I10 to I11	0.177273 miles
I11 to SF	0.221212 miles
I1 to I2	0.196780 miles
Lap	1.964000 miles
PI to PO	0.260795 miles
PO to SF	1.921970 miles
SF to PI	1.742803 miles
PO to I2A	0.170076 miles
I10 to PI	0.177273 miles
PO to PI	1.681818 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

