

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 1 - Porto, Kiko (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0921	12.6651	8.8235	6.4843	9.6104	9.0955	5.0888	7.4648	6.8450	6.3377	11.0207	86.5279	142.8084
	S	98.344	81.936	108.800	61.723	107.980	71.439	107.187	120.840	104.589	94.994	96.636	95.692	55.430
2	T	2.3375			6.2776	9.4395	8.1935	4.9965	6.9995	6.5469	6.3295	10.8848	82.1278	
	S	130.092			63.755	109.935	79.303	109.167	128.873	109.351	95.117	97.843	100.818	
3	T	2.3421	11.3415	8.4719	6.2245	9.4565	8.2012	4.9884	6.9868	6.5582	6.2350	10.9138	81.7199	
	S	129.837	91.498	113.316	64.299	109.737	79.229	109.345	129.107	109.162	96.559	97.583	101.322	
4	T	2.3771	11.6067	8.4103	6.1269	9.3584	8.1163	4.9847	7.0800	6.6775	6.2614	10.6963	81.6956	
	S	127.925	89.408	114.146	65.323	110.887	80.058	109.426	127.408	107.212	96.152	99.567	101.352	
5	T	2.3310	11.2559	8.3925	6.1162	9.3880	8.2580	5.0173	7.2391	6.6939	6.2179	10.7487	81.6585	
	S	130.455	92.194	114.388	65.437	110.538	78.684	108.715	124.607	106.949	96.825	99.082	101.398	
6	T	2.3328	11.2132	8.4252	6.0979	9.3398	7.9713	4.9681	6.9788	6.6489	6.2877	10.6030	80.8667	
	S	130.354	92.545	113.944	65.634	111.108	81.514	109.791	129.255	107.673	95.750	100.443	102.391	
7	T	2.3466	11.1933	8.4293	6.0128	9.3490	7.9189	5.0085	7.0774	6.2819	6.0872	10.6440	80.3489	
	S	129.588	92.710	113.888	66.563	110.999	82.053	108.906	127.454	113.964	98.904	100.056	103.051	
8	T	2.3358	11.1386	8.3933	6.0181	9.3091	7.9275	5.0228	7.1016	6.3301	6.1594	10.5542	80.2905	
	S	130.187	93.165	114.377	66.504	111.475	81.964	108.596	127.020	113.096	97.744	100.908	103.126	
9	T	2.3291	11.1293	8.4042	5.9801	9.3051	7.9097	5.0270	7.0852	6.2392	5.9973	10.6007	80.0069	
	S	130.562	93.243	114.229	66.927	111.522	82.149	108.505	127.314	114.744	100.386	100.465	103.491	
10	T	2.3444	11.0425	8.4197	5.9870	9.3178	7.9135	5.0160	7.0667	6.1757	6.0163	10.5507	79.8503	
	S	129.709	93.976	114.018	66.849	111.370	82.109	108.743	127.647	115.924	100.069	100.941	103.694	
11	T	2.3249	11.0569	8.3467	5.9787	9.2824	7.8935	5.0021	7.0397	6.2298	6.0763	10.6352	79.8662	
	S	130.797	93.853	115.016	66.942	111.795	82.317	109.045	128.137	114.917	99.081	100.139	103.673	
12	T	2.3247	11.0733	8.3737	5.9820	9.2579	7.9444	4.9868	6.9961	6.2390	6.0268	10.5873	79.7920	
	S	130.809	93.714	114.645	66.905	112.091	81.790	109.380	128.935	114.747	99.895	100.592	103.770	
13	T	2.3182	11.1847	8.3535	6.0836	9.3099	7.9852	4.9920	7.0095	6.3108	6.0489	10.5915	80.1878	
	S	131.175	92.781	114.922	65.788	111.465	81.372	109.266	128.689	113.442	99.530	100.552	103.258	
14	T	2.3196	11.1085	8.2945	5.9693	9.2739	7.9279	4.9795	6.9944	6.2356	6.0853	10.6590	79.8475	
	S	131.096	93.417	115.739	67.048	111.898	81.960	109.540	128.967	114.810	98.934	99.916	103.698	
15	T	2.3136	11.1165	8.3818	6.0023	9.2666	7.9352	4.9730	7.0240	6.2651	6.0692	10.5750	79.9223	
	S	131.436	93.350	114.534	66.679	111.986	81.885	109.683	128.423	114.269	99.197	100.709	103.601	
16	T	2.3023	11.1353	8.3369	6.0485	9.2592	7.9853	4.9656	6.9834	6.3231	6.1065	10.7140	80.1601	
	S	132.081	93.193	115.151	66.170	112.075	81.371	109.847	129.170	113.221	98.591	99.403	103.293	
17	T	2.3085	11.2656	8.3266	5.9688	9.2545	7.9659	4.9549	7.0004	6.3009	6.0768	10.6640	80.0869	
	S	131.727	92.115	115.293	67.053	112.132	81.569	110.084	128.856	113.620	99.073	99.869	103.388	
18	T	2.3059	11.1285	8.3145	6.0030	9.2547	7.9090	4.9619	6.9679	6.3633	6.1336	10.6408	79.9831	
	S	131.875	93.250	115.461	66.671	112.130	82.156	109.929	129.457	112.506	98.155	100.086	103.522	
19	T	2.3156	11.1025	8.4106	6.0083	9.3215	7.8630	4.9672	7.0224	6.1778	6.0414	10.6135	79.8438	
	S	131.323	93.468	114.142	66.612	111.326	82.637	109.811	128.453	115.884	99.653	100.344	103.702	

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 1 - Porto, Kiko (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.3078			5.9488	9.2245	7.9466	4.9740	6.9575	6.3607	6.1594	10.6771	79.9692
	S	131.767			67.279	112.497	81.767	109.661	129.651	112.552	97.744	99.746	103.540
21	T	2.3056	11.1402	8.3343	5.9664	9.2287	7.9171	4.9778	6.9830	6.3113	6.1050	10.6054	79.8748
	S	131.892	93.152	115.187	67.080	112.446	82.072	109.577	129.177	113.433	98.615	100.421	103.662
22	T	2.2986	11.2100	8.3962	6.0629	9.2994	7.8648	5.0027	7.0461	6.2206	6.0962	10.5792	80.0767
	S	132.294	92.572	114.337	66.013	111.591	82.618	109.032	128.021	115.087	98.757	100.669	103.401
23	T	2.3275	11.1039	8.3436	6.0029	9.2655	7.9361	4.9812	7.0207	6.2616	6.0666	10.5757	79.8853
	S	130.651	93.456	115.058	66.672	111.999	81.876	109.503	128.484	114.333	99.239	100.703	103.649
24	T	2.3069	11.1402	8.3451	6.0863	9.2969	7.9533	4.9610	7.0121	6.1985	6.0383	10.5890	79.9276
	S	131.818	93.152	115.038	65.759	111.621	81.699	109.949	128.641	115.497	99.704	100.576	103.594
25	T	2.3179	11.0694	8.3413	6.0029	9.2599	7.9798	4.9520	6.9722	6.2237	6.0281	10.5572	79.7044
	S	131.192	93.747	115.090	66.672	112.067	81.427	110.148	129.377	115.029	99.873	100.879	103.884
26	T	2.3129	11.0789	8.3277	5.9982	9.3062	7.9653	4.9414	6.9441	6.2602	6.0801	10.6010	79.8160
	S	131.476	93.667	115.278	66.725	111.509	81.575	110.385	129.901	114.359	99.019	100.462	103.739
27	T	2.3093	11.0282	8.3475	6.0508	9.3577	7.8789	4.9458	7.0149	6.2614	6.1628	10.5430	79.9003
	S	131.681	94.098	115.004	66.145	110.896	82.470	110.286	128.590	114.337	97.690	101.015	103.629
28	T	2.3197	11.0832	8.3595	6.0320	9.2776	7.8760	4.9460	7.0026	6.2466	6.0388	10.6688	79.8508
	S	131.091	93.631	114.839	66.351	111.853	82.500	110.282	128.816	114.608	99.696	99.824	103.693
29	T	2.3278			5.9961	9.2942	7.8744	4.9486	7.0252	6.3710	6.1519	10.5463	80.0048
	S	130.634			66.748	111.653	82.517	110.224	128.401	112.370	97.863	100.983	103.494
30	T	2.3215	11.1213	8.3748	5.9842	9.2400	7.9654	4.9372	6.9973	6.2201	6.0925	10.7838	80.0381
	S	130.989	93.310	114.630	66.881	112.308	81.574	110.479	128.913	115.096	98.817	98.759	103.451
31	T	2.6077	13.3892	10.7694	6.8033	11.9444	9.0850						
	S	116.613	77.505	89.141	58.828	86.880	71.521						

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0911	13.0370	8.6813	6.8667	9.7928	9.2484	5.0366	7.1756	7.1705	6.5123	11.1673	87.7796	134.9565
	S	98.376	79.599	110.583	58.285	105.968	70.258	108.298	125.710	99.841	92.447	95.368	94.327	58.655
2	T	2.3549	12.0915	8.6837	6.2590	9.5122	8.4951	5.0041	6.9899	6.6999	6.4048	10.7112	83.2063	
	S	129.131	85.823	110.552	63.944	109.094	76.488	109.002	129.050	106.854	93.999	99.429	99.512	
3	T	2.3425	11.5677	8.4755	6.2839	9.4795	8.1607	5.0059	7.0088	6.4735	6.1997	10.6520	81.6497	
	S	129.815	89.709	113.268	63.691	109.471	79.622	108.962	128.702	110.591	97.109	99.981	101.409	
4	T	2.3234	11.3603	8.4219	6.0749	9.3390	8.1638	4.9813	6.9845	6.5622	6.2394	10.7426	81.1933	
	S	130.882	91.347	113.989	65.882	111.118	79.592	109.500	129.150	109.096	96.491	99.138	101.979	
5	T	2.3280	11.3915	8.4056	6.1020	9.3500	8.1584	4.9896	7.0386	6.7759	6.3300	11.1031	81.9727	
	S	130.623	91.097	114.210	65.590	110.987	79.645	109.318	128.157	105.655	95.110	95.919	101.009	
6	T	2.3351			6.1621	9.4365	8.0724	5.0013	7.0263	6.4823	7.0386	10.7271	81.9505	
	S	130.226			64.950	109.970	80.493	109.063	128.381	110.441	85.535	99.281	101.037	
7	T	2.3322	11.2478	8.4407	6.0264	9.3903	8.0206	4.9741	6.9766	6.4153	6.2934	10.5791	80.6965	
	S	130.388	92.260	113.735	66.412	110.511	81.013	109.659	129.296	111.594	95.663	100.670	102.607	
8	T	2.3110	11.2278	8.4719	6.0640	9.3693	7.9957	5.0082	7.0418	6.4305	6.2707	10.5725	80.7634	
	S	131.584	92.425	113.316	66.001	110.758	81.265	108.912	128.099	111.330	96.009	100.733	102.522	
9	T	2.3146	11.1789	8.4741	5.9984	9.3267	8.0389	5.0209	7.0256	6.3847	6.3614	10.5933	80.7175	
	S	131.379	92.829	113.286	66.722	111.264	80.829	108.637	128.394	112.129	94.640	100.535	102.580	
10	T	2.3308	11.1008	8.4729	6.0798	9.3548	7.9919	5.0175	7.0567	6.3392	6.3047	10.6621	80.7112	
	S	130.466	93.482	113.302	65.829	110.930	81.304	108.710	127.828	112.934	95.492	99.887	102.588	
11	T	2.3350	11.0500	8.4053	5.9818	9.3266	7.9566	5.0067	7.0508	6.3389	6.1818	10.5769	80.2104	
	S	130.232	93.912	114.214	66.907	111.265	81.665	108.945	127.935	112.939	97.390	100.691	103.229	
12	T	2.3291	11.0955	8.4260	5.9543	9.2374	7.9281	5.0177	7.0405	6.2685	6.1585	10.5249	79.9805	
	S	130.562	93.527	113.933	67.217	112.340	81.958	108.706	128.122	114.207	97.758	101.189	103.525	
13	T	2.3253			5.9691	9.3107	7.9184	4.9760	6.9696	6.3749	6.1609	10.5995	80.1395	
	S	130.775			67.050	111.455	82.059	109.617	129.426	112.301	97.720	100.476	103.320	
14	T	2.3155	11.1540	8.4065	6.0076	9.2908	7.9035	4.9836	6.9659	6.3389	6.1644	10.5609	80.0916	
	S	131.328	93.036	114.197	66.620	111.694	82.213	109.450	129.494	112.939	97.665	100.844	103.382	
15	T	2.3091	11.1175	8.4387	5.9578	9.2547	7.9932	4.9815	7.0102	6.3762	6.1517	10.5671	80.1577	
	S	131.692	93.342	113.762	67.177	112.130	81.291	109.496	128.676	112.278	97.867	100.785	103.296	
16	T	2.3080	11.1471	8.4697	6.0105	9.3232	7.9760	4.9694	6.9980	6.4255	6.2499	10.6396	80.5169	
	S	131.755	93.094	113.345	66.588	111.306	81.466	109.763	128.900	111.417	96.329	100.098	102.836	
17	T	2.3224	11.0688	8.3924	6.0256	9.3080	7.9426	5.0028	7.0505	6.2658	6.1376	10.4747	79.9912	
	S	130.938	93.752	114.389	66.421	111.488	81.809	109.030	127.941	114.257	98.091	101.674	103.511	
18	T	2.3127	11.0625	8.4122	6.0105	9.2664	7.8871	4.9770	6.9991	6.2889	6.2021	10.4294	79.8479	
	S	131.487	93.806	114.120	66.588	111.988	82.384	109.595	128.880	113.837	97.071	102.115	103.697	
19	T	2.3091	11.1768	8.4064	6.0048	9.3004	7.8795	4.9792	7.0269	6.3371	6.1076	10.5927	80.1205	
	S	131.692	92.847	114.199	66.651	111.579	82.464	109.547	128.370	112.971	98.573	100.541	103.344	

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)

Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022



Section Data for Car 18 - Sundaramoorthy, Yuven (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.3188	11.0438	8.4164	5.9549	9.2188	7.9017	4.9860	6.9946	6.3404	6.1240	10.5058	79.8052
	S	131.141	93.965	114.063	67.210	112.566	82.232	109.397	128.963	112.912	98.309	101.373	103.753
21	T	2.3106			5.9991	9.2483	7.9267	5.0069	7.0261	6.2735	6.2342	10.5321	80.0586
	S	131.607			66.715	112.207	81.973	108.941	128.385	114.116	96.571	101.119	103.424
22	T	2.3220			6.1307	9.3316	7.9096	5.0066	7.0384	6.4468	6.2322	10.5182	80.5840
	S	130.961			65.282	111.206	82.150	108.947	128.161	111.049	96.602	101.253	102.750
23	T	2.3239	11.1431	8.3947	6.0392	9.3249	7.9099	4.9739	7.0058	6.3305	6.1754	10.5362	80.1575
	S	130.854	93.127	114.358	66.272	111.286	82.147	109.663	128.757	113.089	97.491	101.080	103.297
24	T	2.3130			6.0127	9.3168	7.9746	4.9692	6.9945	6.4128	6.2247	10.6105	80.2346
	S	131.470			66.564	111.382	81.480	109.767	128.965	111.638	96.719	100.372	103.197
25	T	2.3352	11.1641	8.4005	6.0320	9.2982	7.9096	4.9630	6.9908	6.3960	6.1483	10.6785	80.3162
	S	130.220	92.952	114.279	66.351	111.605	82.150	109.904	129.033	111.931	97.921	99.733	103.093
26	T	2.3326	11.1005	8.3689	6.0437	9.3276	7.9003	4.9771	6.9989	6.2995	6.1556	10.4464	79.9511
	S	130.366	93.485	114.710	66.222	111.253	82.247	109.593	128.884	113.645	97.805	101.949	103.563
27	T	2.3090			5.9633	9.2740	7.8984	5.0043	7.0368	6.4171	6.2243	10.5308	80.1567
	S	131.698			67.115	111.896	82.266	108.997	128.190	111.563	96.725	101.132	103.298
28	T	2.3235			6.0954	9.3038	7.9229	4.9726	7.0133	6.3204	6.1490	10.5700	80.1460
	S	130.876			65.661	111.538	82.012	109.692	128.619	113.270	97.909	100.757	103.311
29	T	2.3158			6.0677	9.3591	7.8983	4.9454	7.0201	6.3018	6.1291	10.6397	80.1077
	S	131.311			65.960	110.879	82.267	110.295	128.495	113.604	98.227	100.097	103.361
30	T	2.3043	11.2069	8.4337	6.0708	9.3190	7.9504	4.9414	6.9911	6.4640	6.2366	10.5688	80.4870
	S	131.967	92.597	113.829	65.927	111.356	81.728	110.385	129.028	110.753	96.534	100.768	102.874
31	T	2.5941	12.7039	10.8162	6.9597	10.3819							
	S	117.224	81.686	88.756	57.506	99.955							

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 19 - Missig, Jordan (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0610	12.7120	8.7590	6.3242	9.4267	8.8197	5.1005	7.3542	6.5894	6.2709	11.0793	85.4969	136.0531
	S	99.344	81.634	109.602	63.285	110.084	73.673	106.941	122.657	108.646	96.006	96.125	96.846	58.182
2	T	2.3684	11.5342	8.4937	6.2652	9.3762	8.3651	5.0838	7.0693	6.5097	6.2044	10.6921	81.9621	
	S	128.395	89.970	113.025	63.881	110.677	77.677	107.293	127.600	109.976	97.035	99.606	101.022	
3	T	2.3417	11.5382	8.5536	6.1793	9.4121	8.1966	5.0748	7.0612	6.6860	6.2356	11.1150	82.3941	
	S	129.859	89.938	112.233	64.769	110.255	79.273	107.483	127.747	107.076	96.550	95.816	100.493	
4	T	2.3465	11.3569	8.4841	6.1296	9.4152	8.2097	5.0661	7.0557	6.3917	6.2107	10.6871	81.3533	
	S	129.593	91.374	113.153	65.294	110.218	79.147	107.668	127.846	112.006	96.937	99.653	101.778	
5	T	2.3247	11.2591	8.5173	6.2048	9.4881	8.2512	5.0904	7.1129	6.4210	6.1322	10.6754	81.4771	
	S	130.809	92.168	112.712	64.503	109.371	78.749	107.154	126.818	111.495	98.178	99.762	101.624	
6	T	2.3361			6.0364	9.3589	8.0394	5.0676	7.0928	7.2485	11.4008	10.7866	87.2202	
	S	130.170			66.302	110.881	80.824	107.636	127.178	98.767	52.807	98.734	94.932	
7	T	2.3491			6.0951	9.3544	8.1091	5.0567	7.0710	6.5078	6.1458	10.6738	81.2537	
	S	129.450			65.664	110.935	80.129	107.868	127.570	110.008	97.960	99.777	101.903	
8	T	2.3303	11.0982	8.4662	6.0832	9.3080	7.9687	5.0296	7.0481	6.4224	6.1918	11.0937	81.0402	
	S	130.494	93.504	113.392	65.792	111.488	81.541	108.449	127.984	111.471	97.233	96.000	102.172	
9	T	2.4385	11.2718	8.4810	6.0115	9.3146	8.0257	5.0477	7.0692	6.3737	6.1388	10.5572	80.7297	
	S	124.704	92.064	113.194	66.577	111.409	80.962	108.060	127.602	112.322	98.072	100.879	102.564	
10	T	2.3316	11.0775	8.4343	6.1436	9.3391	7.9896	5.0455	7.0667	6.3458	6.1327	10.4963	80.4027	
	S	130.422	93.679	113.821	65.145	111.116	81.327	108.107	127.647	112.816	98.170	101.464	102.982	
11	T	2.3175	11.1183	8.3723	6.0478	9.2689	8.0333	5.0400	7.0558	6.3739	6.1504	10.5466	80.3248	
	S	131.215	93.335	114.664	66.177	111.958	80.885	108.225	127.845	112.319	97.887	100.980	103.081	
12	T	2.3299	11.0331	8.3744	6.1469	9.2206	7.9497	5.0133	7.0332	6.4023	6.0794	10.6387	80.2215	
	S	130.517	94.056	114.635	65.110	112.544	81.736	108.801	128.255	111.821	99.030	100.106	103.214	
13	T	2.3368	11.0245	8.3546	6.1567	9.2654	7.9623	5.0035	7.0011	6.2993	6.1508	10.5066	80.0616	
	S	130.131	94.129	114.907	65.007	112.000	81.606	109.015	128.843	113.649	97.881	101.365	103.420	
14	T	2.3113			6.0713	9.2193	8.2593	5.1538	7.0778	6.9849	6.3030	10.6336	81.5037	
	S	131.567			65.921	112.560	78.672	105.835	127.447	102.494	95.517	100.154	101.590	
15	T	2.3279			6.0633	9.3065	7.9112	4.9982	7.0792	6.3271	6.1047	10.4965	80.1422	
	S	130.629			66.008	111.506	82.133	109.130	127.422	113.150	98.620	101.462	103.316	
16	T	2.3182	11.0273	8.3766	6.0227	9.3220	7.8458	4.9840	7.0542	6.3686	6.0806	10.4937	79.8937	
	S	131.175	94.105	114.605	66.453	111.320	82.818	109.441	127.874	112.412	99.011	101.489	103.638	
17	T	2.3121			6.1030	9.3355	7.8922	4.9853	7.0755	6.3291	6.0183	10.7743	80.2237	
	S	131.522			65.579	111.159	82.331	109.413	127.489	113.114	100.036	98.846	103.211	
18	T	2.3626	11.2095	8.4579	6.0633	9.2640	7.9253	5.0008	7.0350	6.3367	6.1787	10.6462	80.4800	
	S	128.710	92.576	113.503	66.008	112.017	81.987	109.073	128.223	112.978	97.439	100.036	102.883	
19	T	2.3064			6.1018	9.1867	8.2704	5.0275	7.0708	6.3504	6.0598	10.7557	80.6891	
	S	131.847			65.592	112.960	78.566	108.494	127.573	112.734	99.351	99.017	102.616	

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 19 - Missig, Jordan (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.3283	11.2229	8.3557	6.0246	9.1961	8.0042	5.0103	6.9972	6.3999	6.3302	10.9646	80.8340
	S	130.606	92.465	114.892	66.432	112.844	81.179	108.867	128.915	111.863	95.107	97.131	102.432
21	T	2.3163	11.1967	8.4201	6.0429	9.2936	8.0437	5.0222	7.0804	6.3498	6.1086	10.5023	80.3766
	S	131.283	92.682	114.013	66.231	111.660	80.780	108.609	127.400	112.745	98.557	101.406	103.015
22	T	2.3261	11.1733	8.3946	6.0335	9.3124	8.0369	5.0183	7.0639	6.2969	6.1158	10.4751	80.2468
	S	130.730	92.876	114.359	66.334	111.435	80.849	108.693	127.698	113.692	98.441	101.670	103.182
23	T	2.3212			6.0917	9.2872	7.9602	4.9764	7.0247	6.2959	6.0268	10.6775	80.0014
	S	131.006			65.700	111.737	81.628	109.608	128.411	113.710	99.895	99.742	103.498
24	T	2.3207			6.0061	9.2886	8.0004	5.0043	7.0358	6.3357	6.0603	10.5618	80.0248
	S	131.034			66.637	111.721	81.218	108.997	128.208	112.996	99.343	100.835	103.468
25	T	2.3285	11.1282	8.4098	6.0841	9.2823	7.8515	4.9663	6.9742	6.3758	6.0777	10.5658	80.0442
	S	130.595	93.252	114.153	65.782	111.796	82.758	109.831	129.340	112.285	99.058	100.797	103.443
26	T	2.3243			6.0185	9.2091	8.0073	4.9647	6.9712	6.3235	6.0380	10.6453	80.0098
	S	130.831			66.500	112.685	81.148	109.867	129.396	113.214	99.709	100.044	103.487
27	T	2.3150	11.1585	8.3432	6.0184	9.1980	8.0516	4.9467	6.9894	6.3332	6.0537	10.7737	80.1814
	S	131.357	92.999	115.064	66.501	112.821	80.701	110.266	129.059	113.041	99.451	98.852	103.266
28	T	2.3103			6.1783	9.2682	16.6136	5.5810	7.3668	6.5107	6.2043	10.6162	90.1692
	S	131.624			64.780	111.966	39.111	97.734	122.447	109.959	97.037	100.318	91.827
29	T	2.3497	11.0825	8.4862	6.0168	9.4155	7.9713	5.0271	7.1163	6.4289	6.1955	10.5105	80.6003
	S	129.417	93.637	113.125	66.518	110.215	81.514	108.503	126.758	111.358	97.175	101.327	102.729
30	T	2.3368	11.0350	8.4695	5.9975	9.2916	7.9329	4.9965	7.1133	6.4810	6.1857	10.5474	80.3872
	S	130.131	94.040	113.348	66.732	111.684	81.909	109.167	126.811	110.463	97.329	100.973	103.001
31	T	2.5021	11.8988	9.3357									
	S	121.534	87.213	102.831									

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 2 - Browne, Jonathan (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0401		11.7984	6.6976	9.5189	9.1703	5.0365	7.1848	7.3857	6.5021	10.8927	86.9641	132.4876
	S	100.027		81.367	59.757	109.018	70.856	108.300	125.549	96.932	92.592	97.772	95.212	59.748
2	T	2.3379	11.5969	8.5374	6.2511	9.3860	8.2845	5.0243	7.0465	6.4500	6.2618	10.6505	81.8269	
	S	130.070	89.483	112.446	64.025	110.561	78.432	108.563	128.013	110.994	96.146	99.995	101.189	
3	T	2.3199	11.5027	8.4156	6.1685	9.3759	8.3147	4.9936	7.1320	6.6436	6.2741	10.8495	81.9901	
	S	131.079	90.216	114.074	64.882	110.680	78.147	109.231	126.479	107.759	95.957	98.161	100.988	
4	T	2.3477	11.3733	8.4025	6.1523	9.4030	8.3128	4.9732	6.9857	6.5412	6.3784	10.6550	81.5251	
	S	129.527	91.242	114.252	65.053	110.361	78.165	109.679	129.127	109.446	94.388	99.953	101.564	
5	T	2.3103	11.3598	8.4059	6.1013	9.2873	8.7544	5.0756	7.1533	6.4972	6.2286	10.8076	81.9813	
	S	131.624	91.351	114.205	65.597	111.736	74.222	107.466	126.102	110.187	96.658	98.542	100.999	
6	T	2.3240	11.3577	8.4799	6.0672	9.3107	8.1838	4.9833	7.0222	6.4848	7.0644	10.6644	81.9424	
	S	130.848	91.368	113.209	65.966	111.455	79.397	109.456	128.456	110.398	85.222	99.865	101.047	
7	T	2.3313	11.1845	8.4315	6.0024	9.2885	8.1169	5.0023	7.0474	6.3484	6.2139	10.6703	80.6374	
	S	130.438	92.783	113.859	66.678	111.722	80.052	109.041	127.997	112.770	96.887	99.810	102.682	
8	T	2.3234	11.1282	8.4065	6.0043	9.3114	8.1910	5.0305	7.0933	6.4037	6.1671	10.6680	80.7274	
	S	130.882	93.252	114.197	66.657	111.447	79.328	108.429	127.169	111.796	97.622	99.831	102.567	
9	T	2.3183	11.0986	8.4144	5.9631	9.3107	8.1144	5.0258	7.0798	6.3965	6.1793	10.5255	80.4264	
	S	131.170	93.501	114.090	67.117	111.455	80.076	108.531	127.411	111.922	97.429	101.183	102.951	
10	T	2.3312	11.0771	8.3980	5.9892	9.2796	8.1358	5.0230	7.0786	6.4030	6.1903	10.4572	80.3630	
	S	130.444	93.682	114.313	66.825	111.829	79.866	108.591	127.433	111.808	97.256	101.844	103.032	
11	T	2.3113			5.9850	9.2509	8.0303	5.0103	7.0710	6.3258	6.1588	10.5136	80.0401	
	S	131.567			66.872	112.176	80.915	108.867	127.570	113.173	97.754	101.297	103.448	
12	T	2.3309	11.0578	8.4051	6.0219	9.2374	8.1777	5.0214	7.0919	6.3075	6.1538	10.5473	80.3527	
	S	130.461	93.846	114.216	66.462	112.340	79.457	108.626	127.194	113.501	97.833	100.974	103.046	
13	T	2.3371	11.0617	8.4210	5.9605	9.2733	8.1212	4.9911	7.0423	6.2744	6.1131	10.5344	80.1301	
	S	130.115	93.813	114.001	67.147	111.905	80.009	109.285	128.090	114.100	98.484	101.097	103.332	
14	T	2.3166	11.0365	8.3590	5.9016	9.2479	8.0398	4.9715	7.0371	6.2880	6.1196	10.5641	79.8817	
	S	131.266	94.027	114.846	67.817	112.212	80.820	109.716	128.184	113.853	98.380	100.813	103.653	
15	T	2.3241			5.9553	9.2617	8.0924	4.9925	7.0812	6.3860	6.1774	10.5597	80.3257	
	S	130.842			67.205	112.045	80.294	109.255	127.386	112.106	97.459	100.855	103.080	
16	T	2.3209	11.0561	8.4022	5.9258	9.2603	8.0220	4.9786	7.0697	6.3062	6.1535	10.4973	79.9926	
	S	131.023	93.860	114.256	67.540	112.062	80.999	109.560	127.593	113.525	97.838	101.455	103.510	
17	T	2.3197	11.0355	8.4118	5.9721	9.2593	8.1024	4.9801	7.0822	6.3987	6.2191	10.5414	80.3223	
	S	131.091	94.035	114.125	67.016	112.074	80.195	109.527	127.368	111.884	96.806	101.030	103.085	
18	T	2.3245			5.9638	9.2508	8.1315	4.9859	7.0829	6.3184	6.1553	10.5194	80.1315	
	S	130.820			67.109	112.177	79.908	109.399	127.355	113.305	97.809	101.242	103.330	
19	T	2.3249			5.9825	9.2582	8.1881	4.9958	7.0951	6.3126	6.1332	10.5784	80.3190	
	S	130.797			66.900	112.087	79.356	109.183	127.136	113.410	98.162	100.677	103.089	

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 2 - Browne, Jonathan (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.3228	10.9623	8.4153	5.8917	9.2320	8.0419	4.9944	7.0591	6.2855	6.0996	10.5048	79.8094
	S	130.916	94.663	114.078	67.931	112.405	80.798	109.213	127.785	113.899	98.702	101.382	103.747
21	T	2.3152	11.0845	8.4158	5.9198	9.2069	8.1503	5.0118	7.0990	6.3340	6.1685	10.5758	80.2816
	S	131.345	93.620	114.071	67.608	112.712	79.724	108.834	127.067	113.026	97.600	100.702	103.137
22	T	2.3208	11.0502	8.4160	6.0506	9.2776	8.1564	5.0189	7.0873	6.3195	6.1933	10.5879	80.4785
	S	131.028	93.910	114.068	66.147	111.853	79.664	108.680	127.276	113.286	97.209	100.587	102.885
23	T	2.3304			5.9893	9.2829	8.1284	4.9890	7.0787	6.4288	6.2289	10.5991	80.5411
	S	130.489			66.824	111.789	79.939	109.331	127.431	111.360	96.654	100.480	102.805
24	T	2.3194	10.9842	8.3734	5.9559	9.2802	8.1284	4.9796	7.0662	6.2589	6.1272	10.5317	80.0051
	S	131.108	94.475	114.649	67.198	111.822	79.939	109.538	127.656	114.383	98.258	101.123	103.493
25	T	2.3363	11.0395	8.3434	5.9722	9.2738	8.1943	4.9827	7.0613	6.2860	6.2048	10.5688	80.2631
	S	130.159	94.001	115.061	67.015	111.899	79.296	109.470	127.745	113.889	97.029	100.768	103.161
26	T	2.3338	11.0176	8.3934	5.9593	9.2806	8.0587	4.9854	7.0677	6.2096	6.1718	10.5144	79.9923
	S	130.299	94.188	114.376	67.160	111.817	80.630	109.410	127.629	115.291	97.548	101.290	103.510
27	T	2.3171			5.9225	9.2423	8.1467	4.9679	7.0887	6.2601	6.1776	10.4818	79.9942
	S	131.238			67.577	112.280	79.759	109.796	127.251	114.361	97.456	101.605	103.508
28	T	2.3284	11.0504	8.4034	5.9247	9.2691	8.0940	4.9670	7.0691	6.3637	6.1668	10.6244	80.2610
	S	130.601	93.909	114.239	67.552	111.956	80.278	109.816	127.604	112.499	97.627	100.241	103.163
29	T	2.3277	10.9891	8.3968	5.9568	9.2555	8.1543	4.9817	7.0917	6.4095	6.1804	10.5673	80.3108
	S	130.640	94.432	114.329	67.188	112.120	79.685	109.492	127.197	111.695	97.412	100.783	103.099
30	T	2.3251	11.0749	8.4440	6.0163	9.2508	8.1006	4.9740	7.0874	6.3149	6.1381	10.5622	80.2883
	S	130.786	93.701	113.690	66.524	112.177	80.213	109.661	127.275	113.368	98.083	100.831	103.128
31	T	2.5704	12.8715	10.9607	6.7436	10.8234							
	S	118.305	80.622	87.586	59.349	95.878							

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 27 - Kaminsky, Colin

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0907	12.8497	8.7406	6.6096	9.7162	9.1259	5.0015	7.2403	7.3692	6.2361	10.9855	86.9653	140.3502
	S	98.389	80.759	109.832	60.552	106.804	71.201	109.058	124.587	97.149	96.542	96.946	95.210	56.401
2	T	2.3558	13.4264	8.7562	6.5063	9.5267	8.3264	4.9783	7.4065	6.9141	6.1888	10.7640	85.1495	
	S	129.082	77.290	109.637	61.514	108.928	78.038	109.566	121.791	103.543	97.280	98.941	97.241	
3	T	2.3417	11.4903	8.5054	6.1847	9.3506	8.2650	5.0263	7.0635	6.6066	6.1016	10.9226	81.8583	
	S	129.859	90.313	112.869	64.712	110.980	78.617	108.520	127.705	108.363	98.670	97.504	101.150	
4	T	2.3450	11.4574	8.4467	6.1453	9.3152	8.0506	4.9913	7.0211	6.4863	6.0921	10.6990	81.0500	
	S	129.676	90.573	113.654	65.127	111.402	80.711	109.281	128.476	110.372	98.824	99.542	102.159	
5	T	2.3137	11.2886	8.4179	6.2107	9.3832	8.0285	4.9838	6.9963	6.6314	6.1094	10.9914	81.3549	
	S	131.431	91.927	114.043	64.442	110.594	80.933	109.446	128.932	107.957	98.544	96.894	101.776	
6	T	2.3454	11.6815	8.4109	6.2595	9.4122	8.2657	5.0778	7.1766	6.5994	6.6990	10.7616	82.6896	
	S	129.654	88.835	114.138	63.939	110.253	78.611	107.419	125.693	108.481	89.871	98.963	100.134	
7	T	2.3201	11.4456	8.4368	6.1876	9.3504	8.0363	5.0033	7.0731	6.5466	6.0464	10.8063	81.2525	
	S	131.068	90.666	113.787	64.682	110.982	80.855	109.019	127.532	109.356	99.571	98.554	101.905	
8	T	2.3138	11.2864	8.4485	6.1810	9.3030	7.9636	5.0067	6.9963	6.4800	6.1511	10.6901	80.8205	
	S	131.425	91.945	113.630	64.751	111.548	81.593	108.945	128.932	110.480	97.876	99.625	102.449	
9	T	2.3262	11.2896	8.4170	6.0785	9.2427	7.9944	4.9965	7.0025	6.4629	6.0248	10.6060	80.4411	
	S	130.724	91.919	114.055	65.843	112.275	81.278	109.167	128.818	110.772	99.928	100.415	102.932	
10	T	2.3296	11.2627	8.4284	6.1697	9.2157	8.2158	5.0470	7.0262	6.4010	6.0214	10.7035	80.8210	
	S	130.534	92.138	113.901	64.870	112.604	79.088	108.075	128.383	111.843	99.984	99.500	102.449	
11	T	2.2977	11.3196	8.4112	6.0589	9.3170	7.9328	4.9921	7.0216	6.3733	6.0637	10.6087	80.3966	
	S	132.346	91.675	114.134	66.056	111.380	81.910	109.264	128.467	112.329	99.287	100.389	102.989	
12	T	2.3034	11.2562	8.4251	6.0852	9.2472	7.9332	4.9868	6.9999	6.3166	6.0314	10.5745	80.1595	
	S	132.018	92.192	113.945	65.771	112.221	81.906	109.380	128.865	113.338	99.819	100.714	103.294	
13	T	2.3063	11.3082	8.4599	6.1273	9.2490	7.9247	4.9587	6.9724	6.3748	6.0263	10.5832	80.2908	
	S	131.852	91.768	113.477	65.319	112.199	81.993	110.000	129.374	112.303	99.903	100.631	103.125	
14	T	2.3079	11.2023	8.3952	6.0280	9.2261	8.0294	4.9939	6.9568	6.4107	6.0975	10.6837	80.3315	
	S	131.761	92.635	114.351	66.395	112.477	80.924	109.224	129.664	111.674	98.736	99.685	103.073	
15	T	2.3157	11.3287	8.6189	6.1265	9.2266	7.9055	4.9649	7.0032	6.3186	6.0482	10.6004	80.4572	
	S	131.317	91.602	111.383	65.327	112.471	82.192	109.862	128.805	113.302	99.541	100.468	102.912	
16	T	2.3092	11.1602	8.3896	6.0549	9.2116	7.8744	4.9504	6.9674	6.3555	6.0484	10.7507	80.0723	
	S	131.687	92.985	114.427	66.100	112.654	82.517	110.184	129.467	112.644	99.538	99.063	103.407	
17	T	2.3097			6.0447	9.1716	7.9584	4.9510	7.0078	6.3949	6.0635	11.0459	80.4241	
	S	131.658			66.211	113.146	81.646	110.171	128.720	111.950	99.290	96.416	102.954	
18	T	2.3567	11.3938	8.4461	6.0348	9.2561	7.8425	4.9829	7.0522	6.2818	6.0535	10.5208	80.2212	
	S	129.033	91.078	113.662	66.320	112.113	82.853	109.465	127.910	113.966	99.454	101.228	103.215	
19	T	2.3323	11.1180	8.4774	6.0406	9.2547	7.8649	4.9876	7.0622	6.2216	6.0881	10.6132	80.0606	
	S	130.382	93.338	113.242	66.256	112.130	82.617	109.362	127.729	115.068	98.889	100.347	103.422	

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 27 - Kaminsky, Colin

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.3564	11.3432	8.4427	6.0044	9.2660	7.8887	5.0083	7.0454	6.2373	6.0778	10.4729	80.1431
	S	129.049	91.485	113.708	66.656	111.993	82.368	108.910	128.033	114.779	99.056	101.691	103.315
21	T	2.3111			6.0590	9.2266	7.9111	5.0112	7.0755	6.3041	6.0730	10.6360	81.3453
	S	131.578			66.055	112.471	82.134	108.847	127.489	113.562	99.135	100.132	101.788
22	T	2.3312	11.0719	8.4252	5.9877	9.2353	7.9031	5.0199	7.0497	6.2832	6.0571	10.4875	79.8518
	S	130.444	93.726	113.944	66.842	112.365	82.217	108.658	127.955	113.940	99.395	101.549	103.692
23	T	2.3215	11.0409	8.3915	6.0302	9.2747	7.8370	4.9630	7.0130	6.2118	5.9898	10.5896	79.6630
	S	130.989	93.989	114.401	66.370	111.888	82.911	109.904	128.625	115.250	100.512	100.570	103.938
24	T	2.3188			6.0330	9.2925	7.8775	4.9433	6.9983	6.3327	6.0055	10.5829	79.6804
	S	131.141			66.340	111.674	82.485	110.342	128.895	113.050	100.249	100.634	103.915
25	T	2.3263			6.2862	9.2418	7.8565	4.9526	6.9952	6.1771	5.9428	10.5501	79.6668
	S	130.719			63.668	112.286	82.705	110.135	128.952	115.897	101.307	100.947	103.933
26	T	2.3237	11.0217	8.3189	6.0366	9.2114	7.8330	4.9559	6.9718	6.2062	6.0095	10.5491	79.4378
	S	130.865	94.153	115.400	66.300	112.657	82.953	110.062	129.385	115.354	100.182	100.956	104.232
27	T	2.3056	10.9977	8.3557	6.0688	9.2124	8.2027	5.0766	7.0651	6.2968	5.9680	10.6043	80.1537
	S	131.892	94.359	114.892	65.948	112.645	79.214	107.445	127.676	113.694	100.879	100.431	103.302
28	T	2.3222	11.0410	8.3535	6.1560	9.3073	7.8697	4.9443	6.9721	6.2855	6.0167	10.6383	79.9066
	S	130.949	93.989	114.922	65.014	111.496	82.566	110.320	129.379	113.899	100.062	100.110	103.621
29	T	2.3225			6.0573	9.2693	7.9024	4.9585	7.0189	6.2206	6.0470	10.7278	80.1641
	S	130.933			66.074	111.953	82.225	110.004	128.517	115.087	99.561	99.275	103.288
30	T	2.3277	11.1378	8.3925	6.1021	9.2269	7.9353	4.9475	7.0116	6.2618	6.1104	10.4793	79.9329
	S	130.640	93.172	114.388	65.588	112.468	81.884	110.249	128.650	114.330	98.528	101.629	103.587
31	T	2.7256	14.8587	11.9929	7.1048								
	S	111.568	69.840	80.047	56.332								

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 3 - Green, Josh (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.1089	12.7142	8.5539	6.2898	9.5540	9.0773	5.1326	7.5825	6.6913	6.4030	11.0201	86.1276	139.0315
	S	97.813	81.620	112.230	63.631	108.617	71.582	106.273	118.964	106.991	94.026	96.642	96.136	56.936
2	T	2.3437	11.4610	8.5070	6.2271	9.4025	8.2984	5.0099	7.0005	6.6157	6.3238	10.7694	81.9590	
	S	129.748	90.544	112.848	64.272	110.367	78.301	108.875	128.854	108.214	95.203	98.891	101.026	
3	T	2.3380	11.4816	8.4558	6.1993	9.3788	8.2071	4.9755	6.9343	6.7893	6.2144	10.7661	81.7402	
	S	130.065	90.382	113.532	64.560	110.646	79.172	109.628	130.085	105.447	96.879	98.922	101.297	
4	T	2.3589	11.2362	8.4019	6.0373	9.2886	8.1593	5.0154	7.0580	6.3931	6.1664	10.6508	80.7659	
	S	128.912	92.356	114.260	66.292	111.721	79.636	108.756	127.805	111.982	97.633	99.992	102.519	
5	T	2.3140	11.1569	8.4092	6.0828	9.2951	8.1354	4.9975	7.0188	6.5107	6.3349	10.6343	80.8896	
	S	131.414	93.012	114.161	65.797	111.642	79.870	109.145	128.518	109.959	95.036	100.148	102.362	
6	T	2.3205	11.1688	8.4193	6.0377	9.2764	8.0672	4.9844	7.0000	6.2855	6.2066	10.6130	80.3794	
	S	131.045	92.913	114.024	66.288	111.867	80.545	109.432	128.864	113.899	97.001	100.349	103.011	
7	T	2.3185	11.2504	8.4073	6.0866	9.2898	8.1521	4.9765	6.9532	6.4387	6.1967	10.6192	80.6890	
	S	131.158	92.239	114.186	65.755	111.706	79.706	109.606	129.731	111.188	97.156	100.290	102.616	
8	T	2.3109	11.3299	8.4087	6.0445	9.2531	8.1087	4.9939	7.0005	6.3620	6.0756	10.6433	80.5311	
	S	131.590	91.592	114.167	66.213	112.149	80.133	109.224	128.854	112.529	99.092	100.063	102.817	
9	T	2.3232	11.2885	8.4436	6.0674	9.2557	8.0484	5.0045	6.9946	6.3628	6.1581	10.6103	80.5571	
	S	130.893	91.928	113.696	65.964	112.118	80.733	108.993	128.963	112.515	97.765	100.374	102.784	
10	T	2.3123	11.1869	8.3998	6.0478	9.2761	8.0390	5.0105	7.0107	6.2663	6.1852	10.5495	80.2841	
	S	131.510	92.763	114.288	66.177	111.871	80.828	108.862	128.667	114.247	97.336	100.953	103.134	
11	T	2.3125	11.1369	8.3589	6.0191	9.2199	8.0434	4.9973	7.0198	6.3050	6.1824	10.5238	80.1190	
	S	131.499	93.179	114.848	66.493	112.553	80.783	109.150	128.500	113.546	97.381	101.199	103.346	
12	T	2.3201	11.1597	8.4125	5.9952	9.2520	8.0328	5.0004	7.0295	6.1886	6.1358	10.4576	79.9842	
	S	131.068	92.989	114.116	66.758	112.162	80.890	109.082	128.323	115.682	98.120	101.840	103.520	
13	T	2.3330	11.1012	8.4065	5.9554	9.2478	7.9800	4.9876	6.9798	6.2450	6.2105	10.4629	79.9097	
	S	130.343	93.479	114.197	67.204	112.213	81.425	109.362	129.237	114.637	96.940	101.788	103.617	
14	T	2.3127	11.1246	8.3891	5.9934	9.2428	7.9858	4.9917	6.9948	6.2765	6.2246	10.5379	80.0739	
	S	131.487	93.282	114.434	66.778	112.274	81.366	109.272	128.959	114.062	96.720	101.064	103.404	
15	T	2.3178	11.0819	8.4024	5.9922	9.2579	7.9830	4.9861	7.0460	6.2330	6.1694	10.5059	79.9756	
	S	131.198	93.642	114.253	66.791	112.091	81.395	109.395	128.022	114.858	97.586	101.372	103.532	
16	T	2.3215	11.1435	8.4420	5.9817	9.2789	8.0081	5.0103	7.0478	6.2670	6.2311	10.6041	80.3360	
	S	130.989	93.124	113.717	66.909	111.837	81.139	108.867	127.990	114.235	96.619	100.433	103.067	
17	T	2.3270	11.0960	8.4251	5.9134	9.2526	8.0204	4.9685	7.0398	6.2622	6.1593	10.4526	79.9169	
	S	130.679	93.523	113.945	67.681	112.155	81.015	109.783	128.135	114.322	97.746	101.889	103.608	
18	T	2.3131			5.9266	9.2434	8.0000	4.9949	7.0220	6.2461	6.1441	10.5382	79.9219	
	S	131.465			67.531	112.267	81.222	109.202	128.460	114.617	97.988	101.061	103.601	
19	T	2.3271	10.9818	8.4327	5.9853	9.2809	7.9658	4.9796	7.0408	6.2053	6.1545	10.4933	79.8471	
	S	130.674	94.495	113.843	66.868	111.813	81.570	109.538	128.117	115.371	97.822	101.493	103.698	

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 3 - Green, Josh (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.3251	11.0531	8.4093	5.9506	9.2922	8.0231	5.0127	7.0392	6.1858	6.2091	10.6793	80.1795
	S	130.786	93.886	114.159	67.258	111.677	80.988	108.815	128.146	115.734	96.962	99.726	103.268
21	T	2.3208	11.0168	8.4291	5.9340	9.2236	7.9282	4.9978	7.0718	6.2218	6.0824	10.4615	79.6878
	S	131.028	94.195	113.891	67.446	112.508	81.957	109.139	127.555	115.065	98.982	101.802	103.905
22	T	2.3109	10.9858	8.4125	5.9412	9.2166	7.9564	5.0038	7.0233	6.3134	6.2122	10.4330	79.8091
	S	131.590	94.461	114.116	67.365	112.593	81.667	109.008	128.436	113.395	96.913	102.080	103.748
23	T	2.3204	11.0762	8.3906	6.0258	9.2466	8.0105	4.9701	7.0191	6.3486	6.2740	10.4340	80.1159
	S	131.051	93.690	114.414	66.419	112.228	81.115	109.747	128.513	112.766	95.959	102.070	103.350
24	T	2.3193	11.0089	8.4034	5.9102	9.2684	8.0711	4.9810	7.0356	6.2834	6.2293	10.4392	79.9498
	S	131.113	94.263	114.239	67.718	111.964	80.506	109.507	128.212	113.937	96.647	102.019	103.565
25	T	2.3318	11.0831	8.3968	5.9669	9.2705	7.9560	4.9664	7.0168	6.2336	6.0900	10.5056	79.8175
	S	130.410	93.631	114.329	67.075	111.939	81.671	109.829	128.555	114.847	98.858	101.375	103.737
26	T	2.3318	11.0577	8.3867	5.9666	9.2747	8.0138	4.9847	7.0156	6.1604	6.0558	10.4228	79.6706
	S	130.410	93.847	114.467	67.078	111.888	81.082	109.426	128.577	116.211	99.416	102.180	103.928
27	T	2.3111	11.0115	8.3806	5.9557	9.2739	7.9739	4.9740	7.0584	6.3017	6.1506	10.4553	79.8467
	S	131.578	94.240	114.550	67.201	111.898	81.487	109.661	127.797	113.606	97.884	101.862	103.699
28	T	2.3259	11.0210	8.4436	5.9409	9.2734	7.9440	4.9520	7.0264	6.2382	6.2055	10.4740	79.8449
	S	130.741	94.159	113.696	67.368	111.904	81.794	110.148	128.379	114.762	97.018	101.680	103.701
29	T	2.3297	11.0871	8.4435	5.9510	9.2797	7.8951	4.9668	7.0505	6.2307	6.2189	10.4857	79.9387
	S	130.528	93.598	113.697	67.254	111.828	82.301	109.820	127.941	114.900	96.809	101.567	103.579
30	T	2.3157	11.0495	8.4715	5.9750	9.3092	8.0311	4.9742	7.0720	6.3054	6.1737	10.5133	80.1906
	S	131.317	93.916	113.321	66.984	111.473	80.907	109.657	127.552	113.539	97.518	101.300	103.254
31	T	2.5305	13.3118	10.5733	6.9595	11.4765	9.7192						
	S	120.170	77.955	90.795	57.508	90.422	66.855						

Event: Andersen Interior Contracting GP
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Race 2

Round 3 / 4
 2.3 mile(s)
 Indy Pro 2000 Championship
 May 1, 2022



Section Data for Car 4 - Eves, Braden

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.1482	12.5425	8.6235	6.3639	9.4925	8.3568	5.0564	7.0935	6.5527	6.1512	10.7685	84.1497	146.9531
	S	96.592	82.737	111.324	62.890	109.321	77.754	107.874	127.165	109.254	97.874	98.900	98.396	53.867
2	T	2.3408	11.4858	8.4338	6.1565	9.2890	8.3545	4.9783	7.0210	6.8886	6.1388	10.9451	82.0322	
	S	129.909	90.349	113.828	65.009	111.716	77.775	109.566	128.478	103.927	98.072	97.304	100.936	
3	T	2.3745	11.4979	8.4035	6.0311	9.2791	8.1682	4.9873	7.0011	6.5823	6.1065	10.8509	81.2824	
	S	128.065	90.254	114.238	66.361	111.835	79.549	109.369	128.843	108.763	98.591	98.149	101.867	
4	T	2.3437	11.3002	8.3437	6.0482	9.2996	8.0822	4.9720	6.9948	6.5122	6.0969	10.7071	80.7006	
	S	129.748	91.833	115.057	66.173	111.588	80.396	109.705	128.959	109.934	98.746	99.467	102.601	
5	T	2.3250	11.3492	8.3497	6.0158	9.2298	8.1288	4.9720	6.9959	6.4993	6.0782	10.7213	80.6650	
	S	130.792	91.436	114.974	66.529	112.432	79.935	109.705	128.939	110.152	99.050	99.335	102.647	
6	T	2.3109	11.1752	8.3712	5.9773	9.2092	8.1006	4.9677	6.9861	6.4903	6.0858	10.7184	80.3927	
	S	131.590	92.860	114.679	66.958	112.684	80.213	109.800	129.120	110.304	98.926	99.362	102.994	
7	T	2.3257	11.1768	8.3634	6.0221	9.2446	8.0869	4.9881	7.0194	6.4308	6.1364	10.6489	80.4431	
	S	130.752	92.847	114.786	66.460	112.252	80.349	109.351	128.507	111.325	98.111	100.010	102.930	
8	T	2.3311	11.1783	8.3654	5.9766	9.2348	7.9747	4.9865	7.0396	6.3232	6.0377	10.6423	80.0902	
	S	130.450	92.834	114.758	66.966	112.371	81.479	109.386	128.139	113.219	99.714	100.072	103.383	
9	T	2.3201	11.2028	8.3758	5.9649	9.2110	7.9651	4.9905	7.0149	6.3698	6.0041	10.6620	80.0810	
	S	131.068	92.631	114.616	67.097	112.662	81.577	109.299	128.590	112.391	100.272	99.887	103.395	
10	T	2.3189	11.1496	8.3711	5.9778	9.2339	7.9822	4.9853	7.0127	6.3256	6.0022	10.6527	80.0120	
	S	131.136	93.073	114.680	66.952	112.382	81.403	109.413	128.630	113.176	100.304	99.975	103.484	
11	T	2.3139	11.1546	8.3466	5.9144	9.2000	7.9732	4.9823	7.0157	6.2673	6.0293	10.5748	79.7721	
	S	131.419	93.031	115.017	67.670	112.796	81.495	109.478	128.575	114.229	99.853	100.711	103.796	
12	T	2.3224	11.1596	8.3600	5.8910	9.1461	7.9734	4.9796	7.0026	6.3159	6.0928	10.5651	79.8085	
	S	130.938	92.990	114.833	67.939	113.461	81.493	109.538	128.816	113.350	98.813	100.804	103.748	
13	T	2.3367	11.1767	8.4165	6.0658	9.2741	7.9934	4.9720	7.0043	6.2616	6.0034	10.5966	80.1011	
	S	130.137	92.847	114.062	65.981	111.895	81.289	109.705	128.785	114.333	100.284	100.504	103.369	
14	T	2.3311	11.1781	8.3791	5.9975	9.2332	8.0597	4.9806	7.0235	6.2950	6.0589	10.5857	80.1224	
	S	130.450	92.836	114.571	66.732	112.391	80.620	109.516	128.432	113.727	99.365	100.607	103.342	
15	T	2.3169	11.0780	8.4002	5.9168	9.2140	7.9471	4.9764	7.0462	6.2301	6.0100	10.6061	79.7418	
	S	131.249	93.675	114.283	67.643	112.625	81.762	109.608	128.019	114.911	100.174	100.414	103.835	
16	T	2.3182	11.0874	8.3618	5.9327	9.2135	7.9543	4.9714	7.0170	6.2106	5.9936	10.5795	79.6400	
	S	131.175	93.595	114.808	67.461	112.631	81.688	109.718	128.551	115.272	100.448	100.666	103.968	
17	T	2.3194	11.1803	8.3955	6.2498	9.3015	8.2923	4.9864	7.0679	6.2654	6.0375	10.6614	80.7574	
	S	131.108	92.817	114.347	64.038	111.566	78.359	109.388	127.626	114.264	99.718	99.893	102.529	
18	T	2.3293	11.0252	8.3376	5.8413	9.1551	7.9444	4.9575	7.0126	6.2709	6.0307	10.5950	79.4996	
	S	130.550	94.123	115.141	68.517	113.350	81.790	110.026	128.632	114.164	99.830	100.519	104.151	
19	T	2.3247	11.0204	8.3598	6.1192	9.2053	7.9354	4.9660	7.0531	6.2523	6.0320	10.5464	79.8146	
	S	130.809	94.164	114.835	65.405	112.731	81.883	109.838	127.893	114.503	99.809	100.982	103.740	

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 4 - Eves, Braden

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.3139	11.0791	8.3439	5.8526	9.1830	7.8965	4.9599	7.0321	6.2985	6.0329	10.5299	79.5223
	S	131.419	93.665	115.054	68.385	113.005	82.286	109.973	128.275	113.663	99.794	101.141	104.122
21	T	2.3099	11.1341	8.4040	5.8638	9.1754	7.9129	4.9799	7.0464	6.2238	6.0476	10.5118	79.6096
	S	131.647	93.203	114.231	68.254	113.099	82.116	109.531	128.015	115.028	99.551	101.315	104.008
22	T	2.3116	11.1699	8.3815	5.9332	9.2026	7.9694	4.9904	7.0254	6.2176	6.0644	10.5779	79.8439
	S	131.550	92.904	114.538	67.456	112.765	81.533	109.301	128.398	115.142	99.275	100.682	103.702
23	T	2.3221	11.0521	8.3378	5.9137	9.1966	7.9251	4.9499	6.9949	6.2132	6.0034	10.5804	79.4892
	S	130.955	93.894	115.138	67.678	112.838	81.989	110.195	128.958	115.224	100.284	100.658	104.165
24	T	2.3150	11.0956	8.3374	5.8751	9.2204	7.8880	4.9395	6.9876	6.2508	6.0121	10.5607	79.4822
	S	131.357	93.526	115.144	68.123	112.547	82.375	110.427	129.092	114.531	100.139	100.846	104.174
25	T	2.3242	11.0740	8.3278	5.8635	9.1771	7.9045	4.9481	6.9741	6.2109	6.0208	10.5695	79.3945
	S	130.837	93.708	115.277	68.257	113.078	82.203	110.235	129.342	115.267	99.994	100.762	104.289
26	T	2.3299	11.0541	8.3281	6.0924	9.1858	7.8390	4.9342	6.9645	6.2162	6.0534	10.5536	79.5512
	S	130.517	93.877	115.272	65.693	112.971	82.890	110.546	129.520	115.168	99.456	100.913	104.084
27	T	2.2999	11.0168	8.3127	5.9135	9.1806	7.8635	4.9255	6.9800	6.2456	5.9855	10.6056	79.3292
	S	132.219	94.195	115.486	67.680	113.035	82.631	110.741	129.233	114.626	100.584	100.419	104.375
28	T	2.3108	11.0779	8.3706	5.9105	9.1618	7.8880	4.9356	6.9790	6.2114	6.0193	10.6470	79.5119
	S	131.596	93.675	114.687	67.715	113.267	82.375	110.514	129.251	115.257	100.019	100.028	104.135
29	T	2.3160	11.0578	8.3387	5.9524	9.1673	7.8910	4.9456	6.9919	6.2354	5.9742	10.6758	79.5461
	S	131.300	93.846	115.126	67.238	113.199	82.344	110.291	129.013	114.814	100.774	99.758	104.091
30	T	2.3155	11.1257	8.3282	5.9641	9.1780	7.9101	4.9340	7.0164	6.3408	6.0233	10.6806	79.8167
	S	131.328	93.273	115.271	67.106	113.067	82.145	110.550	128.562	112.905	99.953	99.713	103.738
31	T	2.7779	13.4220	10.2644	6.2569	10.9877	11.3019	5.7150					
	S	109.468	77.315	93.527	63.966	94.444	57.492	95.443					

Event: Andersen Interior Contracting GP
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 2

Round 3 / 4
2.3 mile(s)
Indy Pro 2000 Championship
May 1, 2022



Section Data for Car 40 - Miller, Jack William

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.1164	13.0199	8.7900	6.8960	9.5811	9.2671	5.0548	7.1946	7.1643	6.6204	11.0249	87.7295	137.9537
	S	97.578	79.703	109.215	58.038	108.310	70.116	107.908	125.378	99.927	90.938	96.600	94.381	57.381
2	T	2.3671	11.8094	8.6007	6.3146	9.5526	8.3804	5.0847	7.1466	6.5897	6.2164	10.7166	82.7788	
	S	128.466	87.873	111.619	63.381	108.633	77.535	107.274	126.220	108.641	96.848	99.379	100.026	
3	T	2.3742	11.2206	8.5926	6.1641	9.4098	8.0954	5.0527	7.1159	6.4564	6.1481	10.7116	81.3414	
	S	128.081	92.484	111.724	64.929	110.282	80.264	107.953	126.765	110.884	97.924	99.425	101.793	
4	T	2.3510	11.2005	8.5331	6.0966	9.3780	8.1935	5.0279	7.1077	6.4704	6.2127	10.6345	81.2059	
	S	129.345	92.650	112.503	65.648	110.655	79.303	108.486	126.911	110.644	96.906	100.146	101.963	
5	T	2.3263	11.2589	8.4809	6.1030	9.4065	8.1321	5.1107	7.2940	6.5116	6.1709	10.8859	81.6808	
	S	130.719	92.170	113.196	65.579	110.320	79.902	106.728	123.670	109.944	97.562	97.833	101.370	
6	T	2.3448	11.4056	8.4876	6.0975	9.3450	8.1875	5.0172	7.0482	6.4729	7.3379	10.7620	82.5062	
	S	129.687	90.984	113.106	65.638	111.046	79.362	108.717	127.982	110.601	82.046	98.959	100.356	
7	T	2.3544	11.1778	8.5517	6.0168	9.3528	8.0750	5.0506	7.0948	6.3689	6.1628	10.5788	80.7844	
	S	129.159	92.838	112.258	66.518	110.954	80.467	107.998	127.142	112.407	97.690	100.673	102.495	
8	T	2.3316	11.0117	8.4981	6.0374	9.3452	8.0683	5.0320	7.0967	6.3843	6.1434	10.5636	80.5123	
	S	130.422	94.239	112.966	66.291	111.044	80.534	108.397	127.108	112.136	97.999	100.818	102.841	
9	T	2.3339	11.0580	8.5124	5.9982	9.2766	8.1066	5.0832	7.1005	6.3325	6.1032	10.6485	80.5536	
	S	130.293	93.844	112.777	66.725	111.865	80.154	107.305	127.040	113.053	98.644	100.014	102.789	
10	T	2.3451	11.0847	8.5085	5.9967	9.3077	8.0295	5.0515	7.0915	6.2683	6.1523	10.5068	80.3426	
	S	129.671	93.618	112.828	66.741	111.491	80.923	107.979	127.201	114.211	97.857	101.363	103.059	
11	T	2.3178			5.9688	9.3098	8.0364	5.0784	7.1115	6.3987	6.1717	10.4924	80.3626	
	S	131.198			67.053	111.466	80.854	107.407	126.843	111.884	97.549	101.502	103.033	
12	T	2.3327	11.2195	8.4817	6.0381	9.3166	7.9486	5.0523	7.1077	6.3390	6.0629	10.5251	80.4242	
	S	130.360	92.493	113.185	66.284	111.385	81.747	107.962	126.911	112.937	99.300	101.187	102.954	
13	T	2.3496	11.0441	8.5256	6.0322	9.3385	7.9688	5.0416	7.0881	6.2770	6.1322	10.4502	80.2479	
	S	129.422	93.962	112.602	66.348	111.124	81.540	108.191	127.262	114.053	98.178	101.912	103.180	
14	T	2.3287	11.0151	8.4841	5.9633	9.3111	7.9378	5.0229	7.0626	6.2545	6.0566	10.7182	80.1549	
	S	130.584	94.210	113.153	67.115	111.451	81.858	108.594	127.721	114.463	99.403	99.364	103.300	
15	T	2.3443	11.0257	8.4724	5.9633	9.3216	7.9287	5.0192	7.1089	6.3740	6.0805	10.5394	80.1780	
	S	129.715	94.119	113.309	67.115	111.325	81.952	108.674	126.890	112.317	99.012	101.049	103.270	
16	T	2.3346	10.9930	8.5030	5.9523	9.3271	7.9718	5.0242	7.1011	6.4002	6.0982	10.5733	80.2788	
	S	130.254	94.399	112.901	67.239	111.259	81.509	108.565	127.029	111.857	98.725	100.725	103.141	
17	T	2.3375	11.0421	8.4883	5.9248	9.3139	7.9417	5.0102	7.1212	6.2778	6.1031	10.5250	80.0856	
	S	130.092	93.979	113.097	67.551	111.417	81.818	108.869	126.670	114.038	98.646	101.188	103.389	
18	T	2.3302			5.9458	9.2657	7.9084	5.0052	7.0987	6.2050	6.0212	10.5758	79.8504	
	S	130.500			67.313	111.997	82.162	108.978	127.072	115.376	99.988	100.702	103.694	
19	T	2.3356	10.9729	8.4797	5.9552	9.2963	7.8736	5.0140	7.0933	6.2367	6.0013	10.6626	79.9212	
	S	130.198	94.572	113.212	67.206	111.628	82.525	108.786	127.169	114.790	100.319	99.882	103.602	

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)

Report: Section Data Report

Indy Pro 2000 Championship



Session: Race 2

May 1, 2022

Section Data for Car 40 - Miller, Jack William

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.3295	10.9827	8.4571	5.9882	9.2526	7.8876	5.0366	7.0837	6.2242	6.0347	10.5576	79.8345
	S	130.539	94.487	113.514	66.836	112.155	82.379	108.298	127.341	115.020	99.764	100.875	103.715
21	T	2.3227			5.9852	9.2469	7.9395	5.0416	7.1038	6.3002	6.1086	10.5780	80.0794
	S	130.921			66.869	112.224	81.841	108.191	126.981	113.633	98.557	100.681	103.397
22	T	2.3226	11.0784	8.4982	5.9952	9.2325	8.0003	5.0200	7.0608	6.3040	6.1415	10.7136	80.3671
	S	130.927	93.671	112.965	66.758	112.399	81.219	108.656	127.754	113.564	98.029	99.406	103.027
23	T	2.3491	11.0965	8.4260	6.0000	9.2410	8.0252	5.0029	7.0450	6.3154	6.2265	10.5987	80.3263
	S	129.450	93.518	113.933	66.705	112.296	80.967	109.028	128.041	113.359	96.691	100.484	103.080
24	T	2.3252	11.0945	8.4267	5.9870	9.2881	8.0236	4.9961	7.0293	6.3680	6.1204	10.6179	80.2768
	S	130.781	93.535	113.924	66.849	111.727	80.983	109.176	128.326	112.423	98.367	100.302	103.143
25	T	2.3319	10.9539	8.4119	6.0039	9.2599	7.9738	4.9809	7.0046	6.2503	6.0790	10.8318	80.0819
	S	130.405	94.736	114.124	66.661	112.067	81.488	109.509	128.779	114.540	99.037	98.322	103.394
26	T	2.3569	10.9754	8.3924	6.0135	9.2302	8.0251	4.9841	7.0146	6.2447	6.1331	10.6747	80.0447
	S	129.022	94.550	114.389	66.555	112.427	80.968	109.439	128.595	114.643	98.163	99.769	103.442
27	T	2.3329			6.0038	9.2633	7.9604	4.9689	7.0550	6.3249	6.2069	10.5484	80.1815
	S	130.349			66.662	112.026	81.626	109.774	127.859	113.189	96.996	100.963	103.266
28	T	2.3314	11.0740	8.3905	5.9741	9.2848	8.1143	5.0523	7.0973	6.3205	6.1171	10.6232	80.3795
	S	130.433	93.708	114.415	66.994	111.766	80.077	107.962	127.097	113.268	98.420	100.252	103.011
29	T	2.3418			5.9883	9.3214	7.9571	4.9821	7.0841	6.3429	6.0726	10.7079	80.3388
	S	129.853			66.835	111.327	81.659	109.483	127.334	112.868	99.141	99.459	103.064
30	T	2.3481			6.0309	9.2526	7.9318	4.9835	7.0977	6.4580	6.0967	10.6168	80.3620
	S	129.505			66.363	112.155	81.920	109.452	127.090	110.856	98.749	100.313	103.034
31	T	2.5843	12.7368	10.7158	7.1380	10.4122							
	S	117.669	81.475	89.587	56.070	99.665							

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 47 - Ahmed, Enaam

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.1098	12.6265	8.4807	6.3482	9.8096	8.6189	5.0507	7.2336	6.6898	6.2603	10.9337	85.1618	145.4714
	S	97.785	82.186	113.198	63.046	105.787	75.389	107.996	124.702	107.015	96.169	97.405	97.227	54.416
2	T	2.3450			6.1999	9.4027	8.1988	5.0082	7.0400	6.4492	6.2605	10.7866	81.6490	
	S	129.676			64.554	110.365	79.252	108.912	128.131	111.007	96.166	98.734	101.410	
3	T	2.3667			6.0562	9.3004	8.0964	4.9712	6.9804	6.5419	6.2263	10.7089	81.2296	
	S	128.487			66.086	111.579	80.255	109.723	129.225	109.434	96.694	99.450	101.933	
4	T	2.3510	11.5101	8.4145	6.0568	9.3426	8.0911	4.9895	7.0154	6.6568	6.4038	10.6184	81.4500	
	S	129.345	90.158	114.089	66.079	111.075	80.307	109.320	128.581	107.546	94.014	100.298	101.657	
5	T	2.3312	11.3600	8.4318	6.1007	9.4105	8.0374	5.0262	7.0617	6.4500	6.2060	10.5732	80.9887	
	S	130.444	91.349	113.855	65.604	110.273	80.844	108.522	127.738	110.994	97.010	100.726	102.236	
6	T	2.3347			6.0167	9.3178	7.9306	4.9964	7.0211	6.4594	6.2873	10.5499	80.6109	
	S	130.248			66.519	111.370	81.932	109.170	128.476	110.832	95.756	100.949	102.716	
7	T	2.3430			5.9688	9.2989	8.0060	5.0007	7.0282	6.3986	6.1926	10.5959	80.3914	
	S	129.787			67.053	111.597	81.161	109.076	128.347	111.885	97.220	100.511	102.996	
8	T	2.3362			5.9743	9.2722	7.9555	5.0217	7.0608	6.3122	6.1464	10.5441	80.2204	
	S	130.165			66.991	111.918	81.676	108.620	127.754	113.417	97.951	101.004	103.216	
9	T	2.3274			5.9776	9.2913	7.9381	5.0138	7.0372	6.3443	6.1135	10.5334	80.2207	
	S	130.657			66.955	111.688	81.855	108.791	128.182	112.843	98.478	101.107	103.215	
10	T	2.3360			6.0459	9.2587	7.9718	5.0053	7.0247	6.2944	6.1195	10.5857	80.1673	
	S	130.176			66.198	112.081	81.509	108.975	128.411	113.737	98.381	100.607	103.284	
11	T	2.3357			5.9926	9.2546	7.9002	5.0066	7.0377	6.2512	6.1101	10.4923	79.7884	
	S	130.193			66.787	112.131	82.248	108.947	128.173	114.523	98.533	101.503	103.774	
12	T	2.3462			5.9578	9.2456	7.8889	5.0024	7.0368	6.3608	6.1938	10.5689	80.1632	
	S	129.610			67.177	112.240	82.365	109.039	128.190	112.550	97.201	100.767	103.289	
13	T	2.3507	11.1454	8.4108	5.9013	9.2565	7.9098	5.0075	7.0247	6.3261	6.1584	10.4468	79.9380	
	S	129.362	93.108	114.139	67.820	112.108	82.148	108.928	128.411	113.168	97.760	101.945	103.580	
14	T	2.3358			5.9847	9.2480	7.8613	4.9712	6.9843	6.2469	6.1439	10.5458	79.8941	
	S	130.187			66.875	112.211	82.655	109.723	129.153	114.602	97.991	100.988	103.637	
15	T	2.3358			5.9974	9.2684	7.8985	4.9853	7.0294	6.2301	6.1462	10.4253	79.7703	
	S	130.187			66.733	111.964	82.265	109.413	128.325	114.911	97.954	102.155	103.798	
16	T	2.3193			5.9573	9.2307	7.8518	4.9721	7.0158	6.2641	6.1395	10.4609	79.7498	
	S	131.113			67.183	112.421	82.755	109.703	128.573	114.288	98.061	101.808	103.825	
17	T	2.3276	11.2602	8.4194	5.9231	9.2703	8.0637	4.9850	7.0333	6.2893	6.1468	10.4523	80.1710	
	S	130.646	92.159	114.022	67.571	111.941	80.580	109.419	128.254	113.830	97.945	101.891	103.279	
18	T	2.3335			5.9397	9.1884	7.8066	4.9787	7.0028	6.2242	6.1129	10.4450	79.4913	
	S	130.315			67.382	112.939	83.234	109.558	128.812	115.020	98.488	101.963	104.162	
19	T	2.3263	10.9591	8.3814	5.9401	9.2297	7.9007	4.9842	7.0243	6.2019	6.1169	10.4977	79.5623	
	S	130.719	94.691	114.539	67.377	112.433	82.242	109.437	128.418	115.434	98.423	101.451	104.069	

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 47 - Ahmed, Enaam

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.3185	11.0706	8.3415	5.9887	9.1824	7.8969	4.9721	6.9987	6.2378	6.1143	10.4600	79.5815
	S	131.158	93.737	115.087	66.830	113.013	82.282	109.703	128.888	114.769	98.465	101.816	104.044
21	T	2.3146			6.0211	9.2093	7.8672	4.9820	7.0276	6.2189	6.0861	10.4976	79.6953
	S	131.379			66.471	112.683	82.593	109.485	128.358	115.118	98.921	101.452	103.896
22	T	2.3120			6.0073	9.2185	7.8659	4.9993	7.0124	6.1886	6.0836	10.5515	79.8039
	S	131.527			66.623	112.570	82.606	109.106	128.636	115.682	98.962	100.934	103.754
23	T	2.3320			5.9737	9.2262	7.8245	4.9597	6.9891	6.2686	6.1727	10.5326	79.7424
	S	130.399			66.998	112.476	83.043	109.977	129.065	114.206	97.534	101.115	103.834
24	T	2.3192			6.0437	9.2689	7.9331	4.9589	6.9938	6.3228	6.1648	10.5969	80.0618
	S	131.119			66.222	111.958	81.907	109.995	128.978	113.227	97.659	100.501	103.420
25	T	2.3389			6.0167	9.2313	7.9820	4.9888	7.0023	6.3439	6.1534	10.5126	80.0947
	S	130.014			66.519	112.414	81.405	109.336	128.821	112.850	97.839	101.307	103.378
26	T	2.3363			5.9916	9.2781	7.8974	4.9693	7.0023	6.2203	6.0938	10.6844	79.9668
	S	130.159			66.798	111.847	82.277	109.765	128.821	115.092	98.796	99.678	103.543
27	T	2.3189	11.1267	8.3912	5.9281	9.2161	7.9226	4.9603	7.0223	6.3131	6.1592	10.5078	79.8663
	S	131.136	93.265	114.406	67.514	112.599	82.015	109.964	128.454	113.401	97.747	101.353	103.673
28	T	2.3364	11.0468	8.3971	6.0347	9.2433	7.8357	4.9776	7.0250	6.2495	6.1082	10.5630	79.8173
	S	130.154	93.939	114.325	66.321	112.268	82.925	109.582	128.405	114.555	98.563	100.824	103.737
29	T	2.3371	11.1600	8.4083	6.0117	9.2368	7.8804	4.9705	7.0640	6.3974	6.1989	10.5766	80.2417
	S	130.115	92.986	114.173	66.575	112.347	82.454	109.738	127.696	111.906	97.121	100.694	103.188
30	T	2.3276	11.0533	8.3824	6.0208	9.2367	7.9168	4.9696	7.0644	6.4049	6.0812	10.6037	80.0614
	S	130.646	93.884	114.526	66.474	112.348	82.075	109.758	127.689	111.775	99.001	100.437	103.421
31	T	2.5471	13.5226	11.6547	7.3449	11.6786	9.5199						
	S	119.387	76.740	82.370	54.490	88.857	68.254						

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 5 - Brichacek, Wyatt

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0924	12.9336	8.5369	6.4885	9.5827	9.2742	5.0553	7.1427	7.2470	6.6591	10.8083	86.8207	131.3859
	S	98.335	80.235	112.453	61.683	108.292	70.062	107.898	126.289	98.787	90.409	98.535	95.369	60.249
2	T	2.3458			6.2404	9.6050	8.5906	5.0160	7.0579	6.6751	6.3861	10.6886	83.5775	
	S	129.632			64.135	108.040	75.638	108.743	127.806	107.251	94.274	99.639	99.070	
3	T	2.3533	11.5656	8.5114	6.1190	9.3541	8.1625	5.0346	7.0365	6.5138	6.2043	10.7344	81.5895	
	S	129.219	89.725	112.790	65.407	110.938	79.605	108.341	128.195	109.907	97.037	99.214	101.484	
4	T	2.3382	11.3268	8.4589	6.0840	9.3476	8.1422	5.0159	7.0336	6.4241	6.2584	10.5866	81.0163	
	S	130.053	91.617	113.490	65.784	111.015	79.803	108.745	128.248	111.441	96.198	100.599	102.202	
5	T	2.3164			6.0871	9.3525	8.2762	5.0826	7.0705	6.6409	6.1344	10.8736	81.8289	
	S	131.277			65.750	110.957	78.511	107.318	127.579	107.803	98.143	97.944	101.187	
6	T	2.3174					8.3850	5.0596	7.0928	6.4266	6.6851	10.7588	83.1165	
	S	131.221					77.492	107.806	127.178	111.398	90.058	98.989	99.619	
7	T	2.3330			6.0078	9.2483	8.2353	5.0407	7.0762	6.4072	6.2018	10.7118	81.2443	
	S	130.343			66.618	112.207	78.901	108.210	127.476	111.735	97.076	99.423	101.915	
8	T	2.3306			5.9877	9.2948	8.0518	5.0471	7.0891	6.3741	6.1621	10.7116	80.8046	
	S	130.478			66.842	111.646	80.699	108.073	127.244	112.315	97.701	99.425	102.469	
9	T	2.3244	11.1011	8.4576	5.9221	9.2482	8.0956	5.0761	7.0899	6.3625	6.2157	10.6126	80.5058	
	S	130.826	93.480	113.507	67.582	112.209	80.262	107.455	127.230	112.520	96.859	100.352	102.850	
10	T	2.3208			5.9991	9.2635	8.0733	5.0478	7.0704	6.2740	6.2881	10.5878	80.5822	
	S	131.028			66.715	112.023	80.484	108.058	127.581	114.107	95.744	100.587	102.752	
11	T	2.3188			5.9329	9.2132	8.1528	5.0311	7.1098	6.3206	6.1815	10.6313	80.3951	
	S	131.141			67.459	112.635	79.699	108.417	126.874	113.266	97.395	100.176	102.991	
12	T	2.3386			5.9548	9.2052	8.0022	5.0302	7.0728	6.3728	6.1488	10.5877	80.2563	
	S	130.031			67.211	112.733	81.199	108.436	127.537	112.338	97.913	100.588	103.169	
13	T	2.3499	11.2305	8.4551	5.9704	9.3038	7.9442	5.0159	7.0878	6.2774	6.0966	10.5785	80.3101	
	S	129.406	92.403	113.541	67.035	111.538	81.792	108.745	127.267	114.045	98.751	100.676	103.100	
14	T	2.3159			6.1628	9.2654	7.9761	5.0324	7.0563	6.2583	6.1950	10.6065	80.4346	
	S	131.306			64.942	112.000	81.465	108.389	127.835	114.394	97.182	100.410	102.941	
15	T	2.3376	11.1610	8.4518	5.9066	9.2779	7.9662	5.0310	7.1132	6.3008	6.0266	10.6296	80.2023	
	S	130.087	92.978	113.585	67.759	111.849	81.566	108.419	126.813	113.622	99.898	100.192	103.239	
16	T	2.3267	11.1346	8.3993	5.9443	9.2741	7.9509	5.0147	7.0933	6.3181	6.1340	10.4852	80.0752	
	S	130.696	93.198	114.295	67.330	111.895	81.723	108.771	127.169	113.311	98.149	101.572	103.403	
17	T	2.3171			6.0571	9.3494	8.0094	5.0129	7.0831	6.3281	6.2000	11.2113	81.0737	
	S	131.238			66.076	110.994	81.126	108.810	127.352	113.132	97.104	94.993	102.129	
18	T	2.3929	11.7980	8.5153	5.9538	9.2017	8.0514	5.0156	7.0549	6.2732	6.1923	10.6060	81.0551	
	S	127.080	87.958	112.738	67.222	112.776	80.703	108.752	127.861	114.122	97.225	100.415	102.153	
19	T	2.3327			5.9555	9.2695	8.0230	5.0116	7.0770	6.3821	6.2692	10.8856	80.8097	
	S	130.360			67.203	111.951	80.989	108.838	127.462	112.175	96.032	97.836	102.463	

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 5 - Brichacek, Wyatt

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.3496			5.9109	9.2353	7.9723	5.0627	7.0885	6.3373	6.0678	10.6280	80.2913
	S	129.422			67.710	112.365	81.504	107.740	127.255	112.968	99.220	100.207	103.124
21	T	2.3396			5.9494	9.2366	7.9905	5.0206	7.0553	6.3136	6.1110	10.5737	80.2066
	S	129.976			67.272	112.349	81.318	108.643	127.854	113.392	98.518	100.722	103.233
22	T	2.3201			5.9816	9.2213	8.0394	5.0414	7.0689	6.3178	6.2207	10.3865	80.2218
	S	131.068			66.910	112.536	80.824	108.195	127.608	113.316	96.781	102.537	103.214
23	T	2.3165			6.0684	9.2925	7.9409	5.0052	7.0655	6.3472	6.1881	10.4613	80.2185
	S	131.272			65.953	111.674	81.826	108.978	127.669	112.791	97.291	101.804	103.218
24	T	2.3263			5.9542	9.2906	8.0182	5.0175	7.0765	6.3749	6.2615	10.5764	80.3952
	S	130.719			67.218	111.696	81.037	108.710	127.471	112.301	96.150	100.696	102.991
25	T	2.3484			6.0334	9.2746	8.0596	5.0674	7.0915	6.3432	6.1190	10.5009	80.2938
	S	129.489			66.335	111.889	80.621	107.640	127.201	112.862	98.390	101.420	103.121
26	T	2.3468			5.9322	9.2709	7.9474	4.9962	7.0548	6.2568	6.0802	10.6366	79.9906
	S	129.577			67.467	111.934	81.759	109.174	127.863	114.421	99.017	100.126	103.512
27	T	2.3305	11.1675	8.3991	5.9820	9.3542	7.8978	5.0003	7.0940	6.3463	6.0355	10.6365	80.2437
	S	130.483	92.924	114.298	66.905	110.937	82.273	109.084	127.156	112.807	99.751	100.127	103.186
28	T	2.3282	11.1219	8.3754	5.9437	9.2440	7.9360	5.0147	7.0816	6.3244	6.0505	10.8528	80.2732
	S	130.612	93.305	114.621	67.336	112.260	81.877	108.771	127.379	113.198	99.503	98.131	103.148
29	T	2.3476			5.9799	9.3531	8.0027	5.0406	7.1292	6.3214	6.2264	10.5508	80.3968
	S	129.533			66.929	110.950	81.194	108.212	126.528	113.252	96.692	100.940	102.989
30	T	2.3383	11.5665	8.5686	6.0282	9.3057	7.9900	5.0192	7.1237	6.5753	6.2209	10.6966	81.4330
	S	130.048	89.718	112.037	66.393	111.515	81.323	108.674	126.626	108.879	96.778	99.564	101.679
31	T	2.4792	13.7522	10.4386	6.6960								
	S	122.657	75.459	91.966	59.771								

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 55 - Gold, Reece

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.1331	12.5440	8.8189	6.3351	9.5855	8.9672	5.0548	7.0801	6.7910	6.4447	10.7742	85.5286	144.5831
	S	97.058	82.727	108.857	63.176	108.260	72.461	107.908	127.406	105.420	93.417	98.847	96.810	54.750
2	T	2.3454	11.7787	8.5498	6.1644	9.3835	8.2062	5.0133	7.0511	6.4995	6.2816	10.7059	81.9794	
	S	129.654	88.102	112.283	64.926	110.591	79.181	108.801	127.930	110.148	95.843	99.478	101.001	
3	T	2.3696	11.4944	8.4455	6.1637	9.3637	8.1429	5.0106	7.1147	6.4820	6.2582	10.9145	81.7598	
	S	128.330	90.281	113.670	64.933	110.824	79.796	108.860	126.786	110.446	96.201	97.577	101.272	
4	T	2.3672	11.3311	8.4739	6.1495	9.3615	8.0832	5.0052	7.0700	6.4048	6.2188	10.6587	81.1239	
	S	128.460	91.582	113.289	65.083	110.851	80.386	108.978	127.588	111.777	96.811	99.918	102.066	
5	T	2.3383	11.2415	8.4068	6.1046	9.3239	8.0999	5.0184	7.0579	6.3151	6.2358	10.6793	80.8215	
	S	130.048	92.312	114.193	65.562	111.298	80.220	108.691	127.806	113.365	96.547	99.726	102.448	
6	T	2.3496	11.3275	8.4586	6.0108	9.2623	7.9981	5.0019	7.0149	6.2882	6.2109	10.6413	80.5641	
	S	129.422	91.611	113.494	66.585	112.038	81.241	109.049	128.590	113.850	96.934	100.082	102.775	
7	T	2.3352	11.3803	8.4179	6.0373	9.3424	8.1130	5.0122	7.0291	6.2899	6.1330	10.7401	80.8304	
	S	130.220	91.186	114.043	66.292	111.077	80.090	108.825	128.330	113.819	98.165	99.161	102.437	
8	T	2.3501			6.0569	9.3443	7.9815	5.0157	7.0660	6.2752	6.0847	10.6651	80.5274	
	S	129.395			66.078	111.055	81.410	108.749	127.660	114.085	98.944	99.858	102.822	
9	T	2.3473	11.2501	8.4156	6.0501	9.3284	7.9872	5.0224	7.0618	6.3061	6.1469	10.5876	80.5035	
	S	129.549	92.242	114.074	66.152	111.244	81.352	108.604	127.736	113.526	97.943	100.589	102.853	
10	T	2.3456	11.1868	8.4147	6.0076	9.2779	7.9323	5.0085	7.0449	6.2349	6.1204	10.5809	80.1545	
	S	129.643	92.764	114.086	66.620	111.849	81.915	108.906	128.042	114.823	98.367	100.653	103.301	
11	T	2.3370	11.1413	8.3644	6.0572	9.2452	7.9178	5.0058	7.0588	6.2072	6.0436	10.5955	79.9738	
	S	130.120	93.142	114.772	66.075	112.245	82.065	108.965	127.790	115.335	99.617	100.514	103.534	
12	T	2.3428	11.1859	8.3983	5.9401	9.2705	7.9591	5.0088	7.0571	6.2132	6.0526	10.5614	79.9898	
	S	129.798	92.771	114.309	67.377	111.939	81.639	108.899	127.821	115.224	99.469	100.839	103.513	
13	T	2.3487	11.1316	8.4609	5.9746	9.3088	7.9061	4.9890	7.0140	6.2149	6.0954	10.5010	79.9450	
	S	129.472	93.224	113.463	66.988	111.478	82.186	109.331	128.606	115.192	98.770	101.419	103.571	
14	T	2.3277	11.1896	8.4192	5.9400	9.2476	7.8886	4.9819	7.0022	6.2244	6.0938	10.6474	79.9624	
	S	130.640	92.740	114.025	67.378	112.216	82.369	109.487	128.823	115.017	98.796	100.024	103.549	
15	T	2.3388	11.1042	8.3799	5.9888	9.2838	7.9124	4.9908	7.0436	6.2828	6.1248	10.5768	80.0267	
	S	130.020	93.454	114.560	66.829	111.778	82.121	109.292	128.066	113.947	98.296	100.692	103.465	
16	T	2.3359	11.1697	8.4041	5.9675	9.2487	7.8837	4.9779	7.0331	6.2549	6.1722	10.5807	80.0284	
	S	130.181	92.906	114.230	67.068	112.203	82.420	109.575	128.257	114.456	97.541	100.655	103.463	
17	T	2.3396	11.1617	8.4219	5.9781	9.3018	7.9425	4.9661	7.0433	6.2644	6.1179	10.6041	80.1414	
	S	129.976	92.972	113.989	66.949	111.562	81.810	109.836	128.071	114.282	98.407	100.433	103.317	
18	T	2.3362	11.0428	8.4043	5.9604	9.2607	7.9766	4.9882	7.0444	6.1753	6.0490	10.5874	79.8253	
	S	130.165	93.973	114.227	67.148	112.057	81.460	109.349	128.051	115.931	99.528	100.591	103.727	
19	T	2.3431	11.1705	8.4091	5.9318	9.2660	7.8502	4.9840	7.0553	6.1285	6.0033	10.6756	79.8174	
	S	129.781	92.899	114.162	67.471	111.993	82.771	109.441	127.854	116.816	100.286	99.760	103.737	

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 55 - Gold, Reece

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.3348	11.0281	8.3816	5.9968	9.2078	7.9376	5.0157	7.0555	6.2305	6.0630	10.6224	79.8738
	S	130.243	94.098	114.537	66.740	112.701	81.860	108.749	127.850	114.904	99.298	100.260	103.664
21	T	2.3318	11.0699	8.4016	5.9580	9.2485	7.8949	5.0155	7.0720	6.2363	6.0655	10.6092	79.9032
	S	130.410	93.743	114.264	67.175	112.205	82.303	108.754	127.552	114.797	99.257	100.385	103.625
22	T	2.3387	11.1514	8.4358	5.9896	9.2410	7.8962	5.0302	7.0593	6.2454	6.0843	10.5220	79.9939
	S	130.026	93.058	113.801	66.820	112.296	82.289	108.436	127.781	114.630	98.951	101.216	103.508
23	T	2.3354	11.2296	8.4253	5.9581	9.2324	7.8691	4.9694	7.0429	6.2252	6.2037	10.4640	79.9551
	S	130.209	92.410	113.943	67.174	112.401	82.573	109.763	128.079	115.002	97.046	101.778	103.558
24	T	2.3322	11.1706	8.3791	5.9484	9.2581	7.8543	4.9569	7.0265	6.2533	6.1300	10.5901	79.8995
	S	130.388	92.898	114.571	67.283	112.089	82.728	110.039	128.378	114.485	98.213	100.566	103.630
25	T	2.3503	11.0728	8.3828	5.9104	9.2310	7.8498	4.9701	7.0106	6.1703	6.0717	10.5652	79.5850
	S	129.384	93.719	114.520	67.716	112.418	82.776	109.747	128.669	116.025	99.156	100.803	104.040
26	T	2.3502	11.0748	8.3704	5.9780	9.2675	7.8641	4.9652	7.0092	6.1968	6.0560	10.5765	79.7087
	S	129.389	93.702	114.690	66.950	111.975	82.625	109.856	128.694	115.529	99.413	100.695	103.878
27	T	2.3247	11.0686	8.3903	5.9351	9.2323	7.8594	4.9615	7.0329	6.2434	6.0803	10.5382	79.6667
	S	130.809	93.754	114.418	67.434	112.402	82.675	109.937	128.261	114.667	99.016	101.061	103.933
28	T	2.3307	11.0434	8.3985	5.9826	9.2360	8.0516	4.9786	7.0389	6.1880	6.1356	10.5240	79.9079
	S	130.472	93.968	114.306	66.899	112.357	80.701	109.560	128.151	115.693	98.123	101.197	103.619
29	T	2.3475	11.1634	8.4056	5.9565	9.2460	7.9066	4.9632	7.0466	6.1920	6.0651	10.6116	79.9041
	S	129.538	92.958	114.210	67.192	112.235	82.181	109.900	128.011	115.618	99.264	100.362	103.624
30	T	2.3319	11.0819	8.4235	6.0470	9.2664	7.8688	4.9596	7.0504	6.2157	6.1167	10.4871	79.8490
	S	130.405	93.642	113.967	66.186	111.988	82.576	109.980	127.942	115.178	98.427	101.553	103.696
31	T	2.5272	13.8921	10.5533	7.3280	11.5585	9.7776						
	S	120.327	74.699	90.967	54.616	89.780	66.455						

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 6 - De Alba, Salvador (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0435	12.7201	8.6637	6.3921	9.4807	8.8741	5.0321	7.5021	7.0313	6.3214	10.8554	85.9165	129.0721
	S	99.915	81.582	110.807	62.613	109.457	73.221	108.395	120.239	101.817	95.239	98.108	96.373	61.329
2	T	2.3385	11.6619	8.5861	6.2729	9.3619	8.2458	4.9361	6.9752	6.6155	6.3297	10.8232	82.1468	
	S	130.037	88.984	111.809	63.803	110.846	78.800	110.503	129.322	108.217	95.114	98.400	100.795	
3	T	2.3395	11.5069	8.4604	6.1325	9.4173	8.2359	4.9282	6.9995	6.6222	6.2790	10.7837	81.7051	
	S	129.981	90.183	113.470	65.263	110.194	78.895	110.680	128.873	108.107	95.882	98.760	101.340	
4	T	2.3860	11.7088	8.4220	6.1456	9.5932	8.1373	4.9601	6.9931	6.5249	6.3967	10.6110	81.8787	
	S	127.448	88.628	113.987	65.124	108.173	79.851	109.968	128.991	109.720	94.118	100.368	101.125	
5	T	2.3108	11.2351	8.3925	6.1581	9.3425	8.1950	4.9333	7.1350	6.8130	6.2838	10.8926	81.6917	
	S	131.596	92.365	114.388	64.992	111.076	79.289	110.566	126.425	105.080	95.809	97.773	101.357	
6	T	2.3264	11.2452	8.3873	6.0506	9.2900	8.2095	4.9578	6.9453	6.4655	6.4535	10.6236	80.9547	
	S	130.713	92.282	114.459	66.147	111.704	79.149	110.019	129.879	110.728	93.290	100.249	102.279	
7	T	2.3151	11.1951	8.3734	6.0515	9.2710	8.0699	4.9447	6.9299	6.3711	6.1194	10.6731	80.3142	
	S	131.351	92.695	114.649	66.137	111.933	80.518	110.311	130.167	112.368	98.383	99.784	103.095	
8	T	2.3321	11.2003	8.3409	6.0302	9.2584	8.0495	4.9789	6.9672	6.3870	6.1688	10.5492	80.2625	
	S	130.394	92.652	115.095	66.370	112.085	80.722	109.553	129.470	112.088	97.595	100.956	103.162	
9	T	2.3095	11.1124	8.3383	6.0576	9.2365	8.0436	4.9700	6.9376	6.4722	6.2034	10.5058	80.1869	
	S	131.670	93.385	115.131	66.070	112.351	80.781	109.749	130.023	110.613	97.051	101.373	103.259	
10	T	2.2999	11.1455	8.3392	6.0857	9.2743	8.0004	4.9468	6.9352	6.3650	6.0996	10.5086	80.0002	
	S	132.219	93.107	115.119	65.765	111.893	81.218	110.264	130.068	112.476	98.702	101.346	103.500	
11	T	2.3067	11.1034	8.2894	5.9370	9.1947	8.0427	4.9846	6.9700	6.3916	6.1709	10.5581	79.9491	
	S	131.829	93.460	115.811	67.412	112.861	80.790	109.428	129.418	112.008	97.562	100.870	103.566	
12	T	2.3286	11.1422	8.3004	5.8889	9.1576	7.9531	4.9472	6.9462	6.3823	6.1093	10.5304	79.6862	
	S	130.590	93.135	115.657	67.963	113.319	81.701	110.255	129.862	112.171	98.546	101.136	103.908	
13	T	2.3324	11.1936	8.3700	5.9167	9.1721	7.9383	4.9291	6.8834	6.4723	6.1877	10.5764	79.9720	
	S	130.377	92.707	114.695	67.644	113.140	81.853	110.660	131.046	110.611	97.297	100.696	103.536	
14	T	2.3065	11.1836	8.2930	5.9970	9.1731	8.0270	4.9310	6.8934	6.4010	6.1117	10.5515	79.8688	
	S	131.841	92.790	115.760	66.738	113.127	80.948	110.617	130.856	111.843	98.507	100.934	103.670	
15	T	2.3036	11.0549	8.3070	6.0437	9.1652	7.9908	4.9128	6.8815	6.4302	6.0862	10.6423	79.8182	
	S	132.007	93.870	115.565	66.222	113.225	81.315	111.027	131.083	111.335	98.920	100.072	103.736	
16	T	2.3039	11.1967	8.3037	6.0234	9.1847	7.9879	4.9048	6.8872	6.4553	6.0899	10.6340	79.9715	
	S	131.990	92.682	115.611	66.445	112.984	81.345	111.208	130.974	110.903	98.860	100.150	103.537	
17	T	2.2898	11.2806	8.3221	6.0962	9.1573	8.0995	4.9200	6.9286	6.3838	6.1233	10.5787	80.1799	
	S	132.802	91.992	115.355	65.652	113.322	80.224	110.865	130.192	112.145	98.320	100.674	103.268	
18	T	2.2883	11.1468	8.2979	6.0464	9.1773	8.1400	4.9807	6.9380	6.3344	6.0947	10.6001	80.0446	
	S	132.889	93.096	115.692	66.193	113.075	79.825	109.514	130.015	113.019	98.782	100.471	103.442	
19	T	2.2896	11.0411	8.3628	6.1098	9.2068	8.0312	4.9221	6.9078	6.4144	6.0468	10.6255	79.9579	
	S	132.814	93.988	114.794	65.506	112.713	80.906	110.817	130.584	111.610	99.564	100.231	103.554	

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 6 - De Alba, Salvador (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.2964	11.0735	8.3060	6.0428	9.1749	7.9257	4.9239	6.8932	6.3522	6.1507	10.6521	79.7914
	S	132.421	93.713	115.579	66.232	113.105	81.983	110.777	130.860	112.703	97.882	99.980	103.771
21	T	2.2877	11.1418	8.3858	6.0202	9.1837	8.0229	4.9443	6.9333	6.4256	6.0739	10.6032	80.0224
	S	132.924	93.138	114.479	66.481	112.997	80.990	110.320	130.103	111.415	99.120	100.441	103.471
22	T	2.2950	11.1181	8.3138	6.0514	9.2220	8.0662	4.9462	6.9094	6.3934	6.0399	10.6141	79.9695
	S	132.501	93.337	115.471	66.138	112.527	80.555	110.277	130.553	111.976	99.678	100.338	103.539
23	T	2.2919	11.1052	8.3514	6.0667	9.2098	8.0150	4.8921	6.8714	6.4214	6.0622	10.5944	79.8815
	S	132.681	93.445	114.951	65.971	112.676	81.070	111.497	131.275	111.488	99.311	100.525	103.654
24	T	2.2821	11.0583	8.2722	6.1098	9.2720	8.1860	4.9562	6.9152	6.5066	6.0617	10.5482	80.1683
	S	133.250	93.841	116.051	65.506	111.921	79.376	110.055	130.444	110.028	99.320	100.965	103.283
25	T	2.3153	11.1332	8.3090	5.9527	9.1493	8.0419	4.9117	6.8822	6.2805	6.0552	10.5931	79.6241
	S	131.340	93.210	115.537	67.235	113.421	80.798	111.052	131.069	113.989	99.426	100.537	103.989
26	T	2.3101	11.0664	8.2242	6.0280	9.1027	8.1523	4.9122	6.8796	6.3378	6.0879	10.5670	79.6682
	S	131.635	93.773	116.729	66.395	114.002	79.704	111.041	131.119	112.959	98.892	100.785	103.931
27	T	2.2798	11.1318	8.2962	6.0599	9.2265	8.0427	4.8879	6.8854	6.4016	6.1035	10.5060	79.8213
	S	133.385	93.222	115.716	66.045	112.472	80.790	111.593	131.008	111.833	98.639	101.371	103.732
28	T	2.2801	11.1973	8.3009	6.1139	9.1795	7.9853	4.9090	6.8725	6.3664	6.0141	10.7914	80.0104
	S	133.367	92.677	115.650	65.462	113.048	81.371	111.113	131.254	112.451	100.106	98.690	103.487
29	T	2.3103	11.0625	8.2780	6.0680	9.2268	8.0026	4.9327	6.9095	6.3215	6.1154	10.7011	79.9284
	S	131.624	93.806	115.970	65.957	112.469	81.195	110.579	130.551	113.250	98.447	99.522	103.593
30	T	2.2899	11.2161	8.2987	6.0501	9.1642	8.0123	4.9214	6.9097	6.3910	6.1647	10.5652	79.9833
	S	132.797	92.521	115.681	66.152	113.237	81.097	110.833	130.548	112.018	97.660	100.803	103.522
31	T	2.5948	13.9184	11.0029	6.3818	12.0390	9.2691						
	S	117.192	74.558	87.250	62.714	86.197	70.101						

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 8 - Siegel, Nolan (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.1417	12.0283	8.5861	6.1721	9.5006	8.3199	5.1291	7.2265	6.6208	6.2614	10.7607	83.7472	149.6945
	S	96.792	86.274	111.809	64.845	109.228	78.099	106.345	124.825	108.130	96.152	98.971	98.869	52.880
2	T	2.3674			6.1367	9.4623	8.2760	5.0708	7.2016	6.6829	6.2516	10.7531	82.0910	
	S	128.449			65.219	109.670	78.513	107.568	125.256	107.126	96.303	99.041	100.864	
3	T	2.3744			6.1077	9.3686	8.1296	5.0570	7.1739	6.4530	6.1243	10.7028	81.2494	
	S	128.071			65.528	110.767	79.927	107.861	125.740	110.942	98.304	99.507	101.908	
4	T	2.3632			6.0308	9.3800	8.0020	5.0410	7.1697	6.3796	6.0763	10.7601	80.8419	
	S	128.678			66.364	110.632	81.201	108.204	125.814	112.218	99.081	98.977	102.422	
5	T	2.3385			5.9759	9.3190	8.0202	5.0408	7.1583	6.3753	6.0409	10.6605	80.4885	
	S	130.037			66.974	111.356	81.017	108.208	126.014	112.294	99.662	99.902	102.872	
6	T	2.3428			5.9826	9.2980	7.9397	5.0328	7.1418	6.3310	6.0431	10.6537	80.2995	
	S	129.798			66.899	111.608	81.838	108.380	126.305	113.080	99.625	99.965	103.114	
7	T	2.3454			5.9343	9.3212	7.9322	5.0161	7.1302	6.3347	6.0434	10.6620	80.1372	
	S	129.654			67.443	111.330	81.916	108.741	126.511	113.014	99.620	99.887	103.323	
8	T	2.3464			5.9235	9.2660	7.9294	5.0403	7.1665	6.3142	5.9905	10.7807	80.2308	
	S	129.599			67.566	111.993	81.945	108.219	125.870	113.381	100.500	98.788	103.202	
9	T	2.3392			5.9320	9.2586	7.9157	5.0564	7.1573	6.2738	5.9730	10.6665	80.1551	
	S	129.998			67.469	112.083	82.087	107.874	126.032	114.111	100.794	99.845	103.300	
10	T	2.3425			5.9176	9.2680	7.9133	5.0356	7.1286	6.2442	5.9679	10.7007	79.9299	
	S	129.815			67.633	111.969	82.111	108.320	126.539	114.652	100.881	99.526	103.591	
11	T	2.3364			5.9048	9.2506	7.8597	5.0231	7.1226	6.2255	5.9245	10.6570	79.6476	
	S	130.154			67.780	112.179	82.671	108.589	126.646	114.996	101.620	99.934	103.958	
12	T	2.3428			5.9404	9.2417	7.8890	5.0330	7.1236	6.2005	5.9536	10.6187	79.6790	
	S	129.798			67.374	112.287	82.364	108.376	126.628	115.460	101.123	100.295	103.917	
13	T	2.3546			5.9160	9.3013	7.8688	5.0153	7.1000	6.2483	5.9858	10.5881	79.7931	
	S	129.148			67.652	111.568	82.576	108.758	127.049	114.577	100.579	100.585	103.768	
14	T	2.3414			5.9030	9.2642	7.8946	5.0082	7.0963	6.2977	5.9769	10.6913	79.8605	
	S	129.876			67.801	112.015	82.306	108.912	127.115	113.678	100.729	99.614	103.681	
15	T	2.3330			5.9628	9.2649	7.9046	5.0157	7.1160	6.3054	5.9826	10.6811	79.9680	
	S	130.343			67.121	112.006	82.202	108.749	126.763	113.539	100.633	99.709	103.541	
16	T	2.3364			5.9340	9.2283	7.9136	4.9990	7.1192	6.2772	6.0097	10.6765	79.9411	
	S	130.154			67.446	112.451	82.108	109.113	126.706	114.049	100.179	99.752	103.576	
17	T	2.3397			5.8884	9.2533	7.8781	5.0037	7.1226	6.2335	5.9398	10.7412	79.8042	
	S	129.970			67.969	112.147	82.478	109.010	126.646	114.849	101.358	99.151	103.754	
18	T	2.3363			5.9113	9.2209	7.8589	5.0091	7.0955	6.2752	5.9568	10.6415	79.6807	
	S	130.159			67.705	112.541	82.680	108.893	127.129	114.085	101.069	100.080	103.915	
19	T	2.3390			5.8526	9.2350	7.8696	5.0106	7.1280	6.3110	5.9771	10.7026	79.7538	
	S	130.009			68.385	112.369	82.567	108.860	126.550	113.438	100.725	99.509	103.820	

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 8 - Siegel, Nolan (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.3327			5.8685	9.2344	7.9040	5.0188	7.1250	6.2707	5.9186	10.7022	79.7847
	S	130.360			68.199	112.376	82.208	108.682	126.603	114.167	101.721	99.512	103.779
21	T	2.3302			5.8780	9.2207	7.8875	5.0214	7.1311	6.3412	6.0145	10.6697	79.8952
	S	130.500			68.089	112.543	82.380	108.626	126.495	112.898	100.099	99.815	103.636
22	T	2.3289			5.8984	9.2101	7.8259	5.0197	7.1171	6.2802	5.9378	10.6877	79.7570
	S	130.573			67.854	112.673	83.028	108.663	126.743	113.995	101.392	99.647	103.815
23	T	2.3431			5.9542	9.2409	7.8479	4.9930	7.0864	6.2358	5.9157	10.6634	79.6551
	S	129.781			67.218	112.297	82.796	109.244	127.292	114.806	101.771	99.874	103.948
24	T	2.3361			5.9127	9.2452	7.8382	4.9802	7.0833	6.2407	5.8855	10.6689	79.6301
	S	130.170			67.689	112.245	82.898	109.525	127.348	114.716	102.293	99.823	103.981
25	T	2.3427			5.9239	9.2210	7.8441	4.9901	7.0612	6.1987	5.8953	10.6011	79.3616
	S	129.804			67.561	112.540	82.836	109.307	127.747	115.493	102.123	100.461	104.333
26	T	2.3467			5.9382	9.2109	7.8575	4.9726	7.0629	6.2894	5.9417	10.6173	79.5120
	S	129.582			67.399	112.663	82.695	109.692	127.716	113.828	101.325	100.308	104.135
27	T	2.3274			5.9389	9.2190	7.8519	4.9663	7.0824	6.2113	5.9239	10.6803	79.5532
	S	130.657			67.391	112.564	82.754	109.831	127.364	115.259	101.630	99.716	104.081
28	T	2.3401	10.9633	8.3805	5.9188	9.2141	7.8737	4.9566	7.0498	6.3343	5.9680	10.6459	79.6451
	S	129.948	94.655	114.552	67.620	112.624	82.524	110.046	127.953	113.021	100.879	100.039	103.961
29	T	2.3333			5.9252	9.2323	7.8056	4.9810	7.0902	6.2214	5.9260	10.7391	79.6172
	S	130.327			67.547	112.402	83.244	109.507	127.224	115.072	101.594	99.170	103.998
30	T	2.3341			5.9744	9.2335	7.8966	4.9746	7.1174	6.3187	5.9384	10.7016	79.8121
	S	130.282			66.990	112.387	82.285	109.648	126.738	113.300	101.382	99.518	103.744
31	T	2.6677	13.4382	10.0724	6.3947	10.3404	8.8180	5.3718	8.1107				
	S	113.990	77.222	95.310	62.587	100.357	73.687	101.540	111.217				

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	SF to PI	
1	T	3.0401	13.1451	8.9600	6.6845	9.7236	9.4865	5.1479	7.2183	6.8998	6.5492	11.2834	88.1384		126.9355	
	S	100.027	78.944	107.143	59.874	106.723	68.494	105.957	124.966	103.758	91.927	94.386	93.943		62.362	
2	T	2.4022	11.9910	8.6852	6.3568	9.5044	8.5032	5.0522	7.6294	7.5167	6.5686	11.0565	85.2662			
	S	126.589	86.542	110.533	62.960	109.184	76.415	107.964	118.233	95.242	91.655	96.323	97.108			
3	T	2.4236	11.7437	8.6666	6.2658	9.5699	8.4870	5.0783	7.2476	6.8996	6.2983	11.2255	83.9059			
	S	125.471	88.365	110.770	63.875	108.437	76.561	107.409	124.461	103.761	95.589	94.873	98.682			
4	T	2.4242	11.9168	8.5675	6.2416	9.5449	8.3521	5.0667	7.1894	6.9788	6.4309	11.1154	83.8283			
	S	125.440	87.081	112.051	64.123	108.721	77.798	107.655	125.469	102.583	93.618	95.813	98.773			
5	T	2.4120	11.6219	8.5902	6.1047	9.4849	8.5291	5.1070	7.2337	6.8877	6.1482	10.9324	83.0518			
	S	126.074	89.291	111.755	65.561	109.408	76.183	106.805	124.700	103.940	97.922	97.417	99.697			
6	T	2.4042	11.7308	8.5227	6.1599	9.5736	8.4079	5.0904	7.1728	7.2886	6.4061	10.9597	83.7167			
	S	126.483	88.462	112.640	64.973	108.395	77.281	107.154	125.759	98.223	93.980	97.174	98.905			
7	T	2.4138	11.7792	8.5967	6.2031	9.5221	8.4464	5.0910	7.1931	6.8643	6.3820	11.0699	83.5616			
	S	125.980	88.098	111.671	64.521	108.981	76.929	107.141	125.404	104.295	94.335	96.207	99.089			
8	T	2.4019	11.6398	8.5783	6.3178	9.5814	8.4437	5.0826	7.1988	6.8746	6.1556	10.9596	83.2341			
	S	126.604	89.153	111.910	63.349	108.306	76.954	107.318	125.305	104.138	97.805	97.175	99.478			
9	T	2.4139	11.6983	8.6177	6.1530	9.4204	8.2198	5.0880	7.1909	6.8899	6.1863	10.8568	82.7350			
	S	125.975	88.708	111.399	65.046	110.157	79.050	107.204	125.443	103.907	97.319	98.095	100.079			
10	T	2.4164	11.6657	8.5329	6.0208	9.4024	8.3592	5.1332	7.2116	6.7346	6.1782	10.9186	82.5736			
	S	125.845	88.955	112.506	66.474	110.368	77.731	106.260	125.083	106.303	97.447	97.540	100.274			
11	T	2.4091	11.3520	8.5104	6.0829	9.3728	8.1684	5.0761	7.1734	6.7034	6.1627	10.8534	81.8646			
	S	126.226	91.414	112.803	65.795	110.717	79.547	107.455	125.749	106.798	97.692	98.126	101.143			
12	T	2.4269	11.4438	8.5689	6.1421	9.5312	8.3013	5.0777	7.1681	6.7842	6.2180	10.7602	82.4224			
	S	125.300	90.680	112.033	65.161	108.877	78.274	107.422	125.842	105.526	96.823	98.976	100.458			
13	T	2.3878	11.7196	8.6110	6.2129	9.5406	8.3031	5.0453	7.1844	6.9781	6.2899	10.9357	83.2084			
	S	127.352	88.546	111.485	64.419	108.770	78.257	108.111	125.556	102.594	95.716	97.387	99.509			
14	T	2.4180	11.5631	8.6338	6.1326	9.4002	8.1674	5.1523	7.2127	6.9496	6.8355	10.8881	83.3533			
	S	125.761	89.745	111.191	65.262	110.394	79.557	105.866	125.063	103.014	88.076	97.813	99.336			
15	T	2.3965	11.6025	8.6003	6.1454	9.4513	8.3972	5.0979	7.2330	6.8591	6.3648	10.9272	83.0752			
	S	126.890	89.440	111.624	65.126	109.797	77.380	106.996	124.712	104.374	94.590	97.463	99.669			
16	T	2.4028	11.5147	8.6411	6.1482	9.4923	8.3992	5.1253	7.2554	6.7681	6.1689	10.7796	82.6956			
	S	126.557	90.122	111.097	65.097	109.323	77.361	106.424	124.327	105.777	97.594	98.798	100.126			
17	T	2.3805	11.5554	8.5504	6.1005	9.4643	8.3885	5.0881	7.2028	6.7697	6.1356	10.8448	82.4806			
	S	127.742	89.805	112.275	65.606	109.646	77.460	107.202	125.235	105.752	98.123	98.204	100.387			
18	T	2.4055	11.4134	8.6327	6.1211	9.3930	8.3178	5.0913	7.2345	6.9440	6.2283	10.8369	82.6185			
	S	126.415	90.922	111.205	65.385	110.479	78.118	107.135	124.687	103.098	96.663	98.275	100.220			
19	T	2.3882	11.5908	8.5916	6.0911	9.4540	8.2289	5.0442	7.1872	6.8862	6.1302	10.9284	82.5208			
	S	127.331	89.530	111.737	65.707	109.766	78.962	108.135	125.507	103.963	98.210	97.453	100.338			

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	SF to PI	
20	T	2.3884	11.6422	8.7105	6.2235	9.4145	8.2793	5.0802	7.2140	6.7807	6.1003	10.8179	82.6515			
	S	127.320	89.135	110.212	64.309	110.226	78.482	107.369	125.041	105.580	98.691	98.448	100.180			
21	T	2.3813	11.4845	8.5394	6.0986	9.4936	8.1407	5.0622	7.1895	6.6782	6.1739	10.7674	82.0093			
	S	127.700	90.359	112.420	65.626	109.308	79.818	107.750	125.467	107.201	97.515	98.910	100.964			
22	T	2.3721	11.5470	8.5550	6.2666	9.4505	8.2597	5.0505	7.1843	6.7250	6.1918	10.8283	82.4308			
	S	128.195	89.870	112.215	63.867	109.807	78.668	108.000	125.558	106.455	97.233	98.353	100.448			
23	T	2.3887	11.4357	8.5464	6.0409	9.3910	8.1947	5.0813	7.1748	6.7174	6.0782	10.9783	82.0274			
	S	127.304	90.745	112.328	66.253	110.502	79.292	107.345	125.724	106.575	99.050	97.010	100.942			
24	T	2.3715	11.5060	8.5561	6.0666	9.3700	8.2637	5.0408	7.1505	6.6550	6.2563	10.8606	82.0971			
	S	128.227	90.190	112.201	65.972	110.750	78.630	108.208	126.151	107.575	96.230	98.061	100.856			
25	T	2.3777	11.2647	8.5792	6.0165	9.3426	8.2317	5.0950	7.1890	6.6374	6.2163	10.6971	81.6472			
	S	127.893	92.122	111.899	66.522	111.075	78.935	107.057	125.476	107.860	96.849	99.560	101.412			
26	T	2.3867	11.6646	8.5480	6.0082	9.3990	8.1902	5.0135	7.1463	6.5996	6.1729	10.8602	81.9892			
	S	127.411	88.964	112.307	66.614	110.408	79.335	108.797	126.226	108.478	97.530	98.064	100.989			
27	T	2.4261	11.3822	8.5971	6.1935	9.6537	8.1395	5.0446	7.2027	6.8808			101.3988	23.5810		84.8281
	S	125.341	91.171	111.666	64.621	107.495	79.830	108.126	125.237	104.044			81.658	37.068		90.102
28	T			8.6356	32.1459	10.8540	9.8516	5.3395	8.1972	7.3796	6.2062	10.8567	120.5971		113.5868	
	S			111.168	12.450	95.608	65.956	102.155	110.043	97.012	97.007	98.096	68.658		69.690	
29	T	2.3877	11.5539	8.6651	6.0959	9.3603	8.1318	5.0473	7.2397	6.6702	5.9856	11.0084	82.1459			
	S	127.357	89.816	110.789	65.655	110.865	79.905	108.069	124.597	107.329	100.582	96.744	100.796			
30	T	2.6611														
	S	114.273														

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 90 - Foster, Louis (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.1094	12.5908	8.5205	6.3185	9.4298	8.6266	5.0832	7.0768	6.6533	6.3062	10.6172	84.3323	141.4645
	S	97.797	82.419	112.669	63.342	110.048	75.322	107.305	127.465	107.602	95.469	100.309	98.183	55.957
2	T	2.3444	11.5497	8.4677	6.1424	9.3828	8.1909	5.0206	7.0689	6.4667	6.3570	10.6176	81.6087	
	S	129.709	89.849	113.372	65.158	110.599	79.329	108.643	127.608	110.707	94.706	100.305	101.460	
3	T	2.3379	11.7305	8.4822	6.1337	9.3066	8.0583	4.9797	7.0072	6.4649	6.2869	10.6954	81.4833	
	S	130.070	88.464	113.178	65.251	111.504	80.634	109.536	128.731	110.738	95.762	99.576	101.616	
4	T	2.3499	11.2674	8.3770	6.1318	9.3387	8.0875	4.9812	7.0238	6.4563	6.2894	10.4389	80.7419	
	S	129.406	92.100	114.599	65.271	111.121	80.343	109.503	128.427	110.885	95.724	102.022	102.549	
5	T	2.3316	11.2180	8.4105	6.1320	9.2521	8.0976	4.9691	6.9982	6.3868	6.2236	10.6111	80.6306	
	S	130.422	92.506	114.143	65.269	112.161	80.243	109.769	128.897	112.092	96.736	100.367	102.691	
6	T	2.3279	11.1985	8.4058	6.0175	9.2562	8.0374	4.9667	6.9971	6.3589	6.2813	10.4761	80.3234	
	S	130.629	92.667	114.207	66.511	112.112	80.844	109.822	128.917	112.584	95.847	101.660	103.083	
7	T	2.3232	11.1700	8.3454	6.1570	9.2529	8.0416	4.9520	6.9682	6.3906	6.2641	10.6584	80.5234	
	S	130.893	92.903	115.033	65.004	112.152	80.801	110.148	129.452	112.025	96.110	99.921	102.827	
8	T	2.3268	11.1786	8.3643	6.0400	9.2284	7.9729	4.9624	6.9985	6.3287	6.1622	10.5522	80.1150	
	S	130.691	92.832	114.774	66.263	112.449	81.498	109.917	128.891	113.121	97.700	100.927	103.351	
9	T	2.3029	11.1300	8.4136	6.0390	9.2437	8.5968	5.0510	7.0942	6.3637	6.1354	10.3730	80.7433	
	S	132.047	93.237	114.101	66.274	112.263	75.583	107.989	127.153	112.499	98.127	102.670	102.547	
10	T	2.3214			5.9493	9.2215	7.9634	4.9912	7.0198	6.1644	6.0497	10.5157	79.6117	
	S	130.995			67.273	112.533	81.595	109.283	128.500	116.136	99.517	101.277	104.005	
11	T	2.3132	11.0701	8.3346	6.0225	9.2312	7.8980	4.9756	6.9976	6.2376	6.1696	10.3966	79.6466	
	S	131.459	93.741	115.182	66.455	112.415	82.271	109.626	128.908	114.773	97.583	102.437	103.959	
12	T	2.3137	11.0738	8.3316	6.0000	9.1798	7.9625	4.9645	6.9864	6.2924	6.1431	10.5305	79.7783	
	S	131.431	93.710	115.224	66.705	113.045	81.604	109.871	129.114	113.774	98.004	101.135	103.788	
13	T	2.3213	10.9565	8.3428	6.1489	9.2926	8.0412	4.9425	6.9439	6.3587	6.1959	10.4530	79.9973	
	S	131.000	94.713	115.069	65.089	111.672	80.805	110.360	129.905	112.587	97.168	101.885	103.503	
14	T	2.3185	11.0256	8.2852	6.0831	9.2463	8.1881	4.9501	6.9660	6.3803	6.1274	10.6125	80.1831	
	S	131.158	94.120	115.869	65.793	112.232	79.356	110.191	129.493	112.206	98.255	100.353	103.264	
15	T	2.3080			6.0059	9.2358	7.9110	4.9332	6.9396	6.3393	6.2038	10.4277	79.6387	
	S	131.755			66.639	112.359	82.135	110.568	129.985	112.932	97.045	102.132	103.970	
16	T	2.3159	11.0526	8.2958	6.1075	9.2200	7.9671	4.9298	6.9525	6.2930	6.1465	10.4799	79.7606	
	S	131.306	93.890	115.721	65.530	112.552	81.557	110.644	129.744	113.763	97.949	101.623	103.811	
17	T	2.3069	10.9744	8.2985	6.1826	9.3510	8.4957	4.9692	6.9828	6.4390	6.1449	10.4567	80.6017	
	S	131.818	94.559	115.684	64.734	110.975	76.483	109.767	129.181	111.183	97.975	101.849	102.727	
18	T	2.3178	11.2151	8.3470	6.0221	9.1950	7.9162	4.9387	6.9694	6.1911	6.0521	10.4024	79.5669	
	S	131.198	92.529	115.011	66.460	112.858	82.081	110.445	129.429	115.635	99.477	102.380	104.063	
19	T	2.3062	10.9661	8.2424	6.0951	9.2685	8.0940	4.9486	6.9960	6.3766	6.1053	10.5354	79.9342	
	S	131.858	94.630	116.471	65.664	111.963	80.278	110.224	128.937	112.271	98.610	101.088	103.585	

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car 90 - Foster, Louis (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.3026			5.9951	9.2192	7.9348	4.9529	6.9979	6.1561	6.1220	10.4024	79.5939
	S	132.064			66.759	112.562	81.889	110.128	128.902	116.293	98.341	102.380	104.028
21	T	2.2985			6.0187	9.2188	7.9261	4.9568	6.9851	6.2069	6.1308	10.3992	79.4325
	S	132.300			66.497	112.566	81.979	110.042	129.139	115.341	98.200	102.412	104.239
22	T	2.2947	11.1381	8.3497	6.1169	9.2312	7.9466	4.9614	6.9601	6.1684	6.1618	10.4639	79.7928
	S	132.519	93.169	114.974	65.430	112.415	81.767	109.940	129.602	116.061	97.706	101.778	103.769
23	T	2.3135	11.0697	8.3280	6.0574	9.2144	7.9791	4.9511	6.9621	6.1922	6.1322	10.4373	79.6370
	S	131.442	93.745	115.274	66.072	112.620	81.434	110.168	129.565	115.615	98.178	102.038	103.972
24	T	2.2987	10.9600	8.3245	6.0752	9.2769	7.9255	4.9331	6.9730	6.1703	6.1309	10.4223	79.4904
	S	132.288	94.683	115.322	65.879	111.861	81.985	110.570	129.363	116.025	98.199	102.185	104.164
25	T	2.3086	10.9423	8.2787	6.0901	9.2006	7.9104	4.9262	6.9348	6.1546	6.1640	10.4087	79.3190
	S	131.721	94.836	115.960	65.718	112.789	82.142	110.725	130.075	116.321	97.671	102.318	104.389
26	T	2.3081	10.9313	8.2270	6.1896	9.2791	8.0126	4.9373	6.9471	6.1830	6.1327	10.4726	79.6204
	S	131.749	94.932	116.689	64.661	111.835	81.094	110.476	129.845	115.787	98.170	101.694	103.993
27	T	2.2973	11.0030	8.3150	5.9473	9.2022	7.8774	4.9077	6.9627	6.2934	6.1564	10.3975	79.3599
	S	132.369	94.313	115.454	67.296	112.769	82.486	111.143	129.554	113.756	97.792	102.428	104.335
28	T	2.3042	11.0444	8.3159	6.0594	9.2247	8.0430	4.9542	7.0076	6.1908	6.1037	10.4818	79.7297
	S	131.972	93.960	115.442	66.051	112.494	80.787	110.099	128.724	115.641	98.636	101.605	103.851
29	T	2.3227			6.0193	9.1808	7.8777	4.9174	6.9723	6.1975	6.1262	10.4390	79.2563
	S	130.921			66.491	113.032	82.483	110.923	129.376	115.516	98.274	102.021	104.471
30	T	2.2951	11.0558	8.3536	6.1000	9.2641	7.9493	4.9366	7.0061	6.2180	6.0183	10.6279	79.8248
	S	132.496	93.863	114.921	65.611	112.016	81.740	110.492	128.751	115.135	100.036	100.208	103.727
31	T	2.8906	14.1009	10.7228	6.5570	10.6539	9.7025	6.1569					
	S	105.200	73.593	89.529	61.038	97.404	66.970	88.592					

Event: Andersen Interior Contracting GP

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 1, 2022

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to I1	0.084470 miles
I1 to I2	0.288258 miles
I2 to I3A	0.266667 miles
I3A to I3	0.111174 miles
I3 to I4	0.288258 miles
I4 to I5A	0.180492 miles
I5A to I5	0.151515 miles
I5 to I6	0.250568 miles
I6 to I7	0.198864 miles
I7 to I8	0.167235 miles
I8 to SF	0.295833 miles
I2 to I3	0.377841 miles
I4 to I5	0.332008 miles
Lap	2.300000 miles
PI to PO	0.242803 miles
PO to SF	2.198864 miles
SF to PI	2.123106 miles
PO to I2	0.280871 miles
I7 to PI	0.302841 miles
PO to PI	2.038636 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

