

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 1 - Porto, Kiko (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.1982	7.4794	4.6809	8.6137	8.1519	2.7860	7.0431	5.2421	4.5113	5.1379	6.4119	3.3885	5.2810	5.6936	4.7002
	S	99.160	107.112	123.082	71.952	118.768	137.538	99.420	73.227	75.719	99.262	86.558	112.278	101.220	72.570	95.015
2	T	4.4476	7.1667	4.6180	8.3710	8.1237	2.7715	6.9772	5.2912	4.4159	5.0957	6.2554	3.3497	5.1490	5.5947	4.6723
	S	115.895	111.786	124.759	74.038	119.180	138.258	100.359	72.548	77.355	100.084	88.723	113.579	103.815	73.852	95.583
3	T	4.4359	7.0461	4.5699	8.3655	8.1010	2.7664	6.9370	5.2476	4.3726	5.0451	6.2434	3.3522	5.1315	5.5732	4.6365
	S	116.201	113.699	126.072	74.087	119.514	138.513	100.941	73.150	78.121	101.088	88.894	113.494	104.169	74.137	96.321
4	T	4.4088	6.9087	4.5292	8.1524	8.0886	2.7646	6.8042	5.1315	4.2330	5.0005	6.1996	3.3463	5.0573	5.4077	4.6349
	S	116.915	115.961	127.205	76.023	119.697	138.603	102.911	74.805	80.697	101.990	89.522	113.694	105.698	76.406	96.354
5	T	4.3881	6.7798	4.5188	8.0543	8.0790	2.7631	6.8711	5.0787	4.3068	5.0126	6.1765	3.3421	4.9800	5.4392	4.6574
	S	117.466	118.165	127.498	76.949	119.839	138.678	101.909	75.583	79.314	101.744	89.857	113.837	107.338	75.964	95.888
6	T	4.3912	6.7478	4.5070	8.0480	8.0919	2.7632	6.6985	5.0052	4.1962	4.9631	6.0917	3.3213	4.9630	5.3942	4.6049
	S	117.384	118.726	127.831	77.010	119.648	138.673	104.535	76.693	81.405	102.758	91.108	114.550	107.706	76.597	96.982
7	T	4.3827	6.7552	4.4961	8.0351	8.0950	2.7592	6.7009	5.0282	4.2246	4.9784	6.1401	3.3275	4.9242	5.3815	4.6008
	S	117.611	118.596	128.141	77.133	119.602	138.874	104.497	76.342	80.858	102.443	90.389	114.336	108.555	76.778	97.068
8	T	4.3757	6.7967	4.5360	8.0912	8.1309	2.7631	6.9925	4.9434	4.4562	5.0467	6.1221	3.3236	4.9528	5.3908	4.5862
	S	117.799	117.871	127.014	76.598	119.074	138.678	100.140	77.652	76.655	101.056	90.655	114.471	107.928	76.646	97.377
9	T	4.3600	6.7615	4.5181	7.9775	8.0685	2.7570	6.6271	4.9610	4.2087	4.9212	6.1414	3.3396	4.9079	5.3794	4.5986
	S	118.224	118.485	127.517	77.690	119.995	138.985	105.661	77.376	81.163	103.633	90.370	113.922	108.915	76.808	97.115
10	T	4.3729	6.7194	4.4924	7.9936	8.0941	2.7617	6.7242	4.9617	4.1828	4.9366	6.0591	3.3188	4.8938	5.3233	4.5948
	S	117.875	119.227	128.247	77.534	119.616	138.749	104.135	77.365	81.666	103.310	91.598	114.636	109.229	77.618	97.195
11	T	4.3622	6.7207	4.4970	7.9349	8.0689	2.7634	6.6867	5.0191	4.1759	4.9347	6.0762	3.3232	4.9399	5.3451	4.5831
	S	118.164	119.204	128.116	78.107	119.989	138.663	104.719	76.481	81.801	103.350	91.340	114.484	108.210	77.301	97.443
12	T	4.3704	6.7794	4.5015	8.1250	8.1143	2.7659	6.6340	5.0935	4.2338	4.9718	6.0848	3.3305	4.9519	5.3930	4.6113
	S	117.942	118.172	127.988	76.280	119.318	138.538	105.551	75.363	80.682	102.579	91.211	114.233	107.948	76.614	96.847
13	T	4.3798	6.7329	4.4896	8.0663	8.1252	2.7669	6.6903	5.0220	4.1748	4.9445	6.0938	3.3279	4.9005	5.3491	4.5855
	S	117.689	118.988	128.327	76.835	119.158	138.488	104.663	76.436	81.822	103.145	91.076	114.323	109.080	77.243	97.392
14	T	4.3711	6.7542	4.4850	8.0782	8.1024	2.7594	6.7300	4.9723	4.1692	4.9378	6.0527	3.3150	4.8927	5.3459	4.6114
	S	117.923	118.613	128.458	76.722	119.493	138.864	104.046	77.200	81.932	103.285	91.695	114.768	109.254	77.289	96.845
15	T	4.3761	6.7625	4.5180	8.0694	8.0938	2.7499	6.8451	5.1414	4.3628	5.0104	6.1124	3.3247	4.9512	5.3713	4.5848
	S	117.789	118.467	127.520	76.805	119.620	139.344	102.296	74.661	78.296	101.788	90.799	114.433	107.963	76.924	97.407
16	T	4.3684	6.7405	4.4948	7.9614	8.0688	2.7582	6.6581	5.0687	4.1793	4.9251	6.1374	3.3326	4.9432	5.3435	4.5746
	S	117.996	118.854	128.178	77.847	119.991	138.925	105.169	75.732	81.734	103.551	90.429	114.161	108.138	77.324	97.624
17	T	4.3662	6.7424	4.4938	7.9990	8.0780	2.7592	6.8663	4.9538	4.3612	5.0171	6.1132	3.3505	4.9923	5.3464	4.5959
	S	118.056	118.821	128.207	77.481	119.854	138.874	101.980	77.489	78.325	101.652	90.787	113.552	107.074	77.282	97.172
18	T	4.3803	6.7588	4.4901	7.9847	8.0497	2.7588	6.7083	5.0750	4.2401	4.9314	6.0789	3.3340	4.8966	5.3522	4.5807
	S	117.676	118.532	128.313	77.620	120.276	138.894	104.382	75.638	80.562	103.419	91.299	114.114	109.167	77.199	97.494
19	T	4.3715	6.7657	4.4967	8.0072	8.0631	2.7573	6.7082	5.0215	4.1786	4.9164	6.1359	3.3342	4.9582	5.3600	4.5716
	S	117.913	118.411	128.124	77.402	120.076	138.970	104.384	76.444	81.748	103.734	90.451	114.107	107.810	77.086	97.688

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 1 - Porto, Kiko (R)

Lap	T/S Lap	PO to SF
1	T	84.3197
	S	96.405
2	T	82.2996
	S	98.771
3	T	81.8239
	S	99.345
4	T	80.6673
	S	100.769
5	T	80.4475
	S	101.045
6	T	79.7872
	S	101.881
7	T	79.8295
	S	101.827
8	T	80.5079
	S	100.969
9	T	79.5275
	S	102.214
10	T	79.4292
	S	102.340
11	T	79.4310
	S	102.338
12	T	79.9611
	S	101.659
13	T	79.6491
	S	102.058
14	T	79.5773
	S	102.150
15	T	80.2738
	S	101.263
16	T	79.5546
	S	102.179
17	T	80.0353
	S	101.565
18	T	79.6196
	S	102.095
19	T	79.6461
	S	102.061

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 1 - Porto, Kiko (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.3615	6.8096	4.5171	8.0602	8.0687	2.7503	6.8388	4.9458	4.2762	4.9889	6.0982	3.3211	4.9345	5.3165	4.6019
	S	118.183	117.648	127.546	76.893	119.992	139.324	102.390	77.614	79.882	102.227	91.010	114.557	108.328	77.717	97.045
21	T	4.3775	6.8182	4.5071	8.0721	8.0606	2.7437	6.8764	5.0705	4.2271	4.9743	6.1239	3.3293	4.9791	5.3217	4.5688
	S	117.751	117.500	127.829	76.780	120.113	139.659	101.831	75.705	80.810	102.527	90.629	114.275	107.358	77.641	97.748
22	T	4.3599	6.7933	4.5041	8.0201	8.0790	2.7589	6.6882	4.9861	4.1777	4.9456	6.0608	3.3129	4.9337	5.3557	4.5646
	S	118.226	117.930	127.914	77.277	119.839	138.889	104.696	76.987	81.765	103.122	91.572	114.840	108.346	77.148	97.838
23	T	4.3597	6.7928	4.5075	7.9672	8.0559	2.7591	6.7025	4.9790	4.1710	4.9135	6.0530	3.3143	4.9230	5.3348	4.5740
	S	118.232	117.939	127.817	77.791	120.183	138.879	104.473	77.097	81.897	103.796	91.690	114.792	108.581	77.450	97.637
24	T	4.3538	6.8147	4.5059	8.0180	8.0901	2.7647	6.6700	4.9780	4.1706	4.9154	6.0413	3.3206	4.9251	5.3773	4.5642
	S	118.392	117.560	127.863	77.298	119.675	138.598	104.982	77.112	81.905	103.756	91.868	114.574	108.535	76.838	97.846
25	T	4.3509	6.8336	4.5176	8.0314	8.0663	2.7532	6.6391	4.9812	4.1696	4.9206	6.1011	3.3226	4.9536	5.3676	4.6087
	S	118.471	117.235	127.532	77.169	120.028	139.177	105.470	77.062	81.924	103.646	90.967	114.505	107.911	76.977	96.902
26	T	4.9594	8.1365	5.5849	8.5968	8.7568	3.1354	8.2812	5.7852	4.4888	5.6844					
	S	103.935	98.462	103.160	72.093	110.563	122.211	84.556	66.353	76.098	89.719					

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 1 - Porto, Kiko (R)

Lap	T/SLap	PO to SF
20	T	79.8893
	S	101.751
21	T	80.0503
	S	101.546
22	T	79.5406
	S	102.197
23	T	79.4073
	S	102.368
24	T	79.5097
	S	102.237
25	T	79.6171
	S	102.099
26	T	
	S	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.0911	7.8517	4.7612	8.6999	8.0588	2.7275	7.2181	5.3712	4.5423	5.2294	6.4785	3.3870	5.4895	5.6752	4.7007
	S	101.246	102.033	121.007	71.239	120.140	140.488	97.010	71.467	75.202	97.526	85.668	112.328	97.376	72.805	95.005
2	T	4.3984	7.1019	4.5841	8.6370	8.1901	2.7644	6.9109	5.2756	4.4236	5.0940	6.3305	3.3698	5.1377	5.5141	4.6673
	S	117.191	112.806	125.681	71.758	118.214	138.613	101.322	72.762	77.220	100.118	87.671	112.901	104.044	74.932	95.685
3	T	4.3714	7.0076	4.5628	8.2721	7.9643	2.7039	6.9628	5.2472	4.4639	5.0690	6.2903	3.3516	5.1089	5.5278	4.6295
	S	117.915	114.324	126.268	74.923	121.565	141.714	100.567	73.156	76.523	100.612	88.231	113.514	104.630	74.746	96.466
4	T	4.3683	6.9717	4.5031	8.2745	7.9713	2.7171	6.9099	5.1363	4.2685	5.0366	6.2115	3.3331	5.0931	5.4552	4.6338
	S	117.999	114.913	127.942	74.902	121.458	141.026	101.337	74.735	80.026	101.259	89.350	114.144	104.955	75.741	96.377
5	T	4.3490	6.8991	4.5016	8.1488	8.0277	2.7302	6.8763	5.0668	4.2857	5.0095	6.1380	3.3226	5.0472	5.4362	4.6731
	S	118.523	116.122	127.985	76.057	120.605	140.349	101.832	75.761	79.705	101.807	90.420	114.505	105.909	76.006	95.566
6	T	4.3797	6.8609	4.5207	8.1055	8.0111	2.7309	6.8090	5.1007	4.2331	4.9804	6.1526	3.3410	4.9470	5.3851	4.6333
	S	117.692	116.768	127.444	76.463	120.855	140.313	102.838	75.257	80.695	102.401	90.206	113.874	108.054	76.727	96.387
7	T	4.3601	6.8586	4.5219	8.1092	8.0175	2.7363	6.7202	5.0713	4.2293	4.9806	6.0688	3.3246	5.0065	5.3529	4.6129
	S	118.221	116.808	127.410	76.428	120.759	140.036	104.197	75.693	80.768	102.397	91.451	114.436	106.770	77.188	96.813
8	T	4.3605	6.7807	4.4988	8.0452	8.0237	2.7355	6.7898	5.0282	4.2221	4.9720	6.1715	3.3559	5.0474	5.3899	4.6427
	S	118.210	118.150	128.064	77.036	120.665	140.077	103.129	76.342	80.905	102.574	89.930	113.369	105.905	76.659	96.192
9	T	4.3566	6.7979	4.5112	8.1578	8.0039	2.7346	6.7210	5.0149	4.2109	4.9627	6.0656	3.3170	5.0719	5.3353	4.5933
	S	118.316	117.851	127.712	75.973	120.964	140.124	104.185	76.545	81.121	102.767	91.500	114.698	105.394	77.443	97.227
10	T	4.3472	6.8828	4.5283	8.0414	7.9994	2.7407	6.7814	5.0724	4.1793	4.9709	6.0841	3.3238	4.9053	5.3991	4.5759
	S	118.572	116.397	127.230	77.073	121.032	139.812	103.257	75.677	81.734	102.597	91.221	114.464	108.973	76.528	97.596
11	T	4.3360	6.8968	4.5231	8.0739	8.0326	2.7401	6.8111	5.0708	4.2285	4.9988	6.2104	3.3492	5.0996	5.3117	4.6003
	S	118.878	116.161	127.376	76.762	120.532	139.842	102.807	75.701	80.783	102.024	89.366	113.596	104.821	77.787	97.079
12	T	4.3628	6.7869	4.4834	8.0392	8.0391	2.7515	6.7566	5.0722	4.1794	4.9697	6.0839	3.3336	4.9864	5.3166	4.5666
	S	118.148	118.042	128.504	77.094	120.434	139.263	103.636	75.680	81.732	102.622	91.224	114.127	107.201	77.715	97.795
13	T	4.3530	6.8201	4.4988	8.0809	8.0941	2.7553	6.7368	5.0297	4.1655	4.9697	6.0833	3.3155	4.9505	5.3289	4.5981
	S	118.414	117.467	128.064	76.696	119.616	139.071	103.941	76.319	82.005	102.622	91.233	114.750	107.978	77.536	97.125
14	T	4.3707	6.8178	4.4989	7.9870	8.0340	2.7537	6.7338	5.0502	4.1769	4.9670	6.0697	3.3342	4.9780	5.3057	4.6508
	S	117.934	117.507	128.062	77.598	120.511	139.152	103.987	76.010	81.781	102.678	91.438	114.107	107.382	77.875	96.025
15	T	4.3810	6.8933	4.5309	8.0037	8.0280	2.7469	6.7324	5.0349	4.1614	4.9543	6.1723	3.3521	4.9455	5.3391	4.5828
	S	117.657	116.220	127.157	77.436	120.601	139.496	104.009	76.241	82.086	102.941	89.918	113.497	108.087	77.388	97.449
16	T	4.3651	6.8612	4.5320	8.0324	8.0273	2.7412	6.6870	5.0419	4.1588	4.9314	6.1023	3.3321	4.9832	5.3193	4.6021
	S	118.085	116.763	127.126	77.159	120.611	139.786	104.715	76.135	82.137	103.419	90.949	114.179	107.270	77.676	97.041
17	T	4.3662	6.8693	4.5395	8.0488	8.0341	2.7423	6.7405	5.0366	4.1589	4.9524	6.1294	3.3441	4.9872	5.3557	4.6097
	S	118.056	116.626	126.916	77.002	120.509	139.730	103.884	76.215	82.135	102.980	90.547	113.769	107.183	77.148	96.881
18	T	4.3775	6.8918	4.5355	8.0570	8.0267	2.7469	6.7112	5.0481	4.1884	5.0127	6.1397	3.3267	5.0217	5.3541	4.6050
	S	117.751	116.245	127.028	76.924	120.620	139.496	104.337	76.041	81.556	101.742	90.395	114.364	106.447	77.171	96.980
19	T	4.3736	6.8374	4.5072	7.9817	7.9936	2.7462	6.6882	5.0310	4.1942	4.9892	6.1144	3.3285	5.0119	5.2746	4.6168
	S	117.856	117.170	127.826	77.649	121.120	139.532	104.696	76.300	81.444	102.221	90.769	114.302	106.655	78.334	96.732

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

Lap	T/SLap	PO to SF
1	T	85.2821
	S	95.317
2	T	82.3994
	S	98.651
3	T	81.5331
	S	99.699
4	T	80.8840
	S	100.499
5	T	80.5118
	S	100.964
6	T	80.1910
	S	101.368
7	T	79.9707
	S	101.647
8	T	80.0639
	S	101.529
9	T	79.8546
	S	101.795
10	T	79.8320
	S	101.824
11	T	80.2829
	S	101.252
12	T	79.7279
	S	101.957
13	T	79.7802
	S	101.890
14	T	79.7284
	S	101.956
15	T	79.8586
	S	101.790
16	T	79.7173
	S	101.970
17	T	79.9147
	S	101.718
18	T	80.0430
	S	101.555
19	T	79.6885
	S	102.007

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.3666	7.0196	4.6082	8.0020	7.9967	2.7434	6.7189	5.0488	4.1409	4.9386	6.0752	3.3158	4.9946	5.3307	4.5787
	S	118.045	114.128	125.024	77.452	121.073	139.674	104.218	76.031	82.492	103.268	91.355	114.740	107.025	77.510	97.537
21	T	4.3512	6.8878	4.5393	8.0327	8.0103	2.7484	6.7938	5.0342	4.1871	4.9615	6.0583	3.3194	4.9825	5.3892	4.5611
	S	118.463	116.312	126.922	77.156	120.867	139.420	103.069	76.251	81.582	102.791	91.610	114.615	107.285	76.668	97.913
22	T	4.3606	6.9132	4.5492	7.9728	8.0222	2.7479	6.7558	5.0780	4.2162	4.9559	6.0435	3.3265	4.9795	5.2948	4.5841
	S	118.207	115.885	126.646	77.736	120.688	139.445	103.648	75.593	81.019	102.908	91.834	114.371	107.349	78.035	97.422
23	T	4.3475	6.9416	4.5858	8.0048	8.0266	2.7477	6.7393	5.0895	4.1692	4.9498	6.0678	3.3431	5.0617	5.3285	4.6023
	S	118.563	115.411	125.635	77.425	120.622	139.455	103.902	75.423	81.932	103.034	91.466	113.803	105.606	77.542	97.036
24	T	4.3690	7.0196	4.6062	8.0049	8.0402	2.7522	6.6692	5.1450	4.1594	4.9550	6.0910	3.3415	5.0227	5.3160	4.6036
	S	117.980	114.128	125.078	77.424	120.418	139.227	104.994	74.609	82.125	102.926	91.118	113.857	106.426	77.724	97.009
25	T	4.3640	6.9655	4.5643	8.0626	8.0255	2.7489	6.7581	5.0697	4.1852	4.9727	6.0813	3.3205	5.0640	5.3168	4.5762
	S	118.115	115.015	126.227	76.870	120.638	139.395	103.613	75.717	81.619	102.560	91.263	114.577	105.558	77.712	97.590
26	T	4.7142	8.0434	5.3441	8.4482	8.1015	3.1820	9.1917	5.6821	4.5106	5.6608					
	S	109.341	99.602	107.808	73.362	119.506	120.422	76.180	67.557	75.731	90.093					

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

Lap	T/SLap	PO to SF
20	T	79.8787
	S	101.764
21	T	79.8568
	S	101.792
22	T	79.8002
	S	101.864
23	T	80.0052
	S	101.603
24	T	80.0955
	S	101.489
25	T	80.0753
	S	101.514
26	T	
	S	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 19 - Missig, Jordan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.2043	8.5726	4.9083	8.6226	8.0122	2.6925	7.2915	5.6968	4.8725	5.3937	6.9120	3.4267	5.4958	5.7530	4.7190
	S	99.044	93.453	117.380	71.878	120.838	142.315	96.033	67.382	70.106	94.555	80.295	111.027	97.264	71.820	94.637
2	T	4.4814	7.2981	4.6218	8.5448	7.9151	2.6741	7.2551	5.3797	4.6238	5.2553	6.5378	3.3874	5.3517	5.6488	4.6630
	S	115.021	109.773	124.656	72.532	122.321	143.294	96.515	71.354	73.877	97.045	84.891	112.315	99.883	73.145	95.773
3	T	4.4275	7.0203	4.5723	8.1720	7.9735	2.7120	6.8413	5.2855	4.4716	5.1554	6.2859	3.3631	5.2295	5.5384	4.6974
	S	116.421	114.117	126.006	75.841	121.425	141.291	102.353	72.626	76.391	98.925	88.293	113.126	102.217	74.603	95.072
4	T	4.4128	7.0168	4.5478	8.2022	8.0320	2.7310	6.8067	5.1496	4.3275	5.0661	6.2485	3.3487	5.1426	5.4295	4.7054
	S	116.809	114.174	126.685	75.562	120.541	140.308	102.873	74.542	78.935	100.669	88.821	113.613	103.945	76.099	94.910
5	T	4.4059	6.8988	4.5649	8.2686	8.0433	2.7412	6.8402	5.1550	4.3465	5.0466	6.2252	3.3600	5.1184	5.3956	4.6548
	S	116.992	116.127	126.210	74.955	120.371	139.786	102.369	74.464	78.590	101.058	89.154	113.231	104.436	76.578	95.942
6	T	4.3850	6.9311	4.5405	8.2183	8.0484	2.7348	7.0569	5.1349	4.3357	5.0378	6.2090	3.3632	5.1328	5.3781	4.6494
	S	117.549	115.586	126.888	75.414	120.295	140.113	99.226	74.756	78.786	101.235	89.386	113.123	104.143	76.827	96.053
7	T	4.4134	6.9261	4.5375	8.1021	8.0451	2.7432	6.7204	5.0413	4.2185	5.0054	6.1185	3.3372	5.0124	5.3591	4.5859
	S	116.793	115.669	126.972	76.495	120.344	139.684	104.194	76.144	80.974	101.890	90.709	114.004	106.645	77.099	97.383
8	T	4.3763	6.8817	4.5358	8.0132	8.0144	2.7433	6.7365	5.0529	4.2763	4.9956	6.1978	3.3443	5.0392	5.3024	4.6161
	S	117.783	116.415	127.020	77.344	120.805	139.679	103.945	75.969	79.880	102.090	89.548	113.762	106.077	77.924	96.746
9	T	4.3694	7.0754	4.5959	7.9638	8.0145	2.7424	6.7670	5.0729	4.2319	5.0178	6.2210	3.3559	5.0047	5.3357	4.6082
	S	117.969	113.228	125.359	77.824	120.804	139.725	103.477	75.669	80.718	101.638	89.214	113.369	106.809	77.437	96.912
10	T	4.3742	6.8699	4.5257	7.9866	8.0182	2.7409	6.7209	5.0518	4.2823	4.9738	6.0936	3.3291	5.0659	5.3491	4.5888
	S	117.840	116.615	127.303	77.602	120.748	139.801	104.187	75.986	79.768	102.537	91.079	114.282	105.518	77.243	97.322
11	T	4.3586	6.8847	4.5155	8.3553	8.0324	2.7595	6.8308	5.1368	4.3325	5.0009	6.1163	3.3266	5.0142	5.3378	4.6030
	S	118.261	116.365	127.591	74.177	120.535	138.859	102.510	74.728	78.844	101.982	90.741	114.367	106.606	77.407	97.022
12	T	4.3788	6.8475	4.4819	8.0131	8.0401	2.7551	6.7614	5.0531	4.2652	4.9845	6.1619	3.3331	4.9909	5.3437	4.6170
	S	117.716	116.997	128.547	77.345	120.419	139.081	103.562	75.966	80.088	102.317	90.070	114.144	107.104	77.321	96.728
13	T	4.3920	6.8439	4.4755	8.0089	8.0677	2.7662	6.7280	5.0308	4.2132	4.9987	6.1328	3.3282	4.9677	5.3100	4.6142
	S	117.362	117.058	128.731	77.385	120.007	138.523	104.077	76.303	81.076	102.027	90.497	114.312	107.604	77.812	96.786
14	T	4.3766	6.8292	4.4909	8.0730	8.0297	2.7501	6.7265	5.0408	4.2696	4.9868	6.1869	3.3456	5.0048	5.4162	4.6193
	S	117.775	117.310	128.290	76.771	120.575	139.334	104.100	76.151	80.005	102.270	89.706	113.718	106.807	76.286	96.679
15	T	4.3977	6.8331	4.5011	8.0550	8.0985	2.7457	6.7069	5.0113	4.2906	4.9782	6.1008	3.3287	5.0385	5.4023	4.5850
	S	117.210	117.243	127.999	76.943	119.551	139.557	104.404	76.600	79.614	102.447	90.972	114.295	106.092	76.483	97.403
16	T	4.3772	6.8650	4.5277	7.9945	7.9925	2.7384	6.7346	5.0370	4.2700	4.9987	6.1160	3.3357	4.9801	5.3815	4.5991
	S	117.759	116.699	127.247	77.525	121.136	139.929	103.975	76.209	79.998	102.027	90.746	114.055	107.336	76.778	97.104
17	T	4.3900	6.8564	4.5118	7.9792	8.0204	2.7420	6.7644	5.0470	4.2841	5.0077	6.1479	3.3413	4.9996	5.3526	4.6024
	S	117.416	116.845	127.695	77.674	120.715	139.745	103.517	76.058	79.735	101.843	90.275	113.864	106.918	77.193	97.034
18	T	4.3917	6.9936	4.5710	7.9317	8.0113	2.7449	6.7070	5.0119	4.2527	4.9859	6.1726	3.3373	4.9769	5.3157	4.5821
	S	117.370	114.553	126.042	78.139	120.852	139.598	104.402	76.590	80.323	102.288	89.913	114.001	107.405	77.729	97.464
19	T	4.3912	6.8606	4.5284	8.0935	8.0307	2.7524	6.7117	5.0712	4.2599	5.0318	6.0920	3.3238	5.0156	5.3277	4.6025
	S	117.384	116.774	127.227	76.577	120.560	139.217	104.329	75.695	80.188	101.355	91.103	114.464	106.577	77.554	97.032

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 19 - Missig, Jordan (R)

Lap	T/SLap	PO to SF
1	T 87.5735	139.2058
	S 92.823	54.695
2	T 83.6379	
	S 97.190	
3	T 81.7457	
	S 99.440	
4	T 81.1672	
	S 100.149	
5	T 81.0650	
	S 100.275	
6	T 81.1559	
	S 100.163	
7	T 80.1661	
	S 101.399	
8	T 80.1258	
	S 101.450	
9	T 80.3765	
	S 101.134	
10	T 79.9708	
	S 101.647	
11	T 80.6049	
	S 100.847	
12	T 80.0273	
	S 101.575	
13	T 79.8778	
	S 101.765	
14	T 80.1460	
	S 101.425	
15	T 80.0734	
	S 101.517	
16	T 79.9480	
	S 101.676	
17	T 80.0468	
	S 101.551	
18	T 79.9863	
	S 101.627	
19	T 80.0930	
	S 101.492	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 19 - Missig, Jordan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.3913	6.9314	4.5534	7.9687	8.0097	2.7466	6.7034	4.9977	4.3033	4.9717	6.1555	3.3316	4.9890	5.3120	4.5937
	S	117.381	115.581	126.529	77.776	120.876	139.511	104.459	76.808	79.379	102.581	90.163	114.196	107.145	77.783	97.218
21	T	4.3718	6.8886	4.5200	8.0215	8.0230	2.7428	6.7192	5.0392	4.2745	5.0130	6.1110	3.3254	4.9879	5.4325	4.5669
	S	117.904	116.299	127.464	77.264	120.676	139.705	104.213	76.176	79.914	101.735	90.820	114.409	107.168	76.057	97.789
22	T	4.3866	6.9634	4.5617	8.0397	8.0365	2.7510	6.7421	5.0703	4.2812	4.9726	6.1701	3.3471	5.0145	5.3717	4.5885
	S	117.507	115.050	126.299	77.089	120.473	139.288	103.859	75.708	79.789	102.562	89.950	113.667	106.600	76.918	97.328
23	T	4.3755	6.8934	4.5222	8.0690	8.0593	2.7522	6.7473	5.0211	4.2630	4.9799	6.4408	3.4497	5.0591	5.4035	4.5824
	S	117.805	116.218	127.402	76.809	120.132	139.227	103.779	76.450	80.129	102.412	86.169	110.286	105.660	76.466	97.458
24	T	4.3703	6.9279	4.5455	8.0820	8.0330	2.7535	6.8055	5.0559	4.2804	5.0126	6.1454	3.3110	5.0245	5.3569	4.5862
	S	117.945	115.639	126.749	76.686	120.526	139.162	102.891	75.924	79.804	101.744	90.311	114.906	106.388	77.131	97.377
25	T	4.3651	7.0439	4.5867	8.0156	8.0154	2.7501	6.7970	5.1091	4.3844	5.0341	6.1700	3.3420	5.1055	5.3587	4.6396
	S	118.085	113.735	125.610	77.321	120.790	139.334	103.020	75.133	77.911	101.309	89.951	113.840	104.700	77.105	96.256
26	T	4.6300	7.9473	5.4288	9.1583	9.1689	3.6513	8.7437								
	S	111.329	100.806	106.126	67.673	105.594	104.944	80.084								

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 19 - Missig, Jordan (R)

Lap	T/SLap	PO to SF
20	T	79.9590
	S	101.662
21	T	80.0373
	S	101.563
22	T	80.2970
	S	101.234
23	T	80.6184
	S	100.831
24	T	80.2906
	S	101.242
25	T	80.7172
	S	100.707
26	T	
	S	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 2 - Browne, Jonathan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.1548	8.4281	4.8253	8.9060	7.9695	2.6517	7.4172	5.6673	4.9398	5.4779	6.8865	3.4007	5.5605	5.8717	4.6992
	S	99.995	95.055	119.399	69.590	121.486	144.504	94.406	67.733	69.151	93.101	80.592	111.875	96.133	70.368	95.036
2	T	4.4516	7.3637	4.6110	8.5305	8.0078	2.7021	7.0694	5.2969	4.6825	5.2366	6.5866	3.3738	5.3055	5.7281	4.5951
	S	115.791	108.795	124.948	72.654	120.905	141.809	99.050	72.469	72.951	97.391	84.262	112.767	100.753	72.132	97.189
3	T	4.3679	7.1579	4.5937	8.3858	8.0262	2.7303	6.8260	5.2360	4.4632	5.1325	6.2998	3.3545	5.1626	5.5678	4.6095
	S	118.010	111.923	125.419	73.907	120.628	140.344	102.582	73.312	76.535	99.367	88.098	113.416	103.542	74.209	96.885
4	T	4.3662	6.9892	4.5169	8.3158	7.9883	2.7115	6.9993	5.1155	4.3841	5.0396	6.2251	3.3375	5.0463	5.6284	4.7006
	S	118.056	114.625	127.551	74.530	121.200	141.317	100.042	75.039	77.916	101.199	89.155	113.994	105.928	73.410	95.007
5	T	4.3757	6.9593	4.5434	8.1430	7.9842	2.7183	6.7861	5.1147	4.4049	5.0351	6.2178	3.3238	5.1010	5.5537	4.6288
	S	117.799	115.117	126.807	76.111	121.262	140.964	103.186	75.051	77.548	101.289	89.260	114.464	104.792	74.398	96.481
6	T	4.3593	6.9578	4.4732	8.0631	7.9414	2.6784	7.0277	5.2015	4.5719	5.0330	6.1936	3.3051	5.2430	5.4166	4.5973
	S	118.243	115.142	128.797	76.865	121.916	143.064	99.638	73.799	74.715	101.331	89.609	115.111	101.954	76.281	97.142
7	T	4.3487	7.0696	4.4950	8.0903	8.0031	2.7137	6.8054	5.0596	4.3589	5.0269	6.2384	3.3360	5.0093	5.4468	4.6006
	S	118.531	113.321	128.173	76.607	120.976	141.203	102.893	75.868	78.366	101.454	88.965	114.045	106.711	75.858	97.072
8	T	4.3552	6.9538	4.5571	8.0665	8.0259	2.7374	6.7591	5.0094	4.3112	5.0195	6.1277	3.3236	4.9422	5.4228	4.5777
	S	118.354	115.208	126.426	76.833	120.632	139.980	103.598	76.629	79.233	101.604	90.572	114.471	108.159	76.193	97.558
9	T	4.3315	6.8880	4.5228	8.0737	8.0162	2.7298	6.7687	5.0165	4.3005	4.9662	6.2596	3.3465	5.0357	5.4762	4.5930
	S	119.001	116.309	127.385	76.764	120.778	140.370	103.451	76.520	79.431	102.694	88.664	113.687	106.151	75.450	97.233
10	T	4.3397	6.8430	4.4938	8.0923	8.0201	2.7299	6.7151	4.9835	4.2951	4.9794	6.1723	3.3388	4.9714	5.4044	4.5801
	S	118.777	117.074	128.207	76.588	120.719	140.365	104.277	77.027	79.530	102.422	89.918	113.949	107.524	76.453	97.507
11	T	4.3294	6.8614	4.5694	8.4404	7.8874	2.7272	6.9458	5.2635	4.6332	5.1165	6.2301	3.3146	5.1058	5.4753	4.6112
	S	119.059	116.760	126.086	73.429	122.750	140.504	100.813	72.929	73.727	99.678	89.084	114.781	104.694	75.463	96.849
12	T	4.3627	6.9349	4.5019	8.0954	8.0391	2.7378	6.7010	5.0865	4.3259	5.0064	6.2262	3.3360	4.9702	5.4021	4.5817
	S	118.150	115.522	127.976	76.559	120.434	139.960	104.496	75.467	78.964	101.870	89.139	114.045	107.550	76.485	97.473
13	T	4.3579	6.8828	4.5061	8.0367	8.0668	2.7499	6.7167	4.9860	4.2297	4.9409	6.1418	3.3340	4.9418	5.3751	4.5927
	S	118.280	116.397	127.857	77.118	120.021	139.344	104.252	76.988	80.760	103.220	90.364	114.114	108.168	76.870	97.239
14	T	4.3684	6.8814	4.5030	8.1175	8.0264	2.7493	6.7888	4.9790	4.2752	4.9877	6.1467	3.3431	4.9634	5.3914	4.5921
	S	117.996	116.421	127.945	76.350	120.625	139.374	103.144	77.097	79.901	102.252	90.292	113.803	107.697	76.637	97.252
15	T	4.3749	6.8846	4.5270	7.9809	8.0470	2.7453	6.7294	5.0232	4.2581	4.9807	6.1541	3.3285	4.8957	5.4329	4.5979
	S	117.821	116.366	127.267	77.657	120.316	139.577	104.055	76.418	80.221	102.395	90.184	114.302	109.187	76.052	97.129
16	T	4.3728	6.8711	4.5345	7.9642	8.0218	2.7408	6.7036	5.0181	4.2767	4.9876	6.1046	3.3250	4.9167	5.3572	4.5585
	S	117.877	116.595	127.056	77.820	120.694	139.807	104.455	76.496	79.873	102.254	90.915	114.422	108.720	77.126	97.969
17	T	4.3530	6.8973	4.5326	8.0296	8.0201	2.7419	6.7485	4.9735	4.2355	4.9764	6.1577	3.3423	4.9698	5.3792	4.6167
	S	118.414	116.152	127.109	77.186	120.719	139.750	103.760	77.182	80.649	102.484	90.131	113.830	107.559	76.811	96.734
18	T	4.3776	6.8787	4.5041	7.9767	7.9642	2.7353	6.6563	5.0144	4.2882	4.9937	6.1631	3.3332	4.9853	5.4058	4.5923
	S	117.748	116.466	127.914	77.698	121.567	140.088	105.198	76.552	79.658	102.129	90.052	114.141	107.224	76.433	97.248
19	T	4.3660	6.9017	4.5131	7.9810	7.9851	2.7334	6.6335	5.0544	4.3138	5.0164	6.1519	3.3421	5.0088	5.4399	4.5995
	S	118.061	116.078	127.659	77.656	121.249	140.185	105.559	75.946	79.186	101.667	90.216	113.837	106.721	75.954	97.096

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 2 - Browne, Jonathan (R)

Lap	T/S Lap	PO to SF
1	T 87.8562	138.0874
	S 92.524	55.138
2	T 83.5412	
	S 97.303	
3	T 81.9137	
	S 99.236	
4	T 81.3643	
	S 99.906	
5	T 80.8898	
	S 100.492	
6	T 81.0629	
	S 100.278	
7	T 80.6023	
	S 100.851	
8	T 80.1891	
	S 101.370	
9	T 80.3249	
	S 101.199	
10	T 79.9589	
	S 101.662	
11	T 81.5112	
	S 99.726	
12	T 80.3078	
	S 101.221	
13	T 79.8589	
	S 101.790	
14	T 80.1134	
	S 101.466	
15	T 79.9602	
	S 101.661	
16	T 79.7532	
	S 101.924	
17	T 79.9741	
	S 101.643	
18	T 79.8689	
	S 101.777	
19	T 80.0406	
	S 101.558	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 2 - Browne, Jonathan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.3443	6.8816	4.5261	8.1224	8.0252	2.7395	6.7194	5.0394	4.2819	4.9916	6.1965	3.3416	4.9803	5.3909	4.5755
	S	118.651	116.417	127.292	76.304	120.643	139.873	104.210	76.172	79.776	102.172	89.567	113.854	107.332	76.644	97.605
21	T	4.3505	6.8677	4.5001	8.0018	8.0182	2.7343	6.6594	5.0101	4.2434	4.9681	6.1671	3.3478	4.9578	5.5016	4.6269
	S	118.482	116.653	128.027	77.454	120.748	140.139	105.149	76.618	80.499	102.655	89.994	113.643	107.819	75.102	96.521
22	T	4.3880	6.8709	4.5383	7.9411	8.0242	2.7428	6.6600	4.9482	4.2503	4.9778	6.1381	3.3187	4.9756	5.3578	4.5591
	S	117.469	116.598	126.950	78.046	120.658	139.705	105.139	77.576	80.369	102.455	90.419	114.640	107.433	77.118	97.956
23	T	4.3341	6.8584	4.4911	8.0515	8.0262	2.7350	6.7008	4.9959	4.2826	4.9743	6.2546	3.3304	5.1153	5.4313	4.5933
	S	118.930	116.811	128.284	76.976	120.628	140.103	104.499	76.836	79.763	102.527	88.735	114.237	104.499	76.074	97.227
24	T	4.3515	6.9265	4.4808	8.0662	7.9506	2.7127	6.8244	5.0329	4.3970	4.9981	6.2230	3.3172	5.0224	5.3303	4.6371
	S	118.454	115.663	128.579	76.836	121.775	141.255	102.606	76.271	77.687	102.039	89.185	114.691	106.432	77.516	96.308
25	T	4.3490	6.9550	4.4882	8.0586	7.9421	2.6997	6.8103	5.0463	4.4992	4.9975	6.3124	3.3321	5.1432	5.4992	4.6018
	S	118.523	115.189	128.367	76.908	121.905	141.935	102.819	76.068	75.923	102.051	87.922	114.179	103.932	75.135	97.047
26	T	4.6999	8.2625	6.2668	9.1829	8.9151	3.3940	8.6865								
	S	109.674	96.961	91.935	67.492	108.600	112.900	80.611								

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 2 - Browne, Jonathan (R)

Lap	T/SLap	PO to SF
20	T	80.1562
	S	101.412
21	T	79.9548
	S	101.667
22	T	79.6909
	S	102.004
23	T	80.1748
	S	101.388
24	T	80.2707
	S	101.267
25	T	80.7346
	S	100.685
26	T	
	S	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 3 - Green, Josh (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.1003	8.2814	4.8556	8.8573	8.0235	2.7206	7.3563	5.6077	4.9363	5.4343	6.7758	3.3967	5.4284	5.7588	4.6496
	S	101.064	96.739	118.654	69.973	120.668	140.845	95.187	68.453	69.200	93.848	81.909	112.007	98.472	71.748	96.049
2	T	4.5043	7.4123	4.6228	8.6037	7.9451	2.6692	7.3417	5.2276	4.5598	5.2111	6.4656	3.3916	5.1485	5.5100	4.6026
	S	114.436	108.082	124.629	72.036	121.859	143.557	95.377	73.430	74.914	97.868	85.839	112.176	103.825	74.988	97.030
3	T	4.3597	7.0562	4.5347	8.2927	7.9656	2.7079	7.0707	5.3194	4.5202	5.0914	6.2697	3.3465	5.0534	5.4931	4.5911
	S	118.232	113.537	127.051	74.737	121.545	141.505	99.032	72.163	75.570	100.169	88.521	113.687	105.779	75.218	97.273
4	T	4.3691	6.9296	4.5096	8.1323	7.9745	2.7131	6.9683	5.1372	4.4596	5.0706	6.1574	3.3023	5.0768	5.5085	4.5974
	S	117.977	115.611	127.758	76.211	121.410	141.234	100.488	74.722	76.597	100.580	90.135	115.209	105.292	75.008	97.140
5	T	4.3423	6.9625	4.5360	8.2178	7.9630	2.7000	6.9719	5.1133	4.4011	5.0408	6.2780	3.3518	5.0176	5.4398	4.5859
	S	118.705	115.064	127.014	75.418	121.585	141.919	100.436	75.072	77.615	101.174	88.404	113.508	106.534	75.955	97.383
6	T	4.3342	6.9504	4.5295	8.0852	8.0206	2.7386	6.8560	5.0763	4.2870	5.0217	6.1095	3.3294	5.0018	5.4435	4.5664
	S	118.927	115.265	127.196	76.655	120.712	139.919	102.133	75.619	79.681	101.559	90.842	114.271	106.871	75.904	97.799
7	T	4.3551	6.8240	4.5086	8.0999	8.0273	2.7338	6.7809	5.0547	4.2583	4.9899	6.1212	3.3239	4.9738	5.3963	4.6085
	S	118.357	117.400	127.786	76.516	120.611	140.165	103.265	75.942	80.218	102.206	90.668	114.460	107.472	76.568	96.906
8	T	4.3573	6.8404	4.5111	8.0805	7.9690	2.7148	6.7729	5.0632	4.2896	4.9927	6.1702	3.3219	5.0239	5.4453	4.5809
	S	118.297	117.118	127.715	76.700	121.494	141.146	103.387	75.814	79.632	102.149	89.948	114.529	106.400	75.879	97.490
9	T	4.3235	6.9437	4.5158	8.1317	7.9776	2.7101	6.8840	5.0488	4.3955	5.0143	6.1821	3.3563	5.0260	5.3877	4.5678
	S	119.222	115.376	127.582	76.217	121.363	141.390	101.718	76.031	77.714	101.709	89.775	113.355	106.356	76.690	97.769
10	T	4.3352	6.8467	4.4866	8.0745	7.9736	2.7261	6.7102	5.0933	4.2988	5.0175	6.1711	3.3263	5.0052	5.3495	4.6179
	S	118.900	117.011	128.413	76.757	121.423	140.560	104.353	75.366	79.462	101.644	89.935	114.378	106.798	77.237	96.709
11	T	4.3363	6.8397	4.4822	8.0793	7.9752	2.7154	6.7742	5.0822	4.2747	4.9937	6.7754	3.4602	4.9959	5.4382	4.5610
	S	118.870	117.130	128.539	76.711	121.399	141.114	103.367	75.531	79.910	102.129	81.914	109.952	106.997	75.978	97.915
12	T	4.3574	6.8704	4.4738	8.1352	8.0164	2.7433	6.8690	5.1075	4.3361	4.9973	6.1049	3.3112	4.9560	5.3488	4.5770
	S	118.294	116.607	128.780	76.184	120.775	139.679	101.940	75.157	78.778	102.055	90.911	114.899	107.858	77.248	97.573
13	T	4.3594	6.8204	4.4832	8.0342	8.0774	2.7541	6.7469	5.0457	4.2689	4.9608	6.0688	3.3147	4.9166	5.3877	4.5734
	S	118.240	117.462	128.510	77.142	119.863	139.131	103.785	76.077	80.018	102.806	91.451	114.778	108.723	76.690	97.650
14	T	4.3594	6.8078	4.4542	8.0274	8.0132	2.7394	6.7101	5.1010	4.3236	5.0058	6.1375	3.3333	4.9762	5.3871	4.5945
	S	118.240	117.679	129.347	77.207	120.823	139.878	104.354	75.253	79.006	101.882	90.428	114.138	107.420	76.698	97.201
15	T	4.3816	6.8631	4.4895	7.9654	8.0080	2.7314	6.7135	5.0791	4.3311	4.9842	6.1112	3.3229	4.9582	5.3554	4.5801
	S	117.641	116.731	128.330	77.808	120.902	140.288	104.301	75.577	78.869	102.323	90.817	114.495	107.810	77.152	97.507
16	T	4.3614	6.8318	4.4953	7.9689	7.9774	2.7274	6.6540	5.0398	4.2528	4.9711	6.0854	3.3236	4.9329	5.3994	4.5876
	S	118.186	117.266	128.164	77.774	121.366	140.493	105.234	76.166	80.321	102.593	91.202	114.471	108.363	76.524	97.347
17	T	4.3614	6.8245	4.4907	7.9902	7.9910	2.7349	6.6527	5.0124	4.2993	4.9634	6.1068	3.3304	4.9683	5.3670	4.5877
	S	118.186	117.391	128.295	77.567	121.159	140.108	105.255	76.583	79.453	102.752	90.882	114.237	107.591	76.986	97.345
18	T	4.3631	6.8854	4.5012	8.0125	7.9588	2.7147	6.7494	5.0891	4.3159	4.9999	6.1415	3.3175	4.9609	5.3556	4.5544
	S	118.140	116.353	127.996	77.351	121.649	141.151	103.747	75.429	79.147	102.002	90.369	114.681	107.752	77.149	98.057
19	T	4.3519	6.8725	4.5075	8.0635	7.9781	2.7199	6.7163	5.0493	4.3021	4.9580	6.1889	3.3381	5.0025	5.3478	4.5798
	S	118.444	116.571	127.817	76.862	121.355	140.881	104.258	76.023	79.401	102.864	89.677	113.973	106.856	77.262	97.513

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 3 - Green, Josh (R)

Lap	T/SLap	PO to SF
1	T 87.1826	140.0754
	S 93.239	54.355
2	T 83.2159	
	S 97.683	
3	T 81.6723	
	S 99.529	
4	T 80.9063	
	S 100.472	
5	T 80.9218	
	S 100.453	
6	T 80.3501	
	S 101.167	
7	T 80.0562	
	S 101.539	
8	T 80.1337	
	S 101.440	
9	T 80.4649	
	S 101.023	
10	T 80.0325	
	S 101.569	
11	T 80.7836	
	S 100.624	
12	T 80.2043	
	S 101.351	
13	T 79.8122	
	S 101.849	
14	T 79.9705	
	S 101.647	
15	T 79.8747	
	S 101.769	
16	T 79.6088	
	S 102.109	
17	T 79.6807	
	S 102.017	
18	T 79.9199	
	S 101.712	
19	T 79.9762	
	S 101.640	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 3 - Green, Josh (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.3330	6.9620	4.5009	8.0732	7.9468	2.7092	6.7102	5.0849	4.3916	5.0014	6.1763	3.3286	5.0032	5.4473	4.5602
	S	118.960	115.073	128.005	76.769	121.833	141.437	104.353	75.491	77.783	101.971	89.860	114.299	106.841	75.851	97.932
21	T	4.3462	6.8994	4.5223	8.0352	7.9557	2.7157	6.7113	5.0754	4.3071	4.9894	6.1085	3.3298	5.0135	5.3818	4.5731
	S	118.599	116.117	127.399	77.132	121.697	141.099	104.336	75.632	79.309	102.217	90.857	114.257	106.621	76.774	97.656
22	T	4.3405	6.8903	4.5041	8.0255	8.0015	2.7122	6.7556	5.0783	4.3932	4.9816	6.1405	3.3209	4.9834	5.3432	4.5814
	S	118.755	116.270	127.914	77.225	121.000	141.281	103.651	75.589	77.754	102.377	90.384	114.564	107.265	77.329	97.479
23	T	4.3442	6.8902	4.5077	8.2053	8.0628	2.7317	6.7642	5.0498	4.3324	4.9803	6.1036	3.3115	5.0031	5.4077	4.5594
	S	118.654	116.272	127.812	75.533	120.080	140.272	103.520	76.016	78.846	102.403	90.930	114.889	106.843	76.406	97.949
24	T	4.3221	6.9563	4.5335	8.0048	7.9706	2.7156	6.7398	5.0663	4.3257	4.9968	6.2029	3.3379	4.9996	5.3873	4.5819
	S	119.260	115.167	127.084	77.425	121.469	141.104	103.894	75.768	78.968	102.065	89.474	113.980	106.918	76.696	97.468
25	T	4.3472	6.8747	4.4774	8.0383	7.9557	2.7139	6.7749	5.0827	4.3475	5.0142	6.1889	3.3205	5.0578	5.4299	4.6049
	S	118.572	116.534	128.677	77.102	121.697	141.192	103.356	75.524	78.572	101.711	89.677	114.577	105.687	76.094	96.982
26	T	4.6744	8.1616	5.8327	9.3123	8.5773	3.3903	8.7432	6.2829							
	S	110.272	98.159	98.777	66.554	112.877	113.023	80.088	61.097							

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 3 - Green, Josh (R)

Lap	T/SLap	PO to SF
20	T	80.2288
	S	101.320
21	T	79.9644
	S	101.655
22	T	80.0522
	S	101.544
23	T	80.2539
	S	101.289
24	T	80.1411
	S	101.431
25	T	80.2285
	S	101.321
26	T	
	S	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 4 - Eves, Braden

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.2644	8.2812	4.7949	8.7066	8.1143	2.7069	7.3728	5.4409	4.8299	5.5554	6.7208	3.3915	5.4954	5.6575	4.7572
	S	97.913	96.742	120.156	71.184	119.318	141.557	94.974	70.551	70.724	91.803	82.579	112.179	97.271	73.033	93.877
2	T	4.4649	7.2904	4.5289	8.2061	7.9673	2.7142	6.9975	5.2587	4.4562	5.1867	6.3580	3.3810	5.2741	5.4864	4.7051
	S	115.446	109.889	127.213	75.526	121.519	141.177	100.068	72.996	76.655	98.328	87.292	112.527	101.353	75.310	94.916
3	T	4.4189	7.2075	4.6330	8.0303	7.9778	2.7180	6.8953	5.1440	4.3463	5.0456	6.3240	3.3595	5.2059	5.4701	4.6812
	S	116.648	111.153	124.355	77.179	121.359	140.979	101.551	74.624	78.593	101.078	87.761	113.247	102.681	75.535	95.401
4	T	4.3886	7.1199	4.5618	8.0090	7.9402	2.6958	6.9000	5.2080	4.5192	5.0943	6.2381	3.3239	5.2117	5.4784	4.6392
	S	117.453	112.521	126.296	77.385	121.934	142.140	101.482	73.707	75.587	100.112	88.969	114.460	102.566	75.420	96.265
5	T	4.3713	7.1487	4.5834	8.1188	7.9944	2.7078	6.8346	5.1705	4.3485	5.0172	6.1984	3.3219	5.0849	5.3065	4.6677
	S	117.918	112.067	125.701	76.338	121.108	141.510	102.453	74.241	78.554	101.650	89.539	114.529	105.124	77.863	95.677
6	T	4.3682	7.0038	4.5502	8.0192	7.9536	2.7069	6.7699	5.0921	4.2940	5.0024	6.1721	3.3282	5.1004	5.3428	4.6574
	S	118.002	114.386	126.618	77.286	121.729	141.557	103.432	75.384	79.551	101.951	89.921	114.312	104.805	77.334	95.888
7	T	4.3668	6.9712	4.5256	7.9185	7.9830	2.7122	6.7444	5.1396	4.2431	4.9730	6.2199	3.3548	5.1196	5.3215	4.6580
	S	118.039	114.921	127.306	78.269	121.280	141.281	103.824	74.687	80.505	102.554	89.230	113.406	104.412	77.644	95.876
8	T	4.3668	7.0490	4.5699	7.9351	7.9649	2.7116	6.7614	5.0794	4.3033	5.0249	6.3200	3.3551	5.0575	5.3321	4.6013
	S	118.039	113.652	126.072	78.105	121.556	141.312	103.562	75.573	79.379	101.495	87.816	113.396	105.694	77.490	97.058
9	T	4.3556	6.9922	4.5411	7.9598	7.9728	2.7177	6.7456	5.0565	4.3777	4.9894	6.1257	3.3150	5.0570	5.3786	4.5621
	S	118.343	114.576	126.872	77.863	121.436	140.995	103.805	75.915	78.030	102.217	90.602	114.768	105.704	76.820	97.892
10	T	4.3446	6.9995	4.5136	7.9888	7.9525	2.7072	6.7492	5.1160	4.2862	5.0045	6.2303	3.3485	5.0909	5.3250	4.6132
	S	118.643	114.456	127.645	77.580	121.746	141.542	103.750	75.032	79.696	101.908	89.081	113.619	105.000	77.593	96.807
11	T	4.3605	6.9960	4.5243	7.8921	7.9741	2.7297	6.7289	5.1046	4.2666	4.9720	6.0808	3.3025	5.0393	5.2254	4.6132
	S	118.210	114.513	127.343	78.531	121.416	140.375	104.063	75.200	80.062	102.574	91.271	115.202	106.075	79.072	96.807
12	T	4.3659	6.9991	4.5258	7.9354	7.9646	2.7153	6.7874	5.0850	4.2522	4.9927	6.2724	3.3377	5.0801	5.2939	4.6028
	S	118.064	114.463	127.300	78.102	121.561	141.120	103.166	75.489	80.333	102.149	88.483	113.987	105.223	78.049	97.026
13	T	4.3785	7.0136	4.5280	7.8979	8.0532	2.7431	6.7504	5.0410	4.2434	4.9561	6.1228	3.3093	5.0768	5.3020	4.5932
	S	117.724	114.226	127.239	78.473	120.223	139.689	103.731	76.148	80.499	102.903	90.645	114.965	105.292	77.929	97.229
14	T	4.3868	6.9337	4.5055	7.9238	8.0415	2.7363	6.7385	5.0006	4.2827	4.9757	6.0838	3.3057	5.0500	5.2514	4.6104
	S	117.501	115.542	127.874	78.217	120.398	140.036	103.914	76.764	79.761	102.498	91.226	115.090	105.851	78.680	96.866
15	T	4.3896	6.9901	4.5351	7.8830	8.0334	2.7307	6.7327	5.0615	4.2388	4.9913	6.1144	3.3300	5.0152	5.2102	4.6183
	S	117.426	114.610	127.039	78.621	120.520	140.324	104.004	75.840	80.587	102.178	90.769	114.251	106.585	79.302	96.700
16	T	4.3909	7.0024	4.5690	7.8576	7.9829	2.7291	6.6969	5.0647	4.2670	5.0079	6.0805	3.3247	5.0888	5.2718	4.6094
	S	117.392	114.409	126.097	78.876	121.282	140.406	104.560	75.792	80.054	101.839	91.275	114.433	105.044	78.376	96.887
17	T	4.3948	7.0396	4.5728	7.8592	7.9644	2.7284	6.6778	5.0356	4.2695	4.9812	6.1022	3.3190	5.0978	5.2945	4.5834
	S	117.287	113.804	125.992	78.860	121.564	140.442	104.859	76.230	80.007	102.385	90.951	114.629	104.858	78.040	97.437
18	T	4.3912	7.0343	4.5621	7.9089	7.9976	2.7325	6.7252	5.0125	4.3033	4.9963	6.1430	3.3148	5.0491	5.2712	4.6192
	S	117.384	113.890	126.288	78.364	121.059	140.231	104.120	76.581	79.379	102.076	90.347	114.775	105.869	78.385	96.681
19	T	4.4122	7.0164	4.5240	7.8958	7.9718	2.7288	6.7721	5.0427	4.2601	5.0627	6.1683	3.3325	5.0895	5.3093	4.5900
	S	116.825	114.181	127.351	78.494	121.451	140.421	103.399	76.123	80.184	100.737	89.976	114.165	105.029	77.822	97.296

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 4 - Eves, Braden

Lap	T/SLap	PO to SF
1	T 87.0897	141.2466
	S 93.338	53.905
2	T 82.2755	
	S 98.800	
3	T 81.4574	
	S 99.792	
4	T 81.3281	
	S 99.951	
5	T 80.8746	
	S 100.511	
6	T 80.3612	
	S 101.153	
7	T 80.2512	
	S 101.292	
8	T 80.4323	
	S 101.064	
9	T 80.1468	
	S 101.424	
10	T 80.2700	
	S 101.268	
11	T 79.8100	
	S 101.852	
12	T 80.2103	
	S 101.344	
13	T 80.0093	
	S 101.598	
14	T 79.8264	
	S 101.831	
15	T 79.8743	
	S 101.770	
16	T 79.9436	
	S 101.682	
17	T 79.9202	
	S 101.711	
18	T 80.0612	
	S 101.532	
19	T 80.1762	
	S 101.387	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 4 - Eves, Braden

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.3920	7.0026	4.5483	7.9426	8.0198	2.7376	6.6974	5.0106	4.2396	4.9615	6.1366	3.3152	5.1001	5.3432	4.5908
	S	117.362	114.406	126.671	78.031	120.724	139.970	104.552	76.610	80.571	102.791	90.441	114.761	104.811	77.329	97.280
21	T	4.4034	6.9842	4.5219	7.8696	8.0185	2.7389	6.7438	5.0544	4.2444	4.9870	6.1279	3.3260	5.0702	5.3606	4.5873
	S	117.058	114.707	127.410	78.755	120.744	139.904	103.833	75.946	80.480	102.266	90.569	114.388	105.429	77.078	97.354
22	T	4.4018	7.0028	4.5181	7.9541	8.0165	2.7407	6.7284	5.0454	4.2777	4.9847	6.0956	3.3094	5.0430	5.3177	4.5722
	S	117.101	114.402	127.517	77.919	120.774	139.812	104.070	76.082	79.854	102.313	91.049	114.962	105.998	77.699	97.675
23	T	4.3885	7.0380	4.5792	7.9740	8.0523	2.7474	6.7377	5.0695	4.2528	4.9910	6.1422	3.3358	5.1219	5.3805	4.5661
	S	117.456	113.830	125.816	77.724	120.237	139.471	103.927	75.720	80.321	102.184	90.359	114.052	104.365	76.792	97.806
24	T	4.3863	6.9680	4.5079	7.9056	8.0266	2.7446	6.8202	5.0700	4.2506	4.9961	6.1014	3.3144	5.0643	5.2824	4.5979
	S	117.515	114.974	127.806	78.397	120.622	139.613	102.670	75.713	80.363	102.080	90.963	114.788	105.552	78.219	97.129
25	T	4.3879	7.0448	4.5219	7.9440	8.0060	2.7399	6.8807	5.0920	4.2738	5.0039	6.1441	3.3177	5.1984	5.3545	4.6779
	S	117.472	113.720	127.410	78.018	120.932	139.852	101.767	75.386	79.927	101.921	90.331	114.674	102.829	77.165	95.468
26	T	4.6462	7.9146	5.4622	8.9917	8.7894	3.3717	8.6136	5.6271							
	S	110.941	101.223	105.477	68.927	110.153	113.646	81.293	68.217							

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 4 - Eves, Braden

Lap	T/SLap	PO to SF
20	T	80.0379
	S	101.562
21	T	80.0381
	S	101.562
22	T	80.0081
	S	101.600
23	T	80.3769
	S	101.134
24	T	80.0363
	S	101.564
25	T	80.5875
	S	100.869
26	T	
	S	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 40 - Miller, Jack William

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.2440	8.3428	4.7034	8.8522	8.0242	2.6951	7.3226	5.6654	4.7995	5.4162	6.5779	3.3698	5.4206	5.6503	4.9350
	S	98.294	96.027	122.494	70.013	120.658	142.177	95.625	67.756	71.172	94.162	84.373	112.901	98.614	73.126	90.495
2	T	4.5220	7.4210	4.7800	8.5386	8.0223	2.7333	7.3665	5.3369	4.7048	5.2312	6.6211	3.3740	5.2286	5.5178	4.6323
	S	113.988	107.955	120.531	72.585	120.686	140.190	95.056	71.926	72.605	97.492	83.823	112.761	102.235	74.882	96.408
3	T	4.3626	7.1460	4.6149	8.1932	7.9651	2.7067	6.9062	5.1834	4.5125	5.1374	6.3983	3.3489	5.1109	5.5298	4.6598
	S	118.153	112.110	124.843	75.645	121.553	141.568	101.391	74.056	75.699	99.272	86.742	113.606	104.589	74.719	95.839
4	T	4.3570	6.9928	4.5552	8.1050	7.9915	2.7103	6.8953	5.0840	4.4162	5.1534	6.1806	3.3091	5.0023	5.4792	4.6534
	S	118.305	114.566	126.479	76.468	121.151	141.380	101.551	75.504	77.350	98.964	89.797	114.972	106.860	75.409	95.971
5	T	4.3569	6.9359	4.5264	8.1099	7.9602	2.6955	6.8908	5.1484	4.4713	5.1420	6.2593	3.3434	5.0120	5.4241	4.6548
	S	118.308	115.506	127.284	76.422	121.628	142.156	101.618	74.560	76.396	99.183	88.668	113.793	106.653	76.175	95.942
6	T	4.3468	6.9852	4.5614	8.0713	7.9709	2.7149	6.7956	5.0825	4.3217	5.0491	6.1410	3.3138	4.9537	5.4023	4.6456
	S	118.583	114.691	126.307	76.787	121.465	141.140	103.041	75.527	79.041	101.008	90.376	114.809	107.908	76.483	96.132
7	T	4.3510	6.8659	4.5043	8.0073	7.9465	2.7028	6.8172	5.1186	4.3046	5.0836	6.1091	3.3079	4.9690	5.4642	4.6108
	S	118.468	116.683	127.908	77.401	121.838	141.772	102.715	74.994	79.355	100.323	90.848	115.014	107.576	75.616	96.858
8	T	4.3345	7.0010	4.5527	7.9953	7.9603	2.7166	6.7319	5.1013	4.2537	5.0275	6.1041	3.3150	4.9794	5.3578	4.5868
	S	118.919	114.432	126.548	77.517	121.626	141.052	104.016	75.248	80.304	101.442	90.922	114.768	107.351	77.118	97.364
9	T	4.3262	6.8793	4.4962	8.0390	7.9091	2.6700	6.8227	5.1316	4.4790	5.1167	6.1217	3.3030	4.9994	5.4462	4.6020
	S	119.147	116.456	128.139	77.096	122.414	143.514	102.632	74.804	76.265	99.674	90.661	115.185	106.922	75.866	97.043
10	T	4.3401	6.9084	4.4840	8.0983	7.9476	2.7077	6.7609	5.0593	4.3147	5.0282	6.1162	3.3043	4.9796	5.4064	4.6210
	S	118.766	115.966	128.487	76.531	121.821	141.516	103.570	75.873	79.169	101.428	90.743	115.139	107.347	76.425	96.644
11	T	4.3240	8.1594	5.5210	8.5807	8.0170	2.7383	6.8440	5.2391	4.4098	5.0866	6.1492	3.3286	5.0106	5.2761	4.6293
	S	119.208	98.186	104.354	72.229	120.766	139.934	102.313	73.269	77.462	100.263	90.256	114.299	106.683	78.312	96.471
12	T	4.3549	7.0141	4.5582	7.9832	8.0391	2.7372	6.6662	5.0638	4.2310	4.9890	6.0563	3.3021	5.0051	5.2735	4.5849
	S	118.362	114.218	126.396	77.635	120.434	139.990	105.041	75.805	80.735	102.225	91.640	115.216	106.800	78.351	97.405
13	T	4.3549	6.9903	4.5448	7.9160	8.0426	2.7327	6.6727	5.0314	4.1539	4.9595	6.1666	3.3150	4.9271	5.3058	4.5933
	S	118.362	114.607	126.768	78.294	120.382	140.221	104.939	76.294	82.234	102.833	90.001	114.768	108.491	77.874	97.227
14	T	4.3436	6.9095	4.4957	7.9512	7.9869	2.7126	6.6872	5.0450	4.2027	4.9980	6.1764	3.3361	4.9683	5.4002	4.5786
	S	118.670	115.947	128.153	77.947	121.221	141.260	104.712	76.088	81.279	102.041	89.858	114.042	107.591	76.512	97.539
15	T	4.3598	7.0958	4.5422	7.9805	8.0013	2.7075	6.7170	5.0784	4.2866	5.0301	6.1352	3.3193	4.9502	5.4286	4.6027
	S	118.229	112.903	126.841	77.661	121.003	141.526	104.247	75.588	79.688	101.390	90.462	114.619	107.985	76.112	97.028
16	T	4.3314	6.8856	4.4897	8.0068	7.9457	2.6947	6.7542	5.0523	4.2605	5.0269	6.1304	3.2973	4.9625	5.3788	4.5734
	S	119.004	116.350	128.324	77.406	121.850	142.198	103.673	75.978	80.176	101.454	90.532	115.384	107.717	76.817	97.650
17	T	4.3476	7.0162	4.5245	7.9207	7.9335	2.6941	6.8950	5.0203	4.2442	5.0670	6.1539	3.3252	5.0370	5.3746	4.6101
	S	118.561	114.184	127.337	78.247	122.037	142.230	101.556	76.462	80.484	100.651	90.187	114.416	106.124	76.877	96.872
18	T	4.3536	6.9651	4.4984	8.0448	7.9520	2.7007	6.7598	5.0659	4.2319	5.0216	6.1066	3.2872	4.9933	5.3933	4.5889
	S	118.397	115.022	128.076	77.040	121.753	141.882	103.587	75.774	80.718	101.561	90.885	115.738	107.053	76.610	97.320
19	T	4.3489	7.0176	4.5347	8.0246	7.9208	2.6970	6.7370	5.1308	4.2535	5.0178	6.1379	3.3229	4.9907	5.4174	4.6274
	S	118.525	114.161	127.051	77.234	122.233	142.077	103.938	74.816	80.308	101.638	90.422	114.495	107.108	76.269	96.510

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 40 - Miller, Jack William

Lap	T/S Lap	PO to SF
1	T 87.0190	144.4096
	S 93.414	52.724
2	T 84.0304	
	S 96.736	
3	T 81.7757	
	S 99.404	
4	T 80.8853	
	S 100.498	
5	T 80.9309	
	S 100.441	
6	T 80.3558	
	S 101.160	
7	T 80.1628	
	S 101.404	
8	T 80.0179	
	S 101.587	
9	T 80.3421	
	S 101.177	
10	T 80.0767	
	S 101.513	
11	T 83.3137	
	S 97.569	
12	T 79.8586	
	S 101.790	
13	T 79.7066	
	S 101.984	
14	T 79.7920	
	S 101.875	
15	T 80.2352	
	S 101.312	
16	T 79.7902	
	S 101.877	
17	T 80.1639	
	S 101.402	
18	T 79.9631	
	S 101.657	
19	T 80.1790	
	S 101.383	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 40 - Miller, Jack William

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.3464	6.8996	4.4974	7.9786	7.9271	2.6931	6.8471	5.0442	4.3154	5.0121	6.0900	3.2904	4.9701	5.3263	4.5466
	S	118.593	116.113	128.104	77.679	122.136	142.283	102.266	76.100	79.156	101.754	91.133	115.626	107.552	77.574	98.225
21	T	4.3225	6.9727	4.5008	8.0341	7.9543	2.6953	6.8383	4.9755	4.1846	5.1162	6.1728	3.3092	4.9725	9.6039	5.2753
	S	119.249	114.896	128.008	77.143	121.718	142.167	102.398	77.151	81.630	99.683	89.911	114.969	107.500	43.022	84.657
22	T	4.6891	7.5058	4.6469	8.5967	8.1614	2.7590	6.9770	5.1932	4.3921	5.0947	6.2427	3.3537	5.1583	5.4528	4.6882
	S	109.926	106.736	123.983	72.094	118.629	138.884	100.362	73.917	77.774	100.104	88.904	113.443	103.628	75.774	95.259
23	T	4.4225	7.1835	4.6663	8.0864	8.0759	2.7530	6.8345	5.1102	4.2869	4.9963	6.1872	3.3343	5.0912	5.3221	4.6845
	S	116.553	111.525	123.467	76.644	119.885	139.187	102.455	75.117	79.682	102.076	89.701	114.103	104.994	77.635	95.334
24	T	4.4125	7.1157	4.6299	7.9946	8.0673	2.7494	6.6911	5.0540	4.1875	5.0008	6.1384	3.3182	5.0311	5.3033	4.5990
	S	116.817	112.587	124.438	77.524	120.013	139.369	104.651	75.952	81.574	101.984	90.414	114.657	106.248	77.910	97.106
25	T	4.3597	7.0621	4.5956	7.9708	8.0223	2.7341	6.7335	5.0754	4.2794	5.0161	6.1872	3.3317	5.1596	5.3993	4.6458
	S	118.232	113.442	125.367	77.755	120.686	140.149	103.992	75.632	79.822	101.673	89.701	114.192	103.602	76.525	96.128
26	T	4.7341	8.4607	5.6926	9.7063	8.6436	2.8843									
	S	108.881	94.689	101.208	63.853	112.011	132.851									

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 40 - Miller, Jack William

Lap	T/SLap	PO to SF
20	T	79.7844
	S	101.885
21	T	84.9280
	S	95.714
22	T	82.9116
	S	98.042
23	T	81.0348
	S	100.312
24	T	80.2928
	S	101.239
25	T	80.5726
	S	100.888
26	T	
	S	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 47 - Ahmed, Enaam

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.1763	7.9499	4.8752	8.8669	8.0440	2.7274	7.3163	5.4182	4.6188	5.2849	6.4922	3.3263	5.9394	5.8113	4.7056
	S	99.580	100.773	118.177	69.897	120.361	140.493	95.708	70.847	73.957	96.501	85.487	114.378	90.000	71.100	94.906
2	T	4.4151	7.2780	4.5796	8.3017	7.9631	2.7156	6.9235	5.2167	4.4547	5.1205	6.4167	3.3249	5.3221	5.6103	4.6240
	S	116.748	110.076	125.805	74.656	121.584	141.104	101.138	73.584	76.681	99.600	86.493	114.426	100.439	73.647	96.581
3	T	4.3435	7.1856	4.5517	8.2224	7.9128	2.6931	6.9407	5.1566	4.3457	5.1371	6.3894	3.3282	5.2360	5.5478	4.6147
	S	118.673	111.492	126.576	75.376	122.356	142.283	100.887	74.441	78.604	99.278	86.863	114.312	102.090	74.477	96.776
4	T	4.3623	7.0027	4.4972	8.2679	7.8697	2.6509	6.8657	5.1677	4.3810	5.0690	6.2781	3.3210	5.1366	5.4790	4.5913
	S	118.161	114.404	128.110	74.961	123.027	144.548	101.989	74.281	77.971	100.612	88.403	114.560	104.066	75.412	97.269
5	T	4.3558	7.1532	4.5290	8.1438	7.9718	2.7240	6.8184	5.0206	4.2429	4.9942	6.2293	3.3305	5.0982	5.3990	4.5644
	S	118.338	111.997	127.211	76.104	121.451	140.669	102.697	76.458	80.509	102.118	89.095	114.233	104.850	76.529	97.842
6	T	4.3495	6.9671	4.4770	8.0770	7.9832	2.7247	6.7254	5.0234	4.2351	4.9961	6.2336	3.3149	5.1026	5.4062	4.5555
	S	118.509	114.988	128.688	76.733	121.277	140.633	104.117	76.415	80.657	102.080	89.034	114.771	104.759	76.427	98.033
7	T	4.3593	7.0069	4.5124	8.0848	7.9579	2.7122	6.7417	5.0443	4.2208	4.9968	6.1874	3.3192	5.0651	5.5569	4.5692
	S	118.243	114.335	127.678	76.659	121.663	141.281	103.865	76.098	80.930	102.065	89.698	114.622	105.535	74.355	97.739
8	T	4.3442	6.9588	4.5042	8.1366	7.9960	2.7293	6.7447	5.0143	4.2325	4.9815	6.1856	3.3298	5.1021	5.3676	4.5806
	S	118.654	115.126	127.911	76.171	121.083	140.396	103.819	76.554	80.707	102.379	89.725	114.257	104.770	76.977	97.496
9	T	4.3284	6.9315	4.4769	7.9888	7.9575	2.7153	6.6708	5.0104	4.2206	4.9742	6.1665	3.3081	5.0754	5.3385	4.5663
	S	119.087	115.579	128.691	77.580	121.669	141.120	104.969	76.613	80.934	102.529	90.002	115.007	105.321	77.397	97.801
10	T	4.3332	6.9705	4.5270	8.0955	7.9801	2.7196	6.6995	4.9957	4.2076	4.9739	6.1542	3.3150	5.0104	5.3076	4.5559
	S	118.955	114.932	127.267	76.558	121.325	140.896	104.519	76.839	81.184	102.535	90.182	114.768	106.687	77.847	98.025
11	T	4.3180	6.9109	4.4685	7.9695	7.9514	2.7234	6.7072	5.0454	4.2112	4.9761	6.1411	3.3065	5.0255	5.3473	4.5395
	S	119.373	115.924	128.933	77.768	121.762	140.700	104.399	76.082	81.115	102.490	90.375	115.063	106.367	77.269	98.379
12	T	4.3170	6.9164	4.4491	8.0756	7.9451	2.7124	6.7975	5.0449	4.2368	4.9817	6.2130	3.2966	5.0601	5.3578	4.5659
	S	119.401	115.831	129.495	76.746	121.859	141.270	103.012	76.089	80.625	102.375	89.329	115.408	105.639	77.118	97.810
13	T	4.3280	7.0153	4.4739	8.0407	7.9776	2.7229	6.7313	5.0562	4.2223	4.9801	6.2504	3.3230	5.0283	5.4160	4.5584
	S	119.098	114.198	128.777	77.079	121.363	140.726	104.026	75.919	80.902	102.408	88.794	114.491	106.307	76.289	97.971
14	T	4.3365	6.9894	4.4894	8.0727	7.9822	2.7242	6.7418	4.9822	4.2374	4.9699	6.1771	3.3142	4.9744	5.3296	4.5762
	S	118.864	114.622	128.333	76.774	121.293	140.658	103.864	77.047	80.613	102.618	89.848	114.795	107.459	77.526	97.590
15	T	4.3405	6.9311	4.4885	8.0398	7.9692	2.7089	6.7178	4.9977	4.2024	4.9819	6.1910	3.3080	5.0620	5.3140	4.5741
	S	118.755	115.586	128.358	77.088	121.490	141.453	104.235	76.808	81.285	102.371	89.646	115.010	105.600	77.753	97.635
16	T	4.3396	6.9636	4.5099	7.9734	7.9464	2.7116	6.6741	4.9667	4.1904	4.9577	6.2182	3.3219	5.0849	5.3470	4.5841
	S	118.779	115.046	127.749	77.730	121.839	141.312	104.917	77.287	81.517	102.870	89.254	114.529	105.124	77.274	97.422
17	T	4.3456	6.9334	4.4401	8.0199	7.9202	2.7166	6.6764	5.0613	4.2498	4.9617	6.1824	3.3192	5.0164	5.2814	4.5896
	S	118.615	115.547	129.758	77.279	122.242	141.052	104.881	75.843	80.378	102.787	89.771	114.622	106.560	78.233	97.305
18	T	4.3404	6.8529	4.4873	8.2763	7.8581	2.6562	6.7243	5.0964	4.2551	4.9672	6.1876	3.3192	5.0093	5.3147	4.5691
	S	118.757	116.905	128.393	74.885	123.208	144.259	104.134	75.321	80.278	102.674	89.696	114.622	106.711	77.743	97.742
19	T	4.3448	6.9230	4.4864	7.9290	7.9351	2.7093	6.6619	4.9598	4.2094	4.9760	6.1654	3.3121	5.0224	5.2726	4.5679
	S	118.637	115.721	128.418	78.165	122.013	141.432	105.109	77.395	81.150	102.492	90.018	114.868	106.432	78.364	97.767

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 47 - Ahmed, Enaam

Lap	T/SLap	PO to SF
1	T	86.5527
	S	93.917
2	T	82.2665
	S	98.811
3	T	81.6053
	S	99.611
4	T	80.9401
	S	100.430
5	T	80.5751
	S	100.885
6	T	80.1713
	S	101.393
7	T	80.3349
	S	101.186
8	T	80.2078
	S	101.347
9	T	79.7292
	S	101.955
10	T	79.8457
	S	101.806
11	T	79.6415
	S	102.067
12	T	79.9699
	S	101.648
13	T	80.1244
	S	101.452
14	T	79.8972
	S	101.741
15	T	79.8269
	S	101.830
16	T	79.7895
	S	101.878
17	T	79.7140
	S	101.975
18	T	79.9141
	S	101.719
19	T	79.4751
	S	102.281

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 47 - Ahmed, Enaam

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.3319	7.0454	4.5262	7.9620	7.9328	2.7190	6.6826	4.9414	4.2021	4.9605	6.1797	3.3076	5.0403	5.3159	4.5632
	S	118.990	113.711	127.289	77.841	122.048	140.927	104.784	77.683	81.291	102.812	89.810	115.024	106.054	77.726	97.868
21	T	4.3173	6.8953	4.4693	8.0342	7.9406	2.7141	6.6525	5.0049	4.1977	4.9510	6.1870	3.3113	4.9558	5.3481	4.5595
	S	119.393	116.186	128.910	77.142	121.928	141.182	105.258	76.698	81.376	103.009	89.704	114.896	107.863	77.258	97.947
22	T	4.3197	7.0234	4.5290	8.0781	7.9423	2.7186	6.6414	5.0716	4.2330	4.9399	6.1692	3.3099	4.9861	5.2886	4.5441
	S	119.326	114.067	127.211	76.723	121.902	140.948	105.434	75.689	80.697	103.241	89.963	114.944	107.207	78.127	98.279
23	T	4.3088	7.0098	4.5305	8.0202	7.9516	2.7118	6.6970	4.9992	4.2136	4.9533	6.1740	3.3103	5.0477	5.3567	4.5815
	S	119.628	114.288	127.168	77.276	121.759	141.302	104.558	76.785	81.069	102.962	89.893	114.931	105.899	77.134	97.477
24	T	4.3160	7.0076	4.5201	8.0543	7.9387	2.7231	6.6908	5.0219	4.2208	4.9604	6.1793	3.3041	5.0337	5.3749	4.5654
	S	119.429	114.324	127.461	76.949	121.957	140.715	104.655	76.438	80.930	102.814	89.816	115.146	106.193	76.872	97.821
25	T	4.2952	7.0443	4.5232	8.1071	7.9115	2.6950	6.7568	5.0615	4.2685	4.9680	6.1818	3.2947	5.0681	5.3634	4.5591
	S	120.007	113.728	127.374	76.448	122.377	142.182	103.633	75.840	80.026	102.657	89.780	115.475	105.473	77.037	97.956
26	T	4.6149	8.3757	5.7571	8.8687	9.3566	3.3301	8.0688	6.2938	5.8131						
	S	111.694	95.650	100.074	69.883	103.476	115.066	86.782	60.991	58.762						

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 47 - Ahmed, Enaam

Lap	T/SLap	PO to SF
20	T	79.7106
	S	101.979
21	T	79.5386
	S	102.199
22	T	79.7949
	S	101.871
23	T	79.8660
	S	101.780
24	T	79.9111
	S	101.723
25	T	80.0982
	S	101.485
26	T	
	S	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 55 - Gold, Reece

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.2094	7.7736	4.8073	8.7459	7.9413	2.6970	7.1922	5.2995	4.8149	5.3334	6.6057	3.3858	5.4151	5.6408	4.6389
	S	98.947	103.059	119.846	70.864	121.917	142.077	97.359	72.434	70.945	95.624	84.018	112.368	98.714	73.249	96.271
2	T	4.4251	7.1933	4.5749	8.4244	8.0272	2.7708	7.1477	5.2774	4.5236	5.1320	6.2468	3.3202	5.2555	5.5210	4.6073
	S	116.484	111.373	125.934	73.569	120.613	138.293	97.965	72.737	75.513	99.376	88.845	114.588	101.712	74.838	96.931
3	T	4.3958	7.1406	4.5586	8.1581	7.9466	2.7050	6.9655	5.2183	4.4343	5.1195	6.2530	3.3243	5.1850	5.6160	4.6431
	S	117.261	112.195	126.384	75.970	121.836	141.657	100.528	73.561	77.034	99.619	88.757	114.447	103.095	73.572	96.184
4	T	4.3868	7.2156	4.6744	8.1543	8.0168	2.7400	6.8028	5.1108	4.2619	5.0182	6.1656	3.3295	5.0406	5.4396	4.5731
	S	117.501	111.028	123.254	76.006	120.769	139.847	102.932	75.108	80.150	101.630	90.016	114.268	106.048	75.958	97.656
5	T	4.3614	6.9384	4.4754	8.0288	7.9450	2.7005	6.8862	5.1119	4.2989	5.0529	6.1709	3.3070	5.0126	5.4571	4.6010
	S	118.186	115.464	128.734	77.194	121.861	141.893	101.686	75.092	79.460	100.932	89.938	115.045	106.640	75.715	97.064
6	T	4.3583	7.0413	4.5158	8.0547	7.9929	2.7164	6.8276	5.0233	4.2448	5.0310	6.1281	3.3109	4.9545	5.4659	4.5665
	S	118.270	113.777	127.582	76.945	121.130	141.062	102.558	76.417	80.473	101.371	90.566	114.910	107.891	75.593	97.797
7	T	4.3294	6.9503	4.5061	8.0674	7.9817	2.7058	6.7445	5.0341	4.2494	5.0056	6.1535	3.3261	5.1574	5.4580	4.5752
	S	119.059	115.266	127.857	76.824	121.300	141.615	103.822	76.253	80.386	101.886	90.193	114.385	103.646	75.702	97.611
8	T	4.3416	6.9584	4.5370	8.0348	8.0162	2.7319	6.7312	5.0233	4.2454	5.0162	6.0956	3.3255	4.9386	5.4659	4.5589
	S	118.725	115.132	126.986	77.136	120.778	140.262	104.027	76.417	80.461	101.671	91.049	114.405	108.238	75.593	97.960
9	T	4.3174	6.8385	4.4750	8.0693	7.9547	2.7092	6.6946	5.0239	4.2668	5.0195	6.1206	3.3281	5.0103	5.4164	4.5507
	S	119.390	117.151	128.746	76.806	121.712	141.437	104.596	76.407	80.058	101.604	90.677	114.316	106.689	76.283	98.137
10	T	4.3142	6.8626	4.4578	7.9961	7.9719	2.7064	6.7971	5.0382	4.2445	4.9994	6.2018	3.3275	5.0206	5.4195	4.5908
	S	119.479	116.739	129.242	77.509	121.449	141.584	103.019	76.191	80.478	102.012	89.490	114.336	106.470	76.240	97.280
11	T	4.3293	6.8498	4.4749	8.0535	7.9804	2.7233	6.8229	5.0817	4.2125	5.0039	6.1331	3.3263	5.0176	5.4524	4.5709
	S	119.062	116.958	128.748	76.957	121.320	140.705	102.629	75.538	81.090	101.921	90.493	114.378	106.534	75.780	97.703
12	T	4.3424	6.9515	4.4720	8.0296	8.0004	2.7303	6.7472	5.0523	4.2237	4.9993	6.1549	3.3344	5.0087	5.4304	4.5975
	S	118.703	115.247	128.832	77.186	121.017	140.344	103.780	75.978	80.875	102.014	90.172	114.100	106.723	76.087	97.138
13	T	4.3418	6.8186	4.4462	8.0592	8.0771	2.7408	6.6729	5.0375	4.2063	4.9862	6.1199	3.3312	4.9420	5.3834	4.6070
	S	118.719	117.493	129.579	76.903	119.868	139.807	104.936	76.201	81.209	102.282	90.688	114.209	108.164	76.751	96.937
14	T	4.3475	6.8010	4.4516	8.0960	8.0355	2.7414	6.7473	5.0143	4.1929	4.9684	6.0819	3.3238	4.9077	5.3662	4.5935
	S	118.563	117.797	129.422	76.553	120.488	139.776	103.779	76.554	81.469	102.649	91.254	114.464	108.920	76.997	97.222
15	T	4.3423	6.9038	4.4839	8.0128	8.0065	2.7326	6.7511	5.0466	4.1818	4.9728	6.1087	3.3261	4.9410	5.3956	4.5918
	S	118.705	116.043	128.490	77.348	120.924	140.226	103.720	76.064	81.685	102.558	90.854	114.385	108.186	76.578	97.258
16	T	4.3412	6.8999	4.5009	8.0524	7.9804	2.7264	6.6727	5.0446	4.1899	4.9682	6.1089	3.3323	4.9549	5.3713	4.5740
	S	118.735	116.108	128.005	76.967	121.320	140.545	104.939	76.094	81.527	102.653	90.851	114.172	107.882	76.924	97.637
17	T	4.3372	6.8020	4.4508	8.0109	7.9341	2.7004	6.8263	5.0808	4.2192	4.9988	6.1805	3.3380	4.9564	5.4061	4.5453
	S	118.845	117.780	129.446	77.366	122.028	141.898	102.578	75.552	80.961	102.024	89.799	113.977	107.850	76.429	98.253
18	T	4.3176	7.3510	4.9860	8.3002	8.0124	2.7450	7.0557	5.2601	4.3533	5.0312	6.1627	3.3412	4.9608	5.4017	4.5656
	S	119.385	108.983	115.551	74.670	120.835	139.593	99.243	72.976	78.467	101.367	90.058	113.868	107.754	76.491	97.816
19	T	4.3333	6.8966	4.4955	8.0368	7.9811	2.7215	6.6740	5.0343	4.1906	4.9684	6.1184	3.3437	4.9738	5.4281	4.5742
	S	118.952	116.164	128.158	77.117	121.309	140.798	104.919	76.250	81.514	102.649	90.710	113.783	107.472	76.119	97.633

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 55 - Gold, Reece

Lap	T/S Lap	PO to SF
1	T 85.5008	148.9369
	S 95.073	51.121
2	T 82.4472	
	S 98.594	
3	T 81.6637	
	S 99.540	
4	T 80.9300	
	S 100.442	
5	T 80.3480	
	S 101.170	
6	T 80.2320	
	S 101.316	
7	T 80.2445	
	S 101.300	
8	T 80.0205	
	S 101.584	
9	T 79.7950	
	S 101.871	
10	T 79.9484	
	S 101.676	
11	T 80.0325	
	S 101.569	
12	T 80.0746	
	S 101.515	
13	T 79.7701	
	S 101.903	
14	T 79.6690	
	S 102.032	
15	T 79.7974	
	S 101.868	
16	T 79.7180	
	S 101.969	
17	T 79.7868	
	S 101.882	
18	T 81.8445	
	S 99.320	
19	T 79.7703	
	S 101.903	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 55 - Gold, Reece

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.3324	6.8855	4.4753	8.0180	7.9727	2.7266	6.7195	5.0234	4.2042	4.9972	6.1215	3.3373	4.9707	5.4274	4.5466
	S	118.977	116.351	128.737	77.298	121.437	140.535	104.208	76.415	81.250	102.057	90.664	114.001	107.539	76.129	98.225
21	T	4.3214	6.8828	4.4818	7.9678	7.9736	2.7280	6.7609	5.0190	4.1748	4.9632	6.1316	3.3511	4.9525	5.3900	4.5361
	S	119.280	116.397	128.550	77.785	121.423	140.463	103.570	76.482	81.822	102.756	90.515	113.531	107.934	76.657	98.453
22	T	4.3294	6.8125	4.4781	8.0125	7.9826	2.7314	7.0109	5.1788	4.2427	4.9848	6.1564	3.3237	4.9864	5.3429	4.5486
	S	119.059	117.598	128.656	77.351	121.287	140.288	99.877	74.122	80.513	102.311	90.150	114.467	107.201	77.333	98.182
23	T	4.3143	7.0186	4.5506	8.0271	7.9811	2.7261	6.7089	5.0672	4.2289	4.9978	6.1822	3.3450	4.9765	5.3927	4.5372
	S	119.476	114.145	126.607	77.210	121.309	140.560	104.373	75.755	80.775	102.045	89.774	113.738	107.414	76.619	98.429
24	T	4.3060	7.0675	4.5758	7.9839	7.9826	2.7321	6.6451	5.0526	4.1879	4.9928	6.0747	3.3174	5.0047	5.4000	4.5886
	S	119.706	113.355	125.909	77.628	121.287	140.252	105.375	75.973	81.566	102.147	91.363	114.685	106.809	76.515	97.326
25	T	4.3142	6.9232	4.4821	8.0457	7.9992	2.7483	6.8615	5.0994	4.2532	4.9755	6.1222	3.3216	4.9761	5.4274	4.5784
	S	119.479	115.718	128.542	77.032	121.035	139.425	102.052	75.276	80.314	102.502	90.654	114.540	107.423	76.129	97.543
26	T	4.6477	7.9901	6.1952	9.3160	8.9463	3.1171	8.1664	5.5133	4.9476						
	S	110.905	100.266	92.997	66.528	108.221	122.929	85.745	69.625	69.042						

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 55 - Gold, Reece

Lap	T/SLap	PO to SF
20	T	79.7583
	S	101.918
21	T	79.6346
	S	102.076
22	T	80.1217
	S	101.456
23	T	80.0542
	S	101.541
24	T	79.9117
	S	101.722
25	T	80.1280
	S	101.448
26	T	
	S	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 11 / 12
2.258 mile(s)
Indy Pro 2000 Championship
July 2, 2022



Section Data for Car 6 - De Alba, Salvador (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.1291	8.1318	4.8612	8.7900	7.9087	2.6452	7.4438	5.4926	4.7464	5.2621	6.6275	3.3995	5.5873	5.9217	4.7626
	S	100.496	98.519	118.517	70.509	122.420	144.859	94.069	69.887	71.968	96.919	83.742	111.915	95.672	69.774	93.770
2	T	4.4309	7.2257	4.5126	8.3794	7.8966	2.6711	7.0093	5.2572	4.5158	5.1400	6.3803	3.3426	5.3387	5.5575	4.6706
	S	116.332	110.873	127.673	73.964	122.607	143.455	99.900	73.017	75.643	99.222	86.987	113.820	100.127	74.347	95.617
3	T	4.3816	7.1488	4.5037	8.2656	7.9001	2.6805	6.9654	5.1920	4.4062	5.0721	6.3251	3.3276	5.2081	5.5241	4.6419
	S	117.641	112.066	127.925	74.982	122.553	142.952	100.529	73.934	77.525	100.550	87.746	114.333	102.637	74.796	96.209
4	T	4.3520	7.0234	4.4418	8.2797	7.9401	2.6749	7.0321	5.2508	4.4411	5.0855	6.2893	3.3367	5.1376	5.5044	4.6067
	S	118.441	114.067	129.708	74.854	121.936	143.251	99.576	73.106	76.916	100.285	88.245	114.021	104.046	75.064	96.944
5	T	4.3613	7.0125	4.4768	8.3016	7.9160	2.6727	6.8339	5.2038	4.3134	5.0349	6.2656	3.3176	5.0121	5.4602	4.6422
	S	118.188	114.244	128.694	74.657	122.307	143.369	102.464	73.766	79.193	101.293	88.579	114.678	106.651	75.672	96.202
6	T	4.3578	6.8871	4.4565	8.0991	7.8898	2.6712	6.8609	5.0665	4.3265	5.0359	6.1661	3.3053	5.0773	5.4565	4.6161
	S	118.283	116.324	129.280	76.524	122.713	143.449	102.061	75.765	78.953	101.273	90.008	115.104	105.281	75.723	96.746
7	T	4.3541	6.8663	4.4338	8.1263	7.9094	2.6759	6.7655	5.1567	4.2736	4.9971	6.2405	3.3205	5.0538	5.4847	4.6083
	S	118.384	116.677	129.942	76.268	122.409	143.197	103.500	74.440	79.930	102.059	88.935	114.577	105.771	75.334	96.910
8	T	4.3449	6.9557	4.4600	8.1270	7.8825	2.6660	6.7963	5.1591	4.2841	4.9697	6.1849	3.3131	5.0434	5.4185	4.6331
	S	118.634	115.177	129.179	76.261	122.827	143.729	103.031	74.405	79.735	102.622	89.735	114.833	105.989	76.254	96.391
9	T	4.3285	6.8616	4.4095	8.0580	7.8558	2.6483	6.8731	5.0550	4.3068	5.0095	6.1366	3.3216	5.0758	5.3725	4.6096
	S	119.084	116.756	130.658	76.914	123.244	144.690	101.879	75.937	79.314	101.807	90.441	114.540	105.313	76.907	96.883
10	T	4.3585	6.9101	4.4506	8.0550	7.9547	2.7064	6.8308	5.0548	4.2417	4.9323	6.1238	3.3255	4.9590	5.2745	4.6286
	S	118.264	115.937	129.451	76.943	121.712	141.584	102.510	75.940	80.532	103.400	90.630	114.405	107.793	78.336	96.485
11	T	4.3509	6.9477	4.4947	8.0250	7.9306	2.7097	6.7909	5.0653	4.2392	4.9938	6.1293	3.3165	5.0153	5.2819	4.5921
	S	118.471	115.310	128.181	77.230	122.082	141.411	103.113	75.783	80.579	102.127	90.549	114.716	106.583	78.226	97.252
12	T	4.3541	6.8310	4.4380	8.1055	7.9700	2.7222	6.8061	5.0253	4.2506	4.9695	6.0964	3.3058	5.0468	5.3260	4.5917
	S	118.384	117.280	129.819	76.463	121.478	140.762	102.882	76.386	80.363	102.626	91.037	115.087	105.918	77.578	97.260
13	T	4.3643	6.8644	4.4478	8.0351	7.9683	2.7182	6.8211	5.0301	4.1773	4.9539	6.1407	3.3163	5.0003	5.3663	4.5979
	S	118.107	116.709	129.533	77.133	121.504	140.969	102.656	76.313	81.773	102.949	90.381	114.723	106.903	76.996	97.129
14	T	4.3562	6.9479	4.4820	8.0367	7.9475	2.7054	6.7767	4.9895	4.2486	4.9650	6.1169	3.3063	4.9620	5.2993	4.6062
	S	118.327	115.306	128.544	77.118	121.822	141.636	103.329	76.934	80.401	102.719	90.732	115.070	107.728	77.969	96.954
15	T	4.3595	6.9055	4.4484	7.9362	7.9167	2.6981	6.6972	5.0087	4.1954	5.0058	6.1751	3.3121	5.0143	5.3291	4.6079
	S	118.237	116.014	129.515	78.094	122.296	142.019	104.555	76.639	81.420	101.882	89.877	114.868	106.604	77.533	96.919
16	T	4.3517	6.8717	4.4499	7.9887	7.8914	2.6872	6.6656	5.0284	4.2343	4.9666	6.1555	3.3092	5.0126	5.4684	4.5835
	S	118.449	116.585	129.472	77.581	122.688	142.595	105.051	76.339	80.672	102.686	90.163	114.969	106.640	75.558	97.434
17	T	4.3416	6.9421	4.4316	7.9309	7.8801	2.6790	6.6937	5.0331	4.2721	4.9808	6.1776	3.3178	5.0439	5.3774	4.6216
	S	118.725	115.403	130.006	78.147	122.864	143.032	104.610	76.268	79.959	102.393	89.841	114.671	105.979	76.837	96.631
18	T	4.3664	6.8833	4.4192	8.1805	7.8718	2.6931	6.8111	5.1248	4.3903	5.0366	6.3713	3.3399	5.0143	5.3591	4.5892
	S	118.050	116.388	130.371	75.762	122.994	142.283	102.807	74.903	77.806	101.259	87.109	113.912	106.604	77.099	97.313
19	T	4.3503	6.8418	4.3659	8.1172	7.8367	2.6618	6.8110	5.0218	4.3143	4.9776	6.1030	3.3005	5.0162	5.3631	4.5881
	S	118.487	117.094	131.963	76.353	123.545	143.956	102.808	76.439	79.176	102.459	90.939	115.272	106.564	77.042	97.337

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 6 - De Alba, Salvador (R)

Lap	T/S Lap	PO to SF
1	T 86.7095	142.6587
	S 93.748	53.371
2	T 82.3283	
	S 98.736	
3	T 81.5428	
	S 99.688	
4	T 81.3961	
	S 99.867	
5	T 80.8246	
	S 100.573	
6	T 80.2726	
	S 101.265	
7	T 80.2665	
	S 101.273	
8	T 80.2383	
	S 101.308	
9	T 79.9222	
	S 101.709	
10	T 79.8063	
	S 101.857	
11	T 79.8829	
	S 101.759	
12	T 79.8390	
	S 101.815	
13	T 79.8020	
	S 101.862	
14	T 79.7462	
	S 101.933	
15	T 79.6100	
	S 102.108	
16	T 79.6647	
	S 102.038	
17	T 79.7233	
	S 101.963	
18	T 80.4509	
	S 101.041	
19	T 79.6693	
	S 102.032	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 6 - De Alba, Salvador (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.3386	6.8138	4.4135	8.1065	7.9115	2.6748	6.7886	5.0418	4.2387	4.9751	6.1987	3.3110	5.0387	5.3711	4.5830
	S	118.807	117.576	130.540	76.454	122.377	143.256	103.148	76.136	80.589	102.511	89.535	114.906	106.088	76.927	97.445
21	T	4.3308	6.8009	4.4112	8.0768	7.8521	2.6645	6.8303	5.0856	4.2513	4.9781	6.1083	3.2958	5.0022	5.4100	4.5848
	S	119.021	117.799	130.608	76.735	123.302	143.810	102.518	75.481	80.350	102.449	90.860	115.436	106.862	76.374	97.407
22	T	4.3365	6.7999	4.4057	7.9426	7.8225	2.6477	6.7172	5.0238	4.2562	4.9829	6.1209	3.3086	5.0548	5.2533	4.5968
	S	118.864	117.816	130.771	78.031	123.769	144.723	104.244	76.409	80.257	102.350	90.673	114.990	105.750	78.652	97.153
23	T	4.3517	6.8406	4.4247	8.1162	7.9612	2.7061	6.7992	5.0767	4.2221	4.9502	6.1727	3.3212	5.0121	5.3152	4.6292
	S	118.449	117.115	130.209	76.362	121.613	141.599	102.987	75.613	80.905	103.026	89.912	114.553	106.651	77.736	96.473
24	T	4.3589	6.8217	4.4266	8.0406	7.9085	2.6937	6.6810	5.0574	4.1646	4.9856	6.1409	3.3577	4.9829	5.4338	4.5725
	S	118.253	117.439	130.153	77.080	122.423	142.251	104.809	75.901	82.023	102.295	90.378	113.308	107.276	76.039	97.669
25	T	4.3258	6.8716	4.4103	8.0284	7.8759	2.6763	6.7687	5.0993	4.2932	4.9741	6.1667	3.2951	5.0429	5.4100	4.6068
	S	119.158	116.587	130.634	77.198	122.930	143.176	103.451	75.278	79.566	102.531	90.000	115.461	106.000	76.374	96.942
26	T	4.8098	8.5401	6.0563	9.0149	9.3391	3.2506	8.0147	6.2976	6.0088						
	S	107.168	93.809	95.130	68.750	103.670	117.880	87.368	60.954	56.848						

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 6 - De Alba, Salvador (R)

Lap	T/SLap	PO to SF
20	T	79.8054
	S	101.858
21	T	79.6827
	S	102.015
22	T	79.2694
	S	102.547
23	T	79.8991
	S	101.738
24	T	79.6264
	S	102.087
25	T	79.8451
	S	101.807
26	T	
	S	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 8 - Siegel, Nolan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.2140	7.7410	4.7422	8.8406	7.9552	2.6728	7.3415	5.3760	4.6290	5.3675	6.6805	3.3893	5.5191	5.6910	4.7187
	S	98.860	103.493	121.491	70.105	121.704	143.363	95.379	71.403	73.794	95.016	83.078	112.252	96.854	72.603	94.643
2	T	4.4560	7.1813	4.6059	8.2863	8.0452	2.7231	7.0948	5.2130	4.4619	5.1353	6.3733	3.3623	5.2664	5.6392	4.6261
	S	115.677	111.559	125.087	74.795	120.343	140.715	98.696	73.636	76.557	99.313	87.082	113.153	101.501	73.270	96.537
3	T	4.3985	7.0649	4.5463	8.2141	8.0055	2.7295	6.9344	5.1284	4.4418	5.1508	6.2710	3.3503	5.1497	5.5236	4.5775
	S	117.189	113.397	126.726	75.452	120.940	140.385	100.979	74.851	76.904	99.014	88.503	113.558	103.801	74.803	97.562
4	T	4.3721	7.0381	4.5640	8.4292	7.9867	2.7179	7.1913	5.2021	4.3689	5.0727	6.2742	3.3317	5.1553	5.5385	4.6427
	S	117.896	113.828	126.235	73.527	121.224	140.985	97.371	73.790	78.187	100.538	88.457	114.192	103.689	74.602	96.192
5	T	4.3846	7.0074	4.5300	8.2428	7.9952	2.7171	6.8272	5.0702	4.2640	5.0273	6.1713	3.3243	5.0979	5.4387	4.6057
	S	117.560	114.327	127.182	75.190	121.095	141.026	102.564	75.710	80.110	101.446	89.932	114.447	104.856	75.971	96.965
6	T	4.3693	6.9327	4.5000	8.1094	8.0073	2.7237	6.7822	5.0405	4.2705	5.0261	6.1869	3.3378	5.0551	5.4160	4.5695
	S	117.972	115.559	128.030	76.426	120.912	140.684	103.245	76.156	79.989	101.470	89.706	113.984	105.744	76.289	97.733
7	T	4.3585	6.9246	4.5014	8.0494	7.9771	2.7155	6.7844	5.0363	4.2782	5.0018	6.1872	3.3794	5.0666	5.4857	4.6387
	S	118.264	115.694	127.990	76.996	121.370	141.109	103.211	76.219	79.845	101.963	89.701	112.581	105.504	75.320	96.275
8	T	4.3671	6.9168	4.5324	8.0424	7.9996	2.7258	6.7482	5.0556	4.2424	5.0001	6.1389	3.3362	5.0302	5.4267	4.5930
	S	118.031	115.825	127.115	77.063	121.029	140.576	103.765	75.928	80.518	101.998	90.407	114.038	106.267	76.139	97.233
9	T	4.3493	6.8930	4.4979	8.0524	8.0136	2.7337	7.1610	5.0708	4.3109	5.0351	6.2040	3.3503	5.0605	5.4158	4.5984
	S	118.514	116.225	128.090	76.967	120.817	140.170	97.783	75.701	79.239	101.289	89.458	113.558	105.631	76.292	97.119
10	T	4.3499	6.9414	4.4766	8.0382	7.9464	2.7109	6.7639	5.0843	4.2566	5.0040	6.1637	3.3626	5.0159	5.3536	4.5979
	S	118.498	115.414	128.700	77.103	121.839	141.349	103.524	75.500	80.250	101.918	90.043	113.143	106.570	77.178	97.129
11	T	4.3467	6.8896	4.4803	8.0380	7.9816	2.7270	6.7378	5.0481	4.2189	5.0064	6.1696	3.3572	5.0067	5.3667	4.5925
	S	118.585	116.282	128.593	77.105	121.302	140.514	103.925	76.041	80.967	101.870	89.957	113.325	106.766	76.990	97.244
12	T	4.3665	6.8883	4.4603	8.1197	8.0488	2.7485	6.7437	5.0327	4.2025	5.0010	6.1233	3.3382	4.9737	5.3712	4.5846
	S	118.048	116.304	129.170	76.330	120.289	139.415	103.834	76.274	81.283	101.980	90.637	113.970	107.474	76.925	97.411
13	T	4.3623	6.8760	4.4691	8.0198	8.0659	2.7576	6.7138	5.0604	4.1962	4.9622	6.1060	3.3323	4.9572	5.3637	4.5761
	S	118.161	116.512	128.916	77.280	120.034	138.955	104.297	75.856	81.405	102.777	90.894	114.172	107.832	77.033	97.592
14	T	4.3648	6.8910	4.4653	7.9967	8.0371	2.7433	6.7009	4.9759	4.2617	4.9911	6.0417	3.3174	5.0162	5.3500	4.6071
	S	118.094	116.258	129.025	77.504	120.464	139.679	104.497	77.145	80.154	102.182	91.862	114.685	106.564	77.230	96.935
15	T	4.3773	6.8734	4.4870	7.9250	8.0271	2.7382	6.7411	5.0545	4.1984	5.0028	6.1418	3.3549	5.0092	5.3639	4.5877
	S	117.756	116.556	128.401	78.205	120.614	139.939	103.874	75.945	81.362	101.943	90.364	113.403	106.713	77.030	97.345
16	T	4.3699	6.8724	4.5013	7.9810	8.0131	2.7365	6.7133	5.0302	4.2083	4.9755	6.1065	3.3521	5.0291	5.4004	4.5691
	S	117.956	116.573	127.993	77.656	120.825	140.026	104.304	76.312	81.171	102.502	90.887	113.497	106.290	76.509	97.742
17	T	4.3753	6.8497	4.4792	7.9791	8.0007	2.7357	6.6780	5.0214	4.2013	4.9884	6.1524	3.3634	5.0178	5.3985	4.5810
	S	117.810	116.959	128.625	77.675	121.012	140.067	104.856	76.446	81.306	102.237	90.209	113.116	106.530	76.536	97.488
18	T	4.3804	6.8875	4.4685	7.9678	7.9830	2.7388	6.6906	5.0344	4.2948	4.9877	6.1316	3.3445	4.9848	5.3442	4.5872
	S	117.673	116.317	128.933	77.785	121.280	139.909	104.658	76.248	79.536	102.252	90.515	113.755	107.235	77.314	97.356
19	T	4.3651	6.8998	4.4632	7.9994	7.9958	2.7348	6.7226	5.0257	4.1987	4.9603	6.0786	3.3225	5.0017	5.3633	4.5925
	S	118.085	116.110	129.086	77.477	121.086	140.113	104.160	76.380	81.356	102.816	91.304	114.509	106.873	77.039	97.244

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 8 - Siegel, Nolan (R)

Lap	T/SLap	PO to SF
1	T 85.8784	146.1881
	S 94.655	52.083
2	T 82.4701	
	S 98.567	
3	T 81.4863	
	S 99.757	
4	T 81.8854	
	S 99.270	
5	T 80.7037	
	S 100.724	
6	T 80.3270	
	S 101.196	
7	T 80.3848	
	S 101.124	
8	T 80.1554	
	S 101.413	
9	T 80.7467	
	S 100.670	
10	T 80.0659	
	S 101.526	
11	T 79.9671	
	S 101.652	
12	T 80.0030	
	S 101.606	
13	T 79.8186	
	S 101.841	
14	T 79.7602	
	S 101.915	
15	T 79.8823	
	S 101.760	
16	T 79.8587	
	S 101.790	
17	T 79.8219	
	S 101.837	
18	T 79.8258	
	S 101.832	
19	T 79.7240	
	S 101.962	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 8 - Siegel, Nolan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.3584	6.8998	4.4817	8.0498	8.0253	2.7415	6.7388	5.0100	4.1976	4.9874	6.1626	3.3622	5.0183	5.3775	4.5930
	S	118.267	116.110	128.553	76.992	120.641	139.771	103.910	76.619	81.378	102.258	90.059	113.156	106.519	76.835	97.233
21	T	4.3624	6.9290	4.4948	7.9669	8.0130	2.7375	6.7198	5.0357	4.1781	4.9431	6.1352	3.3449	4.9860	5.4089	4.5659
	S	118.158	115.621	128.178	77.793	120.826	139.975	104.204	76.228	81.757	103.174	90.462	113.742	107.209	76.389	97.810
22	T	4.3622	6.9272	4.4939	7.9544	8.0322	2.7480	6.7391	5.0254	4.1774	4.9492	6.1783	3.3470	5.0455	5.3471	4.6055
	S	118.164	115.651	128.204	77.916	120.538	139.440	103.905	76.385	81.771	103.047	89.831	113.670	105.945	77.272	96.969
23	T	4.3914	6.9981	4.5048	8.0240	8.0686	2.7503	6.7367	5.0602	4.2096	5.0005	6.1127	3.3362	5.0113	5.4922	4.5637
	S	117.378	114.479	127.894	77.240	119.994	139.324	103.942	75.859	81.146	101.990	90.795	114.038	106.668	75.231	97.857
24	T	4.3624	6.9264	4.4843	7.9970	8.0496	2.7486	6.7426	5.0651	4.2347	4.9874	6.1128	3.3385	5.0821	5.3534	4.5611
	S	118.158	115.664	128.479	77.501	120.277	139.410	103.851	75.786	80.665	102.258	90.793	113.960	105.182	77.181	97.913
25	T	4.3605	6.9105	4.4898	8.0304	8.0265	2.7379	6.7272	5.0664	4.2350	4.9977	6.1328	3.3209	5.0613	5.3816	4.5957
	S	118.210	115.930	128.321	77.178	120.623	139.955	104.089	75.767	80.659	102.047	90.497	114.564	105.614	76.777	97.176
26	T	4.4536	7.6961	5.6714	9.2540	9.3253	3.5063	8.1708	6.1911	5.1533						
	S	115.739	104.096	101.586	66.973	103.823	109.284	85.699	62.002	66.286						

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 8 - Siegel, Nolan (R)

Lap	T/SLap	PO to SF
20	T	80.0039
	S	101.605
21	T	79.8212
	S	101.838
22	T	79.9324
	S	101.696
23	T	80.2603
	S	101.280
24	T	80.0460
	S	101.552
25	T	80.0742
	S	101.516
26	T	
	S	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 90 - Foster, Louis (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.1662	7.7233	4.6841	8.6662	7.9576	2.7319	7.2255	5.3619	4.5814	5.1884	6.4722	3.3656	5.3393	5.7954	4.6826
	S	99.774	103.730	122.998	71.516	121.668	140.262	96.911	71.591	74.560	98.296	85.751	113.042	100.115	71.295	95.372
2	T	4.4003	7.3364	4.7993	8.3922	8.0609	2.7443	6.9571	5.2651	4.4130	5.0837	6.2895	3.3544	5.1385	5.6149	4.6261
	S	117.141	109.200	120.046	73.851	120.108	139.628	100.649	72.907	77.406	100.321	88.242	113.420	104.028	73.587	96.537
3	T	4.3814	7.1328	4.6112	8.2117	7.9921	2.7218	6.9040	5.2009	4.4076	5.0642	6.2373	3.3265	5.1555	5.5268	4.6624
	S	117.646	112.317	124.943	75.474	121.142	140.783	101.423	73.807	77.500	100.707	88.981	114.371	103.685	74.760	95.786
4	T	4.3784	7.0053	4.5314	8.1083	7.9748	2.7207	6.9058	5.1193	4.3026	5.0058	6.2325	3.3701	5.0511	5.4801	4.6370
	S	117.727	114.361	127.143	76.437	121.405	140.839	101.397	74.984	79.392	101.882	89.049	112.891	105.828	75.397	96.310
5	T	4.3620	6.8240	4.4774	8.0458	7.9952	2.7196	6.7968	5.1070	4.2691	5.0123	6.2684	3.3317	5.0528	5.4866	4.6032
	S	118.169	117.400	128.677	77.031	121.095	140.896	103.023	75.164	80.015	101.750	88.539	114.192	105.792	75.307	97.017
6	T	4.3389	6.8425	4.4588	8.1113	7.9627	2.7210	6.7482	5.0461	4.2413	4.9862	6.1093	3.2982	4.9568	5.3949	4.6353
	S	118.798	117.082	129.213	76.409	121.590	140.824	103.765	76.071	80.539	102.282	90.845	115.352	107.841	76.587	96.346
7	T	4.3547	6.7895	4.4802	8.0182	7.9709	2.7149	6.7199	5.0569	4.2246	4.9756	6.0988	3.2942	4.9927	5.4002	4.6458
	S	118.367	117.996	128.596	77.296	121.465	141.140	104.202	75.909	80.858	102.500	91.002	115.492	107.065	76.512	96.128
8	T	4.3512	6.8411	4.4853	8.0160	7.9693	2.7019	6.9598	4.9669	4.5295	5.0309	6.2550	3.3106	5.0426	5.3825	4.6146
	S	118.463	117.106	128.450	77.317	121.489	141.819	100.610	77.284	75.415	101.374	88.729	114.920	106.006	76.764	96.778
9	T	4.3395	6.8178	4.4696	8.0250	7.9736	2.7113	6.6852	4.9793	4.2333	4.9780	6.0754	3.2918	4.9471	5.3587	4.5965
	S	118.782	117.507	128.901	77.230	121.423	141.328	104.743	77.092	80.691	102.451	91.352	115.576	108.052	77.105	97.159
10	T	4.3267	6.8489	4.4632	7.9912	7.9695	2.7083	6.8608	5.0230	4.2442	4.9724	6.0585	3.2998	4.9699	5.3499	4.5648
	S	119.133	116.973	129.086	77.557	121.486	141.484	102.062	76.421	80.484	102.566	91.607	115.296	107.557	77.232	97.834
11	T	4.3249	6.8674	4.5142	7.9406	7.9862	2.7383	6.7180	4.9979	4.1710	4.9690	6.0494	3.2991	4.8836	5.3421	4.5776
	S	119.183	116.658	127.628	78.051	121.232	139.934	104.232	76.805	81.897	102.636	91.745	115.321	109.457	77.344	97.560
12	T	4.3256	6.8455	4.4845	8.1425	8.0210	2.7268	6.7135	5.0354	4.2270	4.9830	6.0704	3.2885	4.9338	5.4731	4.6017
	S	119.164	117.031	128.473	76.116	120.706	140.524	104.301	76.233	80.812	102.348	91.427	115.692	108.344	75.493	97.049
13	T	4.3336	6.8633	4.4502	8.0920	7.9874	2.7219	6.7290	5.0320	4.2139	4.9693	6.0706	3.3067	4.9003	5.3728	4.5768
	S	118.944	116.728	129.463	76.591	121.214	140.777	104.061	76.285	81.063	102.630	91.424	115.056	109.084	76.903	97.577
14	T	4.3219	6.8625	4.4796	8.0259	7.9895	2.7166	6.7535	5.0601	4.2334	4.9630	6.0680	3.3075	4.8926	5.3506	4.5771
	S	119.266	116.741	128.613	77.222	121.182	141.052	103.684	75.861	80.689	102.760	91.463	115.028	109.256	77.222	97.571
15	T	4.3370	6.7964	4.4487	8.0019	7.9371	2.6824	6.8622	5.1749	4.4412	5.0279	6.2646	3.3101	4.9387	5.4585	4.5937
	S	118.850	117.877	129.507	77.453	121.982	142.850	102.041	74.178	76.914	101.434	88.593	114.937	108.236	75.695	97.218
16	T	4.3388	6.7961	4.4707	7.9758	7.9739	2.7109	6.7064	5.0750	4.2429	4.9521	6.0902	3.2951	4.9151	5.3648	4.5776
	S	118.801	117.882	128.869	77.707	121.419	141.349	104.412	75.638	80.509	102.987	91.130	115.461	108.756	77.017	97.560
17	T	4.3316	6.7636	4.4689	7.9954	7.9157	2.6963	6.8541	5.0062	4.4577	5.0418	6.1602	3.2889	5.0093	5.4429	4.5860
	S	118.999	118.448	128.921	77.516	122.312	142.114	102.162	76.678	76.629	101.154	90.094	115.678	106.711	75.912	97.381
18	T	4.3392	6.7510	4.4575	8.0530	7.9375	2.7038	6.7644	5.0615	4.3387	4.9778	6.0888	3.2959	4.9501	5.3882	4.5606
	S	118.790	118.669	129.251	76.962	121.976	141.720	103.517	75.840	78.731	102.455	91.151	115.433	107.987	76.683	97.924
19	T	4.3266	6.8612	4.4614	8.0501	7.9182	2.7058	6.7333	5.0525	4.2019	4.9681	6.0762	3.2907	4.9898	5.3476	4.5927
	S	119.136	116.763	129.138	76.989	122.273	141.615	103.995	75.975	81.294	102.655	91.340	115.615	107.128	77.265	97.239

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 90 - Foster, Louis (R)

Lap	T/SLap	PO to SF
1	T 84.9416	153.0574
	S 95.699	49.745
2	T 82.4757	
	S 98.560	
3	T 81.5362	
	S 99.696	
4	T 80.8232	
	S 100.575	
5	T 80.3519	
	S 101.165	
6	T 79.8515	
	S 101.799	
7	T 79.7371	
	S 101.945	
8	T 80.4572	
	S 101.033	
9	T 79.4821	
	S 102.272	
10	T 79.6511	
	S 102.055	
11	T 79.3793	
	S 102.405	
12	T 79.8723	
	S 101.772	
13	T 79.6198	
	S 102.095	
14	T 79.6018	
	S 102.118	
15	T 80.2753	
	S 101.262	
16	T 79.4854	
	S 102.268	
17	T 80.0186	
	S 101.586	
18	T 79.6680	
	S 102.033	
19	T 79.5761	
	S 102.151	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 90 - Foster, Louis (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.3330	6.8880	4.4893	7.9711	7.9149	2.6851	6.8731	4.9798	4.4230	5.0162	6.1915	3.3150	4.8600	5.3536	4.5961
	S	118.960	116.309	128.335	77.752	122.324	142.707	101.879	77.084	77.231	101.671	89.639	114.768	109.989	77.178	97.167
21	T	4.3263	6.8535	4.4799	7.9955	7.9165	2.7128	6.9683	5.1797	4.2270	4.9613	6.1688	3.3001	5.0413	5.4712	4.5869
	S	119.144	116.894	128.605	77.515	122.299	141.250	100.488	74.109	80.812	102.796	89.969	115.286	106.033	75.519	97.362
22	T	4.3298	6.8841	4.4871	7.9353	7.9691	2.7070	6.6800	5.0553	4.2027	4.9464	6.1226	3.3167	4.8881	5.3383	4.6326
	S	119.048	116.375	128.398	78.103	121.492	141.552	104.824	75.933	81.279	103.105	90.648	114.709	109.356	77.400	96.402
23	T	4.3460	6.8063	4.4716	8.0144	7.9379	2.7106	6.7092	5.0626	4.2178	4.9516	6.1094	3.3184	4.8962	5.3717	4.5893
	S	118.604	117.705	128.843	77.332	121.970	141.364	104.368	75.823	80.988	102.997	90.844	114.650	109.176	76.918	97.311
24	T	4.3249	6.8403	4.4576	7.9122	7.9417	2.7035	6.7684	5.0279	4.2182	5.0093	6.1058	3.3052	4.9081	5.3501	4.5621
	S	119.183	117.120	129.248	78.331	121.911	141.735	103.455	76.347	80.980	101.811	90.897	115.108	108.911	77.229	97.892
25	T	4.3152	6.8037	4.4792	8.0331	7.9749	2.7021	6.7030	5.0559	4.2519	4.9643	6.0664	3.2851	4.9115	5.2260	4.6860
	S	119.451	117.750	128.625	77.152	121.404	141.809	104.465	75.924	80.338	102.734	91.488	115.812	108.835	79.063	95.303
26	T	4.8992	9.1689	5.8415	8.8405	8.5407	3.3110	7.8953	5.3623	4.6348	5.7298					
	S	105.212	87.375	98.628	70.106	113.361	115.730	88.689	71.586	73.701	89.008					

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 90 - Foster, Louis (R)

Lap	T/SLap	PO to SF
20	T	79.8897
	S	101.750
21	T	80.1891
	S	101.370
22	T	79.4951
	S	102.255
23	T	79.5130
	S	102.232
24	T	79.4353
	S	102.332
25	T	79.4583
	S	102.303
26	T	
	S	

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 92 - Brichacek, Wyatt

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.2464	8.0261	4.8336	8.7940	8.0921	2.6905	7.4555	5.4340	4.7811	5.4193	6.5460	3.3818	5.4574	5.9654	4.9518
	S	98.249	99.816	119.194	70.477	119.645	142.420	93.921	70.641	71.446	94.108	84.785	112.501	97.949	69.263	90.188
2	T	4.5867	7.5811	4.6246	8.4975	7.9278	2.7209	7.0775	5.2408	4.5948	5.1438	6.3053	3.3506	5.1954	5.5831	4.6820
	S	112.380	105.675	124.581	72.936	122.125	140.829	98.937	73.245	74.343	99.148	88.021	113.548	102.888	74.006	95.385
3	T	4.3917	7.0447	4.5480	8.2471	8.0319	2.7232	6.9345	5.1925	4.4226	5.0682	6.2202	3.3382	5.0542	5.5376	4.6872
	S	117.370	113.722	126.679	75.150	120.542	140.710	100.977	73.927	77.238	100.627	89.225	113.970	105.763	74.614	95.279
4	T	4.4049	6.9331	4.4929	8.1574	8.0155	2.7218	6.9176	5.1766	4.4403	5.0618	6.2675	3.3449	5.0624	5.5393	4.6258
	S	117.018	115.552	128.233	75.977	120.789	140.783	101.224	74.154	76.930	100.755	88.552	113.742	105.591	74.591	96.543
5	T	4.3729	6.8963	4.5430	8.2524	7.9879	2.7089	6.8775	5.1199	4.4247	5.0753	6.2245	3.3169	5.0118	5.4368	4.6566
	S	117.875	116.169	126.818	75.102	121.206	141.453	101.814	74.975	77.201	100.487	89.164	114.702	106.657	75.997	95.905
6	T	4.3805	35.4139	9.5225	9.0448	8.2412	2.7847	7.1250	5.2969	4.5043	5.1378	6.1971	3.3256	5.1406	5.5634	4.6233
	S	117.670	22.622	60.503	68.523	117.481	137.603	98.278	72.469	75.837	99.264	89.558	114.402	103.985	74.268	96.596
7	T	4.4326	7.0100	4.5129	8.1897	8.1035	2.7622	6.8291	5.0556	4.2904	5.0470	6.2155	3.3727	5.6794		
	S	116.287	114.285	127.664	75.677	119.477	138.723	102.536	75.928	79.617	101.050	89.293	112.804	94.120		
8	T			5.0131	8.7305	8.3182	2.8200	7.1584	5.3317	4.5521	5.1606	6.3644	3.3932	5.2296	5.4578	4.6679
	S			114.926	70.989	116.393	135.880	97.819	71.996	75.040	98.826	87.204	112.123	102.215	75.705	95.673
9	T	4.4490	7.0335	4.5421	8.0870	8.1124	2.7766	6.7914	5.1552	4.3523	5.0793	6.2001	3.3286	5.0783	5.4184	4.6658
	S	115.859	113.903	126.844	76.638	119.346	138.004	103.105	74.461	78.485	100.408	89.515	114.299	105.261	76.255	95.716
10	T	4.4282	7.0091	4.5693	8.1448	8.1404	2.7718	6.8227	5.1599	4.3209	4.9977	6.2095	3.3397	5.1021	5.3679	4.6987
	S	116.403	114.299	126.089	76.094	118.935	138.243	102.632	74.394	79.055	102.047	89.379	113.919	104.770	76.973	95.046
11	T	4.4221	6.9971	4.5753	8.1591	8.1280	2.7684	6.7649	5.1178	4.2989	5.0639	6.1507	3.3232	5.0365	5.3758	4.6420
	S	116.563	114.495	125.923	75.961	119.117	138.413	103.509	75.006	79.460	100.713	90.234	114.484	106.134	76.860	96.207
12	T	4.4159	6.9506	4.5669	8.0356	8.1117	2.7617	6.7726	5.0805	4.2893	5.0203	6.1796	3.3250	4.9177	5.3329	4.6447
	S	116.727	115.261	126.155	77.128	119.356	138.749	103.391	75.556	79.638	101.588	89.812	114.422	108.698	77.478	96.151
13	T	4.4122	6.9019	4.5360	8.0302	8.0783	2.7566	6.7301	5.0872	4.2944	5.0158	6.1472	3.3280	4.9771	5.3199	4.6641
	S	116.825	116.075	127.014	77.180	119.850	139.005	104.044	75.457	79.543	101.679	90.285	114.319	107.401	77.667	95.751
14	T	4.4099	6.8719	4.5186	8.0499	8.0731	2.7589	6.7964	5.1083	4.2531	5.0553	6.1731	3.3297	4.9992	5.3266	4.7047
	S	116.886	116.581	127.503	76.991	119.927	138.889	103.029	75.145	80.316	100.884	89.906	114.261	106.926	77.570	94.924
15	T	4.4376	6.8721	4.5271	8.0954	8.1123	2.7666	6.7752	5.1237	4.3209	5.0273	6.1867	3.3426	5.0570	5.3025	4.6600
	S	116.156	116.578	127.264	76.559	119.347	138.503	103.352	74.919	79.055	101.446	89.709	113.820	105.704	77.922	95.835
16	T	4.4158	6.8822	4.5375	8.0769	8.0676	2.7547	6.7599	5.0377	4.3223	5.0564	6.1879	3.3205	4.9679	5.3941	4.6211
	S	116.730	116.407	126.972	76.734	120.009	139.101	103.585	76.198	79.030	100.862	89.691	114.577	107.600	76.599	96.642
17	T	4.3961	7.0264	4.5767	8.1169	8.0991	2.7618	6.7857	5.0958	4.3534	5.0172	6.1340	3.3207	4.9676	5.3943	4.6569
	S	117.253	114.018	125.885	76.356	119.542	138.744	103.192	75.329	78.465	101.650	90.479	114.571	107.606	76.596	95.899
18	T	4.4023	6.8484	4.5096	8.0793	8.0635	2.7591	6.7451	5.1476	4.3194	5.0291	6.1654	3.3283	4.9939	5.3256	4.6642
	S	117.088	116.982	127.758	76.711	120.070	138.879	103.813	74.571	79.083	101.410	90.018	114.309	107.040	77.584	95.749
19	T	4.4151	6.8390	4.5303	7.9767	8.0867	2.7589	6.8209	4.9849	4.3600	5.0063	6.2584	3.3498	5.0510	5.3376	4.6416
	S	116.748	117.142	127.174	77.698	119.725	138.889	102.659	77.005	78.347	101.872	88.681	113.575	105.830	77.410	96.215

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 92 - Brichacek, Wyatt

Lap	T/SLap	PI to PO	PO to SF	SF to PI
1	T	87.0750		143.7821
	S	93.354		52.954
2	T	83.1119		
	S	97.805		
3	T	81.4418		
	S	99.811		
4	T	81.1618		
	S	100.155		
5	T	80.9054		
	S	100.473		
6	T	116.3016		
	S	69.894		
7	T	90.7443	169.9954	78.9844
	S	89.579	5.282	97.269
8	T	240.5016		82.2661
	S	33.799		92.552
9	T	81.0700		
	S	100.269		
10	T	81.0827		
	S	100.253		
11	T	80.8237		
	S	100.574		
12	T	80.4050		
	S	101.098		
13	T	80.2790		
	S	101.257		
14	T	80.4287		
	S	101.068		
15	T	80.6070		
	S	100.845		
16	T	80.4025		
	S	101.101		
17	T	80.7026		
	S	100.725		
18	T	80.3808		
	S	101.129		
19	T	80.4172		
	S	101.083		

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 92 - Brichacek, Wyatt

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.3966	6.9394	4.5326	8.0309	8.0801	2.7675	6.8548	5.0598	4.3148	5.0530	6.1638	3.3400	5.0163	5.2899	4.6320
	S	117.239	115.447	127.109	77.174	119.823	138.458	102.151	75.865	79.167	100.930	90.042	113.909	106.562	78.108	96.414
21	T	4.3867	6.8861	4.5282	8.0230	8.1073	2.7675	6.8084	5.0157	4.3253	5.0314	6.3461	3.3765	5.0284	5.4288	4.6567
	S	117.504	116.341	127.233	77.249	119.421	138.458	102.848	76.532	78.975	101.363	87.455	112.677	106.305	76.109	95.903
22	T	4.3979	6.9040	4.5219	8.1805	8.0585	2.7580	6.8069	5.0237	4.2776	5.0117	6.1809	3.3271	5.1683	5.3301	4.6309
	S	117.205	116.039	127.410	75.762	120.144	138.935	102.870	76.411	79.856	101.762	89.793	114.350	103.428	77.519	96.437
23	T	4.4072	6.9162	4.5266	8.0369	8.0622	2.7601	6.8455	5.0442	4.2423	5.0045	6.1060	3.3134	5.0493	5.3849	4.6228
	S	116.957	115.835	127.278	77.116	120.089	138.829	102.290	76.100	80.520	101.908	90.894	114.823	105.865	76.730	96.606

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car 92 - Brichacek, Wyatt

Lap	T/SLap	PI to PO	PO to SF	SF to PI
20	T	80.4715		
	S	101.015		
21	T	80.7161		
	S	100.709		
22	T	80.5780		
	S	100.881		
23	T	80.3221		
	S	101.203		

Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship






Session: Race 2


July 2, 2022

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to I1	0.143182 miles
I1 to I2A	0.222538 miles
I2A to I2	0.160038 miles
I2 to I3A	0.172159 miles
I3A to I3	0.268939 miles
I3 to I4	0.106439 miles
I4 to I5A	0.194508 miles
I5A to I5B	0.106629 miles
I5B to I5	0.094886 miles
I5 to I6A	0.141667 miles
I6A to I6	0.154167 miles
I6 to I7A	0.105682 miles
I7A to I7	0.148485 miles
I7 to I8	0.114773 miles
I8 to SF	0.124053 miles
I1 to I2	0.382576 miles
I2 to I3	0.441098 miles
I4 to I5	0.396023 miles
I5 to I6	0.295833 miles
I6 to I7	0.254167 miles
Lap	2.258000 miles
PI to PO	0.249432 miles
PO to SF	2.114962 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data



Event: Indy Pro 2000 Cooper Tires GP of Mid-Ohio

Round 11 / 12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 2, 2022

Section Data for Car

SF to PI	2.134091 miles
PO to I2	0.382576 miles
I7 to PI	0.114773 miles
PO to PI	2.008712 miles