

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis

Round 12

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 24, 2019

Section Data for Car 10 - Lindh, Rasmus (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.5917	3.6368	4.3746	4.1999	3.8897	5.0047	4.6053	4.1161	34.4188	60.0432
	S	126.364	119.236	119.076	135.555	146.541	132.012	127.620	140.303	130.743	66.645
2	T	3.9343	3.4470	4.4226	4.1925	3.8132	4.8821	4.4922	4.1105	33.2944	
	S	147.479	125.801	117.783	135.794	149.481	135.327	130.833	140.494	135.158	
3	T	3.9619	3.6524	4.7204	4.2970	3.9058	5.0043	4.4864	3.9519	33.9801	
	S	146.452	118.726	110.353	132.492	145.937	132.023	131.002	146.132	132.430	
4	T	3.7900	3.5223	4.3624	4.1091	3.7684	4.7681	4.3110	3.8549	32.4862	
	S	153.094	123.112	119.409	138.551	151.258	138.563	136.332	149.809	138.520	
5	T	3.7561	3.5332	4.3370	4.1044	3.7627	4.9001	4.4459	3.9300	32.7694	
	S	154.476	122.732	120.108	138.709	151.487	134.830	132.195	146.947	137.323	
6	T	3.7789	3.4130	4.2901	4.0589	3.7511	4.9682	4.4904	4.0323	32.7829	
	S	153.544	127.054	121.421	140.264	151.955	132.982	130.885	143.219	137.267	
7	T	3.8640	3.4302	4.3415	4.1082	3.7419	4.9164	4.3258	3.9301	32.6581	
	S	150.162	126.417	119.984	138.581	152.329	134.383	135.866	146.943	137.791	
8	T	3.8137	3.4213	4.3284	4.0714	3.7599	4.8869	4.4104	3.9965	32.6885	
	S	152.143	126.746	120.347	139.834	151.600	135.194	133.259	144.501	137.663	
9	T	3.8163	3.2845	4.2449	4.0776	3.7896	4.6309	4.2839	3.9292	32.0569	
	S	152.039	132.025	122.714	139.621	150.412	142.668	137.194	146.976	140.375	
10	T	3.7773	3.2328	4.3683	4.1063	3.7600	4.8927	4.4324	3.9713	32.5411	
	S	153.609	134.136	119.248	138.645	151.596	135.034	132.598	145.418	138.287	
11	T	3.7997	3.2776	4.3141	4.0939	3.7986	4.6277	4.4173	3.9835	32.3124	
	S	152.703	132.303	120.746	139.065	150.055	142.767	133.051	144.973	139.265	
12	T	3.8081	3.2697	4.2715	4.0794	3.7979	4.6684	4.2786	3.9157	32.0893	
	S	152.367	132.623	121.950	139.559	150.083	141.522	137.364	147.483	140.234	
13	T	3.7730	3.2613	4.3838	4.0998	3.7865	4.7404	4.4133	3.9604	32.4185	
	S	153.784	132.964	118.826	138.865	150.535	139.373	133.172	145.819	138.810	
14	T	3.7903	3.2879	4.3567	4.1090	3.8251	4.8276	4.3402	3.9376	32.4744	
	S	153.082	131.889	119.565	138.554	149.016	136.855	135.415	146.663	138.571	
15	T	3.8410	3.4919	4.2795	4.0965	3.7865	4.8398	4.3885	3.9003	32.6240	
	S	151.062	124.183	121.722	138.977	150.535	136.510	133.924	148.066	137.935	
16	T	3.7644	3.3230	4.4383	4.1801	3.8778	4.9066	4.4458	3.9826	32.9186	
	S	154.135	130.495	117.367	136.197	146.991	134.652	132.198	145.006	136.701	
17	T	3.8056	3.4099	4.3648	4.1182	3.8038	4.6497	4.2386	3.8773	32.2679	
	S	152.467	127.170	119.343	138.244	149.850	142.091	138.661	148.944	139.457	
18	T	3.7518	3.2408	4.2780	4.0814	3.7964	4.6072	4.2761	3.8731	31.9048	
	S	154.653	133.805	121.765	139.491	150.142	143.402	137.445	149.105	141.045	
19	T	3.7523	3.3665	4.2856	4.0573	3.7659	4.7837	4.2951	3.9256	32.2320	
	S	154.632	128.809	121.549	140.319	151.358	138.111	136.837	147.111	139.613	

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 10 - Lindh, Rasmus (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.7775	3.2709	4.2298	4.0788	3.7977	4.6579	4.3649	3.9325	32.1100
	S	153.601	132.574	123.152	139.580	150.091	141.841	134.649	146.853	140.143
21	T	3.7846	3.2877	4.2482	4.0869	3.7999	4.6803	4.3623	3.9199	32.1698
	S	153.313	131.897	122.619	139.303	150.004	141.162	134.729	147.325	139.883
22	T	3.7765	3.2815	4.2723	4.0883	3.8124	4.6574	4.3531	3.9071	32.1486
	S	153.642	132.146	121.927	139.255	149.512	141.856	135.014	147.808	139.975
23	T	3.7716	3.2922	4.2645	4.0943	3.8120	4.6559	4.4544	3.9761	32.3210
	S	153.841	131.716	122.150	139.051	149.528	141.902	131.943	145.243	139.228
24	T	3.7908	3.2451	4.3066	4.1017	3.8334	4.6870	4.3084	3.9395	32.2125
	S	153.062	133.628	120.956	138.801	148.693	140.960	136.414	146.592	139.697
25	T	3.7836	3.2745	4.2321	4.0945	3.8264	4.6759	4.2445	3.9027	32.0342
	S	153.353	132.428	123.085	139.045	148.965	141.295	138.468	147.974	140.475
26	T	3.7720	3.2643	4.2308	4.0838	3.8092	4.6967	4.3806	3.9350	32.1724
	S	153.825	132.842	123.123	139.409	149.638	140.669	134.166	146.760	139.871
27	T	3.7788	3.2664	4.1866	4.0635	3.7949	4.7375	4.3005	3.9149	32.0431
	S	153.548	132.757	124.423	140.105	150.202	139.458	136.665	147.513	140.436
28	T	3.7677	3.2809	4.2306	4.0705	3.7830	4.7966	4.3505	3.9179	32.1977
	S	154.000	132.170	123.129	139.864	150.674	137.740	135.094	147.400	139.762
29	T	3.7769	3.4310	4.3758	4.1116	3.8178	4.6900	4.3028	3.9100	32.4159
	S	153.625	126.388	119.043	138.466	149.301	140.870	136.592	147.698	138.821
30	T	3.7864	3.3553	4.2652	4.0753	3.7958	4.7647	4.2913	3.9159	32.2499
	S	153.240	129.239	122.130	139.700	150.166	138.662	136.958	147.476	139.535
31	T	3.7823	3.3550	4.3555	4.1340	3.8443	4.6967	4.2607	3.8998	32.3283
	S	153.406	129.251	119.598	137.716	148.271	140.669	137.941	148.085	139.197
32	T	3.7661	3.2879	4.1825	4.0595	3.7882	4.6683	4.4055	3.9229	32.0809
	S	154.066	131.889	124.545	140.243	150.467	141.525	133.408	147.213	140.270
33	T	3.7814	3.4099	4.3158	4.1015	3.8058	4.6894	4.3374	3.9266	32.3678
	S	153.442	127.170	120.698	138.807	149.771	140.888	135.502	147.074	139.027
34	T	3.7809	3.3162	4.2456	4.0983	3.8088	4.6502	4.2553	3.8847	32.0400
	S	153.463	130.763	122.694	138.916	149.653	142.076	138.117	148.660	140.449
35	T	3.8109	3.4284	4.2259	4.0753	3.7716	4.8205	4.4247	3.9729	32.5302
	S	152.255	126.484	123.266	139.700	151.129	137.057	132.829	145.360	138.333
36	T	3.8047	3.2871	4.2762	4.0796	3.7902	4.6849	4.3226	3.9222	32.1675
	S	152.503	131.921	121.816	139.552	150.388	141.024	135.966	147.239	139.893
37	T	3.7749	3.5587	4.4258	4.1468	3.8274	4.7765	4.3179	3.9525	32.7805
	S	153.707	121.852	117.698	137.291	148.926	138.319	136.114	146.110	137.277
38	T	3.8220	3.3981	4.2259	4.0492	3.7697	4.6597	4.2601	3.9355	32.1202
	S	151.812	127.611	123.266	140.600	151.206	141.786	137.961	146.741	140.099

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 10 - Lindh, Rasmus (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.7945	3.2597	4.2136	4.0682	3.7776	4.6967	4.2583	3.9371	32.0057
	S	152.913	133.030	123.626	139.944	150.889	140.669	138.019	146.682	140.600
40	T	3.7982	3.3323	4.2024	4.0248	3.7434	4.8326	4.4397	4.0453	32.4187
	S	152.764	130.131	123.955	141.453	152.268	136.714	132.380	142.758	138.809
41	T	3.9278	3.5013	4.4579	4.2048	4.0739	11.5915	11.9760	6.3264	50.0596
	S	147.723	123.850	116.851	135.397	139.915	56.997	49.075	91.284	89.893
42	T	6.3136	4.9526	6.2492	6.8248	7.3592	15.1411	12.0732	10.6907	69.6044
	S	91.901	87.557	83.356	83.419	77.454	43.635	48.680	54.019	64.651
43	T	10.7841	6.1179	8.1853	9.4432	9.9754	15.3225	13.8788	10.4970	84.2042
	S	53.804	70.880	63.640	60.289	57.141	43.118	42.347	55.016	53.442
44	T	9.5994	7.8254	8.4397	9.3151	9.9675	15.3805	11.8563	12.0407	84.4246
	S	60.444	55.414	61.721	61.118	57.186	42.956	49.571	47.962	53.302
45	T	7.6520	7.7805	7.5280	9.7741	9.8162	13.3192	11.6052	10.4534	77.9286
	S	75.827	55.734	69.196	58.248	58.067	49.604	50.643	55.245	57.745
46	T	9.7386	7.2044	8.5718	9.3063	9.1031	13.1263	11.1562	10.0812	78.2879
	S	59.580	60.190	60.770	61.176	62.616	50.333	52.682	57.285	57.480
47	T	9.9565	7.3301	8.0337	9.3579	9.7310	12.0826	9.2097	9.1659	74.8674
	S	58.276	59.158	64.840	60.838	58.576	54.680	63.816	63.005	60.106
48	T	9.2289	5.8023	6.9480	8.5422	8.6313	10.2457	7.3986	4.6115	61.4085
	S	62.871	74.735	74.973	66.648	66.039	64.484	79.438	125.230	73.280
49	T	4.0576	3.4447	4.1609	4.0043	3.7334	4.8640	4.3102	3.9370	32.5121
	S	142.998	125.885	125.191	142.177	152.676	135.831	136.357	146.685	138.410
50	T	3.7802	3.3605	4.0887	3.9615	3.7018	4.9127	4.3688	3.9310	32.1052
	S	153.491	129.039	127.402	143.713	153.979	134.484	134.528	146.909	140.164
51	T	3.7663	3.2855	4.0713	3.9644	3.7359	4.7697	4.2027	3.8472	31.6430
	S	154.058	131.985	127.947	143.608	152.574	138.516	139.845	150.109	142.212
52	T	3.7609	3.2973	4.0637	3.9588	3.7135	4.7714	4.2005	3.8426	31.6087
	S	154.279	131.513	128.186	143.811	153.494	138.467	139.918	150.289	142.366
53	T	3.7523	3.2531	4.0426	3.9481	3.7129	4.7188	4.2205	3.8669	31.5152
	S	154.632	133.299	128.855	144.201	153.519	140.011	139.255	149.344	142.788
54	T	3.7566	3.2296	4.0537	3.9681	3.7292	4.6223	4.2139	3.8786	31.4520
	S	154.455	134.269	128.502	143.474	152.848	142.934	139.473	148.894	143.075
55	T	3.7481	3.2917	4.0977	3.9919	3.7418	4.8024	4.3679	3.9520	31.9935
	S	154.806	131.736	127.122	142.618	152.333	137.573	134.556	146.129	140.654
56	T	4.0726	4.3874	6.2174						
	S	142.471	98.837	83.782						

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 2 - Robb, Sting Ray**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.5431	3.9650	4.4897	4.1802	3.8858	4.9632	4.5266	4.0143	34.5679	57.5839
	S	127.716	109.366	116.023	136.194	146.688	133.116	129.839	143.861	130.179	69.491
2	T	3.8740	3.5404	4.3872	4.0963	3.7757	5.0122	4.5202	3.9680	33.1740	
	S	149.775	122.482	118.734	138.984	150.965	131.815	130.022	145.539	135.648	
3	T	3.8439	3.6823	4.6197	4.2563	3.9121	5.1586	4.5207	4.0147	34.0083	
	S	150.948	117.762	112.758	133.759	145.702	128.074	130.008	143.846	132.321	
4	T	3.8037	3.4032	4.4225	4.1225	3.7770	4.7761	4.4068	3.9465	32.6583	
	S	152.543	127.420	117.786	138.100	150.913	138.331	133.368	146.332	137.790	
5	T	3.7886	3.4941	4.4421	4.0989	3.8038	4.8686	4.3895	3.9829	32.8685	
	S	153.151	124.105	117.266	138.895	149.850	135.703	133.894	144.995	136.909	
6	T	3.8620	3.4410	4.3807	4.1036	3.7356	4.7598	4.3982	3.9314	32.6123	
	S	150.240	126.020	118.910	138.736	152.586	138.805	133.629	146.894	137.985	
7	T	3.7487	3.4413	4.4173	4.0996	3.7584	4.8391	4.4676	3.9963	32.7683	
	S	154.781	126.009	117.925	138.872	151.660	136.530	131.553	144.509	137.328	
8	T	3.8176	3.4196	4.2848	4.0577	3.7492	4.8547	4.4674	4.0428	32.6938	
	S	151.987	126.809	121.571	140.306	152.032	136.091	131.559	142.847	137.641	
9	T	3.8000	3.4930	4.3832	4.1186	3.7912	4.7810	4.4320	3.9987	32.7977	
	S	152.691	124.144	118.842	138.231	150.348	138.189	132.610	144.422	137.205	
10	T	3.8001	3.3560	4.2272	4.0685	3.8046	4.7189	4.3621	3.9612	32.2986	
	S	152.687	129.212	123.228	139.933	149.819	140.008	134.735	145.789	139.325	
11	T	3.7835	3.3547	4.3188	4.1111	3.8307	4.6924	4.3826	3.9680	32.4418	
	S	153.357	129.262	120.614	138.483	148.798	140.798	134.105	145.539	138.710	
12	T	3.7813	3.3086	4.2805	4.1018	3.8247	4.7203	4.3793	3.9793	32.3758	
	S	153.447	131.063	121.694	138.797	149.031	139.966	134.206	145.126	138.993	
13	T	3.7996	3.3621	4.3523	4.1390	3.8638	4.7015	4.3242	3.9524	32.4949	
	S	152.707	128.978	119.686	137.550	147.523	140.526	135.916	146.114	138.483	
14	T	3.7830	3.3242	4.2481	4.0812	3.8327	4.6933	4.3554	3.9246	32.2425	
	S	153.378	130.448	122.622	139.498	148.720	140.771	134.942	147.149	139.567	
15	T	3.7522	3.2738	4.2600	4.0829	3.8024	4.6291	4.4402	3.9533	32.1939	
	S	154.637	132.457	122.279	139.440	149.905	142.724	132.365	146.080	139.778	
16	T	3.7617	3.2950	4.2709	4.0802	3.7979	4.7600	4.4288	3.9498	32.3443	
	S	154.246	131.604	121.967	139.532	150.083	138.799	132.706	146.210	139.128	
17	T	3.7473	3.3839	4.4103	4.1590	3.8076	4.8105	4.4910	4.0177	32.8273	
	S	154.839	128.147	118.112	136.888	149.701	137.342	130.868	143.739	137.081	
18	T	3.8537	3.4285	4.3812	4.1328	3.7774	4.8555	4.4654	4.0252	32.9197	
	S	150.564	126.480	118.896	137.756	150.897	136.069	131.618	143.471	136.696	
19	T	3.8500	3.5016	4.3436	4.0587	3.7461	4.8277	4.3836	3.9683	32.6796	
	S	150.708	123.839	119.926	140.271	152.158	136.852	134.074	145.528	137.701	

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 2 - Robb, Sting Ray**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.8147	3.4269	4.2827	4.1110	3.8388	4.6404	4.4602	3.9947	32.5694
	S	152.103	126.539	121.631	138.487	148.484	142.376	131.772	144.567	138.166
21	T	3.8031	3.3273	4.2803	4.1129	3.8510	4.6700	4.3223	3.9488	32.3157
	S	152.567	130.327	121.699	138.423	148.014	141.474	135.976	146.247	139.251
22	T	3.7755	3.3203	4.2053	4.0734	3.8129	4.6350	4.3142	3.9385	32.0751
	S	153.682	130.602	123.870	139.765	149.493	142.542	136.231	146.629	140.296
23	T	3.7830	3.2874	4.1831	4.0561	3.8071	4.6198	4.3214	3.9394	31.9973
	S	153.378	131.909	124.527	140.361	149.720	143.011	136.004	146.596	140.637
24	T	3.7730	3.2951	4.2612	4.0816	3.8135	4.6297	4.4050	3.9811	32.2402
	S	153.784	131.600	122.245	139.484	149.469	142.705	133.423	145.060	139.577
25	T	3.7979	3.2822	4.2437	4.0750	3.8193	4.6845	4.3372	3.9506	32.1904
	S	152.776	132.118	122.749	139.710	149.242	141.036	135.508	146.180	139.793
26	T	3.7925	3.3035	4.2619	4.1008	3.8336	4.6415	4.3414	3.9623	32.2375
	S	152.993	131.266	122.225	138.831	148.685	142.342	135.377	145.749	139.589
27	T	3.8021	3.3091	4.2495	4.0892	3.8315	4.7221	4.3536	3.9651	32.3222
	S	152.607	131.044	122.581	139.225	148.767	139.913	134.998	145.646	139.223
28	T	3.8023	3.2871	4.3491	4.1344	3.8275	4.7911	4.3448	3.9684	32.5047
	S	152.599	131.921	119.774	137.703	148.922	137.898	135.271	145.525	138.442
29	T	3.8103	3.4051	4.3360	4.1216	3.8707	4.7520	4.3517	3.8899	32.5373
	S	152.279	127.349	120.136	138.130	147.260	139.032	135.057	148.461	138.303
30	T	3.7780	3.3304	4.2645	4.0912	3.8437	4.6293	4.2941	3.9348	32.1660
	S	153.581	130.205	122.150	139.157	148.295	142.717	136.869	146.767	139.899
31	T	3.7990	3.3275	4.1743	4.0652	3.8309	4.6084	4.2929	3.9287	32.0269
	S	152.732	130.319	124.790	140.047	148.790	143.365	136.907	146.995	140.507
32	T	3.7785	3.2822	4.2383	4.0927	3.8385	4.6357	4.2859	3.9297	32.0815
	S	153.560	132.118	122.905	139.106	148.496	142.520	137.130	146.958	140.268
33	T	3.7740	3.2663	4.2680	4.1005	3.8378	4.6408	4.3381	3.9546	32.1801
	S	153.743	132.761	122.050	138.841	148.523	142.364	135.480	146.032	139.838
34	T	3.7790	3.2705	4.3110	4.1245	3.8601	4.5907	4.2949	3.9335	32.1642
	S	153.540	132.590	120.833	138.033	147.665	143.917	136.843	146.816	139.907
35	T	3.7921	3.2957	4.2349	4.0925	3.8367	4.6397	4.2762	3.9409	32.1087
	S	153.009	131.576	123.004	139.113	148.565	142.398	137.441	146.540	140.149
36	T	3.7961	3.3092	4.3396	4.1424	3.8536	4.6453	4.4165	4.0036	32.5063
	S	152.848	131.040	120.036	137.437	147.914	142.226	133.075	144.245	138.435
37	T	3.8274	3.3007	4.2044	4.0782	3.8077	4.6621	4.3033	3.9763	32.1601
	S	151.598	131.377	123.896	139.600	149.697	141.713	136.576	145.236	139.925
38	T	3.8001	3.2885	4.2085	4.0670	3.7921	4.6437	4.3445	3.9923	32.1367
	S	152.687	131.864	123.775	139.985	150.312	142.275	135.281	144.653	140.027

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 2 - Robb, Sting Ray**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.8069	3.2859	4.2125	4.0706	3.8057	4.6594	4.3322	4.0001	32.1733
	S	152.415	131.969	123.658	139.861	149.775	141.795	135.665	144.371	139.868
40	T	3.8214	3.3163	4.2280	4.0755	3.8123	5.0134	5.1590	4.7121	34.1380
	S	151.836	130.759	123.205	139.693	149.516	131.783	113.923	122.557	131.818
41	T	5.0757	4.3738	5.6222	6.1007	6.2118	10.7952	9.8500	6.2697	54.2991
	S	114.315	99.144	92.652	93.320	91.761	61.201	59.668	92.110	82.874
42	T	5.5307	4.6198	5.4629	5.8109	7.0256	13.9817	11.0942	11.2505	64.7763
	S	104.910	93.865	95.354	97.974	81.132	47.253	52.976	51.331	69.470
43	T	10.5790	5.9666	8.9187	9.4553	9.3486	16.2455	13.7191	9.6640	83.8968
	S	54.847	72.677	58.406	60.212	60.972	40.669	42.840	59.758	53.637
44	T	9.0111	7.0988	8.1211	9.6756	10.0285	16.3727	10.7450	12.4140	83.4668
	S	64.390	61.086	64.143	58.841	56.838	40.353	54.698	46.520	53.914
45	T	7.8814	7.1732	7.9203	10.3468	9.3892	13.4425	12.3842	9.5773	78.1149
	S	73.620	60.452	65.769	55.024	60.708	49.149	47.458	60.299	57.607
46	T	9.2784	6.5503	9.7807	9.5395	9.2978	12.1256	11.4290	9.5318	77.5331
	S	62.535	66.201	53.259	59.680	61.305	54.487	51.424	60.587	58.040
47	T	10.0296	6.9574	8.7230	9.5285	9.0729	11.8886	9.7870	8.6087	74.5957
	S	57.851	62.327	59.717	59.749	62.824	55.573	60.052	67.083	60.325
48	T	9.4843	5.6993	6.5091	8.4473	8.4644	10.0407	7.3768	4.5315	60.5534
	S	61.178	76.086	80.028	67.396	67.341	65.800	79.672	127.441	74.315
49	T	4.0629	3.4992	4.2878	4.0762	3.7754	4.8391	4.3890	3.9516	32.8812
	S	142.811	123.924	121.486	139.669	150.977	136.530	133.909	146.143	136.856
50	T	3.7710	3.3665	4.1946	4.0449	3.7754	4.6760	4.2801	3.9171	32.0256
	S	153.866	128.809	124.186	140.750	150.977	141.292	137.316	147.430	140.513
51	T	3.7509	3.3159	4.1765	4.0261	3.7565	4.6904	4.3809	3.9468	32.0440
	S	154.690	130.775	124.724	141.407	151.737	140.858	134.157	146.321	140.432
52	T	3.7647	3.2753	4.2951	4.0962	3.8205	4.6676	4.3258	3.9369	32.1821
	S	154.123	132.396	121.280	138.987	149.195	141.546	135.866	146.689	139.829
53	T	3.7692	3.2718	4.2082	4.0527	3.7878	4.6017	4.2887	3.9151	31.8952
	S	153.939	132.538	123.784	140.479	150.483	143.573	137.041	147.506	141.087
54	T	3.7436	3.2472	4.2918	4.1195	3.8194	4.6689	4.3408	3.9636	32.1948
	S	154.992	133.542	121.373	138.201	149.238	141.507	135.396	145.701	139.774
55	T	3.7846	3.2840	4.1939	4.0442	3.7788	4.7023	4.3529	3.9552	32.0959
	S	153.313	132.045	124.206	140.774	150.842	140.502	135.020	146.010	140.205
56	T	4.1367	4.2444							
	S	140.263	102.167							

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 28 - Kirkwood, Kyle (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.4310	3.8450	4.5790	4.2220	3.8148	5.3867	4.4494	3.9788	34.7067	48.3417
	S	130.947	112.779	113.760	134.846	149.418	122.651	132.091	145.144	129.658	82.777
2	T	3.7823	3.6229	4.4349	4.1273	3.7988	5.0132	4.3472	3.8474	32.9740	
	S	153.406	119.693	117.457	137.940	150.047	131.788	135.197	150.101	136.471	
3	T	3.7534	3.4189	4.3063	4.1731	3.8605	4.8449	4.4476	3.9897	32.7944	
	S	154.587	126.835	120.964	136.426	147.649	136.366	132.145	144.748	137.219	
4	T	3.7892	3.3983	4.3445	4.1032	3.7616	4.8162	4.3694	3.9161	32.4985	
	S	153.127	127.604	119.901	138.750	151.531	137.179	134.510	147.468	138.468	
5	T	3.7795	3.3355	4.2407	4.0285	3.7303	4.8113	4.3612	3.9888	32.2758	
	S	153.520	130.006	122.836	141.323	152.803	137.319	134.763	144.780	139.423	
6	T	3.8573	3.5305	4.3096	4.1449	3.8619	4.7707	4.2845	3.9233	32.6827	
	S	150.423	122.826	120.872	137.354	147.596	138.487	137.175	147.198	137.688	
7	T	3.8068	3.3856	4.1751	4.0601	3.7998	4.7100	4.2543	3.9262	32.1179	
	S	152.419	128.083	124.766	140.223	150.008	140.272	138.149	147.089	140.109	
8	T	3.8200	3.3833	4.1458	4.0506	3.8064	4.6689	4.2284	3.9183	32.0217	
	S	151.892	128.170	125.647	140.552	149.748	141.507	138.995	147.385	140.530	
9	T	3.8176	3.4460	4.1714	4.0673	3.8161	4.6591	4.2389	3.9220	32.1384	
	S	151.987	125.838	124.876	139.974	149.367	141.805	138.651	147.246	140.019	
10	T	3.8068	3.3710	4.1703	4.0667	3.8150	4.7506	4.2967	3.9553	32.2324	
	S	152.419	128.637	124.909	139.995	149.410	139.073	136.786	146.007	139.611	
11	T	3.8221	3.3662	4.1254	4.0403	3.7971	4.7096	4.2357	3.9223	32.0187	
	S	151.809	128.821	126.269	140.910	150.115	140.284	138.756	147.235	140.543	
12	T	3.8042	3.4083	4.1481	4.0487	3.8062	4.6953	4.2268	3.9105	32.0481	
	S	152.523	127.230	125.578	140.618	149.756	140.711	139.048	147.679	140.414	
13	T	3.8018	3.3912	4.1154	4.0458	3.8186	4.7980	4.2725	3.9389	32.1822	
	S	152.619	127.871	126.576	140.718	149.269	137.699	137.561	146.615	139.829	
14	T	3.8208	3.4237	4.1705	4.0730	3.8367	4.7567	4.2869	3.9407	32.3090	
	S	151.860	126.657	124.903	139.779	148.565	138.895	137.098	146.548	139.280	
15	T	3.8153	3.4267	4.1704	4.0811	3.8430	4.7600	4.2769	3.9260	32.2994	
	S	152.079	126.546	124.906	139.501	148.322	138.799	137.419	147.096	139.321	
16	T	3.8034	3.4515	4.1808	4.0839	3.8425	4.8093	4.3338	3.9526	32.4578	
	S	152.555	125.637	124.596	139.406	148.341	137.376	135.615	146.106	138.642	
17	T	3.8105	3.4696	4.2388	4.1176	3.8542	4.7772	4.2626	3.9003	32.4308	
	S	152.271	124.982	122.891	138.265	147.891	138.299	137.880	148.066	138.757	
18	T	3.7961	3.4443	4.2224	4.1018	3.8472	4.6858	4.1979	3.8789	32.1744	
	S	152.848	125.900	123.368	138.797	148.160	140.997	140.005	148.882	139.863	
19	T	3.7853	3.4179	4.1592	4.0760	3.8367	4.7737	4.2916	3.9329	32.2733	
	S	153.284	126.872	125.243	139.676	148.565	138.400	136.948	146.838	139.434	

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 28 - Kirkwood, Kyle (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.8079	3.4115	4.1735	4.0833	3.8397	4.7107	4.2348	3.9060	32.1674
	S	152.375	127.110	124.813	139.426	148.449	140.251	138.785	147.849	139.893
21	T	3.7841	3.3608	4.1294	4.0635	3.8307	4.6607	4.1965	3.8722	31.8979
	S	153.333	129.028	126.146	140.105	148.798	141.756	140.052	149.140	141.075
22	T	3.7791	3.3755	4.1456	4.0625	3.8324	4.6097	4.1887	3.8593	31.8528
	S	153.536	128.466	125.653	140.140	148.732	143.324	140.313	149.639	141.275
23	T	3.7722	3.3495	4.0926	4.0470	3.8237	4.6725	4.2108	3.8804	31.8487
	S	153.817	129.463	127.281	140.677	149.070	141.398	139.576	148.825	141.293
24	T	3.7686	3.2979	4.1188	4.0448	3.8193	4.6311	4.1896	3.8739	31.7440
	S	153.964	131.489	126.471	140.753	149.242	142.662	140.282	149.075	141.759
25	T	3.7710	3.3372	4.1207	4.0518	3.8239	4.5826	4.1527	3.8511	31.6910
	S	153.866	129.940	126.413	140.510	149.062	144.172	141.529	149.957	141.996
26	T	3.7649	3.3032	4.0886	4.0375	3.8196	4.5960	4.1632	3.8521	31.6251
	S	154.115	131.278	127.405	141.008	149.230	143.751	141.172	149.918	142.292
27	T	3.7635	3.3769	4.1227	4.0508	3.8313	4.6572	4.1902	3.8737	31.8663
	S	154.172	128.413	126.351	140.545	148.775	141.862	140.262	149.082	141.215
28	T	3.7678	3.3435	4.0954	4.0326	3.8123	4.6073	4.1764	3.8643	31.6996
	S	153.996	129.695	127.194	141.179	149.516	143.399	140.726	149.445	141.958
29	T	3.7619	3.3079	4.0604	4.0104	3.7981	4.6701	4.1959	3.8834	31.6881
	S	154.238	131.091	128.290	141.960	150.075	141.471	140.072	148.710	142.009
30	T	3.7725	3.3093	4.1130	4.0415	3.8241	4.6345	4.1910	3.8830	31.7689
	S	153.804	131.036	126.649	140.868	149.055	142.557	140.236	148.725	141.648
31	T	3.7725	3.3121	4.0833	4.0218	3.8094	4.6002	4.1649	3.8568	31.6210
	S	153.804	130.925	127.571	141.558	149.630	143.620	141.114	149.736	142.310
32	T	3.7627	3.3171	4.0652	4.0363	3.8198	4.5674	4.1749	3.8499	31.5933
	S	154.205	130.728	128.139	141.050	149.222	144.652	140.776	150.004	142.435
33	T	3.7646	3.3407	4.0560	4.0243	3.8027	4.6218	4.1937	3.8749	31.6787
	S	154.127	129.804	128.429	141.470	149.893	142.949	140.145	149.036	142.051
34	T	3.7716	3.2936	4.0836	4.0232	3.8018	4.6233	4.1880	3.8748	31.6599
	S	153.841	131.660	127.561	141.509	149.929	142.903	140.336	149.040	142.136
35	T	3.7646	3.3095	4.0813	4.0240	3.8006	4.6569	4.1992	3.8914	31.7275
	S	154.127	131.028	127.633	141.481	149.976	141.872	139.962	148.404	141.833
36	T	3.7825	3.3094	4.0576	4.0057	3.7795	4.5934	4.1615	3.8669	31.5565
	S	153.398	131.032	128.379	142.127	150.814	143.833	141.230	149.344	142.601
37	T	3.7669	3.3024	4.0437	4.0017	3.7613	4.6583	4.1875	3.8773	31.5991
	S	154.033	131.309	128.820	142.269	151.543	141.829	140.353	148.944	142.409
38	T	3.7637	3.3181	4.1635	4.0168	3.7263	4.6828	4.2091	3.9121	31.7924
	S	154.164	130.688	125.113	141.734	152.967	141.087	139.633	147.619	141.543

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 28 - Kirkwood, Kyle (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.7947	3.3265	4.1068	4.0354	3.7908	4.6090	4.1800	3.9062	31.7494
	S	152.905	130.358	126.841	141.081	150.364	143.346	140.605	147.842	141.735
40	T	3.7979	3.3226	4.1181	4.0370	3.7951	4.6336	4.1801	3.9098	31.7942
	S	152.776	130.511	126.493	141.025	150.194	142.585	140.601	147.706	141.535
41	T	3.8021	3.3302	4.5945	5.6864	8.9998	15.1877	13.0337	6.8598	61.4942
	S	152.607	130.213	113.377	100.119	63.335	43.501	45.093	84.186	73.178
42	T	6.2268	5.0040	5.9193	6.7926	8.0959	14.4869	12.9672	10.5768	70.0695
	S	93.182	86.658	88.002	83.814	70.406	45.605	45.324	54.601	64.222
43	T	9.1332	7.0554	8.7152	9.6027	10.1555	15.0399	13.6526	10.9673	84.3218
	S	63.529	61.462	59.770	59.287	56.127	43.929	43.049	52.657	53.367
44	T	9.5880	7.6201	8.5358	9.3213	9.4354	15.0355	12.3389	10.3577	82.2327
	S	60.516	56.907	61.026	61.077	60.411	43.941	47.632	55.756	54.723
45	T	9.6503	7.2387	8.7304	9.0658	9.7072	13.9705	11.6698	9.9997	80.0324
	S	60.125	59.905	59.666	62.798	58.719	47.291	50.363	57.752	56.227
46	T	9.9184	7.2572	8.4791	9.0039	9.5111	13.0629	11.0746	9.7939	78.1011
	S	58.500	59.753	61.434	63.230	59.930	50.577	53.070	58.965	57.618
47	T	9.5362	7.3743	8.6106	9.3824	9.1884	12.1473	9.9354	9.5262	75.7008
	S	60.845	58.804	60.496	60.679	62.035	54.389	59.155	60.622	59.445
48	T	9.1916	5.7142	7.3889	8.6439	8.6574	10.2608	7.2894	4.6121	61.7583
	S	63.126	75.888	70.499	65.864	65.840	64.389	80.628	125.214	72.865
49	T	4.0985	3.4264	4.1372	4.0583	3.8286	4.7034	4.2108	3.8971	32.3603
	S	141.571	126.557	125.909	140.285	148.879	140.469	139.576	148.187	139.059
50	T	3.7788	3.3043	4.0914	4.0228	3.8004	4.6294	4.1818	3.8772	31.6861
	S	153.548	131.234	127.318	141.523	149.984	142.714	140.544	148.948	142.018
51	T	3.7726	3.3034	4.0867	4.0199	3.7946	4.6413	4.1869	3.8797	31.6851
	S	153.800	131.270	127.464	141.625	150.213	142.348	140.373	148.852	142.023
52	T	3.7738	3.2952	4.0734	4.0284	3.8018	4.5989	4.1579	3.8580	31.5874
	S	153.751	131.596	127.881	141.326	149.929	143.661	141.352	149.689	142.462
53	T	3.7710	3.3068	4.0527	4.0223	3.8001	4.6335	4.1785	3.8787	31.6436
	S	153.866	131.135	128.534	141.540	149.996	142.588	140.655	148.890	142.209
54	T	3.7793	3.3298	4.0900	4.0368	3.8111	4.6073	4.1932	3.8886	31.7361
	S	153.528	130.229	127.362	141.032	149.563	143.399	140.162	148.511	141.794
55	T	3.7773	3.3138	4.0622	4.0308	3.8168	4.6512	4.2585	3.9119	31.8225
	S	153.609	130.858	128.233	141.242	149.340	142.045	138.013	147.626	141.409
56	T	4.3783	4.3128	5.6761						
	S	132.523	100.546	91.772						

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 3 - Comeau, Antoine (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.6689	4.0906	4.5905	4.2419	3.9388	5.0512	4.5556	4.0190	35.1565	58.0842
	S	124.275	106.008	113.475	134.213	144.714	130.797	129.012	143.692	127.999	68.893
2	T	3.8233	3.5449	4.2260	4.0686	3.7713	4.8584	4.5142	3.9365	32.7432	
	S	151.761	122.327	123.263	139.930	151.142	135.988	130.195	146.704	137.433	
3	T	3.7929	3.5957	4.6065	4.3081	3.9792	5.2287	4.6996	3.9855	34.1962	
	S	152.977	120.599	113.081	132.151	143.245	126.357	125.059	144.900	131.594	
4	T	3.7751	3.3830	4.3749	4.1425	3.7764	4.7686	4.3555	3.8835	32.4595	
	S	153.699	128.181	119.068	137.433	150.937	138.548	134.939	148.706	138.634	
5	T	3.7681	3.4812	4.4443	4.1869	3.7731	4.8841	4.3841	3.9303	32.8521	
	S	153.984	124.565	117.208	135.976	151.069	135.272	134.059	146.935	136.978	
6	T	3.7879	3.4427	4.2168	4.0270	3.7413	4.8066	4.3694	3.9148	32.3065	
	S	153.179	125.958	123.532	141.375	152.353	137.453	134.510	147.517	139.291	
7	T	3.7766	3.5188	4.3017	4.0668	3.7247	4.8912	4.3487	3.9155	32.5440	
	S	153.637	123.234	121.094	139.992	153.032	135.076	135.150	147.491	138.274	
8	T	3.7723	3.4946	4.5515	4.1564	3.8196	4.8241	4.4446	3.9890	33.0521	
	S	153.813	124.088	114.448	136.974	149.230	136.954	132.234	144.773	136.149	
9	T	3.8293	3.4513	4.2484	4.0861	3.8104	4.6461	4.2776	3.9588	32.3080	
	S	151.523	125.644	122.613	139.330	149.591	142.201	137.397	145.878	139.284	
10	T	3.8287	3.3525	4.2762	4.0949	3.8135	4.6505	4.3186	3.9604	32.2953	
	S	151.547	129.347	121.816	139.031	149.469	142.067	136.092	145.819	139.339	
11	T	3.8148	3.3137	4.2345	4.0861	3.7861	4.6950	4.3490	3.9770	32.2562	
	S	152.099	130.862	123.015	139.330	150.551	140.720	135.141	145.210	139.508	
12	T	3.7996	3.2846	4.3012	4.1085	3.7973	4.6451	4.3462	3.9249	32.2074	
	S	152.707	132.021	121.108	138.571	150.107	142.232	135.228	147.138	139.719	
13	T	3.8034	3.2971	4.2579	4.0928	3.8021	4.6838	4.3903	3.9885	32.3159	
	S	152.555	131.521	122.339	139.102	149.917	141.057	133.870	144.791	139.250	
14	T	3.8198	3.3441	4.2865	4.1079	3.8044	4.7036	4.3857	3.9287	32.3807	
	S	151.900	129.672	121.523	138.591	149.827	140.463	134.010	146.995	138.972	
15	T	3.7658	3.4605	4.3137	4.0926	3.7695	4.8531	4.3653	3.8990	32.5195	
	S	154.078	125.310	120.757	139.109	151.214	136.136	134.636	148.115	138.379	
16	T	3.7786	3.4442	4.2484	4.0588	3.8042	4.8406	4.3625	3.9403	32.4776	
	S	153.556	125.903	122.613	140.268	149.834	136.488	134.723	146.562	138.557	
17	T	3.8383	3.3623	4.1736	4.0607	3.8070	4.6580	4.2627	3.8820	32.0446	
	S	151.168	128.970	124.810	140.202	149.724	141.838	137.877	148.764	140.429	
18	T	3.7616	3.3677	4.1527	4.0506	3.7572	4.7648	4.3734	3.9420	32.1700	
	S	154.250	128.763	125.439	140.552	151.709	138.659	134.387	146.499	139.882	
19	T	3.8075	3.2943	4.3160	4.1232	3.8706	4.9979	4.4537	3.9702	32.8334	
	S	152.391	131.632	120.693	138.077	147.264	132.192	131.964	145.459	137.056	

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 3 - Comeau, Antoine (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.8038	3.2686	4.2751	4.1071	3.8132	4.7228	4.3137	3.9539	32.2582
	S	152.539	132.667	121.847	138.618	149.481	139.892	136.247	146.058	139.499
21	T	3.7971	3.2814	4.2380	4.1014	3.8212	4.6609	4.3052	3.9287	32.1339
	S	152.808	132.150	122.914	138.811	149.168	141.750	136.516	146.995	140.039
22	T	3.7815	3.2876	4.2660	4.1011	3.8602	4.6272	4.2529	3.8988	32.0753
	S	153.438	131.901	122.107	138.821	147.661	142.782	138.194	148.122	140.295
23	T	3.7707	3.3116	4.2341	4.0861	3.8040	4.6600	4.3263	3.8949	32.0877
	S	153.878	130.945	123.027	139.330	149.842	141.777	135.850	148.271	140.241
24	T	3.7798	3.3848	4.2391	4.0741	3.7795	4.7700	4.3180	3.9247	32.2700
	S	153.507	128.113	122.882	139.741	150.814	138.508	136.111	147.145	139.448
25	T	3.7694	3.3092	4.2770	4.0975	3.8030	4.6733	4.3450	3.9179	32.1923
	S	153.931	131.040	121.793	138.943	149.882	141.374	135.265	147.400	139.785
26	T	3.7758	3.2639	4.3227	4.1331	3.8409	4.6562	4.2442	3.8997	32.1365
	S	153.670	132.858	120.505	137.746	148.403	141.893	138.478	148.088	140.028
27	T	3.7649	3.3219	4.2669	4.1258	3.8347	5.0992	4.7173	4.0712	33.2019
	S	154.115	130.539	122.081	137.990	148.643	129.566	124.590	141.850	135.534
28	T	3.8233	3.5833	4.2302	4.0527	3.7806	4.8455	4.3028	3.9305	32.5489
	S	151.761	121.016	123.141	140.479	150.770	136.350	136.592	146.928	138.254
29	T	3.7887	3.3655	4.1662	4.0437	3.7807	4.7008	4.3278	3.9256	32.0990
	S	153.147	128.848	125.032	140.791	150.766	140.547	135.803	147.111	140.191
30	T	3.7820	3.3870	4.1926	4.0515	3.7905	4.7190	4.2722	3.9344	32.1292
	S	153.418	128.030	124.245	140.520	150.376	140.005	137.570	146.782	140.060
31	T	3.7876	3.3570	4.2232	4.0744	3.8156	4.6946	4.2382	3.8943	32.0849
	S	153.191	129.174	123.345	139.731	149.387	140.732	138.674	148.294	140.253
32	T	3.7714	3.2894	4.3180	4.1784	3.8596	4.7909	4.3364	3.9621	32.5062
	S	153.849	131.828	120.637	136.253	147.684	137.903	135.533	145.756	138.435
33	T	3.8094	3.3428	4.1890	4.1383	3.8551	4.6863	4.2495	3.9286	32.1990
	S	152.315	129.722	124.352	137.573	147.856	140.982	138.305	146.999	139.756
34	T	3.8027	3.3070	4.1507	4.0428	3.7977	4.5956	4.1895	3.8962	31.7822
	S	152.583	131.127	125.499	140.823	150.091	143.764	140.286	148.221	141.589
35	T	3.7686	3.2934	4.2430	4.0982	3.8005	4.7406	4.2988	3.9532	32.1963
	S	153.964	131.668	122.769	138.919	149.980	139.367	136.719	146.084	139.768
36	T	3.7994	3.3176	4.2517	4.0913	3.7928	4.6731	4.3038	3.9177	32.1474
	S	152.716	130.708	122.518	139.153	150.285	141.380	136.560	147.408	139.980
37	T	3.7843	3.4016	4.2412	4.0634	3.7765	4.7751	4.3222	3.9100	32.2743
	S	153.325	127.480	122.821	140.109	150.933	138.360	135.979	147.698	139.430
38	T	3.7803	3.4457	4.2747	4.1022	3.7683	4.7071	4.3563	3.9174	32.3520
	S	153.487	125.849	121.859	138.784	151.262	140.359	134.914	147.419	139.095

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 3 - Comeau, Antoine (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.8349	3.4946	4.3500	4.1061	3.7702	4.7101	4.3509	3.9351	32.5519
	S	151.302	124.088	119.749	138.652	151.186	140.269	135.082	146.756	138.241
40	T	3.7902	3.3601	4.2296	4.0850	3.7975	5.6567	5.1503	4.4895	34.5589
	S	153.086	129.055	123.158	139.368	150.099	116.796	114.115	128.633	130.212
41	T	5.2199	4.4998	5.3744	5.8322	6.2318	11.2750	9.7438	6.0401	54.2170
	S	111.157	96.368	96.924	97.616	91.466	58.597	60.318	95.611	83.000
42	T	5.4186	4.6875	5.5092	6.2201	6.2623	14.8697	11.2407	10.9264	65.1345
	S	107.081	92.509	94.553	91.529	91.021	44.431	52.286	52.854	69.088
43	T	10.6604	6.1463	8.7013	9.5739	9.2979	15.8792	14.1098	9.8506	84.2194
	S	54.428	70.552	59.866	59.466	61.304	41.607	41.654	58.626	53.432
44	T	8.6873	7.0148	8.2174	9.8158	9.7236	16.3081	11.1340	12.4559	83.3569
	S	66.790	61.817	63.391	58.000	58.620	40.512	52.787	46.364	53.985
45	T	7.6592	7.2471	7.9339	10.4960	9.3418	13.1117	12.7674	9.6465	78.2036
	S	75.756	59.836	65.656	54.241	61.016	50.389	46.033	59.866	57.542
46	T	9.0454	6.6452	9.3527	9.9811	8.8167	12.5444	11.4582	9.6401	77.4838
	S	64.146	65.256	55.696	57.040	64.650	52.667	51.293	59.906	58.077
47	T	10.0228	6.8628	8.5737	9.3624	9.1693	12.0778	9.7968	8.7587	74.6243
	S	57.891	63.187	60.757	60.809	62.164	54.702	59.992	65.934	60.302
48	T	9.0335	5.9549	6.4518	8.7394	8.5114	10.0654	7.4709	4.6960	60.9233
	S	64.231	72.820	80.739	65.144	66.969	65.639	78.669	122.977	73.863
49	T	4.1817	3.6781	4.4650	4.1996	3.8842	4.9401	4.3698	3.9075	33.6260
	S	138.754	117.897	116.665	135.565	146.748	133.739	134.498	147.793	133.825
50	T	3.7823	3.4886	4.3933	4.1344	3.8317	4.9189	4.3545	3.9802	32.8839
	S	153.406	124.301	118.569	137.703	148.759	134.315	134.970	145.093	136.845
51	T	3.8783	3.4599	4.3829	4.2658	3.8911	5.0447	4.4425	4.0876	33.4528
	S	149.609	125.332	118.850	133.461	146.488	130.966	132.297	141.281	134.518
52	T	3.9107	3.5065	4.3863	4.1145	3.8180	4.7564	4.3399	3.9254	32.7577
	S	148.369	123.666	118.758	138.369	149.293	138.904	135.424	147.119	137.372
53	T	3.8383	3.3985	4.2727	4.1085	3.8265	4.7037	4.2742	3.9227	32.3451
	S	151.168	127.596	121.916	138.571	148.961	140.460	137.506	147.220	139.125
54	T	3.8067	3.3690	4.2229	4.0867	3.8254	4.7354	4.3854	3.9806	32.4121
	S	152.423	128.714	123.353	139.310	149.004	139.520	134.019	145.079	138.837
55	T	3.8414	3.3906	4.2180	4.0819	3.8238	4.8294	4.3634	3.9705	32.5190
	S	151.046	127.894	123.497	139.474	149.066	136.804	134.695	145.448	138.381
56	T	4.2163	4.2732							
	S	137.615	101.478							

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 5 - Petrov, Artem (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.5738	4.0879	4.6725	4.2639	3.8280	5.1799	4.4675	3.9484	35.0219	57.9410
	S	126.859	106.078	111.484	133.521	148.903	127.547	131.556	146.262	128.491	69.063
2	T	3.7693	3.6638	4.5087	4.2245	3.8058	4.9751	4.4585	4.0380	33.4437	
	S	153.935	118.357	115.534	134.766	149.771	132.798	131.822	143.016	134.554	
3	T	3.7937	3.6093	4.4059	4.0756	3.7236	5.2950	4.5572	4.0878	33.5481	
	S	152.945	120.144	118.230	139.689	153.078	124.775	128.967	141.274	134.136	
4	T	3.9238	3.6405	4.4268	4.1342	3.7711	4.8850	4.3925	3.9207	33.0946	
	S	147.874	119.115	117.672	137.709	151.150	135.247	133.802	147.295	135.974	
5	T	3.7810	3.5966	4.3775	4.1055	3.7734	4.8750	4.3412	3.9221	32.7723	
	S	153.459	120.568	118.997	138.672	151.057	135.524	135.384	147.243	137.311	
6	T	3.7768	3.6039	4.2957	4.0934	3.7701	4.7789	4.3103	3.9281	32.5572	
	S	153.629	120.324	121.263	139.082	151.190	138.250	136.354	147.018	138.218	
7	T	3.7779	3.5487	4.2399	4.0438	3.7314	4.9160	4.4336	4.0764	32.7677	
	S	153.585	122.196	122.859	140.788	152.758	134.394	132.562	141.669	137.330	
8	T	3.8446	3.5936	4.4061	4.1106	3.7838	4.9108	4.3308	3.9016	32.8819	
	S	150.920	120.669	118.225	138.500	150.642	134.536	135.709	148.016	136.853	
9	T	3.7700	3.5360	4.2693	4.0843	3.7839	4.7766	4.2980	3.8940	32.4121	
	S	153.906	122.635	122.013	139.392	150.638	138.316	136.744	148.305	138.837	
10	T	3.7784	3.5573	4.3646	4.1116	3.8065	4.8306	4.3347	3.9441	32.7278	
	S	153.564	121.900	119.349	138.466	149.744	136.770	135.587	146.421	137.498	
11	T	3.7683	3.4607	4.2285	4.0522	3.7514	4.8370	4.3756	3.9646	32.4383	
	S	153.976	125.303	123.190	140.496	151.943	136.589	134.319	145.664	138.725	
12	T	3.7734	3.4187	4.2662	4.0746	3.7943	4.8490	4.3513	3.9708	32.4983	
	S	153.768	126.842	122.101	139.724	150.225	136.251	135.069	145.437	138.469	
13	T	3.7940	3.5390	4.2518	4.1002	3.8368	4.8538	4.3142	3.9539	32.6437	
	S	152.933	122.531	122.515	138.851	148.561	136.116	136.231	146.058	137.852	
14	T	3.7919	3.4141	4.1861	4.0754	3.8205	4.7576	4.3175	3.9437	32.3068	
	S	153.018	127.013	124.438	139.696	149.195	138.869	136.127	146.436	139.290	
15	T	3.7711	3.3694	4.2310	4.0867	3.8291	4.7084	4.3242	3.9354	32.2553	
	S	153.862	128.698	123.117	139.310	148.860	140.320	135.916	146.745	139.512	
16	T	3.7620	3.4264	4.1724	4.0664	3.8132	4.7390	4.2397	3.8881	32.1072	
	S	154.234	126.557	124.846	140.005	149.481	139.414	138.625	148.530	140.155	
17	T	3.7495	3.3854	4.1699	4.0553	3.7878	4.8165	4.2926	3.9030	32.1600	
	S	154.748	128.090	124.921	140.389	150.483	137.171	136.916	147.963	139.925	
18	T	3.7661	3.5072	4.2408	4.0682	3.7639	4.8970	4.3859	3.9436	32.5727	
	S	154.066	123.642	122.833	139.944	151.439	134.916	134.004	146.440	138.153	
19	T	3.7690	3.4523	4.2690	4.1013	3.8003	4.8696	4.3547	4.0093	32.6255	
	S	153.947	125.608	122.021	138.814	149.988	135.675	134.964	144.040	137.929	

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 5 - Petrov, Artem (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.8609	3.4968	4.4210	4.1557	3.8298	4.7386	4.3273	3.9403	32.7704
	S	150.283	124.009	117.826	136.997	148.833	139.426	135.818	146.562	137.319
21	T	3.7766	3.5309	4.2478	4.0905	3.8047	4.8422	4.3435	3.9584	32.5946
	S	153.637	122.812	122.630	139.181	149.815	136.442	135.312	145.892	138.060
22	T	3.7808	3.3748	4.1718	4.0621	3.8225	4.6682	4.2434	3.9078	32.0314
	S	153.467	128.492	124.864	140.154	149.117	141.528	138.504	147.781	140.487
23	T	3.7621	3.3262	4.1697	4.0528	3.8078	4.6658	4.2309	3.8856	31.9009
	S	154.230	130.370	124.927	140.475	149.693	141.601	138.913	148.626	141.062
24	T	3.7421	3.3353	4.2464	4.0745	3.7978	4.7669	4.3051	3.9252	32.1933
	S	155.054	130.014	122.671	139.727	150.087	138.598	136.519	147.126	139.781
25	T	3.7464	3.3524	4.2500	4.0955	3.8190	4.7643	4.3412	3.9330	32.3018
	S	154.876	129.351	122.567	139.011	149.254	138.673	135.384	146.834	139.311
26	T	3.7628	3.3427	4.2389	4.0794	3.8113	4.7527	4.3080	3.9337	32.2295
	S	154.201	129.726	122.888	139.559	149.555	139.012	136.427	146.808	139.624
27	T	3.7619	3.3656	4.2419	4.0981	3.8351	4.7262	4.2987	3.9288	32.2563
	S	154.238	128.844	122.801	138.922	148.627	139.791	136.722	146.991	139.508
28	T	3.7598	3.3797	4.1914	4.0352	3.7344	4.8619	4.3541	3.9279	32.2444
	S	154.324	128.306	124.280	141.088	152.635	135.890	134.982	147.025	139.559
29	T	3.7502	3.3376	4.2896	4.1564	3.9038	4.7184	4.2875	3.9483	32.3918
	S	154.719	129.925	121.435	136.974	146.012	140.022	137.079	146.265	138.924
30	T	3.8281	3.4443	4.4298	4.1479	3.8393	4.7302	4.3031	3.9381	32.6608
	S	151.571	125.900	117.592	137.255	148.465	139.673	136.582	146.644	137.780
31	T	3.7683	3.3593	4.1868	4.0660	3.8077	4.6899	4.2683	3.9254	32.0717
	S	153.976	129.085	124.417	140.019	149.697	140.873	137.696	147.119	140.311
32	T	3.7670	3.3501	4.1970	4.0896	3.8312	4.7262	4.3184	3.9728	32.2523
	S	154.029	129.440	124.115	139.211	148.778	139.791	136.098	145.363	139.525
33	T	3.8154	3.3458	4.2102	4.1026	3.8524	4.7123	4.2817	3.9602	32.2806
	S	152.075	129.606	123.725	138.770	147.960	140.204	137.265	145.826	139.403
34	T	3.7957	3.3692	4.1165	4.0691	3.8432	4.6860	4.2478	3.9417	32.0692
	S	152.864	128.706	126.542	139.913	148.314	140.991	138.360	146.510	140.322
35	T	3.7920	3.2624	4.2235	4.1172	3.8716	4.6726	4.2253	3.9416	32.1062
	S	153.014	132.919	123.336	138.278	147.226	141.395	139.097	146.514	140.160
36	T	3.7969	3.3658	4.1551	4.0749	3.8258	4.6771	4.2910	3.9498	32.1364
	S	152.816	128.836	125.366	139.713	148.988	141.259	136.967	146.210	140.028
37	T	3.7790	3.3858	4.2785	4.1140	3.8197	4.6882	4.2692	3.9247	32.2591
	S	153.540	128.075	121.750	138.386	149.226	140.924	137.667	147.145	139.496
38	T	3.7707	3.4432	4.1621	4.0795	3.8290	4.6893	4.2921	3.9761	32.2420
	S	153.878	125.940	125.155	139.556	148.864	140.891	136.932	145.243	139.570

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 5 - Petrov, Artem (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.7953	3.3286	4.1916	4.0741	3.8174	4.6851	4.3190	3.9880	32.1991
	S	152.880	130.276	124.275	139.741	149.316	141.018	136.079	144.809	139.755
40	T	3.8127	3.3606	4.2010	4.0597	3.8265	4.7464	5.1200	4.7694	33.8963
	S	152.183	129.035	123.996	140.237	148.961	139.196	114.790	121.084	132.758
41	T	5.0612	4.4531	5.6022	6.1669	6.2227			6.0589	54.9932
	S	114.642	97.379	92.983	92.318	91.600			95.314	81.828
42	T	5.6373	4.9029	5.4327	5.4418	6.5437	14.2373	11.2991	10.9660	64.4608
	S	102.926	88.445	95.884	104.619	87.107	46.405	52.015	52.663	69.810
43	T	10.4626	5.9895	8.8069	9.4055	9.4980	16.5190	13.3726	9.4891	83.5432
	S	55.457	72.399	59.148	60.530	60.013	39.995	43.950	60.859	53.864
44	T	9.4246	7.0124	7.9298	9.7350	10.1816	16.4746	10.6875	12.4441	83.8896
	S	61.565	61.839	65.690	58.482	55.983	40.103	54.992	46.408	53.642
45	T	7.6527	7.2226	7.8415	10.2774	9.6722	13.5352	12.1560	9.4974	77.8550
	S	75.820	60.039	66.430	55.395	58.932	48.812	48.349	60.806	57.800
46	T	9.5316	6.4388	9.8506	9.1177	9.3851	12.2378	11.5748	9.4370	77.5734
	S	60.874	67.347	52.881	62.441	60.735	53.987	50.776	61.195	58.010
47	T	9.9301	6.9600	9.0260	9.1250	9.3385	11.7433	10.1624	8.1490	74.4343
	S	58.431	62.304	57.712	62.391	61.038	56.260	57.834	70.868	60.456
48	T	9.5220	6.0584	6.2505	8.3257	8.4463	9.9476	7.4219	4.6866	60.6590
	S	60.935	71.576	83.339	68.381	67.485	66.416	79.188	123.224	74.185
49	T	4.1777	3.6729	4.3695	4.1552	3.8364	4.8497	4.3590	3.9721	33.3925
	S	138.887	118.064	119.215	137.013	148.577	136.231	134.831	145.389	134.761
50	T	3.7934	3.4918	4.2727	4.1351	3.8361	4.8891	4.3743	3.9677	32.7602
	S	152.957	124.187	121.916	137.679	148.588	135.134	134.359	145.550	137.362
51	T	3.8088	3.3956	4.2280	4.1290	3.9219	4.6913	4.2474	4.0091	32.4311
	S	152.339	127.705	123.205	137.883	145.338	140.831	138.373	144.047	138.756
52	T	3.8867	3.3013	4.1192	4.1227	3.9332	4.6712	4.2463	4.0008	32.2814
	S	149.285	131.353	126.459	138.094	144.920	141.437	138.409	144.346	139.399
53	T	3.8898	3.2751	4.1381	4.1291	3.9370	4.6254	4.2095	3.9906	32.1946
	S	149.166	132.404	125.881	137.879	144.780	142.838	139.619	144.715	139.775
54	T	3.8822	3.2484	4.1167	4.1250	3.9428	4.6159	4.2239	3.9931	32.1480
	S	149.458	133.492	126.536	138.017	144.567	143.132	139.143	144.624	139.978
55	T	3.8612	3.2533	4.0847	4.1108	3.9381	4.6838	4.2386	3.9949	32.1654
	S	150.271	133.291	127.527	138.493	144.740	141.057	138.661	144.559	139.902
56	T	3.9641	3.9718							
	S	146.370	109.179							

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 51 - Abel, Jacob (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	SF to PI	
1	T	4.4673	3.9018	4.5138	4.1662	3.8632	5.3890	4.5740	4.0170	34.8923	56.2705	
	S	129.883	111.138	115.404	136.652	147.546	122.598	128.493	143.764	128.968	71.113	
2	T	3.8310	3.7309	4.4878	4.1422	3.8644	5.2341	4.5316	4.0189	33.8409		
	S	151.456	116.228	116.072	137.443	147.500	126.226	129.695	143.696	132.975		
3	T	3.8267	3.6890	4.4436	4.1430	3.8446	5.1336	4.4462	3.9997	33.5264		
	S	151.626	117.548	117.227	137.417	148.260	128.698	132.186	144.386	134.223		
4	T	3.8444	3.6108	4.3776	4.1089	3.7941	5.0589	4.3867	4.0033	33.1847		
	S	150.928	120.094	118.994	138.557	150.233	130.598	133.979	144.256	135.605		
5	T	3.8688	3.5989	4.3109	4.0942	3.8140	4.9402	4.3370	3.9525	32.9165		
	S	149.976	120.491	120.835	139.055	149.449	133.736	135.515	146.110	136.710		
6	T	3.8304	3.6242	4.3286	4.1173	3.8365	4.9292	4.3358	3.9772	32.9792		
	S	151.480	119.650	120.341	138.275	148.573	134.034	135.552	145.203	136.450		
7	T	3.8609	3.5634	4.2266	4.0765	3.8240	4.9677	4.3627	3.9791	32.8609		
	S	150.283	121.692	123.245	139.659	149.059	132.996	134.716	145.133	136.941		
8	T	3.8587	3.5585	4.2375	4.0882	3.8451	4.9838	4.3953	4.0170	32.9841		
	S	150.369	121.859	122.928	139.259	148.241	132.566	133.717	143.764	136.429		
9	T	3.8893	3.6212	4.2667	4.1087	3.8619	5.0165	4.4119	4.0358	33.2120		
	S	149.186	119.749	122.087	138.564	147.596	131.702	133.214	143.094	135.493		
10	T	3.8746	3.5295	4.2410	4.0897	3.8471	5.0143	4.4216	4.0369	33.0547		
	S	149.752	122.861	122.827	139.208	148.164	131.760	132.922	143.055	136.138		
11	T	3.9064	3.5663	4.2530	4.0928	3.8388	4.9638	4.3615	4.0078	32.9904		
	S	148.532	121.593	122.480	139.102	148.484	133.100	134.753	144.094	136.403		
12	T	3.8886	3.5184	4.2229	4.0875	3.8465	5.0646	4.4193	4.0252	33.0730		
	S	149.212	123.248	123.353	139.283	148.187	130.451	132.991	143.471	136.063		
13	T	3.9178	3.5759	4.2718	4.1236	3.8763	5.0212	4.4270	4.0959	33.3095		
	S	148.100	121.266	121.941	138.063	147.047	131.578	132.760	140.995	135.097		
14	T	4.1975	3.9863	4.9709	5.5787	7.8725				86.9912		57.0146
	S	138.232	108.782	104.792	102.052	72.404				51.729		68.798

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis

Round 12

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 24, 2019

Section Data for Car 6 - de la Vara, Moises

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.5278	3.7705	4.3481	4.1461	3.8222	4.9484	4.5422	4.0421	34.1474	57.3004
	S	128.148	115.008	119.802	137.314	149.129	133.514	129.393	142.871	131.782	69.835
2	T	3.8760	3.4162	4.3353	4.1773	3.9123	4.9079	4.5227	4.0981	33.2458	
	S	149.697	126.935	120.155	136.289	145.694	134.616	129.951	140.919	135.355	
3	T	3.9314	3.6157	4.5542	4.1861	3.8203	4.9361	4.4211	3.9772	33.4421	
	S	147.588	119.932	114.380	136.002	149.203	133.847	132.937	145.203	134.561	
4	T	3.7878	3.3451	4.2790	4.1106	3.8583	4.6852	4.3171	3.9605	32.3436	
	S	153.183	129.633	121.736	138.500	147.733	141.015	136.139	145.815	139.131	
5	T	3.8568	3.4047	4.3237	4.1724	3.8860	4.7909	4.3668	4.0152	32.8165	
	S	150.443	127.364	120.478	136.449	146.680	137.903	134.590	143.828	137.126	
6	T	3.9098	3.4933	4.3391	4.1494	3.8732	4.7918	4.3102	3.9026	32.7694	
	S	148.403	124.134	120.050	137.205	147.165	137.878	136.357	147.978	137.323	
7	T	3.7902	3.4942	4.4729	4.1677	3.8416	4.6739	4.3213	3.9461	32.7079	
	S	153.086	124.102	116.459	136.602	148.376	141.356	136.007	146.347	137.581	
8	T	3.8156	3.4046	4.1970	4.0749	3.8121	4.6810	4.2899	3.9419	32.2170	
	S	152.067	127.368	124.115	139.713	149.524	141.141	137.003	146.503	139.678	
9	T	3.8127	3.3905	4.2302	4.0923	3.8225	4.7072	4.3340	3.9753	32.3647	
	S	152.183	127.897	123.141	139.119	149.117	140.356	135.609	145.272	139.040	
10	T	3.8295	3.4193	4.1937	4.0937	3.8307	4.7550	4.3100	3.9756	32.4075	
	S	151.515	126.820	124.212	139.072	148.798	138.945	136.364	145.261	138.857	
11	T	3.8384	3.3863	4.2159	4.0870	3.8213	4.6707	4.2808	3.9379	32.2383	
	S	151.164	128.056	123.558	139.300	149.164	141.452	137.294	146.652	139.586	
12	T	3.8043	3.3800	4.2499	4.1036	3.8431	4.7636	4.2975	3.9520	32.3940	
	S	152.519	128.295	122.570	138.736	148.318	138.694	136.760	146.129	138.915	
13	T	3.8277	3.4246	4.1942	4.1032	3.8498	4.7407	4.3178	3.9607	32.4187	
	S	151.586	126.624	124.197	138.750	148.060	139.364	136.117	145.808	138.809	
14	T	3.8211	3.4259	4.3432	4.1476	3.9061	4.8233	4.4019	3.9983	32.8674	
	S	151.848	126.576	119.937	137.264	145.926	136.977	133.517	144.436	136.914	
15	T	3.8636	3.3738	4.2534	4.1071	3.8555	4.7583	4.3111	3.9458	32.4686	
	S	150.178	128.531	122.469	138.618	147.841	138.848	136.329	146.358	138.595	
16	T	3.8138	3.3681	4.1838	4.1026	3.8613	4.7563	4.2913	3.9411	32.3183	
	S	152.139	128.748	124.506	138.770	147.619	138.907	136.958	146.533	139.240	
17	T	3.8044	3.3323	4.1696	4.0932	3.8524	4.6962	4.2523	3.9175	32.1179	
	S	152.515	130.131	124.930	139.089	147.960	140.684	138.214	147.415	140.109	
18	T	3.7980	3.3270	4.1661	4.0780	3.8446	4.7499	4.3053	3.9378	32.2067	
	S	152.772	130.339	125.035	139.607	148.260	139.094	136.513	146.655	139.722	
19	T	3.8099	3.4881	4.3477	4.1311	3.8205	4.7275	4.2680	3.8725	32.4653	
	S	152.295	124.319	119.813	137.813	149.195	139.753	137.706	149.128	138.610	

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 6 - de la Vara, Moises**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.7510	3.3903	4.2585	4.0901	3.8116	4.7714	4.2908	3.9364	32.3001
	S	154.686	127.905	122.322	139.194	149.543	138.467	136.974	146.708	139.318
21	T	3.7844	3.3345	4.1788	4.0666	3.8098	4.6751	4.3697	3.9444	32.1633
	S	153.321	130.045	124.655	139.999	149.614	141.319	134.501	146.410	139.911
22	T	3.8033	3.3528	4.1671	4.0686	3.8327	4.7172	4.3130	3.9436	32.1983
	S	152.559	129.336	125.005	139.930	148.720	140.058	136.269	146.440	139.759
23	T	3.8043	3.3395	4.1720	4.0865	3.8602	4.7081	4.2623	3.9270	32.1599
	S	152.519	129.851	124.858	139.317	147.661	140.329	137.890	147.059	139.926
24	T	3.7911	3.3415	4.1626	4.0788	3.8459	4.6926	4.2791	3.9356	32.1272
	S	153.050	129.773	125.140	139.580	148.210	140.792	137.348	146.737	140.068
25	T	3.8019	3.3324	4.1603	4.0800	3.8585	4.7104	4.2815	3.9351	32.1601
	S	152.615	130.127	125.210	139.539	147.726	140.260	137.271	146.756	139.925
26	T	3.8119	3.3114	4.1694	4.0786	3.8583	4.7394	4.3092	3.9461	32.2243
	S	152.215	130.953	124.936	139.587	147.733	139.402	136.389	146.347	139.646
27	T	3.8068	3.3217	4.1603	4.1029	3.8707	4.7327	4.2874	3.9367	32.2192
	S	152.419	130.547	125.210	138.760	147.260	139.599	137.082	146.696	139.668
28	T	3.8090	3.3100	4.1303	4.0959	3.8683	4.7943	4.3411	3.9564	32.3053
	S	152.331	131.008	126.119	138.997	147.352	137.806	135.387	145.966	139.296
29	T	3.8149	3.4047	4.1759	4.0918	3.8695	4.7088	4.3164	3.9441	32.3261
	S	152.095	127.364	124.742	139.136	147.306	140.308	136.161	146.421	139.206
30	T	3.8242	3.3789	4.1831	4.0919	3.8722	4.7185	4.2731	3.9350	32.2769
	S	151.725	128.337	124.527	139.133	147.203	140.019	137.541	146.760	139.419
31	T	3.8156	3.3561	4.1576	4.0807	3.8623	4.7299	4.2530	3.9190	32.1742
	S	152.067	129.208	125.291	139.515	147.580	139.682	138.191	147.359	139.864
32	T	3.8048	3.3330	4.1475	4.0779	3.8653	4.7561	4.3129	3.9517	32.2492
	S	152.499	130.104	125.596	139.611	147.466	138.913	136.272	146.140	139.538
33	T	3.8296	3.3868	4.1748	4.0931	3.8559	4.7396	4.2501	3.9276	32.2575
	S	151.511	128.037	124.775	139.092	147.825	139.396	138.286	147.036	139.502
34	T	3.8086	3.3509	4.1339	4.0609	3.8509	4.7451	4.2969	3.9412	32.1884
	S	152.347	129.409	126.009	140.195	148.017	139.235	136.779	146.529	139.802
35	T	3.8210	3.3778	4.2273	4.1008	3.8615	4.7105	4.2592	3.9464	32.3045
	S	151.852	128.378	123.225	138.831	147.611	140.257	137.990	146.336	139.299
36	T	3.8349	3.3985	4.1667	4.0814	3.8462	4.7591	4.3775	3.9768	32.4411
	S	151.302	127.596	125.017	139.491	148.198	138.825	134.261	145.217	138.713
37	T	3.8418	3.4653	4.2138	4.0945	3.8398	4.7010	4.2684	3.9534	32.3780
	S	151.030	125.137	123.620	139.045	148.445	140.541	137.693	146.077	138.983
38	T	3.8311	3.3751	4.1541	4.0795	3.8403	4.6458	4.2779	3.9631	32.1669
	S	151.452	128.481	125.396	139.556	148.426	142.211	137.387	145.719	139.895

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis

Round 12

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 24, 2019

Section Data for Car 6 - de la Vara, Moises

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.8536	3.3489	4.1532	4.0721	3.8313	4.6894	4.2521	3.9747	32.1753
	S	150.568	129.486	125.424	139.809	148.775	140.888	138.220	145.294	139.859
40	T	3.8620	3.3303	4.2124	4.1766	3.8776	8.0885	326.1398		
	S	150.240	130.209	123.661	136.311	146.998	81.682	1.802		

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 68 - Frost, Danial (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.4875	4.0508	4.5579	4.1349	3.8084	5.0898	4.5740	4.0717	34.7750	57.1418
	S	129.299	107.050	114.287	137.686	149.669	129.805	128.493	141.833	129.403	70.029
2	T	3.8512	3.6988	4.4880	4.1443	3.8241	4.9371	4.4141	3.9564	33.3140	
	S	150.661	117.237	116.067	137.374	149.055	133.820	133.148	145.966	135.078	
3	T	3.8249	3.5510	4.5180	4.1472	3.7945	5.2372	4.6689	3.9667	33.7084	
	S	151.697	122.117	115.296	137.278	150.217	126.152	125.881	145.587	133.498	
4	T	3.7933	3.5455	4.4371	4.1142	3.7778	4.8925	4.4161	3.9719	32.9484	
	S	152.961	122.306	117.399	138.379	150.881	135.040	133.087	145.396	136.577	
5	T	3.7923	3.4905	4.3338	4.1074	3.7954	4.8394	4.4173	3.9283	32.7044	
	S	153.001	124.233	120.197	138.608	150.182	136.521	133.051	147.010	137.596	
6	T	3.7683	3.4423	4.3679	4.0904	3.7546	4.7801	4.4632	3.9519	32.6187	
	S	153.976	125.973	119.258	139.184	151.814	138.215	131.683	146.132	137.958	
7	T	3.7649	3.4136	4.4219	4.1519	3.8136	4.9052	4.4645	3.9910	32.9266	
	S	154.115	127.032	117.802	137.122	149.465	134.690	131.645	144.701	136.668	
8	T	3.7968	3.4999	4.3574	4.1408	3.8478	4.7483	4.3261	3.9266	32.6437	
	S	152.820	123.900	119.546	137.490	148.137	139.141	135.856	147.074	137.852	
9	T	3.7693	3.4094	4.3521	4.1112	3.8091	4.7523	4.4872	3.9691	32.6597	
	S	153.935	127.188	119.691	138.480	149.642	139.024	130.979	145.499	137.784	
10	T	3.7771	3.4774	4.2584	4.0693	3.8016	4.7560	4.3433	3.9419	32.4250	
	S	153.617	124.701	122.325	139.906	149.937	138.915	135.318	146.503	138.782	
11	T	3.7680	3.3705	4.3271	4.0962	3.7970	4.7174	4.3858	3.9527	32.4147	
	S	153.988	128.656	120.383	138.987	150.119	140.052	134.007	146.103	138.826	
12	T	3.7780	3.3851	4.3211	4.1111	3.8338	4.6861	4.3020	3.9210	32.3382	
	S	153.581	128.101	120.550	138.483	148.678	140.988	136.617	147.284	139.154	
13	T	3.7629	3.3574	4.3125	4.0871	3.7911	4.7572	4.3759	3.9209	32.3650	
	S	154.197	129.158	120.791	139.296	150.352	138.880	134.310	147.288	139.039	
14	T	3.7608	3.3678	4.3617	4.1124	3.8251	4.6976	4.3718	3.9257	32.4229	
	S	154.283	128.760	119.428	138.439	149.016	140.642	134.436	147.108	138.791	
15	T	3.7586	3.3591	4.3229	4.1179	3.8439	4.7126	4.3093	3.9084	32.3327	
	S	154.373	129.093	120.500	138.254	148.287	140.195	136.386	147.759	139.178	
16	T	3.7483	3.3440	4.2848	4.1079	3.8414	4.7012	4.3167	3.8914	32.2357	
	S	154.797	129.676	121.571	138.591	148.383	140.535	136.152	148.404	139.597	
17	T	3.7437	3.3093	4.3328	4.1017	3.7996	4.7261	4.3926	3.8903	32.2961	
	S	154.988	131.036	120.225	138.801	150.016	139.794	133.799	148.446	139.336	
18	T	3.7621	3.3886	4.2915	4.0856	3.8154	4.7717	4.3440	3.9456	32.4045	
	S	154.230	127.969	121.382	139.348	149.395	138.458	135.296	146.366	138.870	
19	T	3.7795	3.3361	4.3214	4.1476	3.8639	4.7029	4.2816	3.9071	32.3401	
	S	153.520	129.983	120.542	137.264	147.519	140.484	137.268	147.808	139.146	

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 68 - Frost, Danial (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.7698	3.3292	4.2297	4.0985	3.8431	4.7147	4.2916	3.9181	32.1947
	S	153.915	130.252	123.155	138.909	148.318	140.132	136.948	147.393	139.775
21	T	3.7655	3.3184	4.2788	4.1070	3.8491	4.6862	4.2584	3.8926	32.1560
	S	154.090	130.676	121.742	138.621	148.087	140.985	138.016	148.358	139.943
22	T	3.7569	3.3064	4.2549	4.1034	3.8504	4.6556	4.2777	3.8934	32.0987
	S	154.443	131.151	122.426	138.743	148.037	141.911	137.393	148.328	140.193
23	T	3.7583	3.3218	4.2261	4.0868	3.8440	4.6686	4.2897	3.9083	32.1036
	S	154.386	130.543	123.260	139.307	148.283	141.516	137.009	147.762	140.171
24	T	3.7597	3.3061	4.2407	4.0927	3.8434	4.7158	4.3189	3.9251	32.2024
	S	154.328	131.163	122.836	139.106	148.306	140.100	136.083	147.130	139.741
25	T	3.7647	3.2900	4.2545	4.0989	3.8455	4.6709	4.2824	3.9006	32.1075
	S	154.123	131.804	122.437	138.895	148.225	141.446	137.242	148.054	140.154
26	T	3.7649	3.2936	4.2628	4.1064	3.8553	4.6400	4.2691	3.8893	32.0814
	S	154.115	131.660	122.199	138.642	147.848	142.388	137.670	148.484	140.268
27	T	3.7535	3.2635	4.2599	4.0874	3.8302	4.6730	4.2669	3.9363	32.0707
	S	154.583	132.875	122.282	139.286	148.817	141.383	137.741	146.711	140.315
28	T	3.7837	3.3426	4.3253	4.1256	3.8476	4.6880	4.2387	3.8966	32.2481
	S	153.349	129.730	120.433	137.996	148.144	140.930	138.657	148.206	139.543
29	T	3.7721	3.3084	4.2776	4.0957	3.8391	4.6709	4.2291	3.8851	32.0780
	S	153.821	131.071	121.776	139.004	148.472	141.446	138.972	148.645	140.283
30	T	3.7697	3.3062	4.2143	4.0675	3.8193	4.6052	4.3472	3.9249	32.0543
	S	153.919	131.159	123.605	139.968	149.242	143.464	135.197	147.138	140.387
31	T	3.7703	3.2767	4.2540	4.0925	3.8509	4.6638	4.2868	3.9062	32.1012
	S	153.894	132.339	122.452	139.113	148.017	141.662	137.102	147.842	140.182
32	T	3.7596	3.3196	4.2666	4.0822	3.8159	4.6657	4.2997	3.9068	32.1161
	S	154.332	130.629	122.090	139.464	149.375	141.604	136.690	147.819	140.117
33	T	3.7582	3.3420	4.2964	4.0964	3.8020	4.6205	4.3569	3.9084	32.1808
	S	154.390	129.754	121.243	138.980	149.921	142.989	134.896	147.759	139.835
34	T	3.7627	3.3407	4.2920	4.0871	3.8028	4.6496	4.3882	3.9492	32.2723
	S	154.205	129.804	121.367	139.296	149.890	142.094	133.934	146.232	139.438
35	T	3.7772	3.3419	4.2601	4.0737	3.7964	4.6520	4.3135	3.9072	32.1220
	S	153.613	129.757	122.276	139.755	150.142	142.021	136.253	147.804	140.091
36	T	3.7603	3.3983	4.2848	4.0968	3.7887	4.6905	4.3812	3.9483	32.3489
	S	154.303	127.604	121.571	138.967	150.447	140.855	134.148	146.265	139.108
37	T	3.7771	3.4565	4.2766	4.0686	3.7419	4.7896	4.3377	3.8724	32.3204
	S	153.617	125.455	121.804	139.930	152.329	137.941	135.493	149.132	139.231
38	T	3.7640	3.3927	4.3552	4.1240	3.7716	4.7833	4.3976	3.9686	32.5570
	S	154.152	127.815	119.606	138.050	151.129	138.123	133.647	145.517	138.219

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 68 - Frost, Danial (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.8227	3.4506	4.3049	4.1237	3.8242	4.6414	4.2666	3.9336	32.3677
	S	151.785	125.670	121.004	138.060	149.051	142.345	137.751	146.812	139.027
40	T	3.7886	3.3372	4.2024	4.0692	3.8059	4.7490	4.3061	4.0587	32.3171
	S	153.151	129.940	123.955	139.909	149.767	139.120	136.487	142.287	139.245
41	T	4.0251	3.6721	4.5012	4.2228	3.9331	11.8659	11.6174	6.0463	49.8839
	S	144.152	118.089	115.727	134.820	144.924	55.679	50.590	95.513	90.209
42	T	6.4132	4.8680	6.0302	6.8286	7.3490	15.8245	11.7335	10.4894	69.5364
	S	90.474	89.079	86.383	83.373	77.562	41.751	50.090	55.056	64.714
43	T	10.7571	6.2124	8.6507	9.2551	9.8088	15.6171	13.6435	10.7575	84.7022
	S	53.939	69.802	60.216	61.514	58.111	42.305	43.077	53.683	53.127
44	T	9.5319	7.4380	8.2546	9.5917	9.8687	16.0436	11.1060	12.2390	84.0735
	S	60.872	58.300	63.105	59.355	57.758	41.180	52.920	47.185	53.525
45	T	7.9477	7.4563	8.2719	8.9556	10.3112	13.0107	11.9872	9.9801	77.9207
	S	73.006	58.157	62.973	63.571	55.280	50.780	49.030	57.865	57.751
46	T	9.9124	6.8061	9.2799	8.6617	9.4949	12.9591	11.5827	9.5530	78.2498
	S	58.535	63.713	56.133	65.728	60.032	50.982	50.742	60.452	57.508
47	T	9.7944	7.4331	8.1478	9.3342	9.3739	12.1391	9.7960	8.7816	74.8001
	S	59.241	58.339	63.932	60.993	60.807	54.426	59.997	65.763	60.160
48	T	8.9742	6.0815	6.6629	8.6066	8.5460	10.2642	7.4680	4.5961	61.1995
	S	64.655	71.304	78.181	66.149	66.698	64.368	78.699	125.650	73.530
49	T	4.0356	3.5142	4.3313	4.1295	3.8263	4.6951	4.2284	3.8724	32.6328
	S	143.777	123.395	120.266	137.866	148.969	140.717	138.995	149.132	137.898
50	T	3.7534	3.4020	4.2558	4.0922	3.8110	4.6588	4.2146	3.8483	32.0361
	S	154.587	127.465	122.400	139.123	149.567	141.814	139.450	150.066	140.467
51	T	3.7467	3.3331	4.2469	4.0849	3.7932	4.6354	4.2269	3.8811	31.9482
	S	154.864	130.100	122.656	139.371	150.269	142.530	139.045	148.798	140.853
52	T	3.7556	3.3168	4.2418	4.0936	3.8260	4.6629	4.2265	3.8886	32.0118
	S	154.497	130.739	122.804	139.075	148.981	141.689	139.058	148.511	140.573
53	T	3.7697	3.3621	4.2697	4.1192	3.8606	4.6378	4.2531	3.9073	32.1795
	S	153.919	128.978	122.001	138.211	147.645	142.456	138.188	147.800	139.841
54	T	3.7786	3.3407	4.2184	4.1046	3.8530	4.6426	4.2566	3.9208	32.1153
	S	153.556	129.804	123.485	138.702	147.937	142.309	138.074	147.291	140.120
55	T	3.7821	3.3497	4.2810	4.1334	3.8693	4.6488	4.2144	3.8886	32.1673
	S	153.414	129.455	121.679	137.736	147.313	142.119	139.457	148.511	139.894
56	T	4.2523	4.5132							
	S	136.450	96.082							

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 7 - Enders, Kory (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.5379	3.6488	4.3754	4.1886	3.8951	5.0001	4.5543	4.1729	34.3731	59.2131
	S	127.863	118.844	119.054	135.921	146.338	132.134	129.049	138.393	130.916	67.579
2	T	3.9714	3.5597	4.4062	4.1329	3.8023	4.9853	4.4598	3.9937	33.3113	
	S	146.101	121.818	118.222	137.753	149.909	132.526	131.783	144.603	135.089	
3	T	3.8172	3.5050	4.4734	4.2279	3.9348	4.9074	4.3670	4.0004	33.2331	
	S	152.003	123.719	116.446	134.657	144.861	134.630	134.584	144.361	135.407	
4	T	3.8850	3.4121	4.2989	4.1192	3.7953	4.9783	4.4686	4.0243	32.9817	
	S	149.351	127.088	121.173	138.211	150.186	132.712	131.524	143.503	136.439	
5	T	3.8789	3.3929	4.3226	4.0866	3.7694	4.8409	4.2894	3.9104	32.4911	
	S	149.586	127.807	120.508	139.313	151.218	136.479	137.019	147.683	138.499	
6	T	3.7801	3.5846	4.4260	4.1245	3.8150	4.9224	4.6204	3.9865	33.2595	
	S	153.495	120.972	117.693	138.033	149.410	134.219	127.203	144.864	135.300	
7	T	3.8125	3.4036	4.2921	4.0589	3.7612	4.7675	4.2739	3.9336	32.3033	
	S	152.191	127.405	121.365	140.264	151.547	138.580	137.515	146.812	139.305	
8	T	3.7865	3.4098	4.3566	4.1392	3.8275	4.7467	4.2568	3.9482	32.4713	
	S	153.236	127.174	119.568	137.543	148.922	139.188	138.068	146.269	138.584	
9	T	3.8092	3.3951	4.1755	4.0460	3.7759	4.6486	4.2756	3.9388	32.0647	
	S	152.323	127.724	124.754	140.711	150.957	142.125	137.461	146.618	140.341	
10	T	3.7741	3.4246	4.4499	4.1774	3.8489	4.6923	4.2240	3.9167	32.5079	
	S	153.739	126.624	117.061	136.285	148.094	140.801	139.140	147.446	138.428	
11	T	3.7786	3.4178	4.2447	4.0758	3.7824	4.7011	4.2133	3.8914	32.1051	
	S	153.556	126.876	122.720	139.683	150.698	140.538	139.493	148.404	140.165	
12	T	3.7575	3.4218	4.3014	4.0848	3.7753	4.8037	4.3762	3.9507	32.4714	
	S	154.418	126.728	121.102	139.375	150.981	137.536	134.301	146.177	138.583	
13	T	3.7919	3.4166	4.3174	4.1236	3.8168	4.7120	4.2404	3.8634	32.2821	
	S	153.018	126.920	120.653	138.063	149.340	140.213	138.602	149.480	139.396	
14	T	3.7498	3.3712	4.3170	4.1879	3.8886	4.8488	4.3577	4.0272	32.7482	
	S	154.736	128.630	120.665	135.944	146.582	136.257	134.871	143.400	137.412	
15	T	3.8742	3.3315	4.2884	4.1532	3.8349	4.9615	4.4029	3.9686	32.8152	
	S	149.767	130.162	121.469	137.079	148.635	133.162	133.486	145.517	137.132	
16	T	3.7886	3.2830	4.2215	4.0511	3.7776	4.7249	4.3652	3.8942	32.1061	
	S	153.151	132.085	123.394	140.534	150.889	139.830	134.639	148.297	140.160	
17	T	3.7514	3.3700	4.2469	4.0620	3.7766	4.7332	4.3851	3.9168	32.2420	
	S	154.670	128.675	122.656	140.157	150.929	139.585	134.028	147.442	139.570	
18	T	3.7614	3.3573	4.2843	4.1170	3.8198	4.6597	4.2083	3.8590	32.0668	
	S	154.258	129.162	121.586	138.285	149.222	141.786	139.659	149.650	140.332	
19	T	3.7384	3.3130	4.2148	4.1160	3.8742	4.6590	4.1925	3.8970	32.0049	
	S	155.207	130.889	123.590	138.318	147.127	141.808	140.185	148.191	140.603	

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 7 - Enders, Kory (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.7851	3.3111	4.1475	4.0826	3.8462	4.5894	4.1646	3.8863	31.8128
	S	153.292	130.964	125.596	139.450	148.198	143.958	141.125	148.599	141.452
21	T	3.7768	3.3040	4.1471	4.0720	3.8446	4.6226	4.1719	3.8857	31.8247
	S	153.629	131.246	125.608	139.813	148.260	142.924	140.878	148.622	141.400
22	T	3.7794	3.3034	4.0786	4.0418	3.8289	4.6048	4.1629	3.8745	31.6743
	S	153.524	131.270	127.718	140.858	148.868	143.477	141.182	149.051	142.071
23	T	3.7721	3.2876	4.1147	4.0549	3.8394	4.6024	4.1740	3.8785	31.7236
	S	153.821	131.901	126.597	140.403	148.461	143.552	140.807	148.898	141.850
24	T	3.7766	3.3079	4.1171	4.0547	3.8384	4.5582	4.1389	3.8633	31.6551
	S	153.637	131.091	126.523	140.409	148.499	144.944	142.001	149.484	142.157
25	T	3.7704	3.2776	4.1064	4.0368	3.8220	4.5609	4.1609	3.8562	31.5912
	S	153.890	132.303	126.853	141.032	149.137	144.858	141.250	149.759	142.445
26	T	3.7734	3.3572	4.1470	4.0868	3.8569	4.6157	4.1619	3.8741	31.8730
	S	153.768	129.166	125.611	139.307	147.787	143.138	141.216	149.067	141.185
27	T	3.7759	3.3005	4.1113	4.0542	3.8353	4.5524	4.1451	3.8555	31.6302
	S	153.666	131.385	126.702	140.427	148.619	145.128	141.788	149.786	142.269
28	T	3.7633	3.3053	4.0945	4.0353	3.8135	4.5832	4.1429	3.8710	31.6090
	S	154.180	131.194	127.222	141.084	149.469	144.153	141.864	149.186	142.365
29	T	3.7661	3.3177	4.0842	4.0293	3.8164	4.5255	4.1245	3.8428	31.5065
	S	154.066	130.704	127.543	141.295	149.355	145.991	142.497	150.281	142.828
30	T	3.7638	3.2854	4.0955	4.0212	3.8005	4.5280	4.1134	3.8405	31.4483
	S	154.160	131.989	127.191	141.579	149.980	145.910	142.881	150.371	143.092
31	T	3.7507	3.3063	4.1189	4.0238	3.7993	4.5522	4.1218	3.8503	31.5233
	S	154.698	131.155	126.468	141.488	150.028	145.135	142.590	149.988	142.752
32	T	3.7556	3.3305	4.0947	4.0290	3.7957	4.5248	4.4164	4.1587	32.1054
	S	154.497	130.202	127.215	141.305	150.170	146.013	133.078	138.866	140.163
33	T	3.9006	3.2971	4.0909	4.0433	3.8149	4.5732	4.1388	3.8738	31.7326
	S	148.753	131.521	127.334	140.805	149.414	144.468	142.004	149.078	141.810
34	T	3.7628	3.2991	4.0895	4.0367	3.8165	4.5965	4.1700	3.8813	31.6524
	S	154.201	131.441	127.377	141.036	149.352	143.736	140.942	148.790	142.169
35	T	3.7737	3.2945	4.0977	4.0351	3.8199	4.6038	4.1666	3.8971	31.6884
	S	153.756	131.624	127.122	141.091	149.219	143.508	141.057	148.187	142.008
36	T	3.7923	3.3096	4.1145	4.0342	3.8107	4.6297	4.1786	3.9125	31.7821
	S	153.001	131.024	126.603	141.123	149.579	142.705	140.652	147.604	141.589
37	T	3.7975	3.3125	4.0912	4.0281	3.8039	4.6428	4.1923	3.9177	31.7860
	S	152.792	130.909	127.324	141.337	149.846	142.302	140.192	147.408	141.572
38	T	3.8046	3.3097	4.0888	4.0248	3.7889	4.6066	4.1513	3.8995	31.6742
	S	152.507	131.020	127.399	141.453	150.439	143.421	141.577	148.096	142.071

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 7 - Enders, Kory (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.7887	3.2781	4.0900	4.0322	3.7953	4.5478	4.1227	3.9110	31.5658
	S	153.147	132.283	127.362	141.193	150.186	145.275	142.559	147.660	142.559
40	T	3.8095	3.2650	4.0901	4.0305	3.7950	4.5412	4.1263	3.9068	31.5644
	S	152.311	132.814	127.359	141.252	150.198	145.486	142.434	147.819	142.566
41	T	3.8050	3.3164	4.5369	5.7696	8.5805	15.7286	12.4366	6.7872	60.9608
	S	152.491	130.755	114.816	98.676	66.430	42.005	47.258	85.087	73.818
42	T	6.1225	4.9225	5.9496	7.0012	8.2626	14.7490	12.5646	10.6243	70.1963
	S	94.770	88.093	87.554	81.317	68.986	44.795	46.776	54.357	64.106
43	T	8.9703	7.0153	8.7218	9.6496	10.1698	15.1944	13.4811	10.8870	84.0893
	S	64.683	61.813	59.725	58.999	56.048	43.482	43.596	53.045	53.515
44	T	9.8434	7.4681	8.5404	9.4607	9.4047	15.3205	12.0604	10.1958	82.2940
	S	58.946	58.065	60.994	60.177	60.608	43.124	48.732	56.641	54.682
45	T	9.5907	7.1572	8.7643	9.0110	9.8402	14.2198	11.5635	9.9329	80.0796
	S	60.499	60.587	59.435	63.180	57.926	46.462	50.826	58.140	56.194
46	T	9.8757	7.0745	8.7824	8.7513	9.6544	13.1431	11.0445	9.7843	78.1102
	S	58.753	61.296	59.313	65.055	59.040	50.268	53.214	59.023	57.611
47	T	9.4037	7.4131	8.6748	9.2814	9.4009	12.2795	9.8157	9.3769	75.6460
	S	61.702	58.496	60.049	61.340	60.632	53.804	59.876	61.588	59.488
48	T	9.0308	5.7098	7.3278	8.6372	8.6624	10.2904	7.3273	4.6033	61.5890
	S	64.250	75.946	71.087	65.915	65.802	64.204	80.211	125.453	73.065
49	T	4.0642	3.4770	4.1510	4.0572	3.8013	4.7025	4.3561	3.9922	32.6015
	S	142.765	124.716	125.490	140.323	149.949	140.496	134.921	144.657	138.030
50	T	3.8035	3.2601	4.1269	4.0523	3.7984	4.7132	4.2613	3.9562	31.9719
	S	152.551	133.013	126.223	140.493	150.063	140.177	137.922	145.973	140.749
51	T	3.8018	3.2937	4.1027	4.0430	3.7953	4.5781	4.1538	3.9001	31.6685
	S	152.619	131.656	126.967	140.816	150.186	144.314	141.491	148.073	142.097
52	T	3.7774	3.2672	4.0907	4.0427	3.7991	4.5330	4.1412	3.8715	31.5228
	S	153.605	132.724	127.340	140.826	150.036	145.749	141.922	149.167	142.754
53	T	3.7683	3.2511	4.0950	4.0368	3.7918	4.5170	4.1401	3.8557	31.4558
	S	153.976	133.381	127.206	141.032	150.324	146.266	141.960	149.778	143.058
54	T	3.7509	3.2410	4.1008	4.0205	3.7725	4.5924	4.2853	3.9122	31.6756
	S	154.690	133.797	127.026	141.604	151.093	143.864	137.150	147.615	142.065
55	T	3.7661	3.2807	4.1361	4.0456	3.8174	4.8101	4.4261	4.0141	32.2962
	S	154.066	132.178	125.942	140.725	149.316	137.353	132.787	143.868	139.335
56	T	4.0576	4.6220	6.2841						
	S	142.998	93.820	82.893						

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 8 - Thompson, Parker**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.4272	3.9672	4.7003	4.2308	3.8749	5.3411	4.5530	3.9459	35.0404	58.4958
	S	131.060	109.305	110.825	134.565	147.101	123.698	129.086	146.354	128.423	68.408
2	T	3.8149	3.8229	4.5178	4.1960	3.8396	5.1389	4.4779	4.0102	33.8182	
	S	152.095	113.431	115.301	135.681	148.453	128.565	131.251	144.008	133.064	
3	T	3.8535	3.7253	4.3887	4.1564	3.8594	5.0794	4.4338	3.9980	33.4945	
	S	150.571	116.403	118.693	136.974	147.691	130.071	132.556	144.447	134.350	
4	T	3.8404	3.6751	4.3144	4.1056	3.7960	4.9113	4.2973	3.9342	32.8743	
	S	151.085	117.993	120.737	138.669	150.158	134.523	136.767	146.790	136.885	
5	T	3.7939	3.5672	4.3396	4.1380	3.8150	4.8898	4.3092	3.9157	32.7684	
	S	152.937	121.562	120.036	137.583	149.410	135.114	136.389	147.483	137.327	
6	T	3.7933	3.5631	4.3292	4.1185	3.8034	4.8204	4.2563	3.8939	32.5781	
	S	152.961	121.702	120.325	138.234	149.866	137.060	138.084	148.309	138.130	
7	T	3.7952	3.5514	4.2642	4.0919	3.7957	4.8425	4.2760	3.9067	32.5236	
	S	152.885	122.103	122.159	139.133	150.170	136.434	137.448	147.823	138.361	
8	T	3.8490	3.6564	4.3747	4.1288	3.7841	4.8860	4.4491	3.9953	33.1234	
	S	150.748	118.597	119.073	137.890	150.630	135.219	132.100	144.545	135.856	
9	T	3.8211	3.5700	4.3114	4.1441	3.8540	4.8331	4.3079	3.9634	32.8050	
	S	151.848	121.467	120.821	137.380	147.898	136.699	136.430	145.708	137.174	
10	T	3.8259	3.5670	4.2320	4.1037	3.8357	4.8452	4.2921	3.9613	32.6629	
	S	151.658	121.569	123.088	138.733	148.604	136.358	136.932	145.785	137.771	
11	T	3.8175	3.5440	4.2459	4.0976	3.8224	4.8311	4.2587	3.9383	32.5555	
	S	151.991	122.358	122.685	138.939	149.121	136.756	138.006	146.637	138.225	
12	T	3.8120	3.5729	4.2096	4.0790	3.8193	4.8431	4.2616	3.9271	32.5246	
	S	152.211	121.368	123.743	139.573	149.242	136.417	137.912	147.055	138.357	
13	T	3.8283	3.5944	4.2289	4.1024	3.8507	4.8043	4.2734	3.9243	32.6067	
	S	151.563	120.642	123.178	138.777	148.025	137.519	137.532	147.160	138.008	
14	T	3.8201	3.5791	4.2311	4.1067	3.8521	4.8355	4.2836	3.9353	32.6435	
	S	151.888	121.158	123.114	138.632	147.971	136.632	137.204	146.749	137.853	
15	T	3.8256	3.5805	4.1889	4.0867	3.8528	4.8172	4.2565	3.9230	32.5312	
	S	151.670	121.111	124.355	139.310	147.944	137.151	138.078	147.209	138.329	
16	T	3.8109	3.5212	4.1783	4.0894	3.8495	4.7746	4.2636	3.9215	32.4090	
	S	152.255	123.150	124.670	139.218	148.071	138.374	137.848	147.265	138.850	
17	T	3.8252	3.5318	4.1764	4.0826	3.8524	4.7569	4.2196	3.8918	32.3367	
	S	151.685	122.781	124.727	139.450	147.960	138.889	139.285	148.389	139.161	
18	T	3.8022	3.4701	4.1526	4.0820	3.8531	4.7189	4.2369	3.9049	32.2207	
	S	152.603	124.964	125.442	139.470	147.933	140.008	138.716	147.891	139.662	
19	T	3.7874	3.5040	4.1796	4.0830	3.8496	4.7974	4.2397	3.8903	32.3310	
	S	153.199	123.755	124.631	139.436	148.067	137.717	138.625	148.446	139.185	

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 8 - Thompson, Parker**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.7852	3.4847	4.1583	4.0775	3.8323	4.7658	4.2314	3.9040	32.2392
	S	153.288	124.440	125.270	139.624	148.736	138.630	138.897	147.925	139.582
21	T	3.7939	3.4832	4.1778	4.0722	3.8118	4.7277	4.2155	3.8751	32.1572
	S	152.937	124.494	124.685	139.806	149.536	139.747	139.421	149.028	139.938
22	T	3.7881	3.4888	4.2110	4.0914	3.8170	4.7294	4.2181	3.8732	32.2170
	S	153.171	124.294	123.702	139.150	149.332	139.697	139.335	149.102	139.678
23	T	3.7808	3.4510	4.1797	4.0838	3.8372	4.8459	4.2655	3.9293	32.3732
	S	153.467	125.655	124.628	139.409	148.546	136.338	137.786	146.973	139.004
24	T	3.8045	3.4584	4.1376	4.0648	3.8389	4.6801	4.1643	3.8723	32.0209
	S	152.511	125.386	125.896	140.061	148.480	141.168	141.135	149.136	140.533
25	T	3.7815	3.4564	4.1250	4.0555	3.8337	4.7836	4.2254	3.9015	32.1626
	S	153.438	125.459	126.281	140.382	148.681	138.114	139.094	148.020	139.914
26	T	3.7911	3.5061	4.1180	4.0539	3.8195	4.7297	4.2065	3.8791	32.1039
	S	153.050	123.681	126.496	140.437	149.234	139.688	139.719	148.875	140.170
27	T	3.7896	3.4605	4.1176	4.0428	3.7834	4.7046	4.1814	3.8253	31.9052
	S	153.110	125.310	126.508	140.823	150.658	140.433	140.558	150.969	141.043
28	T	3.7820	3.4873	4.2590	4.0921	3.8358	4.7926	4.1958	3.8462	32.2908
	S	153.418	124.347	122.308	139.126	148.600	137.855	140.075	150.148	139.359
29	T	3.7882	3.5170	4.2514	4.0852	3.7985	4.8576	4.2740	3.8822	32.4541
	S	153.167	123.297	122.526	139.361	150.059	136.010	137.512	148.756	138.657
30	T	3.7948	3.5622	4.2633	4.0860	3.7847	4.9193	4.3566	3.9301	32.6970
	S	152.901	121.733	122.184	139.334	150.606	134.304	134.905	146.943	137.627
31	T	3.8075	3.4948	4.2226	4.0899	3.8309	4.7941	4.2354	3.9071	32.3823
	S	152.391	124.080	123.362	139.201	148.790	137.811	138.765	147.808	138.965
32	T	3.8044	3.5169	4.1593	4.0719	3.8314	4.7201	4.2035	3.8856	32.1931
	S	152.515	123.301	125.240	139.816	148.771	139.972	139.819	148.626	139.782
33	T	3.7852	3.4495	4.1364	4.0491	3.7877	4.7166	4.2140	3.8561	31.9946
	S	153.288	125.710	125.933	140.604	150.487	140.076	139.470	149.763	140.649
34	T	3.7741	3.4790	4.1574	4.0451	3.7755	4.7279	4.2391	3.8921	32.0902
	S	153.739	124.644	125.297	140.743	150.973	139.741	138.644	148.377	140.230
35	T	3.7792	3.4440	4.1378	4.0389	3.7635	4.7463	4.2362	3.8867	32.0326
	S	153.532	125.911	125.890	140.959	151.455	139.199	138.739	148.584	140.482
36	T	3.7795	3.4341	4.2519	4.0914	3.8024	4.6993	4.1975	3.8785	32.1346
	S	153.520	126.274	122.512	139.150	149.905	140.592	140.018	148.898	140.036
37	T	3.7710	3.3989	4.2009	4.0372	3.7191	4.8596	4.2942	3.9306	32.2115
	S	153.866	127.581	123.999	141.018	153.263	135.954	136.865	146.924	139.702
38	T	3.7738	3.4066	4.2980	4.0962	3.7817	4.6920	4.2225	3.8762	32.1470
	S	153.751	127.293	121.198	138.987	150.726	140.810	139.189	148.986	139.982

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 8 - Thompson, Parker**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
39	T	3.7682	3.4583	4.2726	4.1014	3.7940	4.6794	4.1858	3.8504	32.1101	
	S	153.980	125.390	121.919	138.811	150.237	141.189	140.410	149.984	140.143	
40	T	3.7588	3.4398	4.3106	4.0895	3.7707	5.1106	5.0239	5.3548	34.8587	
	S	154.365	126.064	120.844	139.215	151.166	129.277	116.986	107.847	129.093	
41	T	4.9205	4.2166	5.5147	6.2784	6.6658	11.3382	11.3805	6.2016	56.5163	
	S	117.920	102.840	94.458	90.679	85.511	58.270	51.643	93.121	79.623	
42	T	4.9444	4.3740	5.4084	5.5341	7.1491	13.5786	10.5642	11.2205	62.7733	
	S	117.350	99.140	96.315	102.875	79.730	48.656	55.634	51.468	71.687	
43	T	10.4672	5.7593	8.8451	10.0018	8.8850	17.6245	12.3577	9.5667	83.5073	
	S	55.433	75.293	58.892	56.922	64.153	37.487	47.560	60.366	53.888	
44	T	9.6110	6.5780	8.2180	9.5050	10.2466	16.6419	10.6087	12.8023	84.2115	
	S	60.371	65.922	63.386	59.897	55.628	39.700	55.400	45.109	53.437	
45	T	7.5286	6.8657	8.0183	10.4787	9.4856	13.4634	12.0657	10.2043	78.1103	
	S	77.070	63.160	64.965	54.331	60.091	49.072	48.711	56.594	57.611	
46	T	9.2041	5.9065	9.8592	9.6343	9.2595	12.0710	11.6026	10.3879	77.9251	
	S	63.040	73.417	52.835	59.093	61.558	54.733	50.655	55.594	57.748	
47	T	8.6943	6.9983	9.3411	8.9765	9.3194	11.6932	10.1826	8.8056	74.0110	
	S	66.737	61.963	55.765	63.423	61.163	56.501	57.719	65.583	60.802	
48	T	8.7651	5.9903	6.0868	8.3692	8.2888	9.9556	7.2518	4.6457	59.3533	
	S	66.197	72.390	85.580	68.025	68.767	66.363	81.046	124.309	75.817	
49	T	4.1032	3.5667	4.3159	4.1003	3.7686	4.8823	4.2885	3.9332	32.9587	
	S	141.408	121.579	120.695	138.848	151.250	135.322	137.047	146.827	136.535	
50	T	3.7861	3.4352	4.1970	4.0795	3.8072	4.7249	4.2450	3.9143	32.1892	
	S	153.252	126.233	124.115	139.556	149.716	139.830	138.452	147.536	139.798	
51	T	3.7954	3.4392	4.1404	4.0559	3.7950	4.7129	4.2207	3.9035	32.0630	
	S	152.876	126.086	125.811	140.368	150.198	140.186	139.249	147.944	140.349	
52	T	3.7878	3.3925	4.1325	4.0551	3.7986	4.6604	4.1868	3.8694	31.8831	
	S	153.183	127.822	126.052	140.396	150.055	141.765	140.376	149.248	141.141	
53	T	3.7630	3.3847	4.1605	4.0430	3.7738	4.6298	4.2102	3.8866	31.8516	
	S	154.193	128.117	125.203	140.816	151.041	142.702	139.596	148.587	141.280	
54	T	3.7616	3.3302	4.1733	4.0423	3.7609	4.7366	4.3772	3.9375	32.1196	
	S	154.250	130.213	124.819	140.840	151.559	139.484	134.270	146.667	140.101	
55	T	3.7714	3.3890	4.2640	4.1051	3.8231	4.7479	4.2573	3.9057	32.2635	
	S	153.849	127.954	122.164	138.686	149.094	139.152	138.052	147.861	139.476	
56	T	4.1594	4.2182								
	S	139.498	102.801								

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 83 - Finelli, Charles**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.8454	4.4588	4.7966	4.3929	4.0707	5.1622	4.4461	4.0573	36.2300	55.8924
	S	119.748	97.254	108.600	129.600	140.025	127.985	132.189	142.336	124.206	71.595
2	T	3.9354	3.6209	4.4671	4.2235	3.9454	5.0536	4.3895	4.0213	33.6567	
	S	147.438	119.759	116.610	134.798	144.472	130.735	133.894	143.610	133.703	
3	T	3.9650	3.6207	4.4687	4.1984	3.9350	4.9865	4.4525	3.9866	33.6134	
	S	146.337	119.766	116.568	135.604	144.854	132.494	131.999	144.860	133.875	
4	T	3.8720	3.6208	4.4094	4.1630	3.8830	4.9448	4.4828	4.0346	33.4104	
	S	149.852	119.763	118.136	136.757	146.794	133.611	131.107	143.137	134.689	
5	T	3.8756	3.5283	4.4226	4.1767	3.8829	5.0098	4.3390	3.9875	33.2224	
	S	149.713	122.902	117.783	136.308	146.797	131.878	135.452	144.828	135.451	
6	T	3.9177	3.5709	4.5229	4.2323	3.9111	4.9548	4.3361	3.9977	33.4435	
	S	148.104	121.436	115.171	134.517	145.739	133.342	135.543	144.458	134.555	
7	T	3.8829	3.4516	4.4279	4.2019	3.9199	4.8911	4.3487	3.9948	33.1188	
	S	149.431	125.633	117.642	135.491	145.412	135.078	135.150	144.563	135.874	
8	T	3.8602	3.3977	4.3323	4.1490	3.9000	5.0370	4.3996	4.0592	33.1350	
	S	150.310	127.626	120.238	137.218	146.154	131.166	133.587	142.269	135.808	
9	T	3.9058	3.4608	4.4074	4.1945	3.9205	5.0182	4.3579	4.0346	33.2997	
	S	148.555	125.299	118.190	135.730	145.390	131.657	134.865	143.137	135.136	
10	T	3.8881	3.4394	4.3447	4.1765	3.9027	4.9403	4.3215	4.0174	33.0306	
	S	149.232	126.079	119.895	136.315	146.053	133.733	136.001	143.750	136.237	
11	T	3.8876	3.4310	4.3450	4.1473	3.8786	4.9209	4.3159	4.0097	32.9360	
	S	149.251	126.388	119.887	137.274	146.960	134.260	136.177	144.026	136.629	
12	T	3.8786	3.4350	4.3059	4.1386	3.8847	4.8105	4.3033	3.9616	32.7182	
	S	149.597	126.241	120.976	137.563	146.729	137.342	136.576	145.774	137.538	
13	T	3.8535	3.3939	4.3362	4.1595	3.8963	4.7785	4.5514	4.1386	33.1079	
	S	150.571	127.769	120.130	136.872	146.293	138.261	129.131	139.540	135.919	
14	T	3.9370	3.4703	4.4097	4.2450	3.9580	4.9757	4.3930	4.0191	33.4078	
	S	147.378	124.956	118.128	134.115	144.012	132.782	133.787	143.689	134.699	
15	T	3.8761	3.4163	4.3457	4.1700	3.9195	4.9205	4.3731	4.0074	33.0286	
	S	149.694	126.932	119.868	136.527	145.427	134.271	134.396	144.108	136.246	
16	T	3.8666	3.3908	4.2466	4.1363	3.8978	4.8428	4.2652	3.9393	32.5854	
	S	150.061	127.886	122.665	137.639	146.236	136.426	137.796	146.600	138.099	
17	T	3.8454	3.4037	4.3397	4.1731	3.9157	4.9431	4.3203	3.9565	32.8975	
	S	150.889	127.401	120.033	136.426	145.568	133.657	136.039	145.962	136.789	
18	T	3.8360	3.3470	4.4071	4.4459	4.0251	4.8725	4.3114	3.9713	33.2163	
	S	151.258	129.560	118.198	128.055	141.611	135.594	136.319	145.418	135.476	
19	T	3.8476	3.3757	4.3319	4.1788	3.9096	4.8754	4.3036	3.9734	32.7960	
	S	150.802	128.458	120.250	136.240	145.795	135.513	136.566	145.342	137.212	

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 83 - Finelli, Charles**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.8369	3.3297	4.3482	4.2008	3.9295	4.8743	4.3274	3.9856	32.8324
	S	151.223	130.233	119.799	135.526	145.057	135.544	135.815	144.897	137.060
21	T	3.8530	3.3620	4.2602	4.1488	3.8993	4.8432	4.3109	3.9770	32.6544
	S	150.591	128.982	122.273	137.225	146.180	136.414	136.335	145.210	137.807
22	T	3.8604	3.3761	4.2754	4.1528	3.9088	4.8040	4.2774	3.9489	32.6038
	S	150.302	128.443	121.839	137.093	145.825	137.527	137.403	146.243	138.021
23	T	3.8399	3.3612	4.3103	4.1730	3.9079	4.7128	4.3911	3.9916	32.6878
	S	151.105	129.012	120.852	136.429	145.858	140.189	133.845	144.679	137.666
24	T	3.8601	3.3898	4.2789	4.1587	3.9045	4.7985	4.3144	3.9774	32.6823
	S	150.314	127.924	121.739	136.898	145.985	137.685	136.225	145.195	137.689
25	T	3.8648	3.4513	4.3757	4.2061	3.9413	4.8759	4.2526	3.9404	32.9081
	S	150.131	125.644	119.046	135.355	144.622	135.499	138.204	146.559	136.744
26	T	3.8437	3.3885	4.2835	4.1719	3.9151	4.7354	4.2432	3.9194	32.5007
	S	150.955	127.973	121.608	136.465	145.590	139.520	138.510	147.344	138.459
27	T	3.8207	3.3545	4.2580	4.1389	3.8940	4.7480	4.2131	3.9175	32.3447
	S	151.864	129.270	122.337	137.553	146.379	139.149	139.500	147.415	139.126
28	T	3.8197	3.3388	4.2888	4.1510	3.8981	4.7918	4.2357	3.9324	32.4563
	S	151.904	129.878	121.458	137.152	146.225	137.878	138.756	146.857	138.648
29	T	3.8270	3.3509	4.2132	4.1241	3.8916	4.6692	4.4629	4.0669	32.6058
	S	151.614	129.409	123.637	138.047	146.469	141.498	131.692	142.000	138.012
30	T	3.9047	3.4093	4.3910	4.2002	3.9342	4.8930	4.2626	3.9557	32.9507
	S	148.597	127.192	118.631	135.545	144.883	135.026	137.880	145.992	136.568
31	T	3.8508	3.4176	4.2645	4.1481	3.9068	4.7755	4.2507	3.9340	32.5480
	S	150.677	126.883	122.150	137.248	145.899	138.348	138.266	146.797	138.257
32	T	3.8331	3.3657	4.2681	4.1552	3.9019	4.7955	4.2443	3.9397	32.5035
	S	151.373	128.840	122.047	137.013	146.083	137.771	138.474	146.585	138.447
33	T	3.8380	3.3826	4.3128	4.1696	3.9053	4.7894	4.2397	3.9472	32.5846
	S	151.180	128.196	120.782	136.540	145.955	137.947	138.625	146.306	138.102
34	T	3.8349	3.3722	4.2507	4.1429	3.8926	4.7082	4.2245	3.9332	32.3592
	S	151.302	128.592	122.547	137.420	146.432	140.326	139.124	146.827	139.064
35	T	3.8504	3.4146	4.2475	4.1340	3.8870	4.6529	4.3192	3.9855	32.4911
	S	150.693	126.995	122.639	137.716	146.643	141.994	136.073	144.900	138.499
36	T	3.8708	3.3796	4.2870	4.1484	3.8819	4.8037	4.2678	3.9804	32.6196
	S	149.899	128.310	121.509	137.238	146.835	137.536	137.712	145.086	137.954
37	T	3.8795	3.4360	4.3120	4.1554	3.9433	5.0555	4.4365	4.0654	33.2836
	S	149.562	126.204	120.805	137.007	144.549	130.686	132.475	142.052	135.202
38	T	4.5287	3.9261	4.3739	4.1647	3.8768	4.8607	4.2797	4.0133	34.0239
	S	128.122	110.450	119.095	136.701	147.028	135.923	137.329	143.897	132.260

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 83 - Finelli, Charles**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.9253	3.4516	4.3367	4.1594	3.8860	4.2911	4.0100	32.9564	
	S	147.817	125.633	120.116	136.875	146.680	134.935	136.964	144.015	136.544
40	T	3.9198	3.5295	5.1745	5.4790	6.7118	19.5291	13.0039	6.0687	63.4163
	S	148.025	122.861	100.668	103.909	84.925	33.831	45.196	95.160	70.960
41	T	6.2404	5.3908	6.1870	5.7320	6.1548	15.5875	11.5552	10.1546	67.0023
	S	92.979	80.440	84.194	99.323	92.611	42.385	50.863	56.871	67.162
42	T	11.0099	6.6189	8.4963	8.8628	9.5442	15.8659	14.8330	14.9386	90.1696
	S	52.701	65.515	61.310	64.237	59.722	41.642	39.623	38.658	49.906
43	T	8.2086	7.3584	8.0470	9.0401	10.4243	17.2782	10.7012	12.8707	83.9285
	S	70.685	58.931	64.733	62.977	54.680	38.238	54.922	44.869	53.617
44	T	8.7136	5.9616	7.5659	11.5886	9.7942	11.9181	11.4431	11.1111	78.0962
	S	66.589	72.738	68.850	49.127	58.198	55.435	51.361	51.975	57.621
45	T	8.8911	5.4658	9.5766	9.7039	9.5955	12.0102	11.4052	11.0789	77.7272
	S	65.259	79.336	54.394	58.669	59.403	55.010	51.532	52.126	57.895
46	T	8.1997	6.3664	10.1284	9.1111	8.9304	12.0778	9.6303	9.0250	73.4691
	S	70.762	68.113	51.431	62.486	63.827	54.702	61.029	63.989	61.250
47	T	8.0874	6.5208	6.0395	7.6389	8.0731	9.9466	7.2946	4.5759	58.1768
	S	71.745	66.500	86.250	74.529	70.605	66.423	80.570	126.205	77.350
48	T	4.0707	3.5262	4.3948	4.1691	3.9030	4.9238	4.3363	3.9901	33.3140
	S	142.537	122.976	118.529	136.557	146.042	134.181	135.537	144.733	135.078
49	T	3.8534	3.3907	4.4511	4.1698	3.8824	4.8345	4.4876	4.0388	33.1083
	S	150.575	127.890	117.029	136.534	146.816	136.660	130.967	142.988	135.918
50	T	3.8783	3.3673	4.4271	4.2134	3.8846	4.8787	4.3641	3.9880	33.0015
	S	149.609	128.779	117.664	135.121	146.733	135.422	134.673	144.809	136.357
51	T	3.8368	3.3689	4.3367	4.1323	3.8697	4.8267	4.3458	3.9699	32.6868
	S	151.227	128.717	120.116	137.773	147.298	136.881	135.240	145.470	137.670
52	T	3.8064	3.2981	4.4042	4.1750	3.8857	4.8033	4.2776	3.9563	32.6066
	S	152.435	131.481	118.276	136.364	146.692	137.547	137.397	145.970	138.009
53	T	3.8216	3.3925	4.4131	4.2034	3.9188	4.7747	4.3169	3.9693	32.8103
	S	151.828	127.822	118.037	135.442	145.453	138.371	136.146	145.492	137.152
54	T	3.8089	3.3189	4.3241	4.1472	3.8927	4.8865	4.2987	3.9702	32.6472
	S	152.335	130.657	120.466	137.278	146.428	135.206	136.722	145.459	137.837
55	T	4.4372								
	S	130.764								

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 90 - Lastochkin, Nikita**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.5502	4.2516	4.7002	4.2839	3.8272	5.4535	4.6484	3.9797	35.6947	57.0659
	S	127.517	101.994	110.827	132.897	148.934	121.148	126.436	145.111	126.069	70.122
2	T	3.7981	3.7292	4.5497	4.2031	3.8114	5.1262	4.5660	4.0197	33.8034	
	S	152.768	116.281	114.493	135.452	149.551	128.883	128.718	143.667	133.123	
3	T	3.8075	3.7511	4.5788	4.1813	3.8077	5.0393	4.5437	4.0154	33.7248	
	S	152.391	115.602	113.765	136.158	149.697	131.106	129.350	143.821	133.433	
4	T	3.8146	3.5175	4.4427	4.1260	3.7840	5.0278	4.4687	3.9715	33.1528	
	S	152.107	123.280	117.251	137.983	150.634	131.406	131.521	145.411	135.735	
5	T	3.7920	3.5877	4.4480	4.1242	3.7861	4.9815	4.4476	3.9956	33.1627	
	S	153.014	120.868	117.111	138.043	150.551	132.627	132.145	144.534	135.695	
6	T	3.8092	3.5236	4.3726	4.1151	3.7859	4.9062	4.4434	4.0137	32.9697	
	S	152.323	123.066	119.130	138.349	150.559	134.663	132.270	143.882	136.489	
7	T	3.8241	3.5063	4.3405	4.1001	3.7957	4.9522	4.3883	3.9848	32.8920	
	S	151.729	123.673	120.011	138.855	150.170	133.412	133.931	144.926	136.811	
8	T	3.8102	3.4776	4.3453	4.1028	3.7970	4.8888	4.3821	3.9656	32.7694	
	S	152.283	124.694	119.879	138.763	150.119	135.142	134.120	145.627	137.323	
9	T	3.8027	3.5425	4.4338	4.1365	3.8114	4.9520	4.4633	4.0079	33.1501	
	S	152.583	122.410	117.486	137.633	149.551	133.417	131.680	144.090	135.746	
10	T	3.8011	3.5441	4.4246	4.1364	3.8101	4.9414	4.4374	4.0037	33.0988	
	S	152.647	122.354	117.730	137.636	149.602	133.703	132.449	144.242	135.957	
11	T	3.8091	3.5344	4.4824	4.1707	3.8348	4.9451	4.3866	3.9785	33.1416	
	S	152.327	122.690	116.212	136.504	148.639	133.603	133.982	145.155	135.781	
12	T	3.8057	3.5622	4.3072	4.0983	3.8037	4.9420	4.3920	3.9678	32.8789	
	S	152.463	121.733	120.939	138.916	149.854	133.687	133.818	145.547	136.866	
13	T	3.8039	3.5977	4.4138	4.1529	3.8256	4.9186	4.4545	3.9739	33.1409	
	S	152.535	120.532	118.018	137.089	148.996	134.323	131.940	145.323	135.784	
14	T	3.8099	3.6017	4.3101	4.1427	3.8796	4.8858	4.3455	3.9617	32.9370	
	S	152.295	120.398	120.858	137.427	146.922	135.225	135.250	145.771	136.624	
15	T	3.8151	3.5036	4.2580	4.1221	3.8668	4.8361	4.3063	3.9435	32.6515	
	S	152.087	123.769	122.337	138.114	147.409	136.615	136.481	146.444	137.819	
16	T	3.7986	3.4066	4.2591	4.1223	3.8604	4.8290	4.3613	3.9586	32.5959	
	S	152.748	127.293	122.305	138.107	147.653	136.815	134.760	145.885	138.054	
17	T	3.8162	3.4556	4.2617	4.1215	3.8567	4.8240	4.3202	3.9282	32.5841	
	S	152.043	125.488	122.230	138.134	147.795	136.957	136.042	147.014	138.104	
18	T	3.7941	3.4490	4.2329	4.1126	3.8544	4.8488	4.3528	3.9596	32.6042	
	S	152.929	125.728	123.062	138.433	147.883	136.257	135.023	145.848	138.019	
19	T	3.8149	3.4255	4.2262	4.1078	3.8545	4.8046	4.3216	3.9471	32.5022	
	S	152.095	126.591	123.257	138.594	147.879	137.510	135.998	146.310	138.452	

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis

Round 12

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 24, 2019

Section Data for Car 90 - Lastochkin, Nikita

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.8056	3.4411	4.2539	4.1156	3.8568	4.8512	4.3576	3.9654	32.6472
	S	152.467	126.017	122.454	138.332	147.791	136.189	134.874	145.635	137.837
21	T	3.8210	3.4068	4.2112	4.0967	3.8525	4.7735	4.4853	4.0176	32.6646
	S	151.852	127.286	123.696	138.970	147.956	138.406	131.034	143.743	137.764
22	T	3.8563	3.4469	4.2316	4.1120	3.8635	4.8769	4.3614	3.9706	32.7192
	S	150.462	125.805	123.100	138.453	147.535	135.472	134.757	145.444	137.534
23	T	3.8271	3.4688	4.3089	4.1279	3.8707	4.8693	4.3331	3.9599	32.7657
	S	151.610	125.010	120.891	137.920	147.260	135.683	135.637	145.837	137.339
24	T	3.8263	3.4620	4.2454	4.1131	3.8562	4.7927	4.3466	3.9598	32.6021
	S	151.642	125.256	122.700	138.416	147.814	137.852	135.215	145.841	138.028
25	T	3.8105	3.3981	4.2147	4.1068	3.8568	4.8634	4.3343	3.9504	32.5350
	S	152.271	127.611	123.593	138.628	147.791	135.848	135.599	146.188	138.313
26	T	3.8193	3.4410	4.2356	4.1147	3.8598	4.8545	4.3011	3.9359	32.5619
	S	151.920	126.020	122.984	138.362	147.676	136.097	136.646	146.726	138.198
27	T	3.8104	3.4335	4.2277	4.1073	3.8530	4.7773	4.2777	3.9236	32.4105
	S	152.275	126.296	123.213	138.611	147.937	138.296	137.393	147.186	138.844
28	T	3.8078	3.4298	4.2218	4.0925	3.8429	4.7669	4.3091	3.9387	32.4095
	S	152.379	126.432	123.386	139.113	148.325	138.598	136.392	146.622	138.848
29	T	3.8154	3.3951	4.2405	4.1048	3.8530	4.7991	4.3702	3.9637	32.5418
	S	152.075	127.724	122.841	138.696	147.937	137.668	134.485	145.697	138.284
30	T	3.8296	3.4291	4.2246	4.0981	3.8514	4.8159	4.3074	3.9405	32.4966
	S	151.511	126.458	123.304	138.922	147.998	137.188	136.446	146.555	138.476
31	T	3.8197	3.4600	4.2427	4.1101	3.8574	4.8103	4.3331	3.9472	32.5805
	S	151.904	125.328	122.778	138.517	147.768	137.347	135.637	146.306	138.119
32	T	3.8134	3.4013	4.1879	4.0882	3.8371	4.7693	4.2840	3.9343	32.3155
	S	152.155	127.491	124.384	139.259	148.550	138.528	137.191	146.786	139.252
33	T	3.8062	3.3964	4.2246	4.1007	3.8390	4.7552	4.3164	3.9487	32.3872
	S	152.443	127.675	123.304	138.834	148.476	138.939	136.161	146.251	138.944
34	T	3.8140	3.3960	4.2039	4.1006	3.8464	4.7884	4.2966	3.9409	32.3868
	S	152.131	127.690	123.911	138.838	148.191	137.975	136.789	146.540	138.945
35	T	3.8170	3.4265	4.2152	4.1071	3.8466	4.7236	4.2618	3.9277	32.3255
	S	152.011	126.554	123.579	138.618	148.183	139.868	137.906	147.033	139.209
36	T	3.8112	3.4084	4.1958	4.0915	3.8313	4.7427	4.3124	3.9568	32.3501
	S	152.243	127.226	124.150	139.147	148.775	139.305	136.288	145.951	139.103
37	T	3.8201	3.4356	4.1986	4.0744	3.8131	4.7216	4.2934	3.9680	32.3248
	S	151.888	126.219	124.067	139.731	149.485	139.928	136.891	145.539	139.212
38	T	3.8243	3.4234	4.1768	4.0863	3.8143	4.7120	4.2557	3.9474	32.2402
	S	151.721	126.668	124.715	139.324	149.438	140.213	138.104	146.299	139.577

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis**Round 12****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 24, 2019****Section Data for Car 90 - Lastochkin, Nikita**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.8328	3.4254	4.2121	4.0958	3.8269	4.7500	4.3261	3.9839	32.4530
	S	151.385	126.594	123.670	139.000	148.946	139.091	135.856	144.958	138.662
40	T	3.8555	3.5087	4.2550	4.1646	4.7856	9.4212	8.4427	5.2224	43.6557
	S	150.493	123.589	122.423	136.704	119.107	70.127	69.614	110.581	103.079
41	T	5.4740	4.5299	5.4792	5.8632	7.3570	11.3491	7.1489	4.5960	51.7973
	S	105.997	95.728	95.070	97.100	77.477	58.214	82.212	125.653	86.877
42	T	4.2386	4.1368	4.7045	4.2951	4.5250	12.8094	8.0586	7.4424	50.2104
	S	136.891	104.824	110.726	132.551	125.967	51.578	72.932	77.596	89.623
43	T	9.5652	6.1180	8.5822	9.3340	8.9927	17.9054	12.6789	9.0864	82.2628
	S	60.660	70.879	60.696	60.994	63.385	36.898	46.355	63.557	54.703
44	T	9.1188	6.7726	7.9426	9.1922	10.7146	16.8776	10.4336	13.3445	84.3965
	S	63.630	64.028	65.584	61.935	53.198	39.145	56.330	43.276	53.320
45	T	6.8202	6.5117	7.9818	10.8406	9.5650	13.7592	11.7301	10.1859	77.3945
	S	85.075	66.593	65.262	52.517	59.592	48.017	50.104	56.696	58.144
46	T	9.4978	5.5997	9.8603	9.4744	9.4796	12.2179	11.3676	10.0998	77.5971
	S	61.091	77.439	52.829	60.090	60.129	54.075	51.702	57.179	57.992
47	T	9.2074	6.4281	9.9290	8.8242	9.4930	12.0160	9.5867	8.8380	74.3224
	S	63.017	67.459	52.463	64.518	60.044	54.984	61.307	65.343	60.547
48	T	8.5458	6.2224	5.8103	8.0500	8.2664	9.9805	7.3195	4.5869	58.7818
	S	67.896	69.690	89.653	70.723	68.954	66.197	80.296	125.902	76.554
49	T	4.0036	3.5875	4.3837	4.1016	3.7388	5.0544	4.4276	3.9476	33.2448
	S	144.926	120.874	118.829	138.804	152.455	130.714	132.742	146.291	135.360
50	T	3.7873	3.5203	4.3419	4.1133	3.7843	4.8976	4.3792	3.9294	32.7533
	S	153.203	123.182	119.973	138.409	150.622	134.899	134.209	146.969	137.391
51	T	3.7765	3.4811	4.2725	4.0592	3.7765	4.9993	4.5279	4.0074	32.9004
	S	153.642	124.569	121.921	140.254	150.933	132.155	129.801	144.108	136.776
52	T	3.8106	3.4758	4.2845	4.0786	3.8092	4.8011	4.2600	3.9218	32.4416
	S	152.267	124.759	121.580	139.587	149.638	137.611	137.964	147.254	138.711
53	T	3.7830	3.3908	4.1944	4.0704	3.8039	4.7062	4.2833	3.9351	32.1671
	S	153.378	127.886	124.192	139.868	149.846	140.385	137.214	146.756	139.894
54	T	3.7806	3.3584	4.2274	4.0817	3.8179	4.7612	4.2992	3.9484	32.2748
	S	153.475	129.120	123.222	139.481	149.297	138.764	136.706	146.262	139.428
55	T	3.7830	3.4022	4.2378	4.0903	3.8277	4.7721	4.2908	3.9316	32.3355
	S	153.378	127.458	122.920	139.187	148.914	138.447	136.974	146.887	139.166
56	T	4.0428	3.8961							
	S	143.521	111.300							

Event: Cooper Tires Indy Pro 2000 Oval Challenge of St Louis

Round 12

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship






Session: Race

August 24, 2019

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to T1	0.161174 miles
T1 to SS1	0.120455 miles
SS1 to T2	0.144697 miles
T2 to BS	0.158144 miles
BS to T3	0.158333 miles
T3 to SS2	0.183523 miles
SS2 to T4	0.163258 miles
T4 to SF	0.160417 miles
T1 to T2	0.265152 miles
T2 to T3	0.316477 miles
T3 to T4	0.346780 miles
Lap	1.250000 miles
PI to PO	0.297538 miles
PO to SF	1.111553 miles
SF to PI	1.089583 miles
PO to T2	0.287879 miles
T3 to PI	0.346780 miles
PO to PI	0.951136 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

