

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 1 - Porto, Kiko (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	5.0683	4.0541	4.5653	4.2204	3.9419	5.1702	4.5125	4.0516	35.5843	64.4623
	S	114.482	106.962	114.102	134.897	144.600	127.787	130.244	142.536	126.460	62.076
2	T	3.9788	3.5544	4.4459	4.2036	3.9468	5.2607	4.7105	4.1967	34.2974	
	S	145.830	122.000	117.166	135.436	144.421	125.588	124.770	137.608	131.205	
3	T	4.0278	3.4665	4.5564	4.2979	4.0098	5.0888	4.4723	4.0674	33.9869	
	S	144.056	125.093	114.325	132.464	142.152	129.831	131.415	141.983	132.404	
4	T	3.9736	3.4856	4.3067	4.2209	3.9306	4.8940	4.4650	4.0983	33.3747	
	S	146.021	124.408	120.953	134.881	145.016	134.998	131.630	140.912	134.833	
5	T	3.9526	3.7516	4.5211	4.3303	4.0331	5.1534	4.4959	4.1052	34.3432	
	S	146.796	115.587	115.217	131.473	141.330	128.203	130.725	140.675	131.030	
6	T	4.0196	3.4833	4.2953	4.1847	3.9140	4.9455	4.6049	4.2971	33.7444	
	S	144.350	124.490	121.274	136.048	145.631	133.593	127.631	134.393	133.355	
7	T	4.1074	3.4417	4.2753	4.2280	4.0013	4.7888	4.4691	4.1634	33.4750	
	S	141.264	125.995	121.842	134.654	142.454	137.964	131.509	138.709	134.429	
8	T	4.0160	3.3864	4.3103	4.2315	4.0002	4.7342	4.4806	4.1449	33.3041	
	S	144.479	128.052	120.852	134.543	142.493	139.555	131.172	139.328	135.118	
9	T	4.0047	3.3785	4.2678	4.1940	3.9567	4.7338	4.4623	4.1481	33.1459	
	S	144.887	128.352	122.056	135.746	144.059	139.567	131.709	139.220	135.763	
10	T	4.0021	3.3665	4.2706	4.1831	3.9636	4.7421	4.4510	4.1469	33.1259	
	S	144.981	128.809	121.976	136.100	143.809	139.323	132.044	139.261	135.845	
11	T	4.0093	3.3815	4.2741	4.2011	3.9731	4.7302	4.4527	4.1337	33.1557	
	S	144.720	128.238	121.876	135.516	143.465	139.673	131.993	139.705	135.723	
12	T	4.0078	3.3694	4.2728	4.1992	3.9775	4.7546	4.4246	4.1243	33.1302	
	S	144.775	128.698	121.913	135.578	143.306	138.956	132.832	140.024	135.828	
13	T	3.9847	3.4032	4.2339	4.1950	3.9712	4.7763	4.4594	4.1269	33.1506	
	S	145.614	127.420	123.033	135.714	143.533	138.325	131.795	139.936	135.744	
14	T	3.9934	3.3957	4.2598	4.1984	3.9797	4.7967	4.4256	4.1448	33.1941	
	S	145.297	127.702	122.285	135.604	143.227	137.737	132.802	139.331	135.566	
15	T	4.0068	3.4014	4.2387	4.1990	3.9755	4.7325	4.4209	4.1218	33.0966	
	S	144.811	127.488	122.894	135.584	143.378	139.605	132.943	140.109	135.966	
16	T	3.9899	3.3833	4.2152	4.1778	3.9618	4.7781	4.4849	4.1672	33.1582	
	S	145.424	128.170	123.579	136.272	143.874	138.273	131.046	138.582	135.713	
17	T	4.0223	3.3854	4.2428	4.2081	3.9848	4.7357	4.4918	4.1502	33.2211	
	S	144.253	128.090	122.775	135.291	143.044	139.511	130.844	139.150	135.456	
18	T	4.0028	3.4077	4.2293	4.1910	3.9704	4.7364	4.4896	4.1486	33.1758	
	S	144.955	127.252	123.167	135.843	143.562	139.490	130.909	139.204	135.641	
19	T	4.0114	3.3680	4.2125	4.1707	3.9655	4.6938	4.4408	4.1193	32.9820	
	S	144.645	128.752	123.658	136.504	143.740	140.756	132.347	140.194	136.438	

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 1 - Porto, Kiko (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.9942	3.3904	4.2307	4.1998	3.9888	4.7595	4.4635	4.1350	33.1619
	S	145.267	127.901	123.126	135.558	142.900	138.813	131.674	139.661	135.698
21	T	4.0016	3.3733	4.2275	4.2007	3.9883	4.7470	4.3956	4.1163	33.0503
	S	144.999	128.550	123.219	135.529	142.918	139.179	133.708	140.296	136.156
22	T	3.9861	3.3265	4.2533	4.2108	3.9838	4.7342	4.4503	4.1219	33.0669
	S	145.563	130.358	122.472	135.204	143.079	139.555	132.065	140.105	136.088
23	T	3.9885	3.3113	4.1860	4.1825	3.9751	4.7297	4.4218	4.1268	32.9217
	S	145.475	130.957	124.441	136.119	143.393	139.688	132.916	139.939	136.688
24	T	3.9935	3.3807	4.2235	4.1973	3.9834	4.7432	4.4438	4.1180	33.0834
	S	145.293	128.268	123.336	135.639	143.094	139.290	132.258	140.238	136.020
25	T	3.9835	3.3488	4.1969	4.1752	3.9595	4.7126	4.4146	4.1138	32.9049
	S	145.658	129.490	124.118	136.357	143.958	140.195	133.133	140.381	136.758
26	T	3.9746	3.3812	4.2195	4.1815	3.9724	4.7063	4.4220	4.1129	32.9704
	S	145.984	128.249	123.453	136.152	143.490	140.382	132.910	140.412	136.486
27	T	3.9722	3.3448	4.2135	4.1836	3.9744	4.6972	4.4889	4.1413	33.0159
	S	146.072	129.645	123.629	136.083	143.418	140.654	130.929	139.449	136.298
28	T	3.9902	3.3605	4.2274	4.1827	3.9681	4.7322	4.4545	4.1386	33.0542
	S	145.413	129.039	123.222	136.113	143.646	139.614	131.940	139.540	136.140
29	T	3.9970	3.3485	4.1957	4.1707	3.9663	4.7065	4.4323	4.1105	32.9275
	S	145.166	129.502	124.153	136.504	143.711	140.376	132.601	140.494	136.664
30	T	3.9677	3.3356	4.1973	4.1578	3.9464	4.6849	4.4137	4.1167	32.8201
	S	146.238	130.003	124.106	136.928	144.435	141.024	133.160	140.282	137.111
31	T	3.9766	3.3411	4.2160	4.1733	3.9539	4.7510	4.4627	4.1369	33.0115
	S	145.910	129.789	123.555	136.419	144.161	139.062	131.698	139.597	136.316
32	T	3.9918	3.3784	4.2098	4.1796	3.9558	4.6871	4.4667	4.1053	32.9745
	S	145.355	128.356	123.737	136.214	144.092	140.957	131.580	140.672	136.469
33	T	3.9745	3.4582	4.3560	4.1847	3.9551	4.9076	4.5757	4.2403	33.6521
	S	145.987	125.394	119.584	136.048	144.118	134.624	128.445	136.193	133.721
34	T	4.0650	3.4056	4.2064	4.1856	3.9628	4.6766	4.4243	4.1038	33.0301
	S	142.737	127.330	123.837	136.018	143.838	141.274	132.841	140.723	136.239
35	T	3.9742	3.3426	4.2592	4.2003	3.9693	4.7204	4.4386	4.1250	33.0296
	S	145.999	129.730	122.302	135.542	143.602	139.963	132.413	140.000	136.241
36	T	3.9912	3.3304	4.2188	4.1798	3.9558	4.6939	4.4348	4.1115	32.9162
	S	145.377	130.205	123.473	136.207	144.092	140.753	132.526	140.460	136.711
37	T	3.9829	3.3732	4.2667	4.2092	3.9835	4.7188	4.4677	4.1300	33.1320
	S	145.680	128.553	122.087	135.256	143.090	140.011	131.550	139.831	135.820
38	T	3.9984	3.3609	4.2297	4.1918	3.9581	4.7036	4.4414	4.1080	32.9919
	S	145.115	129.024	123.155	135.817	144.008	140.463	132.329	140.579	136.397

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 1 - Porto, Kiko (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.9869	3.3301	4.2228	4.1744	3.9577	4.6900	4.4005	4.1052	32.8676
	S	145.533	130.217	123.356	136.383	144.023	140.870	133.559	140.675	136.913
40	T	3.9703	3.3702	4.2642	4.1850	3.9676	4.7263	4.4640	4.1313	33.0789
	S	146.142	128.668	122.159	136.038	143.664	139.788	131.659	139.787	136.038
41	T	4.0063	3.3407	4.2208	4.1776	3.9705	4.7390	4.4562	4.1540	33.0651
	S	144.829	129.804	123.415	136.279	143.559	139.414	131.890	139.023	136.095
42	T	4.0166	3.3595	4.2375	4.1869	3.9769	4.7394	4.4737	4.1458	33.1363
	S	144.457	129.078	122.928	135.976	143.328	139.402	131.374	139.298	135.803
43	T	4.0058	3.3421	4.2220	4.1885	3.9753	4.7134	4.4116	4.1311	32.9898
	S	144.847	129.750	123.380	135.924	143.385	140.171	133.223	139.793	136.406
44	T	3.9975	3.3650	4.2282	4.1736	3.9725	4.7277	4.4403	4.1220	33.0268
	S	145.148	128.867	123.199	136.409	143.486	139.747	132.362	140.102	136.253
45	T	3.9909	3.3547	4.2339	4.1756	3.9615	4.7229	4.4352	4.1224	32.9971
	S	145.388	129.262	123.033	136.344	143.885	139.889	132.514	140.088	136.376
46	T	3.9866	3.3659	4.2383	4.1753	3.9697	4.7313	4.4418	4.1355	33.0444
	S	145.544	128.832	122.905	136.354	143.588	139.641	132.317	139.645	136.180
47	T	3.9998	3.3491	4.2039	4.1643	3.9572	4.7096	4.4133	4.1276	32.9248
	S	145.064	129.478	123.911	136.714	144.041	140.284	133.172	139.912	136.675
48	T	4.0020	3.3998	4.2404	4.2011	3.9763	5.2276	4.4864	4.0921	33.6257
	S	144.984	127.548	122.844	135.516	143.349	126.383	131.002	141.126	133.826
49	T	3.9555	3.4426	4.2613	4.1946	3.9424	4.7858	4.4594	4.1324	33.1740
	S	146.689	125.962	122.242	135.726	144.582	138.050	131.795	139.749	135.648
50	T	3.9911	3.3804	4.3017	4.1987	3.9875	4.7422	4.4346	4.1233	33.1595
	S	145.380	128.280	121.094	135.594	142.947	139.320	132.532	140.058	135.708
51	T	3.9930	3.3448	4.2097	4.1709	3.9680	4.7247	4.4174	4.1427	32.9712
	S	145.311	129.645	123.740	136.498	143.649	139.836	133.048	139.402	136.483
52	T	4.0140	3.3526	4.2266	4.1718	3.9620	4.7195	4.4596	4.1448	33.0509
	S	144.551	129.343	123.245	136.468	143.867	139.990	131.789	139.331	136.154
53	T	4.0168	3.3786	4.2291	4.1852	3.9681	4.7048	4.4662	4.1390	33.0878
	S	144.450	128.348	123.173	136.031	143.646	140.427	131.594	139.526	136.002
54	T	4.0182	3.4041	4.2196	4.1851	3.9694	4.6924	4.4111	4.1351	33.0350
	S	144.400	127.386	123.450	136.035	143.599	140.798	133.238	139.658	136.219
55	T	4.2002	4.0598	5.1521	6.5406	8.1506				
	S	138.143	106.812	101.106	87.044	69.934				

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	5.0932	4.0993	4.5367	4.2312	3.9263	5.1799	4.5414	4.0719	35.6799	63.7785
	S	113.922	105.783	114.821	134.552	145.175	127.547	129.415	141.826	126.121	62.742
2	T	3.9360	3.4705	4.5318	4.1659	3.8521	5.1395	4.5025	4.0886	33.6869	
	S	147.415	124.949	114.945	136.662	147.971	128.550	130.534	141.246	133.583	
3	T	4.0302	3.4077	4.3829	4.1898	3.9006	4.8560	4.4311	4.0632	33.2615	
	S	143.970	127.252	118.850	135.882	146.131	136.055	132.637	142.129	135.292	
4	T	3.9118	3.2751	4.4591	4.2367	3.9132	4.8616	4.5914	4.2340	33.4829	
	S	148.327	132.404	116.819	134.378	145.661	135.898	128.006	136.396	134.397	
5	T	4.0447	3.3160	4.4511	4.2905	3.9904	4.8983	4.6070	4.1672	33.7652	
	S	143.454	130.771	117.029	132.693	142.843	134.880	127.573	138.582	133.273	
6	T	3.9468	3.4116	4.4286	4.3166	3.9756	4.7503	4.5220	4.1707	33.5222	
	S	147.012	127.106	117.624	131.890	143.375	139.082	129.971	138.466	134.239	
7	T	4.0018	3.2940	4.3693	4.2555	3.9684	4.7079	4.4448	4.1193	33.1610	
	S	144.992	131.644	119.220	133.784	143.635	140.335	132.228	140.194	135.702	
8	T	3.9586	3.2874	4.3605	4.2358	3.9543	4.6666	4.5959	4.2079	33.2670	
	S	146.574	131.909	119.461	134.406	144.147	141.577	127.881	137.242	135.269	
9	T	4.0207	3.3189	4.3445	4.1775	3.9327	4.7084	4.4611	4.1506	33.1144	
	S	144.310	130.657	119.901	136.282	144.939	140.320	131.745	139.137	135.893	
10	T	3.9759	3.3082	4.3670	4.2268	3.9359	4.6801	4.4487	4.1267	33.0693	
	S	145.936	131.079	119.283	134.692	144.821	141.168	132.112	139.942	136.078	
11	T	3.9736	3.2884	4.3699	4.2467	3.9505	4.7265	4.4439	4.1392	33.1387	
	S	146.021	131.868	119.204	134.061	144.286	139.782	132.255	139.520	135.793	
12	T	3.9823	3.3117	4.3370	4.2258	3.9485	4.6828	4.4049	4.0852	32.9782	
	S	145.702	130.941	120.108	134.724	144.359	141.087	133.426	141.364	136.454	
13	T	3.9320	3.3030	4.3208	4.2095	3.9317	4.6757	4.5371	4.1547	33.0645	
	S	147.565	131.286	120.558	135.246	144.975	141.301	129.538	138.999	136.098	
14	T	3.9779	3.3140	4.2581	4.1808	3.9177	4.7722	4.4464	4.1339	33.0010	
	S	145.863	130.850	122.334	136.174	145.494	138.444	132.180	139.699	136.360	
15	T	3.9632	3.2942	4.3005	4.2046	3.9332	4.6817	4.4157	4.0954	32.8885	
	S	146.404	131.636	121.128	135.404	144.920	141.120	133.099	141.012	136.826	
16	T	3.9376	3.3145	4.3492	4.2108	3.9245	4.7198	4.4553	4.1049	33.0166	
	S	147.356	130.830	119.771	135.204	145.241	139.981	131.916	140.686	136.295	
17	T	3.9371	3.3148	4.4073	4.2595	3.9476	4.7348	4.4937	4.1515	33.2463	
	S	147.374	130.818	118.192	133.658	144.392	139.537	130.789	139.106	135.353	
18	T	3.9665	3.3206	4.2884	4.1948	3.9185	4.6516	4.4001	4.0608	32.8013	
	S	146.282	130.590	121.469	135.720	145.464	142.033	133.571	142.213	137.190	
19	T	3.9309	3.3876	4.3384	4.1947	3.9153	4.7190	4.5370	4.1473	33.1702	
	S	147.607	128.007	120.069	135.723	145.583	140.005	129.541	139.247	135.664	

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.9753	3.3022	4.3675	4.2647	3.9698	4.7239	4.4270	4.1044	33.1348
	S	145.958	131.317	119.269	133.495	143.584	139.859	132.760	140.703	135.809
21	T	3.9578	3.3384	4.2836	4.2249	3.9685	4.7016	4.4167	4.0870	32.9785
	S	146.603	129.893	121.605	134.753	143.631	140.523	133.069	141.302	136.453
22	T	3.9330	3.2729	4.2707	4.2039	3.9425	4.6519	4.4488	4.0974	32.8211
	S	147.528	132.493	121.973	135.426	144.578	142.024	132.109	140.943	137.107
23	T	3.9504	3.3005	4.2376	4.1790	3.9364	4.6442	4.4365	4.1067	32.7913
	S	146.878	131.385	122.925	136.233	144.802	142.260	132.475	140.624	137.232
24	T	3.9441	3.2990	4.2841	4.2145	3.9515	4.6424	4.4944	4.1262	32.9562
	S	147.113	131.445	121.591	135.086	144.249	142.315	130.769	139.959	136.545
25	T	3.9584	3.2885	4.3254	4.2313	3.9408	4.6799	4.4225	4.0916	32.9384
	S	146.581	131.864	120.430	134.549	144.641	141.174	132.895	141.143	136.619
26	T	3.9334	3.3555	4.3721	4.2039	3.9250	4.7096	4.4095	4.1013	33.0103
	S	147.513	129.232	119.144	135.426	145.223	140.284	133.287	140.809	136.321
27	T	3.9333	3.3115	4.4027	4.2409	3.9465	4.6749	4.4329	4.1168	33.0595
	S	147.517	130.949	118.316	134.245	144.432	141.325	132.583	140.279	136.118
28	T	3.9479	3.3317	4.2169	4.1559	3.9012	4.6649	4.6702	4.2400	33.1287
	S	146.971	130.155	123.529	136.990	146.109	141.628	125.846	136.203	135.834
29	T	4.0256	3.3504	4.3496	4.2252	3.9472	4.6652	4.4007	4.0905	33.0544
	S	144.134	129.428	119.760	134.743	144.406	141.619	133.553	141.181	136.139
30	T	3.9217	3.3472	4.4178	4.2326	3.9307	4.6984	4.5288	4.1700	33.2472
	S	147.953	129.552	117.911	134.508	145.012	140.618	129.775	138.489	135.350
31	T	3.9821	3.2810	4.3490	4.2328	3.9480	4.6716	4.4460	4.1326	33.0431
	S	145.709	132.166	119.777	134.502	144.377	141.425	132.192	139.743	136.186
32	T	3.9701	3.3137	4.1895	4.1626	3.9161	4.6333	4.6045	4.2004	32.9902
	S	146.149	130.862	124.337	136.770	145.553	142.594	127.642	137.487	136.404
33	T	4.0241	3.3380	4.2443	4.1847	3.9320	4.7041	4.4225	4.1314	32.9811
	S	144.188	129.909	122.731	136.048	144.964	140.448	132.895	139.783	136.442
34	T	3.9718	3.3003	4.2834	4.1994	3.9386	4.6537	4.4137	4.1028	32.8637
	S	146.087	131.393	121.611	135.571	144.721	141.969	133.160	140.758	136.929
35	T	3.9509	3.2707	4.2913	4.2120	3.9439	4.6616	4.4249	4.1330	32.8883
	S	146.860	132.582	121.387	135.166	144.527	141.729	132.823	139.729	136.827
36	T	3.9801	3.2817	4.1893	4.1603	3.9096	4.6687	4.4184	4.0995	32.7076
	S	145.782	132.138	124.343	136.845	145.795	141.513	133.018	140.871	137.583
37	T	3.9466	3.2812	4.3728	4.2211	3.9487	4.6890	4.4240	4.1251	33.0085
	S	147.020	132.158	119.125	134.874	144.351	140.900	132.850	139.997	136.329
38	T	3.9777	3.3164	4.2201	4.1796	3.9150	4.6719	4.3972	4.0939	32.7718
	S	145.870	130.755	123.435	136.214	145.594	141.416	133.659	141.064	137.313

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.9460	3.2946	4.3167	4.2119	3.9447	4.6445	4.4096	4.0887	32.8567
	S	147.042	131.620	120.673	135.169	144.498	142.250	133.284	141.243	136.958
40	T	3.9481	3.2871	4.3124	4.1971	3.9361	4.6660	4.4036	4.1060	32.8564
	S	146.964	131.921	120.793	135.646	144.813	141.595	133.465	140.648	136.960
41	T	3.9631	3.2965	4.2043	4.1600	3.9230	4.6492	4.4387	4.1085	32.7433
	S	146.407	131.544	123.899	136.855	145.297	142.107	132.410	140.562	137.433
42	T	3.9542	3.2733	4.3107	4.2161	3.9524	4.6737	4.4255	4.1114	32.9173
	S	146.737	132.477	120.841	135.034	144.216	141.362	132.805	140.463	136.706
43	T	3.9634	3.3287	4.3449	4.2335	3.9690	4.7062	4.4367	4.1191	33.1015
	S	146.396	130.272	119.890	134.479	143.613	140.385	132.469	140.201	135.946
44	T	3.9674	3.2744	4.2844	4.1940	3.9513	4.6589	4.4169	4.1077	32.8550
	S	146.249	132.432	121.583	135.746	144.256	141.811	133.063	140.590	136.965
45	T	3.9683	3.2933	4.1922	4.1431	3.9127	4.6530	4.4053	4.0978	32.6657
	S	146.216	131.672	124.257	137.414	145.679	141.991	133.414	140.929	137.759
46	T	3.9489	3.2958	4.2636	4.1672	3.9300	4.6413	4.5504	4.1805	32.9777
	S	146.934	131.572	122.176	136.619	145.038	142.348	129.159	138.141	136.456
47	T	4.0128	3.3464	4.2644	4.1717	3.9367	4.6924	4.4334	4.1117	32.9695
	S	144.594	129.583	122.153	136.472	144.791	140.798	132.568	140.453	136.490
48	T	3.9715	3.3084	4.2418	4.1725	3.9459	4.6933	4.4438	4.1192	32.8964
	S	146.098	131.071	122.804	136.445	144.454	140.771	132.258	140.197	136.793
49	T	3.9791	3.2961	4.2533	4.1892	3.9465	4.7003	4.4440	4.1239	32.9324
	S	145.819	131.560	122.472	135.901	144.432	140.562	132.252	140.037	136.644
50	T	3.9869	3.2801	4.2085	4.1520	3.9347	4.6708	4.4444	4.1169	32.7943
	S	145.533	132.202	123.775	137.119	144.865	141.449	132.240	140.275	137.219
51	T	3.9715	3.2860	4.2854	4.1940	3.9548	4.7108	4.4431	4.1404	32.9860
	S	146.098	131.965	121.554	135.746	144.129	140.248	132.279	139.479	136.422
52	T	3.9984	3.2924	4.2526	4.1721	3.9256	4.6826	4.5081	4.1654	32.9972
	S	145.115	131.708	122.492	136.458	145.201	141.093	130.371	138.642	136.375
53	T	4.0019	3.3203	4.2848	4.1858	3.9293	4.7695	4.5321	4.1930	33.2167
	S	144.988	130.602	121.571	136.012	145.064	138.522	129.681	137.730	135.474
54	T	4.0399	3.3736	4.2627	4.1924	3.9442	4.7247	4.5332	4.1922	33.2629
	S	143.624	128.538	122.202	135.798	144.516	139.836	129.650	137.756	135.286
55	T	4.0341	3.3370	4.2737	4.1852	3.9551	4.7179	4.5139	4.1808	33.1977
	S	143.831	129.948	121.887	136.031	144.118	140.037	130.204	138.131	135.552
56	T	4.3649								
	S	132.930								

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 2 - Burke, Trey (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	5.1982	4.1439	4.5596	4.2622	3.9562	5.3496	4.5788	4.0985	36.1470	65.2503
	S	111.621	104.645	114.244	133.574	144.078	123.501	128.358	140.905	124.492	61.327
2	T	3.9869	3.6447	4.4671	4.1932	3.9317	5.1313	4.5794	4.1087	34.0430	
	S	145.533	118.977	116.610	135.772	144.975	128.755	128.342	140.555	132.186	
3	T	3.9847	3.5657	4.3849	4.1723	3.8868	4.9297	4.5616	4.1678	33.6535	
	S	145.614	121.613	118.796	136.452	146.650	134.021	128.842	138.562	133.716	
4	T	4.0682	3.6733	4.4943	4.2738	3.9420	4.8239	4.4820	4.1071	33.8646	
	S	142.625	118.051	115.904	133.211	144.597	136.960	131.131	140.610	132.882	
5	T	3.9882	3.6642	4.4461	4.2491	3.9916	5.1990	4.6510	4.2442	34.4334	
	S	145.486	118.344	117.161	133.986	142.800	127.079	126.366	136.068	130.687	
6	T	4.0530	3.5132	4.3960	4.2650	3.9756	4.7888	4.5889	4.1830	33.7635	
	S	143.160	123.431	118.496	133.486	143.375	137.964	128.076	138.059	133.280	
7	T	4.0682	3.6136	4.4346	4.2652	3.9620	4.8536	4.5446	4.1607	33.9025	
	S	142.625	120.001	117.465	133.480	143.867	136.122	129.324	138.799	132.734	
8	T	4.0116	3.3978	4.3574	4.2605	3.9907	4.7974	4.5207	4.1865	33.5226	
	S	144.637	127.623	119.546	133.627	142.832	137.717	130.008	137.943	134.238	
9	T	4.0286	3.3567	4.3265	4.2168	3.9610	4.7779	4.5244	4.1844	33.3763	
	S	144.027	129.185	120.400	135.012	143.903	138.279	129.902	138.013	134.826	
10	T	4.0239	3.3742	4.3247	4.2158	3.9523	4.8068	4.5610	4.2136	33.4723	
	S	144.195	128.515	120.450	135.044	144.220	137.447	128.859	137.056	134.440	
11	T	4.0558	3.3869	4.3397	4.2289	3.9676	4.8204	4.5618	4.2195	33.5806	
	S	143.061	128.033	120.033	134.626	143.664	137.060	128.837	136.865	134.006	
12	T	4.0715	3.4206	4.2580	4.2128	3.9777	4.8027	4.5208	4.1893	33.4534	
	S	142.509	126.772	122.337	135.140	143.299	137.565	130.005	137.851	134.515	
13	T	4.0379	3.3851	4.2661	4.2133	3.9759	4.7931	4.4869	4.1670	33.3253	
	S	143.695	128.101	122.104	135.124	143.364	137.840	130.987	138.589	135.033	
14	T	4.0291	3.3726	4.2512	4.2038	3.9783	4.8039	4.5028	4.1795	33.3212	
	S	144.009	128.576	122.532	135.429	143.277	137.530	130.525	138.174	135.049	
15	T	4.0482	3.4313	4.3059	4.2334	3.9793	4.7885	4.5105	4.1880	33.4851	
	S	143.330	126.377	120.976	134.482	143.241	137.973	130.302	137.894	134.388	
16	T	4.0451	3.3784	4.2349	4.2048	3.9781	4.8027	4.5147	4.1956	33.3543	
	S	143.440	128.356	123.004	135.397	143.284	137.565	130.181	137.644	134.915	
17	T	4.0545	3.4199	4.2975	4.2347	3.9926	4.8336	4.5603	4.2311	33.6242	
	S	143.107	126.798	121.212	134.441	142.764	136.685	128.879	136.489	133.832	
18	T	4.0723	3.3916	4.2631	4.2087	3.9705	4.8187	4.5358	4.2074	33.4681	
	S	142.481	127.856	122.190	135.272	143.559	137.108	129.575	137.258	134.456	
19	T	4.0629	3.3997	4.2298	4.1845	3.9724	4.8039	4.5366	4.2114	33.4012	
	S	142.811	127.551	123.152	136.054	143.490	137.530	129.552	137.128	134.726	

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 2 - Burke, Trey (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	4.0640	3.3831	4.2245	4.2086	3.9970	4.8085	4.4972	4.1810	33.3639
	S	142.772	128.177	123.307	135.275	142.607	137.399	130.687	138.125	134.876
21	T	4.0418	3.3878	4.2202	4.2039	3.9948	4.8611	4.5283	4.1999	33.4378
	S	143.557	127.999	123.432	135.426	142.685	135.912	129.790	137.503	134.578
22	T	4.0596	3.4193	4.2876	4.2509	4.0171	4.8369	4.5021	4.1938	33.5673
	S	142.927	126.820	121.492	133.929	141.893	136.592	130.545	137.703	134.059
23	T	4.0568	3.4099	4.2584	4.2238	4.0010	4.8419	4.5237	4.2088	33.5243
	S	143.026	127.170	122.325	134.788	142.464	136.451	129.922	137.213	134.231
24	T	4.0673	3.3967	4.2212	4.2070	3.9965	4.8089	4.4999	4.1916	33.3891
	S	142.657	127.664	123.403	135.326	142.625	137.387	130.609	137.776	134.775
25	T	4.0596	3.4136	4.2745	4.2260	4.0017	4.8309	4.5080	4.2111	33.5254
	S	142.927	127.032	121.864	134.718	142.439	136.762	130.374	137.138	134.227
26	T	4.0709	3.3849	4.2712	4.2217	4.0045	4.8111	4.5159	4.2132	33.4934
	S	142.530	128.109	121.958	134.855	142.340	137.324	130.146	137.069	134.355
27	T	4.0659	3.3732	4.2227	4.1917	3.9860	4.7698	4.4692	4.1832	33.2617
	S	142.706	128.553	123.359	135.820	143.001	138.514	131.506	138.052	135.291
28	T	4.0512	3.4125	4.2393	4.2059	3.9864	4.7405	4.4433	4.1584	33.2375
	S	143.224	127.073	122.876	135.362	142.986	139.370	132.273	138.876	135.389
29	T	4.0384	3.3809	4.2387	4.1979	3.9816	4.7475	4.4354	4.1637	33.1841
	S	143.678	128.261	122.894	135.620	143.159	139.164	132.508	138.699	135.607
30	T	4.0369	3.3539	4.1772	4.1755	3.9711	4.7124	4.4218	4.1610	33.0098
	S	143.731	129.293	124.703	136.347	143.537	140.201	132.916	138.789	136.323
31	T	4.0349	3.3381	4.2117	4.2021	3.9934	4.7403	4.4616	4.1662	33.1483
	S	143.802	129.905	123.681	135.484	142.736	139.376	131.730	138.616	135.754
32	T	4.0386	3.3485	4.1963	4.1900	3.9737	4.7301	4.4299	4.1605	33.0676
	S	143.670	129.502	124.135	135.875	143.443	139.676	132.673	138.805	136.085
33	T	4.0448	3.4082	4.2605	4.2635	4.2020	4.9326	4.4750	4.1349	33.7215
	S	143.450	127.233	122.265	133.533	135.650	133.942	131.336	139.665	133.446
34	T	3.9780	3.3394	4.3695	4.2458	3.9746	4.7445	4.4534	4.1516	33.2568
	S	145.859	129.855	119.215	134.090	143.411	139.252	131.973	139.103	135.311
35	T	4.0069	3.3608	4.2522	4.2042	3.9701	4.7335	4.4232	4.1304	33.0813
	S	144.807	129.028	122.503	135.417	143.573	139.576	132.874	139.817	136.029
36	T	3.9971	3.3046	4.2324	4.1940	3.9766	4.7639	4.4730	4.1546	33.0962
	S	145.162	131.222	123.077	135.746	143.339	138.685	131.394	139.003	135.967
37	T	4.0199	3.3537	4.2438	4.2104	3.9753	4.7630	4.4564	4.1577	33.1802
	S	144.339	129.301	122.746	135.217	143.385	138.711	131.884	138.899	135.623
38	T	4.0334	3.3673	4.2828	4.2267	3.9932	4.7436	4.4425	4.1497	33.2392
	S	143.856	128.779	121.628	134.696	142.743	139.279	132.297	139.167	135.382

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 2 - Burke, Trey (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	4.0248	3.3332	4.2253	4.1901	3.9759	4.7396	4.4462	4.1811	33.1162
	S	144.163	130.096	123.283	135.872	143.364	139.396	132.186	138.122	135.885
40	T	4.0592	3.3721	4.2405	4.2180	4.0855	5.1353	4.6865	4.3487	34.1458
	S	142.941	128.595	122.841	134.973	139.518	128.655	125.409	132.798	131.788
41	T	4.0817	3.4206	4.2943	4.1945	3.9422	5.0590	4.6135	4.2297	33.8355
	S	142.153	126.772	121.302	135.730	144.589	130.595	127.393	136.535	132.996
42	T	4.0804	3.4718	4.3728	4.2115	3.9494	4.8595	4.4681	4.1243	33.5378
	S	142.199	124.902	119.125	135.182	144.326	135.957	131.539	140.024	134.177
43	T	3.9967	3.5451	4.2985	4.1800	3.9175	4.8073	4.6239	4.2318	33.6008
	S	145.177	122.320	121.184	136.201	145.501	137.433	127.106	136.467	133.925
44	T	4.0280	3.3732	4.3160	4.1822	3.9117	4.8988	4.5428	4.1733	33.4260
	S	144.048	128.553	120.693	136.129	145.717	134.866	129.376	138.380	134.626
45	T	3.9790	3.5016	4.3292	4.2311	3.9787	4.7583	4.4557	4.1592	33.3928
	S	145.822	123.839	120.325	134.556	143.263	138.848	131.905	138.849	134.760
46	T	4.0292	3.3452	4.2034	4.1647	3.9646	4.7691	4.4788	4.1797	33.1347
	S	144.006	129.629	123.926	136.701	143.772	138.534	131.224	138.168	135.809
47	T	4.0457	3.3858	4.2286	4.1870	3.9805	4.7321	4.4372	4.1535	33.1504
	S	143.418	128.075	123.187	135.973	143.198	139.617	132.455	139.039	135.745
48	T	4.0352	3.3871	4.2367	4.2085	3.9857	4.7382	4.4393	4.1530	33.1837
	S	143.791	128.026	122.952	135.278	143.011	139.437	132.392	139.056	135.609
49	T	4.0342	3.3673	4.2077	4.1969	3.9882	4.7490	4.4339	4.1506	33.1278
	S	143.827	128.779	123.799	135.652	142.922	139.120	132.553	139.137	135.838
50	T	4.0363	3.3183	4.2605	4.2060	3.9979	4.7450	4.4420	4.1678	33.1738
	S	143.752	130.680	122.265	135.359	142.575	139.237	132.311	138.562	135.649
51	T	4.0561	3.3651	4.2419	4.1972	3.9793	4.6912	4.4058	4.1525	33.0891
	S	143.051	128.863	122.801	135.642	143.241	140.834	133.399	139.073	135.996
52	T	4.0320	3.3510	4.2112	4.1897	3.9758	4.7143	4.4227	4.1566	33.0533
	S	143.906	129.405	123.696	135.885	143.367	140.144	132.889	138.936	136.144
53	T	4.0487	3.3885	4.2662	4.2309	4.0012	4.7338	4.4525	4.1653	33.2871
	S	143.312	127.973	122.101	134.562	142.457	139.567	131.999	138.645	135.188
54	T	4.0482	3.3433	4.2304	4.2012	3.9845	4.7114	4.4272	4.1501	33.0963
	S	143.330	129.703	123.135	135.513	143.054	140.230	132.754	139.153	135.967
55	T	4.3472	4.1823	5.3323	5.1341					
	S	133.471	103.684	97.689	110.890					

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 3 - Green, Josh (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	5.0567	3.8622	4.4872	4.3171	3.9745	4.8477	4.5437	4.2138	35.3029	67.8316
	S	114.744	112.277	116.088	131.875	143.414	136.288	129.350	137.050	127.468	58.993
2	T	4.1386	3.3326	4.3049	4.1845	3.9424	4.7467	4.3478	4.0468	33.0443	
	S	140.199	130.120	121.004	136.054	144.582	139.188	135.178	142.705	136.181	
3	T	3.9132	3.3079	4.2830	4.1424	4.0274	4.8389	4.3685	4.0551	32.9364	
	S	148.274	131.091	121.622	137.437	141.531	136.536	134.538	142.413	136.627	
4	T	4.0020	3.3216	4.3433	4.2528	4.0282	4.7991	4.4148	4.1648	33.3266	
	S	144.984	130.550	119.934	133.869	141.502	137.668	133.127	138.662	135.027	
5	T	4.0484	3.2875	4.1166	4.1624	3.9764	4.6434	4.3393	4.1023	32.6763	
	S	143.323	131.905	126.539	136.776	143.346	142.284	135.443	140.775	137.714	
6	T	3.9944	3.3038	4.1435	4.1746	3.9811	4.6792	4.3692	4.1159	32.7617	
	S	145.260	131.254	125.717	136.377	143.177	141.195	134.516	140.310	137.356	
7	T	4.0116	3.2620	4.1190	4.1767	3.9892	4.7083	4.3871	4.1139	32.7678	
	S	144.637	132.936	126.465	136.308	142.886	140.323	133.967	140.378	137.330	
8	T	4.0037	3.2777	4.1962	4.1938	3.9918	4.7898	4.4409	4.1513	33.0452	
	S	144.923	132.299	124.138	135.752	142.793	137.935	132.344	139.113	136.177	
9	T	4.0239	3.3489	4.1426	4.1560	3.9707	4.7721	4.4163	4.1414	32.9719	
	S	144.195	129.486	125.744	136.987	143.552	138.447	133.081	139.446	136.480	
10	T	4.0254	3.3143	4.1047	4.1376	3.9596	4.7368	4.3621	4.1232	32.7637	
	S	144.142	130.838	126.906	137.596	143.954	139.479	134.735	140.061	137.347	
11	T	4.0142	3.2931	4.1231	4.1324	3.9497	4.6801	4.3714	4.1128	32.6768	
	S	144.544	131.680	126.339	137.769	144.315	141.168	134.448	140.415	137.712	
12	T	4.0046	3.2596	4.1164	4.1551	3.9677	4.6982	4.3541	4.0982	32.6539	
	S	144.890	133.034	126.545	137.017	143.660	140.624	134.982	140.916	137.809	
13	T	3.9930	3.2786	4.0972	4.1425	3.9551	4.7237	4.3893	4.1228	32.7022	
	S	145.311	132.263	127.138	137.433	144.118	139.865	133.900	140.075	137.605	
14	T	4.0019	3.2819	4.1057	4.1512	3.9595	4.7084	4.3810	4.1135	32.7031	
	S	144.988	132.130	126.875	137.145	143.958	140.320	134.154	140.391	137.602	
15	T	4.0013	3.3001	4.1004	4.1313	3.9520	4.6435	4.3520	4.0834	32.5640	
	S	145.010	131.401	127.039	137.806	144.231	142.281	135.048	141.426	138.189	
16	T	3.9831	3.2696	4.1038	4.1437	3.9559	4.6513	4.3549	4.0975	32.5598	
	S	145.672	132.627	126.933	137.394	144.089	142.042	134.958	140.940	138.207	
17	T	3.9905	3.2693	4.0905	4.1419	3.9549	4.6458	4.3669	4.0919	32.5517	
	S	145.402	132.639	127.346	137.453	144.125	142.211	134.587	141.132	138.242	
18	T	3.9801	3.2652	4.1253	4.1474	3.9482	4.6541	4.3482	4.0751	32.5436	
	S	145.782	132.805	126.272	137.271	144.370	141.957	135.166	141.714	138.276	
19	T	3.9714	3.2725	4.1183	4.1307	3.9402	4.6514	4.3444	4.0718	32.5007	
	S	146.101	132.509	126.486	137.826	144.663	142.039	135.284	141.829	138.459	

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 3 - Green, Josh (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.9696	3.2827	4.1092	4.1552	3.9545	4.6839	4.3649	4.0790	32.5990
	S	146.168	132.097	126.767	137.013	144.140	141.054	134.649	141.579	138.041
21	T	3.9632	3.2664	4.1137	4.1397	3.9241	4.6517	4.3616	4.0352	32.4556
	S	146.404	132.757	126.628	137.526	145.256	142.030	134.750	143.116	138.651
22	T	3.9654	3.2737	4.2148	4.1777	3.9602	4.7236	4.3532	4.0733	32.7419
	S	146.323	132.461	123.590	136.276	143.932	139.868	135.010	141.777	137.439
23	T	3.9586	3.2646	4.1150	4.1550	3.9472	4.6516	4.3285	4.0568	32.4773
	S	146.574	132.830	126.588	137.020	144.406	142.033	135.781	142.354	138.558
24	T	3.9354	3.2870	4.1616	4.1493	3.9495	4.6738	4.3476	4.0697	32.5739
	S	147.438	131.925	125.170	137.208	144.322	141.359	135.184	141.902	138.147
25	T	3.9562	3.2902	4.0865	4.1301	3.9371	4.6274	4.3373	4.0534	32.4182
	S	146.663	131.796	127.471	137.846	144.777	142.776	135.505	142.473	138.811
26	T	3.9383	3.2885	4.1217	4.1311	3.9295	4.6447	4.3438	4.0532	32.4508
	S	147.329	131.864	126.382	137.813	145.057	142.244	135.303	142.480	138.671
27	T	3.9299	3.3055	4.1655	4.1398	3.9294	4.6152	4.3353	4.0454	32.4660
	S	147.644	131.186	125.053	137.523	145.060	143.153	135.568	142.755	138.607
28	T	3.9089	3.3100	4.1109	4.0944	3.8827	4.7773	4.3889	4.0991	32.5722
	S	148.437	131.008	126.714	139.048	146.805	138.296	133.912	140.885	138.155
29	T	3.9539	3.2987	4.1153	4.1050	3.9013	4.6296	4.3728	4.0896	32.4662
	S	146.748	131.457	126.579	138.689	146.105	142.708	134.405	141.212	138.606
30	T	3.9376	3.3108	4.2056	4.1212	3.9040	4.7359	4.3855	4.0749	32.6755
	S	147.356	130.976	123.861	138.144	146.004	139.505	134.016	141.721	137.718
31	T	3.9256	3.3125	4.1648	4.1089	3.8901	4.6870	4.4185	4.0752	32.5826
	S	147.806	130.909	125.074	138.557	146.526	140.960	133.015	141.711	138.111
32	T	3.9276	3.3171	4.0824	4.0726	3.8561	4.6806	4.4194	4.1348	32.4906
	S	147.731	130.728	127.599	139.792	147.818	141.153	132.988	139.668	138.502
33	T	4.0512	3.2771	4.1810	4.1525	3.9605	4.6870	4.3189	4.0052	32.6334
	S	143.224	132.323	124.590	137.103	143.921	140.960	136.083	144.188	137.896
34	T	3.9404	3.2660	4.1036	4.1442	3.9582	4.6281	4.3422	4.0842	32.4669
	S	147.251	132.773	126.940	137.377	144.005	142.754	135.352	141.399	138.603
35	T	3.9913	3.2800	4.0677	4.1348	3.9615	4.6308	4.3621	4.1001	32.5283
	S	145.373	132.206	128.060	137.689	143.885	142.671	134.735	140.850	138.341
36	T	3.9978	3.2598	4.0841	4.1407	3.9585	4.6617	4.3524	4.0935	32.5485
	S	145.137	133.025	127.546	137.493	143.994	141.726	135.035	141.077	138.255
37	T	3.9868	3.2563	4.0830	4.1346	3.9580	4.6550	4.3748	4.0887	32.5372
	S	145.537	133.168	127.580	137.696	144.012	141.929	134.344	141.243	138.303
38	T	3.9871	3.2592	4.0541	4.1261	3.9434	4.6312	4.3327	4.0629	32.3967
	S	145.526	133.050	128.489	137.980	144.545	142.659	135.649	142.140	138.903

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 3 - Green, Josh (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.9606	3.2486	4.1342	4.1638	3.9644	4.6482	4.3436	4.0488	32.5122
	S	146.500	133.484	126.000	136.730	143.780	142.137	135.309	142.635	138.410
40	T	3.9391	3.2678	4.2183	4.1591	3.9486	4.6581	4.3409	4.0544	32.5863
	S	147.299	132.700	123.488	136.885	144.355	141.835	135.393	142.438	138.095
41	T	3.9261	3.2802	4.1719	4.1198	3.8648	4.6304	4.3739	4.0817	32.4488
	S	147.787	132.198	124.861	138.191	147.485	142.684	134.371	141.485	138.680
42	T	3.9572	3.2788	4.1928	4.1584	3.9738	4.6846	4.3655	4.1241	32.7352
	S	146.626	132.255	124.239	136.908	143.440	141.033	134.630	140.031	137.467
43	T	4.0243	3.2714	4.0930	4.1421	3.9728	4.6757	4.3680	4.1170	32.6643
	S	144.181	132.554	127.268	137.447	143.476	141.301	134.553	140.272	137.765
44	T	4.0079	3.3055	4.1157	4.1471	3.9693	4.6855	4.3739	4.1105	32.7154
	S	144.771	131.186	126.566	137.281	143.602	141.006	134.371	140.494	137.550
45	T	3.9962	3.2781	4.1159	4.1374	3.9602	4.6842	4.3930	4.1175	32.6825
	S	145.195	132.283	126.560	137.603	143.932	141.045	133.787	140.255	137.688
46	T	3.9973	3.2932	4.3473	4.1869	3.9014	4.7753	4.3671	4.0349	32.9034
	S	145.155	131.676	119.824	135.976	146.101	138.354	134.581	143.126	136.764
47	T	3.8991	3.2486	4.1940	4.1808	3.9345	4.7675	4.5047	4.1170	32.8462
	S	148.811	133.484	124.203	136.174	144.872	138.580	130.470	140.272	137.002
48	T	3.9445	3.3623	4.2857	4.1420	3.9127	4.7205	4.4270	4.1003	32.8950
	S	147.098	128.970	121.546	137.450	145.679	139.960	132.760	140.843	136.799
49	T	3.9432	3.2475	4.6984	4.3629	4.0123	4.8206	4.3959	4.0494	33.5302
	S	147.146	133.529	110.869	130.491	142.063	137.054	133.699	142.614	134.207
50	T	3.9079	3.3546	4.2461	4.1622	3.9163	4.7447	4.3965	4.0738	32.8021
	S	148.475	129.266	122.679	136.783	145.546	139.246	133.681	141.760	137.186
51	T	3.9552	3.2877	4.2970	4.1917	3.9743	4.8099	4.4646	4.1532	33.1336
	S	146.700	131.897	121.226	135.820	143.421	137.359	131.642	139.049	135.814
52	T	4.0181	3.3283	4.2072	4.1702	3.9556	4.7736	4.4260	4.1434	33.0224
	S	144.403	130.288	123.814	136.521	144.100	138.403	132.790	139.378	136.271
53	T	4.0089	3.3083	4.1951	4.1668	3.9576	4.7837	4.4611	4.1489	33.0304
	S	144.735	131.075	124.171	136.632	144.027	138.111	131.745	139.194	136.238
54	T	4.0198	3.3075	4.2164	4.1898	3.9720	4.7293	4.3914	4.1278	32.9540
	S	144.342	131.107	123.544	135.882	143.505	139.700	133.836	139.905	136.554
55	T	4.0153	3.3326	4.1814	4.1686	3.9582	4.7905	4.4441	4.1572	33.0479
	S	144.504	130.120	124.578	136.573	144.005	137.915	132.249	138.916	136.166
56	T	4.3441	4.0685	5.4044	5.9138	6.0438				
	S	133.567	106.584	96.386	96.269	94.312				

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 4 - Eves, Braden

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	5.0757	3.8302	4.4130	4.2066	4.0096	4.9916	4.8289	4.3624	35.7180	66.8329
	S	114.315	113.215	118.040	135.339	142.159	132.359	121.710	132.381	125.987	59.875
2	T	4.1509	3.6013	4.3849	4.2915	4.0406	4.9989	4.6913	4.3117	34.4711	
	S	139.783	120.411	118.796	132.662	141.068	132.165	125.280	133.938	130.544	
3	T	4.0673	3.4869	4.4630	4.2150	3.8887	4.9314	4.4960	4.0450	33.5933	
	S	142.657	124.362	116.717	135.070	146.579	133.974	130.722	142.769	133.955	
4	T	3.9548	3.3919	4.4751	4.1895	3.9599	4.8218	4.4912	4.1224	33.4066	
	S	146.715	127.845	116.402	135.892	143.943	137.020	130.862	140.088	134.704	
5	T	3.9425	3.4207	4.2365	4.2140	4.0026	4.8151	4.5057	4.1530	33.2901	
	S	147.172	126.768	122.957	135.102	142.407	137.210	130.441	139.056	135.175	
6	T	3.9904	3.4203	4.2746	4.1591	3.9388	4.6326	4.3282	4.0222	32.7662	
	S	145.406	126.783	121.861	136.885	144.714	142.616	135.790	143.578	137.337	
7	T	3.8689	3.3770	4.4234	4.1945	3.8983	4.6820	4.4026	4.1100	32.9567	
	S	149.972	128.409	117.762	135.730	146.218	141.111	133.495	140.511	136.543	
8	T	3.9783	3.2927	4.2016	4.1629	3.9530	4.6150	4.3173	4.0460	32.5668	
	S	145.848	131.696	123.979	136.760	144.194	143.160	136.133	142.734	138.178	
9	T	3.9129	3.3395	4.2787	4.1509	3.9089	4.6947	4.3996	4.0537	32.7389	
	S	148.286	129.851	121.745	137.155	145.821	140.729	133.587	142.462	137.451	
10	T	3.8847	3.3299	4.2124	4.1882	3.9970	4.6572	4.3370	4.0812	32.6876	
	S	149.362	130.225	123.661	135.934	142.607	141.862	135.515	141.502	137.667	
11	T	3.9805	3.2704	4.1847	4.1425	3.9397	4.6438	4.3397	4.0752	32.5765	
	S	145.767	132.594	124.479	137.433	144.681	142.272	135.430	141.711	138.136	
12	T	3.9741	3.2456	4.1825	4.1570	3.9428	4.6278	4.3632	4.0821	32.5751	
	S	146.002	133.607	124.545	136.954	144.567	142.764	134.701	141.471	138.142	
13	T	3.9652	3.2755	4.1696	4.1338	3.9253	4.6094	4.3662	4.0730	32.5180	
	S	146.330	132.388	124.930	137.723	145.212	143.334	134.608	141.787	138.385	
14	T	3.9547	3.2622	4.1584	4.1255	3.9087	4.6059	4.4030	4.0877	32.5061	
	S	146.718	132.928	125.267	138.000	145.829	143.443	133.483	141.277	138.436	
15	T	3.9466	3.2814	4.2151	4.1379	3.9017	4.6354	4.3773	4.0694	32.5648	
	S	147.020	132.150	123.582	137.586	146.090	142.530	134.267	141.913	138.186	
16	T	3.9191	3.3693	4.2211	4.1434	3.8821	4.8110	4.5404	4.1488	33.0352	
	S	148.051	128.702	123.406	137.404	146.828	137.327	129.444	139.197	136.218	
17	T	3.9825	3.3275	4.1951	4.1496	3.9048	4.6744	4.4188	4.0597	32.7124	
	S	145.694	130.319	124.171	137.198	145.974	141.340	133.006	142.252	137.563	
18	T	3.9019	3.3897	4.3381	4.1816	3.9058	4.7122	4.4215	4.0482	32.8990	
	S	148.704	127.928	120.078	136.148	145.937	140.207	132.925	142.656	136.782	
19	T	3.9584	3.3191	4.1315	4.1183	3.9371	4.5956	4.3058	4.0677	32.4335	
	S	146.581	130.649	126.082	138.241	144.777	143.764	136.497	141.972	138.745	

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 4 - Eves, Braden

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.9759	3.2661	4.1394	4.1450	3.9589	4.5946	4.2884	4.0577	32.4260
	S	145.936	132.769	125.842	137.351	143.979	143.795	137.050	142.322	138.778
21	T	3.9774	3.2486	4.1243	4.1401	3.9556	4.5878	4.2852	4.0303	32.3493
	S	145.881	133.484	126.302	137.513	144.100	144.008	137.153	143.290	139.107
22	T	3.9336	3.2308	4.1108	4.1184	3.9132	4.5591	4.3280	4.0363	32.2302
	S	147.505	134.220	126.717	138.238	145.661	144.915	135.797	143.077	139.621
23	T	3.9255	3.2659	4.1812	4.1310	3.8930	4.6794	4.3922	4.1084	32.5766
	S	147.810	132.777	124.584	137.816	146.417	141.189	133.812	140.566	138.136
24	T	3.9821	3.2508	4.1531	4.1480	3.9553	4.5969	4.3023	4.0478	32.4363
	S	145.709	133.394	125.427	137.251	144.110	143.723	136.608	142.670	138.733
25	T	3.9546	3.1973	4.1540	4.1427	3.9421	4.5962	4.2975	4.0515	32.3359
	S	146.722	135.626	125.399	137.427	144.593	143.745	136.760	142.540	139.164
26	T	3.9513	3.2332	4.1215	4.1185	3.9413	4.6182	4.3397	4.0750	32.3987
	S	146.845	134.120	126.388	138.234	144.622	143.060	135.430	141.718	138.894
27	T	3.9707	3.2670	4.1388	4.1315	3.9472	4.5800	4.2960	4.0419	32.3731
	S	146.127	132.732	125.860	137.799	144.406	144.254	136.808	142.878	139.004
28	T	3.9378	3.2407	4.1400	4.1189	3.9266	4.5792	4.3084	4.0529	32.3045
	S	147.348	133.809	125.823	138.221	145.164	144.279	136.414	142.491	139.299
29	T	3.9484	3.2756	4.1145	4.1099	3.9179	4.5707	4.3000	4.0470	32.2840
	S	146.953	132.384	126.603	138.524	145.486	144.547	136.681	142.698	139.388
30	T	3.9404	3.2345	4.1658	4.1401	3.9348	4.5680	4.3339	4.0558	32.3733
	S	147.251	134.066	125.044	137.513	144.861	144.633	135.612	142.389	139.003
31	T	3.9347	3.2720	4.1392	4.1153	3.9172	4.5880	4.3105	4.0345	32.3114
	S	147.464	132.529	125.848	138.342	145.512	144.002	136.348	143.140	139.270
32	T	3.9151	3.2328	4.2017	4.1462	3.9122	4.5762	4.3649	4.0422	32.3913
	S	148.202	134.136	123.976	137.311	145.698	144.373	134.649	142.868	138.926
33	T	3.8951	3.2670	4.2253	4.1338	3.8421	4.7865	4.4921	4.1424	32.7843
	S	148.963	132.732	123.283	137.723	148.356	138.030	130.836	139.412	137.261
34	T	3.9816	3.2924	4.2133	4.1417	3.9137	4.5759	4.3411	4.0381	32.4978
	S	145.727	131.708	123.634	137.460	145.642	144.383	135.387	143.013	138.471
35	T	3.8941	3.2995	4.2256	4.1435	3.8882	4.6656	4.3879	4.0585	32.5629
	S	149.002	131.425	123.275	137.400	146.597	141.607	133.943	142.294	138.194
36	T	3.9120	3.2855	4.1505	4.1072	3.8982	4.7908	4.5219	4.1306	32.7967
	S	148.320	131.985	125.505	138.615	146.221	137.906	129.974	139.810	137.209
37	T	3.9814	3.3746	4.2031	4.1403	3.9343	4.6832	4.3600	4.0527	32.7296
	S	145.734	128.500	123.934	137.507	144.880	141.075	134.800	142.498	137.490
38	T	3.9474	3.2553	4.1118	4.1289	3.9220	4.5589	4.2743	4.0239	32.2225
	S	146.990	133.209	126.686	137.886	145.334	144.921	137.503	143.517	139.654

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 4 - Eves, Braden

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.9228	3.2510	4.1520	4.1231	3.9162	4.5479	4.2922	4.0101	32.2153
	S	147.912	133.386	125.460	138.080	145.549	145.272	136.929	144.011	139.685
40	T	3.8972	3.2718	4.1300	4.1064	3.8985	4.5834	4.3320	4.0099	32.2292
	S	148.883	132.538	126.128	138.642	146.210	144.147	135.671	144.019	139.625
41	T	3.8842	3.2639	4.1727	4.1025	3.8716	4.8042	4.4832	4.1212	32.7035
	S	149.381	132.858	124.837	138.773	147.226	137.522	131.095	140.129	137.600
42	T	3.9569	3.3334	4.2007	4.1369	3.9372	4.8100	4.4480	4.1140	32.9371
	S	146.637	130.088	124.005	137.620	144.773	137.356	132.133	140.374	136.624
43	T	3.9794	3.2958	4.1125	4.1250	3.9347	4.5952	4.5153	4.1522	32.7101
	S	145.808	131.572	126.665	138.017	144.865	143.777	130.164	139.083	137.572
44	T	3.9900	3.2964	4.1316	4.1240	3.9305	4.6031	4.3505	4.0535	32.4796
	S	145.420	131.548	126.079	138.050	145.020	143.530	135.094	142.469	138.549
45	T	3.9250	3.2804	4.1484	4.1117	3.9087	4.6055	4.3354	4.0242	32.3393
	S	147.829	132.190	125.569	138.463	145.829	143.455	135.565	143.507	139.150
46	T	3.9162	3.2994	4.2438	4.1238	3.8773	4.7139	4.4273	4.0550	32.6567
	S	148.161	131.429	122.746	138.057	147.010	140.156	132.751	142.417	137.797
47	T	3.8954	3.3846	4.2238	4.1446	3.8899	4.6837	4.3996	4.0400	32.6616
	S	148.952	128.120	123.327	137.364	146.533	141.060	133.587	142.946	137.776
48	T	3.8536	3.3253	4.3373	4.1822	3.8513	4.6840	4.4433	4.1592	32.8362
	S	150.568	130.405	120.100	136.129	148.002	141.051	132.273	138.849	137.044
49	T	3.9025	3.3239	4.2446	4.1733	3.9483	4.6417	4.3690	4.0752	32.6785
	S	148.681	130.460	122.723	136.419	144.366	142.336	134.522	141.711	137.705
50	T	3.9546	3.2859	4.1748	4.1599	3.9467	4.6064	4.3278	4.0368	32.4929
	S	146.722	131.969	124.775	136.859	144.424	143.427	135.803	143.059	138.492
51	T	3.9330	3.3027	4.1492	4.1259	3.9380	4.6287	4.3315	4.0721	32.4811
	S	147.528	131.298	125.544	137.986	144.744	142.736	135.687	141.819	138.542
52	T	3.9476	3.3193	4.1584	4.1147	3.9113	4.6235	4.3403	4.0585	32.4736
	S	146.982	130.641	125.267	138.362	145.732	142.896	135.412	142.294	138.574
53	T	3.9360	3.3208	4.1560	4.1148	3.9053	4.6034	4.3798	4.0633	32.4794
	S	147.415	130.582	125.339	138.359	145.955	143.520	134.190	142.126	138.549
54	T	3.9397	3.3037	4.1785	4.1286	3.9084	4.6191	4.4197	4.0912	32.5889
	S	147.277	131.258	124.664	137.896	145.840	143.033	132.979	141.157	138.084
55	T	3.9524	3.3312	4.1888	4.1367	3.9087	4.6069	4.3943	4.0833	32.6023
	S	146.804	130.174	124.358	137.626	145.829	143.411	133.748	141.430	138.027
56	T	4.2482	3.8390	5.0436	5.6821	7.4715				
	S	136.582	112.956	103.281	100.195	76.290				

Event: VP Racing Fuels Oval Chall. of St. Louis

Round 15

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 20, 2022

Section Data for Car 40 - Miller, Jack William

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	5.0854	3.8915	4.5233	4.2013	3.9111	5.0459	4.5659	4.1785	35.4029		65.5083
	S	114.097	111.432	115.161	135.510	145.739	130.934	128.721	138.207	127.108		61.085
2	T	4.1150	3.5879	4.5307	4.2439	3.9426	5.1550	4.5562	4.1353	34.2666		
	S	141.003	120.861	114.973	134.150	144.575	128.163	128.995	139.651	131.323		
3	T	3.9846	3.4130	4.4479	4.3160	3.9933	4.9609	4.4539	4.0860	33.6556		
	S	145.617	127.054	117.113	131.909	142.739	133.178	131.958	141.336	133.707		
4	T	3.9608	3.3991	4.3861	4.2710	4.0247	5.0020	4.6519	4.3031	33.9987		
	S	146.492	127.574	118.764	133.299	141.625	132.084	126.341	134.206	132.358		
5	T	4.1471	3.7090	4.4980	4.2740	4.0227	5.0398	4.4828	4.1514	34.3248		
	S	139.912	116.915	115.809	133.205	141.696	131.093	131.107	139.110	131.101		
6	T	4.0425	3.4041	4.3095	4.2645	4.0661	5.0787	4.6629	4.3296	34.1579		
	S	143.532	127.386	120.875	133.502	140.183	130.089	126.043	133.384	131.741		
7	T	4.1451	3.4739	4.3469	4.2617	4.0523	4.8251	4.6376	4.4025	34.1451		
	S	139.979	124.827	119.835	133.589	140.661	136.926	126.731	131.175	131.791		
8	T	4.2651	3.5053	4.3868	4.3229	4.0711	4.8818	4.6212	4.3618	34.4160		
	S	136.041	123.709	118.745	131.698	140.011	135.336	127.181	132.399	130.753		
9	T	4.2508	3.4159	4.3079	4.2862	4.1056	4.9165	4.6460	4.4237	34.3526		
	S	136.498	126.946	120.919	132.826	138.835	134.381	126.502	130.547	130.994		
10	T	4.2881	3.4196	4.2549	4.2572	4.1049	4.8296	4.5341	4.2960	33.9844		
	S	135.311	126.809	122.426	133.731	138.858	136.798	129.624	134.427	132.414		
11	T	4.1988	3.3626	4.2553	4.2731	4.1066	4.7731	4.4630	4.2433	33.6758		
	S	138.189	128.959	122.414	133.233	138.801	138.418	131.689	136.097	133.627		
12	T	4.1742	3.3458	4.2577	4.3216	4.1545	4.8726	4.6125	4.4521	34.1910		
	S	139.003	129.606	122.345	131.738	137.201	135.591	127.421	129.714	131.614		
13	T	4.3862	3.6546	4.7328	4.9166	4.9520				60.1709	217.6469	38.7262
	S	132.285	118.655	110.064	115.795	115.105				74.787	4.921	101.288

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 47 - Ahmed, Enaam

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	5.1622	4.0642	4.5678	4.3109	3.9474	4.9736	4.4770	4.0945	35.5976	66.2787
	S	112.399	106.697	114.039	132.065	144.399	132.838	131.277	141.043	126.413	60.375
2	T	3.9941	3.3874	4.3009	4.1263	3.8757	4.8423	4.5044	4.1455	33.1766	
	S	145.271	128.015	121.116	137.973	147.070	136.440	130.478	139.308	135.638	
3	T	4.0145	3.3202	4.2964	4.1631	3.9327	4.9021	4.5570	4.2272	33.4132	
	S	144.533	130.605	121.243	136.753	144.939	134.775	128.972	136.615	134.677	
4	T	4.0270	3.3394	4.3185	4.2104	3.9442	4.7693	4.4068	4.1005	33.1161	
	S	144.084	129.855	120.623	135.217	144.516	138.528	133.368	140.836	135.886	
5	T	4.0142	3.4695	4.4112	4.2338	3.9659	4.8167	4.4665	4.1488	33.5266	
	S	144.544	124.985	118.088	134.470	143.725	137.165	131.586	139.197	134.222	
6	T	3.9913	3.2968	4.3119	4.2220	3.9775	4.7777	4.4900	4.1683	33.2355	
	S	145.373	131.533	120.807	134.846	143.306	138.284	130.897	138.546	135.397	
7	T	4.0217	3.2734	4.2120	4.1982	3.9784	4.7135	4.4297	4.1246	32.9515	
	S	144.274	132.473	123.673	135.610	143.274	140.168	132.679	140.014	136.564	
8	T	4.0066	3.2985	4.2017	4.2018	3.9891	4.7365	4.4696	4.1804	33.0842	
	S	144.818	131.465	123.976	135.494	142.889	139.487	131.494	138.145	136.017	
9	T	4.0305	3.2992	4.2198	4.1907	3.9824	4.6992	4.4238	4.1463	32.9919	
	S	143.959	131.437	123.444	135.853	143.130	140.595	132.856	139.281	136.397	
10	T	4.0092	3.3377	4.3639	4.2176	4.0075	4.9147	4.6002	4.2595	33.7103	
	S	144.724	129.921	119.368	134.986	142.233	134.430	127.761	135.579	133.490	
11	T	4.0742	3.3246	4.2684	4.2042	3.9702	4.6834	4.4362	4.1341	33.0953	
	S	142.415	130.433	122.038	135.417	143.570	141.069	132.484	139.692	135.971	
12	T	4.0101	3.2465	4.2057	4.1948	3.9759	4.6500	4.3625	4.0827	32.7282	
	S	144.691	133.570	123.858	135.720	143.364	142.082	134.723	141.451	137.496	
13	T	3.9722	3.2562	4.1769	4.1728	3.9623	4.6976	4.3919	4.1143	32.7442	
	S	146.072	133.173	124.712	136.436	143.856	140.642	133.821	140.364	137.429	
14	T	3.9981	3.2463	4.3351	4.2510	4.0094	4.7332	4.4132	4.1496	33.1359	
	S	145.126	133.579	120.161	133.926	142.166	139.585	133.175	139.170	135.804	
15	T	4.0291	3.3445	4.2843	4.2268	4.0033	4.7418	4.4322	4.1581	33.2201	
	S	144.009	129.657	121.586	134.692	142.383	139.331	132.604	138.886	135.460	
16	T	4.0314	3.3057	4.1870	4.1933	3.9851	4.7115	4.4163	4.1481	32.9784	
	S	143.927	131.178	124.411	135.769	143.033	140.227	133.081	139.220	136.453	
17	T	4.0220	3.2818	4.2140	4.2114	4.0014	4.7529	4.4597	4.1772	33.1204	
	S	144.263	132.134	123.614	135.185	142.450	139.006	131.786	138.251	135.868	
18	T	4.0374	3.2868	4.2176	4.1974	3.9841	4.7147	4.4004	4.1347	32.9731	
	S	143.713	131.933	123.508	135.636	143.069	140.132	133.562	139.672	136.475	
19	T	4.0186	3.2853	4.2532	4.2107	4.0029	4.7120	4.3988	4.1175	32.9990	
	S	144.385	131.993	122.475	135.207	142.397	140.213	133.611	140.255	136.368	

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 47 - Ahmed, Enaam

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	4.0069	3.2862	4.2110	4.2089	4.0044	4.7087	4.3842	4.1129	32.9232
	S	144.807	131.957	123.702	135.265	142.343	140.311	134.056	140.412	136.682
21	T	4.0085	3.2891	4.2807	4.2355	4.0168	4.8093	4.4631	4.1683	33.2713
	S	144.749	131.840	121.688	134.416	141.904	137.376	131.686	138.546	135.252
22	T	4.0303	3.3387	4.2386	4.2288	4.0109	4.7601	4.4361	4.1526	33.1961
	S	143.966	129.882	122.896	134.629	142.113	138.796	132.487	139.069	135.558
23	T	4.0268	3.3119	4.2505	4.2214	4.0158	4.7934	4.4536	4.1737	33.2471
	S	144.091	130.933	122.552	134.865	141.939	137.832	131.967	138.366	135.350
24	T	4.0342	3.3132	4.1494	4.1809	3.9963	4.7370	4.3984	4.1298	32.9392
	S	143.827	130.881	125.538	136.171	142.632	139.473	133.623	139.837	136.615
25	T	4.0167	3.2840	4.1834	4.1853	3.9834	4.7270	4.3933	4.1309	32.9040
	S	144.454	132.045	124.518	136.028	143.094	139.768	133.778	139.800	136.761
26	T	4.0158	3.3304	4.1899	4.1881	3.9909	4.7580	4.4331	4.1479	33.0541
	S	144.486	130.205	124.325	135.937	142.825	138.857	132.577	139.227	136.140
27	T	4.0167	3.3049	4.2328	4.2024	3.9996	4.7532	4.4077	4.1297	33.0470
	S	144.454	131.210	123.065	135.475	142.514	138.997	133.341	139.841	136.170
28	T	3.9916	3.2725	4.2138	4.1805	3.9861	4.7152	4.3854	4.1049	32.8500
	S	145.362	132.509	123.620	136.184	142.997	140.117	134.019	140.686	136.986
29	T	3.9953	3.3837	4.3254	4.2020	3.9123	4.9437	4.4714	4.1627	33.3965
	S	145.227	128.154	120.430	135.487	145.694	133.641	131.441	138.732	134.745
30	T	4.0313	3.3047	4.1904	4.1934	3.9960	4.7586	4.4113	4.1566	33.0423
	S	143.931	131.218	124.310	135.765	142.643	138.840	133.232	138.936	136.189
31	T	4.0359	3.3115	4.1638	4.1861	3.9915	4.6874	4.3758	4.1255	32.8775
	S	143.767	130.949	125.104	136.002	142.803	140.948	134.313	139.983	136.872
32	T	4.0144	3.2886	4.1781	4.1806	3.9832	4.6980	4.3733	4.1186	32.8348
	S	144.536	131.860	124.676	136.181	143.101	140.630	134.390	140.218	137.050
33	T	4.0130	3.2952	4.1752	4.1878	3.9796	4.6952	4.4202	4.1387	32.9049
	S	144.587	131.596	124.763	135.947	143.230	140.714	132.964	139.537	136.758
34	T	4.0280	3.2996	4.1493	4.1764	3.9816	4.6843	4.3718	4.1234	32.8144
	S	144.048	131.421	125.541	136.318	143.159	141.042	134.436	140.054	137.135
35	T	4.0128	3.2792	4.1812	4.1913	3.9920	4.7079	4.3784	4.1296	32.8724
	S	144.594	132.238	124.584	135.833	142.786	140.335	134.233	139.844	136.893
36	T	4.0256	3.2714	4.1290	4.1619	3.9716	4.6749	4.3871	4.1242	32.7457
	S	144.134	132.554	126.159	136.793	143.519	141.325	133.967	140.027	137.423
37	T	4.0168	3.2876	4.1706	4.1845	3.9913	4.7476	4.4048	4.1381	32.9413
	S	144.450	131.901	124.900	136.054	142.811	139.161	133.429	139.557	136.607
38	T	4.0338	3.2881	4.1768	4.1870	3.9801	4.7253	4.3913	4.1163	32.8987
	S	143.841	131.881	124.715	135.973	143.212	139.818	133.839	140.296	136.784

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 47 - Ahmed, Enaam

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	4.0139	3.2818	4.1668	4.1802	3.9799	4.6885	4.3646	4.1156	32.7913
	S	144.554	132.134	125.014	136.194	143.220	140.915	134.658	140.320	137.232
40	T	4.0170	3.2732	4.1431	4.1614	3.9714	4.6869	4.3718	4.1206	32.7454
	S	144.443	132.481	125.729	136.809	143.526	140.963	134.436	140.149	137.424
41	T	4.0132	3.2794	4.1554	4.1718	3.9846	4.6990	4.3959	4.1424	32.8417
	S	144.580	132.230	125.357	136.468	143.051	140.601	133.699	139.412	137.021
42	T	4.0318	3.2929	4.2023	4.1894	3.9917	4.6948	4.3923	4.1266	32.9218
	S	143.913	131.688	123.958	135.895	142.796	140.726	133.809	139.946	136.688
43	T	4.0206	3.2866	4.1755	4.1752	3.9887	4.7014	4.4055	4.1320	32.8855
	S	144.314	131.941	124.754	136.357	142.904	140.529	133.408	139.763	136.838
44	T	4.0197	3.2782	4.1903	4.1833	3.9895	4.7400	4.4027	4.1300	32.9337
	S	144.346	132.279	124.313	136.093	142.875	139.384	133.492	139.831	136.638
45	T	4.0165	3.2784	4.1448	4.1477	3.9636	4.6977	4.3765	4.1281	32.7533
	S	144.461	132.271	125.678	137.261	143.809	140.639	134.292	139.895	137.391
46	T	4.0134	3.2916	4.1983	4.1842	3.9889	4.7113	4.3858	4.1351	32.9086
	S	144.573	131.740	124.076	136.064	142.897	140.233	134.007	139.658	136.742
47	T	4.0268	3.2784	4.1547	4.1664	3.9804	4.7137	4.3980	4.1409	32.8593
	S	144.091	132.271	125.378	136.645	143.202	140.162	133.635	139.462	136.948
48	T	4.0351	3.2944	4.2257	4.1978	4.0015	4.6853	4.3596	4.1231	32.9225
	S	143.795	131.628	123.272	135.623	142.447	141.012	134.812	140.065	136.685
49	T	4.0230	3.2697	4.1992	4.2015	3.9952	4.7102	4.4252	4.1426	32.9666
	S	144.228	132.623	124.050	135.504	142.671	140.266	132.814	139.405	136.502
50	T	4.0344	3.2926	4.1543	4.1717	3.9857	4.7040	4.4110	4.1414	32.8951
	S	143.820	131.700	125.390	136.472	143.011	140.451	133.241	139.446	136.798
51	T	4.0376	3.2869	4.1619	4.1712	3.9862	4.7205	4.4109	4.1644	32.9396
	S	143.706	131.929	125.161	136.488	142.993	139.960	133.244	138.675	136.614
52	T	4.0579	3.3122	4.2288	4.1957	3.9835	4.7260	4.4132	4.1651	33.0824
	S	142.987	130.921	123.181	135.691	143.090	139.797	133.175	138.652	136.024
53	T	4.0487	3.3015	4.1904	4.1761	3.9779	4.6680	4.3715	4.1221	32.8562
	S	143.312	131.345	124.310	136.328	143.292	141.534	134.445	140.098	136.960
54	T	4.0239	3.3146	4.1842	4.1815	3.9844	4.6851	4.3890	4.1209	32.8836
	S	144.195	130.826	124.494	136.152	143.058	141.018	133.909	140.139	136.846
55	T	4.0187	3.3095	4.2733	4.2106	3.9793	4.9978	4.4840	4.1682	33.4414
	S	144.382	131.028	121.899	135.211	143.241	132.195	131.072	138.549	134.564
56	T	4.5069	4.2421							
	S	128.742	102.222							

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 5 - Flack, Marcos (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	5.0940	3.9665	4.5131	4.2291	3.9602	5.0121	4.6563	4.2084	35.6397	65.7719
	S	113.904	109.325	115.422	134.619	143.932	131.817	126.222	137.226	126.264	60.840
2	T	4.0443	3.4661	4.5487	4.2673	3.9978	4.9527	4.5625	4.1988	34.0382	
	S	143.468	125.108	114.518	133.414	142.578	133.398	128.817	137.539	132.204	
3	T	4.0222	3.3028	4.4065	4.2423	3.9662	4.7558	4.4212	4.1373	33.2543	
	S	144.256	131.294	118.214	134.200	143.714	138.921	132.934	139.584	135.321	
4	T	3.9819	3.2925	4.3715	4.2577	3.9538	4.7283	4.4158	4.1074	33.1089	
	S	145.716	131.704	119.160	133.715	144.165	139.729	133.096	140.600	135.915	
5	T	3.9554	3.3334	4.4552	4.2735	3.9766	4.7987	4.5242	4.1855	33.5025	
	S	146.692	130.088	116.922	133.221	143.339	137.679	129.907	137.976	134.318	
6	T	4.0224	3.3515	4.3238	4.2310	3.9708	4.7863	4.4463	4.1445	33.2766	
	S	144.249	129.386	120.475	134.559	143.548	138.036	132.183	139.341	135.230	
7	T	3.9954	3.3128	4.3970	4.2884	4.0064	5.0262	4.5010	4.1577	33.6849	
	S	145.224	130.897	118.469	132.758	142.272	131.448	130.577	138.899	133.591	
8	T	3.9881	3.3053	4.2985	4.2113	3.9552	4.7190	4.3924	4.1195	32.9893	
	S	145.490	131.194	121.184	135.188	144.114	140.005	133.805	140.187	136.408	
9	T	3.9831	3.2714	4.3844	4.2520	3.9852	4.7780	4.4400	4.1484	33.2425	
	S	145.672	132.554	118.810	133.894	143.029	138.276	132.371	139.210	135.369	
10	T	4.0095	3.3062	4.3236	4.2052	3.9673	4.7461	4.4153	4.1485	33.1217	
	S	144.713	131.159	120.480	135.384	143.675	139.205	133.112	139.207	135.863	
11	T	4.0118	3.3038	4.2785	4.1836	3.9432	4.7577	4.4342	4.1514	33.0642	
	S	144.630	131.254	121.750	136.083	144.553	138.866	132.544	139.110	136.099	
12	T	4.0107	3.3002	4.3356	4.2451	3.9853	4.7627	4.4207	4.1131	33.1734	
	S	144.670	131.397	120.147	134.112	143.026	138.720	132.949	140.405	135.651	
13	T	3.9888	3.2875	4.2487	4.1842	3.9642	4.7439	4.4204	4.1368	32.9745	
	S	145.464	131.905	122.604	136.064	143.787	139.270	132.958	139.601	136.469	
14	T	4.0109	3.2871	4.2823	4.1991	3.9640	4.7711	4.4102	4.1342	33.0589	
	S	144.663	131.921	121.642	135.581	143.794	138.476	133.265	139.688	136.121	
15	T	4.0044	3.3229	4.2449	4.1851	3.9650	4.7392	4.4041	4.1278	32.9934	
	S	144.897	130.499	122.714	136.035	143.758	139.408	133.450	139.905	136.391	
16	T	4.0032	3.2879	4.3470	4.2422	3.9896	4.7997	4.4465	4.1561	33.2722	
	S	144.941	131.889	119.832	134.204	142.871	137.651	132.178	138.952	135.248	
17	T	4.0208	3.3104	4.2638	4.2189	3.9937	4.6904	4.3723	4.1110	32.9813	
	S	144.306	130.992	122.170	134.945	142.725	140.858	134.421	140.477	136.441	
18	T	3.9843	3.2873	4.2741	4.2100	3.9709	4.7167	4.4528	4.1318	33.0279	
	S	145.628	131.913	121.876	135.230	143.544	140.073	131.990	139.770	136.248	
19	T	4.0088	3.2997	4.2440	4.1773	3.9596	4.6836	4.3960	4.1000	32.8690	
	S	144.738	131.417	122.740	136.289	143.954	141.063	133.696	140.854	136.907	

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 5 - Flack, Marcos (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.9860	3.3072	4.2546	4.2022	3.9780	4.7198	4.4254	4.1247	32.9979
	S	145.566	131.119	122.434	135.481	143.288	139.981	132.808	140.010	136.372
21	T	4.0055	3.2702	4.2755	4.2187	3.9921	4.6803	4.3764	4.0722	32.8909
	S	144.858	132.602	121.836	134.951	142.782	141.162	134.295	141.815	136.816
22	T	3.9571	3.2524	4.2802	4.2047	3.9652	4.6715	4.3699	4.0719	32.7729
	S	146.629	133.328	121.702	135.400	143.751	141.428	134.494	141.826	137.309
23	T	3.9458	3.2455	4.3643	4.2551	3.9925	4.7050	4.4080	4.0926	33.0088
	S	147.049	133.612	119.357	133.797	142.768	140.421	133.332	141.108	136.327
24	T	3.9488	3.2881	4.3052	4.2002	3.9572	4.6766	4.4780	4.1251	32.9792
	S	146.938	131.881	120.995	135.545	144.041	141.274	131.248	139.997	136.450
25	T	3.9732	3.2847	4.3689	4.2684	3.9823	4.7602	4.4490	4.1420	33.2287
	S	146.035	132.017	119.231	133.380	143.133	138.793	132.103	139.425	135.425
26	T	3.9927	3.2782	4.2723	4.1910	3.9594	4.7064	4.4194	4.1086	32.9280
	S	145.322	132.279	121.927	135.843	143.961	140.379	132.988	140.559	136.662
27	T	3.9607	3.2658	4.2990	4.1898	3.9581	4.6995	4.4134	4.0850	32.8713
	S	146.496	132.781	121.170	135.882	144.008	140.586	133.169	141.371	136.898
28	T	3.9385	3.2826	4.3693	4.2426	3.9812	4.7339	4.5336	4.1686	33.2503
	S	147.322	132.101	119.220	134.191	143.173	139.564	129.638	138.536	135.337
29	T	4.0083	3.3173	4.2524	4.1776	3.9474	4.7403	4.5286	4.1976	33.1695
	S	144.756	130.720	122.498	136.279	144.399	139.376	129.781	137.579	135.667
30	T	4.0420	3.3276	4.2684	4.2064	3.9642	4.7155	4.4180	4.1305	33.0726
	S	143.550	130.315	122.038	135.346	143.787	140.109	133.030	139.814	136.064
31	T	3.9910	3.3036	4.2790	4.1991	3.9652	4.6597	4.3937	4.0882	32.8795
	S	145.384	131.262	121.736	135.581	143.751	141.786	133.766	141.260	136.863
32	T	3.9594	3.2845	4.2681	4.2018	3.9571	4.6388	4.3863	4.0815	32.7775
	S	146.544	132.025	122.047	135.494	144.045	142.425	133.992	141.492	137.289
33	T	3.9606	3.2814	4.2671	4.1924	3.9510	4.6592	4.4377	4.1067	32.8561
	S	146.500	132.150	122.076	135.798	144.267	141.802	132.440	140.624	136.961
34	T	3.9677	3.3010	4.3060	4.2124	3.9606	4.7137	4.4140	4.1097	32.9851
	S	146.238	131.365	120.973	135.153	143.918	140.162	133.151	140.521	136.425
35	T	3.9793	3.2799	4.2472	4.1760	3.9445	4.7056	4.3818	4.1031	32.8174
	S	145.811	132.210	122.648	136.331	144.505	140.403	134.129	140.747	137.122
36	T	3.9747	3.2853	4.2674	4.1966	3.9626	4.6762	4.4690	4.1344	32.9662
	S	145.980	131.993	122.067	135.662	143.845	141.286	131.512	139.682	136.503
37	T	4.0069	3.3112	4.2364	4.1857	3.9592	4.7029	4.3694	4.1060	32.8777
	S	144.807	130.960	122.960	136.015	143.968	140.484	134.510	140.648	136.871
38	T	3.9846	3.2711	4.2231	4.1725	3.9371	4.6652	4.3688	4.0866	32.7090
	S	145.617	132.566	123.348	136.445	144.777	141.619	134.528	141.316	137.577

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 5 - Flack, Marcos (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.9570	3.2894	4.2563	4.1775	3.9362	4.6795	4.3969	4.1046	32.7974
	S	146.633	131.828	122.385	136.282	144.810	141.186	133.669	140.696	137.206
40	T	3.9732	3.2628	4.2541	4.1725	3.9447	4.6886	4.3885	4.0968	32.7812
	S	146.035	132.903	122.449	136.445	144.498	140.912	133.924	140.964	137.274
41	T	3.9693	3.2796	4.2903	4.1965	3.9670	4.6735	4.3650	4.1050	32.8462
	S	146.179	132.222	121.416	135.665	143.685	141.368	134.645	140.682	137.002
42	T	3.9771	3.2753	4.2796	4.2002	3.9727	4.6947	4.4152	4.1290	32.9438
	S	145.892	132.396	121.719	135.545	143.479	140.729	133.115	139.864	136.596
43	T	3.9867	3.3021	4.2698	4.1784	3.9543	4.6463	4.3594	4.0866	32.7836
	S	145.541	131.321	121.998	136.253	144.147	142.195	134.818	141.316	137.264
44	T	3.9613	3.2713	4.2319	4.1570	3.9340	4.6572	4.4280	4.1146	32.7553
	S	146.474	132.558	123.091	136.954	144.891	141.862	132.730	140.354	137.382
45	T	3.9663	3.2817	4.3273	4.2214	3.9638	4.7084	4.3667	4.0820	32.9176
	S	146.289	132.138	120.377	134.865	143.801	140.320	134.593	141.475	136.705
46	T	3.9638	3.2744	4.2312	4.1492	3.9315	4.6791	4.4324	4.1188	32.7804
	S	146.382	132.432	123.111	137.212	144.983	141.198	132.598	140.211	137.277
47	T	3.9733	3.2975	4.2866	4.1849	3.9580	4.6563	4.3649	4.0817	32.8032
	S	146.032	131.505	121.520	136.041	144.012	141.890	134.649	141.485	137.182
48	T	3.9533	3.3091	4.3111	4.2099	3.9742	4.6902	4.4243	4.1035	32.9756
	S	146.770	131.044	120.830	135.233	143.425	140.864	132.841	140.734	136.465
49	T	3.9666	3.2779	4.3080	4.2133	3.9603	4.6768	4.4611	4.1124	32.9764
	S	146.278	132.291	120.917	135.124	143.928	141.268	131.745	140.429	136.461
50	T	3.9848	3.2901	4.3025	4.1998	3.9629	4.6686	4.4319	4.1196	32.9602
	S	145.610	131.800	121.071	135.558	143.834	141.516	132.613	140.184	136.528
51	T	3.9847	3.2831	4.2671	4.1872	3.9663	4.7160	4.4685	4.1691	33.0420
	S	145.614	132.081	122.076	135.966	143.711	140.094	131.527	138.519	136.190
52	T	4.0271	3.3090	4.2438	4.1769	3.9434	4.7645	4.4527	4.1377	33.0551
	S	144.081	131.048	122.746	136.302	144.545	138.668	131.993	139.570	136.136
53	T	4.0034	3.2845	4.2695	4.1716	3.9465	4.6936	4.4740	4.1318	32.9749
	S	144.934	132.025	122.007	136.475	144.432	140.762	131.365	139.770	136.467
54	T	4.0071	3.3233	4.2729	4.2069	3.9696	4.6533	4.3505	4.1021	32.8857
	S	144.800	130.484	121.910	135.330	143.591	141.981	135.094	140.782	136.838
55	T	3.9813	3.2518	4.3101	4.2009	3.9526	4.6704	4.4859	4.1404	32.9934
	S	145.738	133.353	120.858	135.523	144.209	141.462	131.017	139.479	136.391
56	T	4.4152								
	S	131.416								

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 55 - Gold, Reece

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	5.1464	3.6577	4.3831	4.2431	4.0040	4.8265	4.4587	4.2309	34.9504	70.1887
	S	112.744	118.554	118.845	134.175	142.358	136.886	131.816	136.496	128.754	57.012
2	T	4.1361	3.5732	4.3513	4.2343	3.9975	4.7520	4.3728	4.0969	33.5141	
	S	140.284	121.358	119.713	134.454	142.589	139.032	134.405	140.960	134.272	
3	T	3.9554	3.2898	4.3187	4.1894	3.9677	4.8071	4.4035	4.1282	33.0598	
	S	146.692	131.812	120.617	135.895	143.660	137.439	133.468	139.891	136.117	
4	T	4.0134	3.3822	4.3942	4.1901	3.9806	4.8793	4.6697	4.3807	33.8902	
	S	144.573	128.211	118.545	135.872	143.194	135.405	125.860	131.828	132.782	
5	T	4.2010	3.4985	4.3227	4.2218	3.9379	4.7423	4.4212	4.0870	33.4324	
	S	138.116	123.949	120.505	134.852	144.747	139.317	132.934	141.302	134.600	
6	T	3.9326	3.3547	4.2835	4.2153	3.9642	4.6861	4.3271	4.0761	32.8396	
	S	147.543	129.262	121.608	135.060	143.787	140.988	135.825	141.680	137.030	
7	T	3.9475	3.2777	4.2370	4.1957	3.9541	4.7028	4.3465	4.0781	32.7394	
	S	146.986	132.299	122.943	135.691	144.154	140.487	135.219	141.610	137.449	
8	T	3.9571	3.3052	4.2227	4.2095	3.9760	4.7428	4.3781	4.0946	32.8860	
	S	146.629	131.198	123.359	135.246	143.360	139.302	134.243	141.039	136.836	
9	T	3.9641	3.3267	4.2093	4.1655	3.9317	4.7424	4.3683	4.0932	32.8012	
	S	146.370	130.350	123.752	136.675	144.975	139.314	134.544	141.088	137.190	
10	T	3.9561	3.3272	4.2281	4.1690	3.9264	4.7288	4.3315	4.0722	32.7393	
	S	146.666	130.331	123.202	136.560	145.171	139.714	135.687	141.815	137.449	
11	T	3.9475	3.2870	4.2633	4.1875	3.9349	4.7223	4.3548	4.0889	32.7862	
	S	146.986	131.925	122.184	135.957	144.858	139.907	134.961	141.236	137.253	
12	T	3.9616	3.2936	4.2542	4.1982	3.9466	4.7309	4.3536	4.0740	32.8127	
	S	146.463	131.660	122.446	135.610	144.428	139.652	134.998	141.753	137.142	
13	T	3.9426	3.2817	4.2506	4.1927	3.9451	4.7209	4.3646	4.0901	32.7883	
	S	147.169	132.138	122.550	135.788	144.483	139.948	134.658	141.195	137.244	
14	T	3.9581	3.2681	4.2697	4.2057	3.9513	4.7231	4.3632	4.0929	32.8321	
	S	146.592	132.688	122.001	135.368	144.256	139.883	134.701	141.098	137.061	
15	T	3.9659	3.3327	4.1807	4.1619	3.9316	4.7374	4.4163	4.1271	32.8536	
	S	146.304	130.116	124.599	136.793	144.979	139.461	133.081	139.929	136.971	
16	T	3.9884	3.2877	4.2355	4.2021	3.9623	4.7392	4.3853	4.1075	32.9080	
	S	145.479	131.897	122.986	135.484	143.856	139.408	134.022	140.596	136.745	
17	T	3.9791	3.2850	4.2334	4.2031	3.9792	4.7239	4.3972	4.1144	32.9153	
	S	145.819	132.005	123.047	135.452	143.245	139.859	133.659	140.361	136.715	
18	T	3.9884	3.3246	4.2431	4.1918	3.9634	4.7917	4.4762	4.1574	33.1366	
	S	145.479	130.433	122.766	135.817	143.816	137.880	131.300	138.909	135.802	
19	T	4.0393	3.4747	4.4199	4.2274	3.9509	4.7332	4.3731	4.0990	33.3175	
	S	143.646	124.798	117.855	134.673	144.271	139.585	134.396	140.888	135.064	

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 55 - Gold, Reece

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.9667	3.2664	4.2423	4.2064	3.9687	4.7139	4.3949	4.0915	32.8508
	S	146.275	132.757	122.789	135.346	143.624	140.156	133.729	141.146	136.983
21	T	3.9698	3.2226	4.2074	4.1944	3.9709	4.7553	4.4037	4.0993	32.8234
	S	146.160	134.561	123.808	135.733	143.544	138.936	133.462	140.878	137.097
22	T	3.9675	3.2203	4.1722	4.1774	3.9491	4.7235	4.4096	4.1164	32.7360
	S	146.245	134.657	124.852	136.285	144.337	139.871	133.284	140.292	137.463
23	T	3.9917	3.2302	4.1765	4.1695	3.9527	4.6389	4.3218	4.0543	32.5356
	S	145.358	134.244	124.724	136.544	144.205	142.422	135.991	142.441	138.310
24	T	3.9392	3.2393	4.2074	4.1858	3.9533	4.7556	4.3991	4.0774	32.7571
	S	147.296	133.867	123.808	136.012	144.183	138.927	133.602	141.634	137.375
25	T	3.9951	3.5990	4.4529	4.2620	3.9433	4.9786	4.6384	4.2713	34.1406
	S	145.235	120.488	116.982	133.580	144.549	132.704	126.709	135.205	131.808
26	T	4.0477	3.5836	4.3480	4.2476	4.0149	4.7715	4.4335	4.1560	33.6028
	S	143.347	121.006	119.804	134.033	141.971	138.464	132.565	138.956	133.917
27	T	4.0263	3.2783	4.1526	4.1516	3.9675	4.7044	4.3683	4.1109	32.7599
	S	144.109	132.275	125.442	137.132	143.667	140.439	134.544	140.480	137.363
28	T	3.9901	3.2499	4.1216	4.1524	3.9697	4.6948	4.3787	4.1139	32.6711
	S	145.417	133.431	126.385	137.106	143.588	140.726	134.224	140.378	137.736
29	T	3.9996	3.2398	4.1158	4.1414	3.9612	4.6760	4.3510	4.1040	32.5888
	S	145.071	133.847	126.563	137.470	143.896	141.292	135.079	140.716	138.084
30	T	3.9939	3.2737	4.1705	4.1736	3.9741	4.7015	4.3829	4.1254	32.7956
	S	145.278	132.461	124.903	136.409	143.429	140.526	134.096	139.986	137.214
31	T	3.9997	3.2530	4.1240	4.1572	3.9672	4.6890	4.3708	4.1120	32.6729
	S	145.068	133.304	126.312	136.948	143.678	140.900	134.467	140.443	137.729
32	T	3.9966	3.2514	4.1202	4.1534	3.9662	4.6653	4.3472	4.0990	32.5993
	S	145.180	133.369	126.428	137.073	143.714	141.616	135.197	140.888	138.040
33	T	3.9947	3.2477	4.1492	4.1626	3.9671	4.6565	4.3190	4.0825	32.5793
	S	145.249	133.521	125.544	136.770	143.682	141.884	136.079	141.457	138.125
34	T	3.9790	3.2549	4.1389	4.1593	3.9612	4.6658	4.3286	4.0823	32.5700
	S	145.822	133.226	125.857	136.878	143.896	141.601	135.778	141.464	138.164
35	T	3.9792	3.2273	4.1141	4.1465	3.9544	4.6728	4.3417	4.0926	32.5286
	S	145.815	134.365	126.616	137.301	144.143	141.389	135.368	141.108	138.340
36	T	3.9832	3.2652	4.1630	4.1697	3.9738	4.7182	4.3662	4.1039	32.7432
	S	145.669	132.805	125.128	136.537	143.440	140.028	134.608	140.720	137.433
37	T	3.9958	3.2762	4.1353	4.1559	3.9644	4.6928	4.3642	4.1061	32.6907
	S	145.209	132.360	125.966	136.990	143.780	140.786	134.670	140.644	137.654
38	T	3.9931	3.2644	4.1122	4.1474	3.9485	4.6816	4.3569	4.0917	32.5958
	S	145.307	132.838	126.674	137.271	144.359	141.123	134.896	141.139	138.055

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 55 - Gold, Reece

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.9888	3.2735	4.1213	4.1468	3.9583	4.6914	4.3700	4.1072	32.6573
	S	145.464	132.469	126.394	137.291	144.001	140.828	134.491	140.607	137.795
40	T	3.9962	3.2564	4.0946	4.1319	3.9501	4.6588	4.3321	4.0782	32.4983
	S	145.195	133.164	127.219	137.786	144.300	141.814	135.668	141.607	138.469
41	T	3.9770	3.2580	4.1322	4.1563	3.9643	4.6777	4.3412	4.0979	32.6046
	S	145.896	133.099	126.061	136.977	143.783	141.241	135.384	140.926	138.017
42	T	3.9905	3.2228	4.1277	4.1399	3.9508	4.6530	4.3271	4.0872	32.4990
	S	145.402	134.553	126.198	137.520	144.275	141.991	135.825	141.295	138.466
43	T	3.9792	3.2335	4.1376	4.1480	3.9652	4.7186	4.3845	4.1120	32.6786
	S	145.815	134.107	125.896	137.251	143.751	140.016	134.047	140.443	137.705
44	T	3.9887	3.2703	4.1213	4.1421	3.9578	4.6752	4.3704	4.0921	32.6179
	S	145.468	132.598	126.394	137.447	144.019	141.316	134.479	141.126	137.961
45	T	3.9742	3.2560	4.1390	4.1431	3.9557	4.7318	4.3837	4.1129	32.6964
	S	145.999	133.181	125.854	137.414	144.096	139.626	134.071	140.412	137.630
46	T	3.9888	3.2422	4.0883	4.1250	3.9360	4.7037	4.3654	4.0858	32.5352
	S	145.464	133.748	127.415	138.017	144.817	140.460	134.633	141.343	138.312
47	T	3.9704	3.2719	4.1367	4.1261	3.9341	4.6868	4.3348	4.0786	32.5394
	S	146.138	132.534	125.924	137.980	144.887	140.967	135.583	141.593	138.294
48	T	3.9556	3.2535	4.1546	4.1328	3.9429	4.7198	4.3740	4.0868	32.6200
	S	146.685	133.283	125.381	137.756	144.564	139.981	134.368	141.309	137.952
49	T	3.9563	3.3633	4.2098	4.1549	3.9211	5.0398	4.4275	4.1078	33.1805
	S	146.659	128.932	123.737	137.023	145.367	131.093	132.745	140.586	135.622
50	T	4.0043	3.3364	4.2344	4.2061	3.9868	4.7130	4.3784	4.0962	32.9556
	S	144.901	129.971	123.018	135.355	142.972	140.183	134.233	140.984	136.547
51	T	3.9808	3.2782	4.1369	4.1437	3.9602	4.7128	4.3353	4.1062	32.6541
	S	145.756	132.279	125.918	137.394	143.932	140.189	135.568	140.641	137.808
52	T	3.9883	3.2535	4.1793	4.1663	3.9451	4.7160	4.3499	4.1187	32.7171
	S	145.482	133.283	124.640	136.648	144.483	140.094	135.113	140.214	137.543
53	T	3.9800	3.2668	4.2626	4.2140	3.9604	4.6979	4.3595	4.0989	32.8401
	S	145.786	132.740	122.205	135.102	143.925	140.633	134.815	140.891	137.028
54	T	3.9706	3.3272	4.2885	4.2163	3.9605	4.7729	4.4231	4.1378	33.0969
	S	146.131	130.331	121.467	135.028	143.921	138.424	132.877	139.567	135.964
55	T	3.9912	3.2989	4.2630	4.1896	3.9413	4.8584	4.5153	4.2213	33.2790
	S	145.377	131.449	122.193	135.888	144.622	135.988	130.164	136.806	135.220
56	T	4.4071	4.3317	5.4333						
	S	131.657	100.108	95.873						

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 6 - De Alba, Salvador (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	5.1238	3.4725	4.2379	4.1941	4.0084	4.6738	4.3385	4.1326	34.1816	70.9349
	S	113.242	124.877	122.917	135.743	142.201	141.359	135.468	139.743	131.650	56.412
2	T	4.0497	3.3074	4.3073	4.1965	3.9978	4.6741	4.3881	4.1395	33.0604	
	S	143.277	131.111	120.936	135.665	142.578	141.350	133.937	139.510	136.115	
3	T	4.0379	3.3001	4.1885	4.1516	3.9667	4.6573	4.3464	4.1174	32.7659	
	S	143.695	131.401	124.367	137.132	143.696	141.859	135.222	140.258	137.338	
4	T	4.0235	3.3195	4.1720	4.1644	3.9634	4.6303	4.3168	4.0911	32.6810	
	S	144.210	130.633	124.858	136.711	143.816	142.687	136.149	141.160	137.695	
5	T	4.0067	3.2543	4.1324	4.1530	3.9620	4.6814	4.3662	4.1189	32.6749	
	S	144.814	133.250	126.055	137.086	143.867	141.129	134.608	140.207	137.720	
6	T	4.0174	3.2793	4.1336	4.1453	3.9628	4.6364	4.3000	4.0843	32.5591	
	S	144.429	132.234	126.018	137.341	143.838	142.499	136.681	141.395	138.210	
7	T	3.9982	3.2533	4.1450	4.1551	3.9670	4.6456	4.3112	4.0909	32.5663	
	S	145.122	133.291	125.672	137.017	143.685	142.217	136.326	141.167	138.180	
8	T	3.9989	3.2802	4.1223	4.1351	3.9614	4.6199	4.3150	4.0873	32.5201	
	S	145.097	132.198	126.364	137.679	143.889	143.008	136.206	141.291	138.376	
9	T	4.0000	3.3113	4.1309	4.1331	3.9536	4.6296	4.3147	4.0932	32.5664	
	S	145.057	130.957	126.101	137.746	144.172	142.708	136.215	141.088	138.179	
10	T	3.9985	3.3071	4.1300	4.1257	3.9458	4.6254	4.3087	4.0816	32.5228	
	S	145.111	131.123	126.128	137.993	144.457	142.838	136.405	141.489	138.364	
11	T	3.9999	3.3231	4.1304	4.1202	3.9398	4.6325	4.3402	4.1000	32.5861	
	S	145.060	130.492	126.116	138.177	144.677	142.619	135.415	140.854	138.096	
12	T	4.0028	3.3192	4.1427	4.1376	3.9478	4.6178	4.3013	4.0768	32.5460	
	S	144.955	130.645	125.741	137.596	144.384	143.073	136.639	141.655	138.266	
13	T	3.9880	3.3389	4.1653	4.1492	3.9573	4.6591	4.3169	4.0807	32.6554	
	S	145.493	129.874	125.059	137.212	144.038	141.805	136.146	141.520	137.803	
14	T	3.9853	3.3295	4.1534	4.1510	3.9480	4.6184	4.3046	4.0733	32.5635	
	S	145.592	130.241	125.418	137.152	144.377	143.054	136.535	141.777	138.192	
15	T	3.9751	3.3252	4.1368	4.1387	3.9469	4.6177	4.3167	4.0685	32.5256	
	S	145.965	130.409	125.921	137.560	144.417	143.076	136.152	141.944	138.353	
16	T	3.9740	3.3256	4.1737	4.1499	3.9449	4.6217	4.3347	4.0928	32.6173	
	S	146.006	130.393	124.808	137.188	144.490	142.952	135.587	141.101	137.964	
17	T	3.9847	3.3188	4.1570	4.1406	3.9378	4.6097	4.3329	4.0868	32.5683	
	S	145.614	130.661	125.309	137.497	144.751	143.324	135.643	141.309	138.171	
18	T	3.9745	3.3071	4.1308	4.1172	3.9060	4.5999	4.2992	4.0256	32.3603	
	S	145.987	131.123	126.104	138.278	145.929	143.630	136.706	143.457	139.059	
19	T	3.9302	3.3230	4.1363	4.1263	3.9358	4.6394	4.3121	4.0794	32.4825	
	S	147.633	130.495	125.936	137.973	144.824	142.407	136.297	141.565	138.536	

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 6 - De Alba, Salvador (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.9848	3.3178	4.1283	4.1364	3.9477	4.6332	4.3171	4.0756	32.5409
	S	145.610	130.700	126.180	137.636	144.388	142.597	136.139	141.697	138.288
21	T	3.9803	3.2973	4.1189	4.1466	3.9628	4.6515	4.3072	4.0697	32.5343
	S	145.775	131.513	126.468	137.298	143.838	142.036	136.452	141.902	138.316
22	T	3.9785	3.3140	4.1561	4.1680	3.9754	4.6776	4.3400	4.0820	32.6916
	S	145.841	130.850	125.336	136.593	143.382	141.244	135.421	141.475	137.650
23	T	3.9841	3.3101	4.1275	4.1435	3.9610	4.6620	4.3256	4.0767	32.5905
	S	145.636	131.004	126.205	137.400	143.903	141.716	135.872	141.659	138.077
24	T	3.9764	3.3088	4.1277	4.1425	3.9570	4.6578	4.3227	4.0814	32.5743
	S	145.918	131.055	126.198	137.433	144.049	141.844	135.963	141.496	138.146
25	T	3.9818	3.3150	4.1150	4.1337	3.9523	4.6404	4.3062	4.0684	32.5128
	S	145.720	130.810	126.588	137.726	144.220	142.376	136.484	141.948	138.407
26	T	3.9756	3.3264	4.1247	4.1271	3.9469	4.6380	4.3155	4.0778	32.5320
	S	145.947	130.362	126.290	137.946	144.417	142.450	136.190	141.620	138.325
27	T	3.9784	3.3087	4.1194	4.1296	3.9494	4.6083	4.2936	4.0533	32.4407
	S	145.844	131.059	126.453	137.863	144.326	143.368	136.884	142.477	138.715
28	T	3.9542	3.2968	4.1237	4.1245	3.9446	4.6135	4.3266	4.0619	32.4458
	S	146.737	131.533	126.321	138.033	144.501	143.206	135.840	142.175	138.693
29	T	3.9608	3.3074	4.1043	4.1184	3.9321	4.6226	4.3066	4.0666	32.4188
	S	146.492	131.111	126.918	138.238	144.961	142.924	136.471	142.011	138.808
30	T	3.9581	3.2852	4.1194	4.1240	3.9320	4.6257	4.3020	4.0589	32.4053
	S	146.592	131.997	126.453	138.050	144.964	142.829	136.617	142.280	138.866
31	T	3.9467	3.2858	4.0967	4.1083	3.9182	4.5941	4.2926	4.0561	32.2985
	S	147.016	131.973	127.153	138.578	145.475	143.811	136.916	142.378	139.325
32	T	3.9458	3.3085	4.1516	4.1437	3.9372	4.6074	4.3012	4.0358	32.4312
	S	147.049	131.067	125.472	137.394	144.773	143.396	136.643	143.094	138.755
33	T	3.9260	3.3237	4.1199	4.1153	3.9030	4.6265	4.3249	4.0576	32.3969
	S	147.791	130.468	126.437	138.342	146.042	142.804	135.894	142.326	138.902
34	T	3.9240	3.3666	4.2600	4.1567	3.9127	4.6864	4.3628	4.1068	32.7760
	S	147.866	128.805	122.279	136.964	145.679	140.979	134.713	140.620	137.296
35	T	3.9967	3.3303	4.1390	4.1456	3.9515	4.6385	4.3074	4.0737	32.5827
	S	145.177	130.209	125.854	137.331	144.249	142.434	136.446	141.763	138.110
36	T	3.9713	3.3135	4.1240	4.1438	3.9514	4.6320	4.3119	4.0693	32.5172
	S	146.105	130.870	126.312	137.390	144.253	142.634	136.304	141.916	138.388
37	T	3.9656	3.3182	4.1121	4.1255	3.9338	4.6325	4.3101	4.0601	32.4579
	S	146.315	130.684	126.677	138.000	144.898	142.619	136.360	142.238	138.641
38	T	3.9535	3.3111	4.1323	4.1333	3.9292	4.6163	4.3086	4.0447	32.4290
	S	146.763	130.964	126.058	137.739	145.068	143.119	136.408	142.779	138.765

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 6 - De Alba, Salvador (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.9356	3.3048	4.1079	4.1018	3.8802	4.7794	4.4268	4.1340	32.6705
	S	147.430	131.214	126.807	138.797	146.900	138.235	132.766	139.695	137.739
40	T	4.0174	3.3238	4.1168	4.1249	3.9377	4.6122	4.2937	4.0510	32.4775
	S	144.429	130.464	126.533	138.020	144.755	143.247	136.881	142.557	138.557
41	T	3.9480	3.3094	4.1226	4.1309	3.9432	4.6243	4.2883	4.0569	32.4236
	S	146.967	131.032	126.355	137.819	144.553	142.872	137.054	142.350	138.788
42	T	3.9664	3.3112	4.1229	4.1259	3.9376	4.6240	4.3232	4.0760	32.4872
	S	146.286	130.960	126.345	137.986	144.758	142.881	135.947	141.683	138.516
43	T	3.9715	3.3055	4.1137	4.1288	3.9494	4.6304	4.2978	4.0577	32.4548
	S	146.098	131.186	126.628	137.890	144.326	142.684	136.751	142.322	138.654
44	T	3.9507	3.2902	4.1013	4.1183	3.9293	4.6163	4.2943	4.0517	32.3521
	S	146.867	131.796	127.011	138.241	145.064	143.119	136.862	142.533	139.095
45	T	3.9467	3.2837	4.0713	4.0935	3.9148	4.6111	4.3060	4.0425	32.2696
	S	147.016	132.057	127.947	139.079	145.601	143.281	136.490	142.857	139.450
46	T	3.9357	3.2992	4.1197	4.0963	3.8965	4.6208	4.3180	4.0526	32.3388
	S	147.427	131.437	126.443	138.984	146.285	142.980	136.111	142.501	139.152
47	T	3.9299	3.2835	4.0737	4.0840	3.8867	4.5969	4.3032	4.0320	32.1899
	S	147.644	132.065	127.871	139.402	146.654	143.723	136.579	143.229	139.795
48	T	3.9142	3.3249	4.1594	4.1034	3.8709	4.7762	4.3981	4.0849	32.6320
	S	148.236	130.421	125.237	138.743	147.253	138.328	133.632	141.374	137.901
49	T	3.9330	3.4030	4.2349	4.1446	3.8679	4.8213	4.4418	4.1326	32.9791
	S	147.528	127.428	123.004	137.364	147.367	137.034	132.317	139.743	136.450
50	T	4.0127	3.3757	4.1341	4.1511	3.9454	4.6132	4.2964	4.0411	32.5697
	S	144.598	128.458	126.003	137.149	144.472	143.216	136.795	142.907	138.165
51	T	3.9547	3.3466	4.1069	4.1179	3.9375	4.6294	4.3183	4.0576	32.4689
	S	146.718	129.575	126.838	138.254	144.762	142.714	136.102	142.326	138.594
52	T	3.9512	3.2885	4.0768	4.0990	3.9115	4.5862	4.2861	4.0461	32.2454
	S	146.848	131.864	127.774	138.892	145.724	144.059	137.124	142.730	139.555
53	T	3.9424	3.3054	4.0912	4.0897	3.8862	4.6920	4.3929	4.0767	32.4765
	S	147.176	131.190	127.324	139.208	146.673	140.810	133.790	141.659	138.562
54	T	3.9444	3.3417	4.1490	4.1145	3.8840	4.7605	4.4094	4.0897	32.6932
	S	147.102	129.765	125.551	138.369	146.756	138.784	133.290	141.208	137.643
55	T	3.9500	3.4044	4.1314	4.1052	3.8673	5.0572	4.7698	4.4752	33.7605
	S	146.893	127.375	126.085	138.682	147.390	130.642	123.218	129.045	133.292
56	T	4.6533	4.1140	5.9159	7.2299	8.2150				
	S	124.692	105.405	88.052	78.745	69.385				

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 7 - Garg, Bijoy (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	5.1247	4.0490	4.6053	4.3056	4.0368	5.1970	4.6321	4.1589	36.1094	65.4914
	S	113.222	107.097	113.111	132.227	141.201	127.128	126.881	138.859	124.621	61.101
2	T	3.9916	3.5685	4.4184	4.2350	3.9455	5.1415	4.5916	4.1717	34.0638	
	S	145.362	121.518	117.895	134.432	144.468	128.500	128.001	138.433	132.105	
3	T	3.9615	3.4596	4.4163	4.1366	3.9061	4.9463	4.5112	4.0987	33.4363	
	S	146.467	125.343	117.951	137.629	145.926	133.571	130.282	140.898	134.584	
4	T	3.9515	3.4584	4.3469	4.1737	3.9476	5.0332	4.5894	4.2083	33.7090	
	S	146.837	125.386	119.835	136.406	144.392	131.265	128.062	137.229	133.496	
5	T	4.1065	3.6110	4.3818	4.2613	4.0360	4.7526	4.4211	4.1564	33.7267	
	S	141.295	120.088	118.880	133.602	141.229	139.015	132.937	138.942	133.425	
6	T	4.0181	3.4070	4.1970	4.1948	3.9846	4.7081	4.4077	4.1229	33.0402	
	S	144.403	127.278	124.115	135.720	143.051	140.329	133.341	140.071	136.198	
7	T	3.9594	3.4230	4.2530	4.1917	3.9169	4.7730	4.4707	4.1181	33.1058	
	S	146.544	126.683	122.480	135.820	145.523	138.421	131.462	140.235	135.928	
8	T	3.9524	3.4032	4.2708	4.2173	3.9424	4.7408	4.4842	4.1310	33.1421	
	S	146.804	127.420	121.970	134.996	144.582	139.361	131.066	139.797	135.779	
9	T	3.9422	3.4286	4.3405	4.1878	3.8980	4.8374	4.4643	4.1515	33.2503	
	S	147.184	126.476	120.011	135.947	146.229	136.578	131.650	139.106	135.337	
10	T	3.9554	3.3932	4.3237	4.1742	3.9004	4.7972	4.5496	4.1748	33.2685	
	S	146.692	127.796	120.478	136.390	146.139	137.722	129.182	138.330	135.263	
11	T	4.0133	3.3907	4.2105	4.1712	3.9256	4.7251	4.4973	4.1448	33.0785	
	S	144.576	127.890	123.717	136.488	145.201	139.824	130.684	139.331	136.040	
12	T	3.9865	3.3674	4.2528	4.1948	3.9267	4.8572	4.5295	4.2032	33.3181	
	S	145.548	128.775	122.486	135.720	145.160	136.021	129.755	137.395	135.062	
13	T	4.0442	3.3649	4.2190	4.1998	3.9646	4.7045	4.4029	4.1267	33.0266	
	S	143.471	128.871	123.467	135.558	143.772	140.436	133.486	139.942	136.254	
14	T	3.9916	3.3606	4.2124	4.1874	3.9686	4.7354	4.4315	4.1244	33.0119	
	S	145.362	129.035	123.661	135.960	143.627	139.520	132.625	140.020	136.314	
15	T	3.9879	3.3809	4.2178	4.1837	3.9653	4.8130	4.5047	4.2014	33.2547	
	S	145.497	128.261	123.503	136.080	143.747	137.270	130.470	137.454	135.319	
16	T	4.0535	3.3778	4.2079	4.2041	3.9783	4.7309	4.4421	4.1650	33.1596	
	S	143.142	128.378	123.793	135.420	143.277	139.652	132.308	138.655	135.707	
17	T	4.0249	3.3484	4.2002	4.2064	3.9894	4.6812	4.3916	4.1149	32.9570	
	S	144.159	129.506	124.020	135.346	142.879	141.135	133.830	140.344	136.542	
18	T	3.9852	3.3581	4.1894	4.1790	3.9587	4.7020	4.3988	4.1125	32.8837	
	S	145.596	129.131	124.340	136.233	143.987	140.511	133.611	140.426	136.846	
19	T	3.9874	3.3492	4.1822	4.1568	3.9489	4.6934	4.4165	4.1234	32.8578	
	S	145.515	129.475	124.554	136.961	144.344	140.768	133.075	140.054	136.954	

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 7 - Garg, Bijoy (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.9878	3.3850	4.2844	4.2132	3.9839	4.7537	4.4784	4.1566	33.2430
	S	145.501	128.105	121.583	135.127	143.076	138.983	131.236	138.936	135.367
21	T	4.0166	3.3670	4.2090	4.2106	3.9817	4.7789	4.4768	4.1568	33.1974
	S	144.457	128.790	123.761	135.211	143.155	138.250	131.283	138.929	135.553
22	T	4.0135	3.3749	4.1966	4.1996	3.9788	4.6964	4.4067	4.1116	32.9781
	S	144.569	128.489	124.126	135.565	143.259	140.678	133.371	140.456	136.454
23	T	3.9858	3.3751	4.2047	4.2052	3.9908	4.7720	4.4468	4.1693	33.1497
	S	145.574	128.481	123.887	135.384	142.829	138.450	132.169	138.512	135.748
24	T	4.0319	3.4313	4.3042	4.2456	4.0186	4.7667	4.4407	4.1542	33.3932
	S	143.909	126.377	121.023	134.096	141.840	138.604	132.350	139.016	134.758
25	T	4.0376	3.3597	4.1651	4.1913	3.9837	4.7618	4.4306	4.1571	33.0869
	S	143.706	129.070	125.065	135.833	143.083	138.746	132.652	138.919	136.005
26	T	4.0329	3.3663	4.2059	4.2060	3.9959	4.6651	4.3757	4.1210	32.9688
	S	143.873	128.817	123.852	135.359	142.646	141.622	134.316	140.136	136.493
27	T	4.0096	3.3451	4.1582	4.1715	3.9869	4.6663	4.3696	4.1210	32.8282
	S	144.710	129.633	125.273	136.478	142.968	141.586	134.504	140.136	137.077
28	T	4.0023	3.3614	4.1981	4.1892	3.9915	4.7728	4.4886	4.2006	33.2045
	S	144.973	129.005	124.082	135.901	142.803	138.426	130.938	137.480	135.524
29	T	4.0581	3.3855	4.1687	4.1785	3.9826	4.7002	4.3761	4.1386	32.9883
	S	142.980	128.086	124.957	136.249	143.123	140.565	134.304	139.540	136.412
30	T	4.0137	3.3930	4.2410	4.2070	3.9897	4.7444	4.4355	4.1674	33.1917
	S	144.562	127.803	122.827	135.326	142.868	139.255	132.505	138.576	135.576
31	T	4.0392	3.3661	4.1928	4.1804	3.9702	4.7088	4.4320	4.1390	33.0285
	S	143.649	128.825	124.239	136.187	143.570	140.308	132.610	139.526	136.246
32	T	3.9883	3.3695	4.2258	4.1802	3.9094	4.8099	4.5268	4.2215	33.2314
	S	145.482	128.695	123.269	136.194	145.802	137.359	129.833	136.800	135.414
33	T	4.0803	3.3911	4.2123	4.2054	3.9882	4.7053	4.3931	4.1451	33.1208
	S	142.202	127.875	123.664	135.378	142.922	140.412	133.784	139.321	135.866
34	T	4.0244	3.3276	4.1604	4.1896	3.9815	4.6744	4.3995	4.1391	32.8965
	S	144.177	130.315	125.206	135.888	143.162	141.340	133.590	139.523	136.793
35	T	4.0180	3.3382	4.1472	4.1723	3.9735	4.6537	4.3691	4.1310	32.8030
	S	144.407	129.901	125.605	136.452	143.450	141.969	134.519	139.797	137.183
36	T	4.0163	3.3646	4.1804	4.1893	3.9808	4.7126	4.4324	4.1548	33.0312
	S	144.468	128.882	124.607	135.898	143.187	140.195	132.598	138.996	136.235
37	T	4.0351	3.3447	4.1875	4.1992	3.9900	4.6651	4.3978	4.1385	32.9579
	S	143.795	129.649	124.396	135.578	142.857	141.622	133.641	139.543	136.538
38	T	4.0294	3.3227	4.1627	4.1809	3.9761	4.6666	4.3642	4.1322	32.8348
	S	143.998	130.507	125.137	136.171	143.357	141.577	134.670	139.756	137.050

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 7 - Garg, Bijoy (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	4.0251	3.3582	4.1879	4.1880	3.9855	4.6706	4.3461	4.1245	32.8859
	S	144.152	129.128	124.384	135.940	143.018	141.455	135.231	140.017	136.837
40	T	4.0132	3.3106	4.1332	4.1550	3.9696	4.6802	4.3916	4.1473	32.8007
	S	144.580	130.984	126.030	137.020	143.591	141.165	133.830	139.247	137.192
41	T	4.0365	3.3654	4.1700	4.1818	3.9916	4.6833	4.4108	4.1483	32.9877
	S	143.745	128.851	124.918	136.142	142.800	141.072	133.247	139.214	136.414
42	T	4.0365	3.3261	4.1570	4.1775	3.9918	4.7008	4.3901	4.1471	32.9269
	S	143.745	130.374	125.309	136.282	142.793	140.547	133.876	139.254	136.666
43	T	4.0300	3.3210	4.1753	4.1977	3.9945	4.7189	4.4125	4.1632	33.0131
	S	143.977	130.574	124.760	135.626	142.696	140.008	133.196	138.715	136.310
44	T	4.0362	3.3479	4.1463	4.1637	3.9833	4.6669	4.3968	4.1388	32.8799
	S	143.756	129.525	125.632	136.734	143.097	141.568	133.672	139.533	136.862
45	T	4.0207	3.3116	4.1611	4.1778	3.9767	4.7820	4.4644	4.1784	33.0727
	S	144.310	130.945	125.185	136.272	143.335	138.160	131.648	138.211	136.064
46	T	4.0482	3.3645	4.1590	4.1652	3.9817	4.7004	4.3706	4.1440	32.9336
	S	143.330	128.886	125.249	136.684	143.155	140.559	134.473	139.358	136.639
47	T	4.0298	3.3447	4.1729	4.1751	3.9834	4.7856	4.4719	4.2089	33.1723
	S	143.984	129.649	124.831	136.360	143.094	138.056	131.427	137.209	135.655
48	T	4.0769	3.3593	4.1551	4.1802	3.9931	4.7134	4.4097	4.1632	33.0509
	S	142.321	129.085	125.366	136.194	142.746	140.171	133.281	138.715	136.154
49	T	4.0570	3.3309	4.2150	4.2147	4.0083	4.6977	4.3724	4.1358	33.0318
	S	143.019	130.186	123.585	135.079	142.205	140.639	134.418	139.634	136.232
50	T	4.0420	3.3476	4.1546	4.1765	3.9993	4.7199	4.3714	4.1515	32.9628
	S	143.550	129.536	125.381	136.315	142.525	139.978	134.448	139.106	136.518
51	T	4.0436	3.3348	4.1803	4.1782	3.9979	4.6844	4.3778	4.1592	32.9562
	S	143.493	130.034	124.610	136.259	142.575	141.039	134.252	138.849	136.545
52	T	4.0534	3.3221	4.1386	4.1563	3.9740	4.7210	4.4064	4.1866	32.9584
	S	143.146	130.531	125.866	136.977	143.432	139.945	133.380	137.940	136.536
53	T	4.0652	3.3324	4.1260	4.1581	3.9808	4.6883	4.3856	4.1521	32.8885
	S	142.730	130.127	126.250	136.918	143.187	140.921	134.013	139.086	136.826
54	T	4.0495	3.3212	4.1884	4.1895	3.9895	4.7692	4.4417	4.2096	33.1586
	S	143.284	130.566	124.369	135.892	142.875	138.531	132.320	137.186	135.711
55	T	4.0893	3.3077	4.1562	4.1700	3.9893	4.6688	4.3807	4.1432	32.9052
	S	141.889	131.099	125.333	136.527	142.882	141.510	134.163	139.385	136.757

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 8 - Siegel, Nolan (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	5.1071	3.6936	4.4107	4.2131	3.9440	4.8579	4.3734	4.1358	34.7356	69.3153
	S	113.612	117.402	118.101	135.130	144.523	136.002	134.387	139.634	129.550	57.730
2	T	4.0604	3.3681	4.1866	4.1758	3.9989	4.7075	4.3809	4.1606	33.0388	
	S	142.899	128.748	124.423	136.338	142.539	140.347	134.157	138.802	136.203	
3	T	4.0357	3.3429	4.1806	4.1713	3.9838	4.6221	4.3160	4.1114	32.7638	
	S	143.774	129.719	124.602	136.485	143.079	142.940	136.174	140.463	137.347	
4	T	4.0082	3.3336	4.1642	4.1813	3.9721	4.6150	4.3139	4.0876	32.6759	
	S	144.760	130.081	125.092	136.158	143.501	143.160	136.240	141.281	137.716	
5	T	3.9894	3.2839	4.1429	4.1679	3.9694	4.6490	4.3211	4.0895	32.6131	
	S	145.442	132.049	125.735	136.596	143.599	142.113	136.013	141.215	137.981	
6	T	3.9781	3.3020	4.1940	4.1843	3.9803	4.6963	4.3474	4.1095	32.7919	
	S	145.855	131.325	124.203	136.061	143.205	140.681	135.191	140.528	137.229	
7	T	4.0017	3.3245	4.1437	4.1740	3.9828	4.6437	4.3384	4.0951	32.7039	
	S	144.995	130.437	125.711	136.396	143.115	142.275	135.471	141.022	137.598	
8	T	3.9887	3.3269	4.2982	4.2352	4.0134	4.7108	4.3727	4.1261	33.0720	
	S	145.468	130.342	121.192	134.425	142.024	140.248	134.408	139.963	136.067	
9	T	4.0161	3.3517	4.1233	4.1552	3.9800	4.6540	4.3432	4.1168	32.7403	
	S	144.475	129.378	126.333	137.013	143.216	141.960	135.321	140.279	137.445	
10	T	4.0125	3.3432	4.1352	4.1511	3.9763	4.6839	4.3428	4.1197	32.7647	
	S	144.605	129.707	125.970	137.149	143.349	141.054	135.334	140.180	137.343	
11	T	4.0231	3.3436	4.1019	4.1339	3.9591	4.6495	4.3262	4.1055	32.6428	
	S	144.224	129.691	126.992	137.719	143.972	142.097	135.853	140.665	137.856	
12	T	4.0025	3.3720	4.1705	4.1868	3.9902	4.6584	4.3156	4.1045	32.8005	
	S	144.966	128.599	124.903	135.979	142.850	141.826	136.187	140.699	137.193	
13	T	4.0047	3.3519	4.1407	4.1680	3.9779	4.6250	4.3265	4.0890	32.6837	
	S	144.887	129.370	125.802	136.593	143.292	142.850	135.844	141.233	137.683	
14	T	3.9897	3.3530	4.1369	4.1693	3.9792	4.6696	4.3242	4.1027	32.7246	
	S	145.431	129.328	125.918	136.550	143.245	141.486	135.916	140.761	137.511	
15	T	3.9997	3.3465	4.1089	4.1465	3.9686	4.6517	4.3375	4.1023	32.6617	
	S	145.068	129.579	126.776	137.301	143.627	142.030	135.499	140.775	137.776	
16	T	4.0039	3.3350	4.1151	4.1602	3.9720	4.6380	4.3102	4.1105	32.6449	
	S	144.916	130.026	126.585	136.849	143.505	142.450	136.357	140.494	137.847	
17	T	4.0075	3.3399	4.1260	4.1671	3.9762	4.6661	4.3666	4.1242	32.7736	
	S	144.785	129.835	126.250	136.622	143.353	141.592	134.596	140.027	137.306	
18	T	4.0163	3.3485	4.1190	4.1551	3.9673	4.6584	4.3262	4.1016	32.6924	
	S	144.468	129.502	126.465	137.017	143.675	141.826	135.853	140.799	137.647	
19	T	3.9997	3.3401	4.1070	4.1409	3.9643	4.6532	4.3295	4.0972	32.6319	
	S	145.068	129.827	126.834	137.487	143.783	141.984	135.749	140.950	137.902	

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)
Indy Pro 2000 Championship
August 20, 2022



Section Data for Car 8 - Siegel, Nolan (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.9918	3.3100	4.1086	4.1563	3.9704	4.6458	4.3136	4.0861	32.5826
	S	145.355	131.008	126.785	136.977	143.562	142.211	136.250	141.333	138.111
21	T	3.9588	3.2945	4.1567	4.1462	3.9718	4.6872	4.3384	4.1081	32.6617
	S	146.566	131.624	125.318	137.311	143.512	140.954	135.471	140.576	137.776
22	T	4.0080	3.3375	4.1294	4.1800	3.9946	4.6959	4.3258	4.0976	32.7688
	S	144.767	129.928	126.146	136.201	142.693	140.693	135.866	140.936	137.326
23	T	3.9997	3.3196	4.1378	4.1801	3.9989	4.6555	4.3076	4.0871	32.6863
	S	145.068	130.629	125.890	136.197	142.539	141.914	136.440	141.298	137.672
24	T	3.9901	3.2629	4.0679	4.1502	3.9848	4.6433	4.3178	4.0884	32.5054
	S	145.417	132.899	128.054	137.178	143.044	142.287	136.117	141.253	138.439
25	T	3.9974	3.2929	4.0761	4.1464	3.9754	4.6472	4.3196	4.0951	32.5501
	S	145.151	131.688	127.796	137.304	143.382	142.168	136.061	141.022	138.248
26	T	3.9916	3.3133	4.0762	4.1406	3.9802	4.6375	4.3228	4.0958	32.5580
	S	145.362	130.877	127.793	137.497	143.209	142.465	135.960	140.998	138.215
27	T	3.9989	3.2703	4.0787	4.1401	3.9748	4.6400	4.3057	4.0925	32.5010
	S	145.097	132.598	127.714	137.513	143.403	142.388	136.500	141.112	138.457
28	T	3.9876	3.2908	4.0875	4.1355	3.9682	4.6331	4.3130	4.1071	32.5228
	S	145.508	131.772	127.440	137.666	143.642	142.600	136.269	140.610	138.364
29	T	4.0054	3.2714	4.0580	4.1253	3.9559	4.6431	4.3989	4.1304	32.5884
	S	144.861	132.554	128.366	138.006	144.089	142.293	133.608	139.817	138.086
30	T	4.0198	3.2945	4.0972	4.1518	3.9787	4.6710	4.3410	4.1171	32.6711
	S	144.342	131.624	127.138	137.126	143.263	141.443	135.390	140.269	137.736
31	T	4.0067	3.2990	4.0717	4.1353	3.9739	4.6609	4.3531	4.1223	32.6229
	S	144.814	131.445	127.934	137.673	143.436	141.750	135.014	140.092	137.940
32	T	4.0189	3.3063	4.0807	4.1455	3.9607	4.6679	4.4026	4.1927	32.7753
	S	144.375	131.155	127.652	137.334	143.914	141.537	133.495	137.739	137.299
33	T	4.0622	3.3050	4.1895	4.1444	3.8789	4.5884	4.3003	4.0971	32.5658
	S	142.836	131.206	124.337	137.370	146.949	143.990	136.671	140.953	138.182
34	T	4.0257	3.3783	4.2179	4.1372	3.9100	4.6833	4.3595	4.0491	32.7610
	S	144.131	128.359	123.500	137.610	145.780	141.072	134.815	142.624	137.358
35	T	3.9029	3.3264	4.2171	4.1496	3.9273	4.6428	4.3764	4.0650	32.6075
	S	148.666	130.362	123.523	137.198	145.138	142.302	134.295	142.066	138.005
36	T	3.9252	3.3096	4.1342	4.1132	3.8961	4.7024	4.3721	4.0769	32.5297
	S	147.821	131.024	126.000	138.412	146.300	140.499	134.427	141.652	138.335
37	T	3.9306	3.3173	4.1520	4.1117	3.9038	4.6750	4.3779	4.0709	32.5392
	S	147.618	130.720	125.460	138.463	146.012	141.322	134.249	141.861	138.295
38	T	3.9222	3.2919	4.1271	4.1013	3.8820	4.6398	4.3316	4.0071	32.3030
	S	147.934	131.728	126.217	138.814	146.832	142.394	135.684	144.119	139.306

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 8 - Siegel, Nolan (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.8623	3.2876	4.1884	4.1158	3.8927	4.7607	4.4525	4.0649	32.6249
	S	150.228	131.901	124.369	138.325	146.428	138.778	131.999	142.070	137.931
40	T	3.9093	3.3093	4.2049	4.1068	3.8784	4.6655	4.3714	4.0249	32.4705
	S	148.422	131.036	123.881	138.628	146.968	141.610	134.448	143.482	138.587
41	T	3.8707	3.2807	4.2468	4.1684	3.9119	4.7383	4.3882	4.0692	32.6742
	S	149.902	132.178	122.659	136.580	145.709	139.434	133.934	141.920	137.723
42	T	3.9364	3.2777	4.0925	4.1061	3.8963	4.7172	4.3584	4.0903	32.4749
	S	147.400	132.299	127.284	138.652	146.293	140.058	134.849	141.188	138.569
43	T	3.9442	3.3724	4.1474	4.1037	3.8772	4.7829	4.4001	4.1041	32.7320
	S	147.109	128.584	125.599	138.733	147.013	138.134	133.571	140.713	137.480
44	T	3.9354	3.3527	4.1950	4.1446	3.9233	4.7144	4.3867	4.0712	32.7233
	S	147.438	129.339	124.174	137.364	145.286	140.141	133.979	141.850	137.517
45	T	3.9221	3.3308	4.1968	4.1578	3.9281	4.6392	4.3371	4.0272	32.5391
	S	147.938	130.190	124.121	136.928	145.108	142.413	135.512	143.400	138.295
46	T	3.8773	3.2712	4.2368	4.1659	3.9760	4.6893	4.3538	4.1247	32.6950
	S	149.647	132.562	122.949	136.662	143.360	140.891	134.992	140.010	137.636
47	T	4.0138	3.2617	4.1325	4.1301	3.9593	4.7128	4.3747	4.1268	32.7117
	S	144.558	132.948	126.052	137.846	143.965	140.189	134.347	139.939	137.565
48	T	4.0239	3.2573	4.1186	4.1632	3.9892	4.6574	4.3321	4.1070	32.6487
	S	144.195	133.128	126.477	136.750	142.886	141.856	135.668	140.614	137.831
49	T	4.0136	3.2998	4.0877	4.1419	3.9717	4.6491	4.3148	4.0958	32.5744
	S	144.565	131.413	127.433	137.453	143.515	142.110	136.212	140.998	138.145
50	T	4.0101	3.2966	4.0899	4.1504	3.9783	4.6513	4.3094	4.0904	32.5764
	S	144.691	131.540	127.365	137.172	143.277	142.042	136.383	141.184	138.137
51	T	4.0044	3.2905	4.0717	4.1325	3.9756	4.6924	4.2992	4.1151	32.5814
	S	144.897	131.784	127.934	137.766	143.375	140.798	136.706	140.337	138.116
52	T	4.0187	3.2817	4.0806	4.1349	3.9671	4.6221	4.3016	4.0975	32.5042
	S	144.382	132.138	127.655	137.686	143.682	142.940	136.630	140.940	138.444
53	T	4.0076	3.2897	4.0870	4.1341	3.9625	4.6242	4.3075	4.0973	32.5099
	S	144.782	131.816	127.455	137.713	143.849	142.875	136.443	140.946	138.419
54	T	4.0053	3.2694	4.1153	4.1484	3.9681	4.6690	4.3205	4.1085	32.6045
	S	144.865	132.635	126.579	137.238	143.646	141.504	136.032	140.562	138.018
55	T	4.0162	3.2979	4.1061	4.1482	3.9670	4.6641	4.3250	4.1124	32.6369
	S	144.472	131.489	126.862	137.245	143.685	141.653	135.891	140.429	137.881
56	T	4.1086	3.8106	5.1207	5.6342	7.1656				
	S	141.223	113.797	101.726	101.047	79.547				

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 90 - Foster, Louis (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	5.1022	3.8026	4.4857	4.2890	3.9630	4.9114	4.6198	4.2905	35.4642	69.8569
	S	113.721	114.037	116.127	132.739	143.830	134.520	127.219	134.600	126.889	57.283
2	T	4.1431	3.4873	4.4302	4.2076	3.9733	4.8185	4.4771	4.2120	33.7491	
	S	140.047	124.347	117.581	135.307	143.458	137.114	131.274	137.108	133.337	
3	T	4.1197	3.3603	4.3002	4.1727	3.8373	4.6818	4.4152	4.1342	33.0214	
	S	140.842	129.047	121.136	136.439	148.542	141.117	133.115	139.688	136.275	
4	T	3.9943	3.2521	4.1946	4.1449	3.9091	4.7524	4.5143	4.2939	33.0556	
	S	145.264	133.340	124.186	137.354	145.814	139.021	130.192	134.493	136.134	
5	T	4.1068	3.3298	4.2591	4.2109	3.9938	4.6662	4.3843	4.1135	33.0644	
	S	141.285	130.229	122.305	135.201	142.721	141.589	134.053	140.391	136.098	
6	T	3.9932	3.2574	4.1222	4.1497	3.9627	4.6376	4.3345	4.0848	32.5421	
	S	145.304	133.123	126.367	137.195	143.841	142.462	135.593	141.378	138.282	
7	T	3.9729	3.2919	4.1372	4.1553	3.9581	4.6417	4.3658	4.0895	32.6124	
	S	146.046	131.728	125.909	137.010	144.008	142.336	134.621	141.215	137.984	
8	T	3.9634	3.2688	4.1564	4.1442	3.9366	4.7129	4.4539	4.1188	32.7550	
	S	146.396	132.659	125.327	137.377	144.795	140.186	131.958	140.211	137.384	
9	T	3.9478	3.3949	4.3880	4.2228	3.9772	4.7002	4.3692	4.0939	33.0940	
	S	146.975	127.732	118.712	134.820	143.317	140.565	134.516	141.064	135.976	
10	T	3.9551	3.2953	4.2731	4.1892	3.9574	4.6456	4.3393	4.0703	32.7253	
	S	146.704	131.592	121.904	135.901	144.034	142.217	135.443	141.881	137.508	
11	T	3.9390	3.3467	4.2407	4.1669	3.9346	4.6310	4.3316	4.0509	32.6414	
	S	147.303	129.571	122.836	136.629	144.869	142.665	135.684	142.561	137.862	
12	T	3.9168	3.3639	4.2468	4.1894	3.9478	4.6965	4.4468	4.1393	32.9473	
	S	148.138	128.909	122.659	135.895	144.384	140.675	132.169	139.516	136.582	
13	T	3.9956	3.2919	4.1264	4.1374	3.9446	4.6423	4.3608	4.0918	32.5908	
	S	145.217	131.728	126.238	137.603	144.501	142.318	134.775	141.136	138.076	
14	T	3.9511	3.2955	4.2027	4.1681	3.9441	4.6461	4.3420	4.0877	32.6373	
	S	146.852	131.584	123.946	136.589	144.520	142.201	135.359	141.277	137.879	
15	T	3.9498	3.3017	4.2185	4.1563	3.9429	4.6371	4.3586	4.0768	32.6417	
	S	146.900	131.337	123.482	136.977	144.564	142.477	134.843	141.655	137.860	
16	T	3.9481	3.2762	4.1584	4.1555	3.9360	4.6196	4.3723	4.0772	32.5433	
	S	146.964	132.360	125.267	137.004	144.817	143.017	134.421	141.641	138.277	
17	T	3.9444	3.3119	4.1736	4.1545	3.9387	4.6185	4.3657	4.0921	32.5994	
	S	147.102	130.933	124.810	137.037	144.718	143.051	134.624	141.126	138.039	
18	T	3.9587	3.3079	4.1854	4.1619	3.9409	4.6857	4.4141	4.1168	32.7714	
	S	146.570	131.091	124.459	136.793	144.637	141.000	133.148	140.279	137.315	
19	T	3.9874	3.2709	4.1242	4.1231	3.9355	4.6021	4.3342	4.0661	32.4435	
	S	145.515	132.574	126.305	138.080	144.835	143.561	135.602	142.028	138.703	

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 90 - Foster, Louis (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.9543	3.2414	4.1926	4.1714	3.9618	4.6268	4.3309	4.0691	32.5483
	S	146.733	133.781	124.245	136.481	143.874	142.795	135.706	141.923	138.256
21	T	3.9471	3.2481	4.1764	4.1651	3.9449	4.6112	4.3277	4.0570	32.4775
	S	147.001	133.505	124.727	136.688	144.490	143.278	135.806	142.347	138.557
22	T	3.9272	3.3316	4.2219	4.1677	3.9647	4.7325	4.4298	4.1121	32.8875
	S	147.746	130.159	123.383	136.602	143.769	139.605	132.676	140.439	136.830
23	T	3.9846	3.2363	4.1134	4.1435	3.9546	4.6428	4.3492	4.0804	32.5048
	S	145.617	133.991	126.637	137.400	144.136	142.302	135.135	141.530	138.441
24	T	3.9657	3.2267	4.0752	4.1227	3.9376	4.6116	4.3295	4.0587	32.3277
	S	146.311	134.390	127.824	138.094	144.758	143.265	135.749	142.287	139.200
25	T	3.9386	3.2332	4.1369	4.1454	3.9465	4.6125	4.3341	4.0658	32.4130
	S	147.318	134.120	125.918	137.337	144.432	143.237	135.605	142.038	138.833
26	T	3.9438	3.2356	4.1362	4.1332	3.9408	4.6190	4.3463	4.0722	32.4271
	S	147.124	134.020	125.939	137.743	144.641	143.036	135.225	141.815	138.773
27	T	3.9476	3.2417	4.1329	4.1336	3.9350	4.6144	4.3442	4.0610	32.4104
	S	146.982	133.768	126.040	137.729	144.854	143.178	135.290	142.206	138.844
28	T	3.9251	3.2479	4.1052	4.1137	3.9203	4.6604	4.3687	4.0806	32.4219
	S	147.825	133.513	126.890	138.396	145.397	141.765	134.531	141.523	138.795
29	T	3.9276	3.2838	4.1519	4.1276	3.9067	4.6434	4.3793	4.0983	32.5186
	S	147.731	132.053	125.463	137.930	145.903	142.284	134.206	140.912	138.382
30	T	3.9520	3.3028	4.1553	4.1378	3.9192	4.6445	4.3820	4.0810	32.5746
	S	146.819	131.294	125.360	137.590	145.438	142.250	134.123	141.509	138.144
31	T	3.9189	3.3089	4.2103	4.1548	3.9261	4.6116	4.3282	4.0613	32.5201
	S	148.059	131.052	123.723	137.027	145.182	143.265	135.790	142.196	138.376
32	T	3.9000	3.2959	4.1896	4.1516	3.8998	4.6435	4.3832	4.0829	32.5465
	S	148.776	131.568	124.334	137.132	146.161	142.281	134.086	141.444	138.264
33	T	3.9316	3.3627	4.3715	4.1950	3.9217	4.6467	4.3212	4.0697	32.8201
	S	147.580	128.955	119.160	135.714	145.345	142.183	136.010	141.902	137.111
34	T	3.9878	3.2762	4.1292	4.1081	3.8721	4.6478	4.5076	4.1154	32.6442
	S	145.501	132.360	126.153	138.584	147.207	142.149	130.386	140.327	137.850
35	T	3.9541	3.2696	4.1985	4.1683	3.9301	4.5978	4.3246	4.0418	32.4848
	S	146.741	132.627	124.070	136.583	145.034	143.695	135.903	142.882	138.526
36	T	3.8963	3.3593	4.3360	4.2257	4.0140	4.7500	4.4169	4.1894	33.1876
	S	148.918	129.085	120.136	134.728	142.003	139.091	133.063	137.848	135.593
37	T	4.0746	3.3196	4.2686	4.2204	3.8902	4.7352	4.4509	4.1311	33.0906
	S	142.401	130.629	122.033	134.897	146.522	139.526	132.047	139.793	135.990
38	T	3.9511	3.2746	4.2681	4.1913	3.9374	4.6167	4.3264	4.0598	32.6254
	S	146.852	132.424	122.047	135.833	144.766	143.107	135.847	142.248	137.929

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 90 - Foster, Louis (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.9487	3.2248	4.1203	4.1428	3.9262	4.5833	4.3151	4.0580	32.3192
	S	146.941	134.469	126.425	137.424	145.179	144.150	136.202	142.311	139.236
40	T	3.9420	3.2279	4.1416	4.1320	3.9338	4.6023	4.3495	4.0712	32.4003
	S	147.191	134.340	125.775	137.783	144.898	143.555	135.125	141.850	138.888
41	T	3.9587	3.2591	4.1169	4.1368	3.9475	4.5868	4.3020	4.0382	32.3460
	S	146.570	133.054	126.529	137.623	144.395	144.040	136.617	143.009	139.121
42	T	3.9057	3.3706	4.3021	4.1357	3.8428	4.7081	4.4187	4.1117	32.7954
	S	148.559	128.653	121.083	137.659	148.329	140.329	133.009	140.453	137.214
43	T	3.9625	3.2374	4.1842	4.1554	3.9387	4.6172	4.3556	4.0549	32.5059
	S	146.430	133.946	124.494	137.007	144.718	143.091	134.936	142.420	138.436
44	T	3.8976	3.3712	4.2332	4.1556	3.9213	4.6177	4.3859	4.0718	32.6543
	S	148.868	128.630	123.053	137.000	145.360	143.076	134.004	141.829	137.807
45	T	3.9239	3.2296	4.1501	4.1221	3.9114	4.6479	4.4017	4.0777	32.4644
	S	147.870	134.269	125.517	138.114	145.728	142.146	133.523	141.624	138.613
46	T	3.9490	3.2760	4.1969	4.1595	3.9308	4.6525	4.3522	4.0638	32.5807
	S	146.930	132.368	124.118	136.872	145.009	142.006	135.041	142.108	138.119
47	T	3.9227	3.2759	4.1775	4.1197	3.8676	4.6022	4.3308	4.0469	32.3433
	S	147.915	132.372	124.694	138.194	147.378	143.558	135.709	142.702	139.132
48	T	3.8754	3.3709	4.2312	4.1239	3.8851	4.8594	4.4535	4.1270	32.9264
	S	149.721	128.641	123.111	138.053	146.714	135.960	131.970	139.932	136.668
49	T	3.9532	3.3126	4.2534	4.2467	4.0132	4.6621	4.3561	4.0704	32.8677
	S	146.774	130.905	122.469	134.061	142.031	141.713	134.921	141.878	136.913
50	T	3.9441	3.2749	4.1758	4.1534	3.9356	4.5877	4.3240	4.0442	32.4397
	S	147.113	132.412	124.745	137.073	144.832	144.012	135.922	142.797	138.719
51	T	3.9249	3.2508	4.1909	4.1491	3.9311	4.5698	4.3216	4.0423	32.3805
	S	147.832	133.394	124.295	137.215	144.998	144.576	135.998	142.864	138.973
52	T	3.9112	3.3004	4.2700	4.1667	3.9291	4.5835	4.3224	4.0584	32.5417
	S	148.350	131.389	121.993	136.635	145.071	144.144	135.972	142.297	138.284
53	T	3.9278	3.2626	4.1877	4.1334	3.9086	4.5877	4.3504	4.0511	32.4093
	S	147.723	132.911	124.390	137.736	145.832	144.012	135.097	142.554	138.849
54	T	3.9099	3.2901	4.3061	4.1986	3.9479	4.6189	4.3594	4.0658	32.6967
	S	148.400	131.800	120.970	135.597	144.381	143.039	134.818	142.038	137.629
55	T	3.9379	3.2802	4.2200	4.1769	3.9402	4.6208	4.3546	4.0865	32.6171
	S	147.344	132.198	123.438	136.302	144.663	142.980	134.967	141.319	137.964
56	T	4.2918	3.8277	4.9611	6.1835	7.4245				
	S	135.194	113.289	104.999	92.071	76.773				

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 93 - Brewer, Lindsay (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	5.3040	4.3206	4.7953	4.4222	4.0463	5.2147	4.7668	4.3868	37.2567	64.2214
	S	109.394	100.365	108.629	128.741	140.869	126.696	123.296	131.645	120.784	62.309
2	T	4.1791	3.5190	4.4006	4.2675	4.0318	4.8534	4.5761	4.2342	34.0617	
	S	138.840	123.227	118.372	133.408	141.376	136.128	128.434	136.389	132.113	
3	T	4.0885	3.4231	4.4110	4.3007	4.0123	4.8008	4.6852	4.3103	34.0319	
	S	141.917	126.679	118.093	132.378	142.063	137.619	125.443	133.981	132.229	
4	T	4.1591	3.5011	4.3630	4.3243	4.0287	4.9041	4.6303	4.3184	34.2290	
	S	139.508	123.857	119.392	131.656	141.485	134.720	126.931	133.730	131.467	
5	T	4.1561	3.5200	4.4170	4.2930	4.0215	4.9147	4.5926	4.3055	34.2204	
	S	139.609	123.192	117.933	132.615	141.738	134.430	127.973	134.131	131.501	
6	T	4.1564	3.4858	4.4292	4.3537	4.0631	4.9327	4.6080	4.2978	34.3267	
	S	139.599	124.401	117.608	130.767	140.287	133.939	127.545	134.371	131.093	
7	T	4.1518	3.4964	4.4533	4.3643	4.0595	4.9598	4.6370	4.3415	34.4636	
	S	139.753	124.024	116.971	130.449	140.411	133.207	126.747	133.019	130.573	
8	T	4.1957	3.5062	4.4049	4.3428	4.0628	4.9256	4.6468	4.3510	34.4358	
	S	138.291	123.677	118.257	131.095	140.297	134.132	126.480	132.728	130.678	
9	T	4.2036	3.5105	4.3855	4.2980	4.0382	4.8776	4.5505	4.2890	34.1529	
	S	138.031	123.526	118.780	132.461	141.152	135.452	129.157	134.647	131.760	
10	T	4.1571	3.5217	4.4837	4.3321	4.0500	4.9651	4.6840	4.4055	34.5992	
	S	139.575	123.133	116.178	131.419	140.741	133.065	125.476	131.086	130.061	
11	T	4.2592	3.5606	4.4304	4.3473	4.0670	4.9283	4.6389	4.3770	34.6087	
	S	136.229	121.787	117.576	130.959	140.152	134.059	126.695	131.940	130.025	
12	T	4.2353	3.5500	4.4415	4.3444	4.0627	4.9211	4.5977	4.3352	34.4879	
	S	136.998	122.151	117.282	131.046	140.301	134.255	127.831	133.212	130.481	
13	T	4.2002	3.5019	4.4527	4.3591	4.0865	4.9627	4.6754	4.3980	34.6365	
	S	138.143	123.829	116.987	130.605	139.484	133.130	125.706	131.310	129.921	
14	T	4.2561	3.5562	4.3961	4.3251	4.0786	4.8845	4.5666	4.3257	34.3889	
	S	136.328	121.938	118.493	131.631	139.754	135.261	128.701	133.504	130.856	
15	T	4.2171	3.5590	4.3978	4.3256	4.0887	4.8941	4.5988	4.3451	34.4262	
	S	137.589	121.842	118.448	131.616	139.409	134.996	127.800	132.908	130.714	
16	T	4.2270	3.6053	4.4222	4.3399	4.0807	4.9382	4.6042	4.3570	34.5745	
	S	137.267	120.277	117.794	131.182	139.682	133.790	127.650	132.545	130.154	
17	T	4.2397	3.5475	4.3924	4.3251	4.0886	4.9054	4.5741	4.3351	34.4079	
	S	136.856	122.237	118.593	131.631	139.412	134.685	128.490	133.215	130.784	
18	T	4.2206	3.4569	4.3946	4.2578	4.0127	4.8292	4.5118	4.2184	33.9020	
	S	137.475	125.441	118.534	133.712	142.049	136.810	130.264	136.900	132.736	
19	T	4.1117	3.4797	4.4117	4.3189	4.0617	4.8278	4.5089	4.2431	33.9635	
	S	141.116	124.619	118.074	131.820	140.335	136.849	130.348	136.103	132.495	

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 93 - Brewer, Lindsay (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	4.1363	3.4758	4.3292	4.3026	4.0897	5.0553	4.5682	4.2479	34.2050
	S	140.277	124.759	120.325	132.320	139.375	130.691	128.656	135.950	131.560
21	T	4.1314	3.4522	4.3398	4.2975	4.0705	5.0552	4.5693	4.2049	34.1208
	S	140.443	125.612	120.031	132.477	140.032	130.694	128.625	137.340	131.884
22	T	4.0646	3.4068	4.3789	4.3064	4.0524	5.0391	4.5731	4.2319	34.0532
	S	142.751	127.286	118.959	132.203	140.657	131.111	128.518	136.464	132.146
23	T	4.1013	3.4158	4.4149	4.3339	4.0616	4.8754	4.5489	4.2538	34.0056
	S	141.474	126.950	117.989	131.364	140.339	135.513	129.202	135.761	132.331
24	T	4.1570	3.5042	4.3914	4.3248	4.0606	4.9082	4.5753	4.3340	34.2555
	S	139.578	123.748	118.620	131.640	140.373	134.608	128.457	133.249	131.366
25	T	4.2310	3.7718	4.4390	4.2815	4.0009	4.9123	4.5954	4.2751	34.5070
	S	137.137	114.968	117.348	132.972	142.468	134.495	127.895	135.085	130.408
26	T	4.1289	3.4737	4.4070	4.2948	4.0504	4.8106	4.4887	4.2307	33.8848
	S	140.528	124.834	118.200	132.560	140.727	137.339	130.935	136.502	132.803
27	T	4.1111	3.4369	4.3914	4.3156	4.0641	4.8587	4.5349	4.2789	33.9916
	S	141.137	126.171	118.620	131.921	140.252	135.979	129.601	134.965	132.386
28	T	4.1708	3.5098	4.3451	4.2897	4.0509	5.1899	4.7854	4.4496	34.7912
	S	139.117	123.550	119.884	132.717	140.709	127.301	122.817	129.787	129.343
29	T	4.2332	3.6039	4.4393	4.2853	3.9866	4.7956	4.5121	4.1836	34.0396
	S	137.066	120.324	117.340	132.854	142.979	137.768	130.256	138.039	132.199
30	T	4.0470	3.4076	4.3570	4.3060	4.0252	4.7805	4.5620	4.2358	33.7211
	S	143.372	127.256	119.557	132.215	141.608	138.203	128.831	136.338	133.448
31	T	4.1106	3.4590	4.3401	4.3065	4.0418	5.0894	4.6985	4.3100	34.3559
	S	141.154	125.365	120.022	132.200	141.026	129.815	125.088	133.991	130.982
32	T	4.1321	3.4960	4.3822	4.3075	4.0519	5.1183	4.6742	4.2873	34.4495
	S	140.419	124.038	118.869	132.169	140.675	129.082	125.739	134.700	130.626
33	T	4.0927	3.4332	4.4047	4.3128	4.0160	4.8143	4.6273	4.2881	33.9891
	S	141.771	126.307	118.262	132.007	141.932	137.233	127.013	134.675	132.395
34	T	4.1429	3.4679	4.4124	4.3324	4.0465	4.8728	4.6281	4.3313	34.2343
	S	140.053	125.043	118.056	131.409	140.862	135.586	126.991	133.332	131.447
35	T	4.1953	3.5326	4.4012	4.3343	4.0597	4.8418	4.5296	4.2742	34.1687
	S	138.304	122.753	118.356	131.352	140.404	136.454	129.753	135.113	131.699
36	T	4.1588	3.5080	4.4893	4.4031	4.0909	4.8235	4.5006	4.2539	34.2281
	S	139.518	123.614	116.033	129.299	139.334	136.971	130.589	135.758	131.471
37	T	4.1467	3.4308	4.3398	4.2967	4.0525	4.8632	4.6122	4.3193	34.0612
	S	139.925	126.395	120.031	132.501	140.654	135.853	127.429	133.702	132.115
38	T	4.1914	3.4392	4.3401	4.2457	4.0123	5.1564	4.7436	4.4218	34.5505
	S	138.433	126.086	120.022	134.093	142.063	128.129	123.899	130.603	130.244

Event: VP Racing Fuels Oval Chall. of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 15
1.25 mile(s)



Indy Pro 2000 Championship
August 20, 2022

Section Data for Car 93 - Brewer, Lindsay (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	4.2386	3.5610	4.4208	4.3316	4.0922	4.8975	4.6060	4.3314	34.4791
	S	136.891	121.774	117.831	131.434	139.289	134.902	127.600	133.329	130.514
40	T	4.2053	3.4960	4.3517	4.3262	4.1433	5.5296	4.7521	4.3340	35.1382
	S	137.975	124.038	119.702	131.598	137.572	119.481	123.677	133.249	128.066
41	T	4.2203	3.5079	4.3176	4.2576	4.0250	4.7756	4.4668	4.1725	33.7433
	S	137.485	123.617	120.648	133.718	141.615	138.345	131.577	138.406	133.360
42	T	4.0802	3.4176	4.2638	4.2270	4.0057	4.7574	4.4968	4.2059	33.4544
	S	142.206	126.883	122.170	134.686	142.297	138.875	130.699	137.307	134.511
43	T	4.1010	3.4090	4.2943	4.2269	4.0199	4.8446	4.5088	4.2653	33.6698
	S	141.484	127.203	121.302	134.689	141.795	136.375	130.351	135.395	133.651
44	T	4.1570	3.6898	4.4000	4.2254	3.9500	4.9215	4.5549	4.2128	34.1114
	S	139.578	117.523	118.388	134.737	144.304	134.244	129.032	137.082	131.921
45	T	4.0716	3.4308	4.3279	4.2379	4.0048	4.7364	4.5691	4.2192	33.5977
	S	142.506	126.395	120.361	134.340	142.329	139.490	128.631	136.874	133.938
46	T	4.0978	3.4241	4.3196	4.2578	4.0270	4.7370	4.5389	4.2185	33.6207
	S	141.595	126.642	120.592	133.712	141.545	139.473	129.487	136.897	133.846
47	T	4.1056	3.4079	4.3826	4.3082	4.0422	4.8644	4.5848	4.2929	33.9886
	S	141.326	127.244	118.858	132.148	141.012	135.820	128.190	134.524	132.397
48	T	4.1629	3.4475	4.4183	4.2728	4.0143	4.8128	4.5716	4.2400	33.9402
	S	139.381	125.783	117.898	133.242	141.992	137.276	128.561	136.203	132.586
49	T	4.1150	3.4182	4.3329	4.2693	4.0399	4.8321	4.6145	4.3146	33.9365
	S	141.003	126.861	120.222	133.352	141.093	136.728	127.365	133.848	132.601
50	T	4.1925	3.4872	4.3887	4.3019	4.0432	4.9012	4.8490	4.5575	34.7212
	S	138.396	124.351	118.693	132.341	140.977	134.800	121.206	126.714	129.604
51	T	4.3941	3.6523	4.4908	4.3716	4.0812	4.9900	4.6739	4.4167	35.0706
	S	132.047	118.730	115.995	130.231	139.665	132.401	125.747	130.754	128.313
52	T	4.2911	3.6148	4.4555	4.3637	4.0831	4.9734	4.6513	4.4021	34.8350
	S	135.216	119.961	116.914	130.467	139.600	132.843	126.358	131.187	129.180
53	T	4.2823	3.5786	4.4333	4.3602	4.0861	4.9892	4.6956	4.4595	34.8848
	S	135.494	121.175	117.499	130.572	139.497	132.422	125.166	129.499	128.996
54	T	4.6839								
	S	123.877								

Event: VP Racing Fuels Oval Chall. of St. Louis

Round 15

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship






Session: Race

August 20, 2022

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to T1	0.161174 miles
T1 to SS1	0.120455 miles
SS1 to T2	0.144697 miles
T2 to BS	0.158144 miles
BS to T3	0.158333 miles
T3 to SS2	0.183523 miles
SS2 to T4	0.163258 miles
T4 to SF	0.160417 miles
T1 to T2	0.265152 miles
T2 to T3	0.316477 miles
T3 to T4	0.346780 miles
Lap	1.250000 miles
PI to PO	0.297538 miles
PO to SF	1.111553 miles
SF to PI	1.089583 miles
PO to T2	0.287879 miles
T3 to PI	0.346780 miles
PO to PI	0.951136 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

